Ninety-Seventh

Annual Report of the Registrar-General for Scotland

1951

WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Call No. SLV WA

THE ROYAL SOCIETY for the Promotion OF HEALTH LIBRARY

EDINBURGH : HER MAJESTY'S STATIONERY OFFICE

1953

TABLE OF CONTENTS

	PAGE
INTRODUCTORY LETTER	6

TEXT

SUMMARY	7
POPULATION	7
BIRTHS	
Sex Ratio	9
Monthly Rates	9
Fertility Rates	9
Multiple Births	11
Illegitimate Births	11
International Rates	12
MARRIAGES	
Civil Marriages	13
International Rates	13
Divorces	13
DEATHS	
Standardised Rates	13
Monthly Rates	16
International Rates	16
Age and Sex	16
Infant Mortality	16
International Rates	18
Mortality among Legitimate and Illegitimate Children	18
Neo-natal Mortality	19
Centenarians	20
Causes of Death	20
Certification	20
Principal Epidemic Diseases	21
Tuberculosis	21
Malignant Disease	23
Diabetes	26
Other General Diseases	26
Diseases of the Nervous System	26
Diseases of the Circulatory System	26
Diseases of the Respiratory System	27
Diseases of the Digestive System	27
Diseases of the Genito-Urinary System	28
Diseases of Pregnancy and Childbirth	28
Diseases of Skin and Cellular Tissue	28
Diseases of the Organs of Locomotion	28
Malformations	28
Diseases of Early Infancy	30
Senility	30
Violence	30
Accidents at Home and elsewhere	31
Relative Frequency of Cause of Death	33
Infant Deaths	34
Death-rates standardised to Population of Great Britain	35
Central Clydeside Conurbation.	
Statistical Summary	35
APPENDICES	
I. Fertility of Women	
Report on information obtained under the Population (Statistics) Act, 1938, for the year 1951	38
II. Still-births	
Registration of Still-births	42

APPENDICES—*continued*

III. Social Class — PAGE

Births, Still-births and Infant Deaths according to the social class of father, 1951 49

IV. Marriages

Additional Statistics regarding Marriages registered during the year 1950 53

V. Parliamentary and Local Government Electors, 1951 60

VI. Weather

Report on the weather in Scotland for the year ended 31st December, 1951 61

VII. Alteration of Boundaries

Burghs, Landward Areas, Parishes and Registration Districts ... 64

VIII. Re-registration of Births

Adopted Children Register—Searches and Extracts 65

IX. Inhabited Houses

Inhabited houses in each area in Scotland for the years 1939 and 1947 to 1951 67

X. Classification of Causes of Death according to the Fifth and Sixth International Revision 68

TABLES

BIRTHS, DEATHS AND MARRIAGES

1. Population, Births, Still-births, Deaths and Marriages in Scotland, 1855 to 1951, with Quinquennial averages 98
2. Birth, Still-birth, Death and Marriage rates, Scotland, 1855 to 1951, with Quinquennial averages 100
3. Births, Still-births, Deaths and Marriages by Quarters, Scotland, 1941 to 1951 102
4. Birth, Still-birth, Death and Marriage rates, Scotland, Counties of Cities, Large Burghs and Counties, 1951... 103
5. Birth, Still-birth, Death and Marriage rates, Small Burghs, 1951 106
6. Birth, Still-birth, Death and Marriage rates, Landward Areas, 1951 ... 109

GENERAL REGISTRATION SUMMARY

7. Births, Still-births, Deaths, Marriages, Scotland, Counties of Cities, Counties, Large Burghs, 1951 110

BIRTHS

8. Birth-rate among married and unmarried women, Scotland, Counties of Cities, Large Burghs and Counties, 1951... 111

See also Tables 7 and 63

FERTILITY OF WOMEN

9. Births by sex and legitimacy and by year of age of mother, Scotland, 1951 113
10. Births by age of mother and duration of marriage, Scotland, 1951 114
11. Fertility by age of mother, Scotland, 1951 115
12. Interval between marriage and birth of first child, Scotland, 1951 116
13. Number of previous children by age of mother, Scotland, 1951 117
14. Births by duration of marriage and number of previous children, Scotland, 1951 118
15. Multiple confinements by age of mother, Scotland, 1951 119
16. Deaths of married women who died childless—age-groups, Scotland, 1951 120
17. Deaths of women by duration of marriage, and number who died childless, Scotland, 1951 121

STILL-BIRTHS

PAGE

18. Number and rates of still-births and neo-natal deaths, Scotland, Counties of Cities, Large Burghs and Counties, 1951 122
19. Still-births by age of mother and number of previous children, Scotland, 1951 124
20. Multiple confinements by age of mother, 1951 125
21. Still-births by cause and age of mother, Scotland, 1951 126
22. Still-births by cause and order of birth, Scotland, 1951 129
23. Still-births by cause and month of registration, Scotland, 1951 131
24. Still-births by cause in Public Health Districts of Scotland (Persons), 1951 133
25. Legitimate still-births by cause and social classification, Scotland, 1951 ... 137
26. Deaths of legitimate children under one year from selected causes by social classification, Scotland, 1951 139
27. Still-births by social classification, age of mother and number of previous children, Scotland, 1951 140
28. Live births by social classification, age of mother, and number of previous children, Scotland, 1951 141

DEATHS

29. Children under one year, deaths from selected causes, Scotland, 1951 ... 142
30. Children under one year, deaths from selected causes, by month of registration, Scotland, 1951 143
31. Children under one year, births, deaths and death-rates by age periods, Scotland, Counties of Cities, Large Burghs and Counties, 1951 ... 144
32. Children under one year, deaths by selected age-groups, Scotland, 1951 ... 146
33. Ages at death, Scotland, and aggregate of Counties of Cities, Large Burghs, Counties ex Large Burghs, Small Burghs and Landward Areas, 1951 147
34. Deaths, male and female, by year of age and conjugal condition, Scotland, 1951 148
35. Deaths and death-rates from selected causes by age-groups, Scotland, 1951 150
36. Deaths and death-rates from selected causes, Scotland and aggregate of Counties of Cities, Large Burghs, Small Burghs and Landward Areas, 1951 153
37. Deaths from selected causes and in age-groups, Scotland, 1950-1951 ... 155
38. Death-rates from selected causes and in age-groups, Scotland, 1950-1951 156
39. Deaths from principal epidemic and certain other diseases, Scotland, 1855-1951 157
40. Death-rates from principal epidemic and certain other diseases, Scotland, 1855-1951 158
41. Deaths from poison and under anaesthetics, Scotland, 1951 159
Detailed International List
42. Causes of death by age-groups (males and females), Scotland, 1951 ... 160
Intermediate International List
43. Causes of death by months (Persons), Scotland, 1951 220
44A. Deaths in Scotland by sex and age-groups, 1951 224
44B. Deaths in Cities over 1,000,000 population (Glasgow, Edinburgh, Aberdeen, and Dundee) by sex and age-groups, 1951 232
44C. Deaths in aggregate of Large Burghs in Scotland by sex and age-groups, 1951 240
44D. Deaths in aggregate of Small Burghs in Scotland by sex and age-groups, 1951 248
44E. Deaths in aggregate of Landward Areas in Scotland by sex and age-groups, 1951 256
44F. Deaths in Central Clydeside Conurbation in Scotland by sex and age-groups, 1951... 264
45. Causes of deaths in Public Health Districts of Scotland (Persons), 1951 ... 272
Abbreviated International List
46. Causes of death by age-groups in Public Health Districts of Scotland (males and females) 1951 (including separate particulars for the insular portions of Inverness and Ross and Cromarty Counties) 284
47. Statistical Abstract Population, Births, Still-births, Marriages, Deaths, Causes of Death, Ages at Death, Scotland, Counties, Counties of Cities, Burghs and Landward Areas, 1951 344

DEATHS—*continued*

	PAGE		PAGE
County of Aberdeen	344	County of Lanark	368
Do. Angus	348	Do. Midlothian	370
Do. Argyll	348	Do. Moray	372
Do. Ayr	350	Do. Nairn	372
Do. Banff	352	Do. Orkney	372
Do. Berwick	354	Do. Peebles	374
Do. Bute	356	Do. Perth	374
Do. Caithness	356	Do. Renfrew	376
Do. Clackmannan	356	Do. Ross and Cromarty ...	378
Do. Dumfries	358	Do. Roxburgh	378
Do. Dunbarton	358	Do. Selkirk	380
Do. East Lothian	360	Do. Stirling	380
Do. Fife	362	Do. Sutherland	382
Do. Inverness	366	Do. West Lothian	382
Do. Kincardine	366	Do. Wigtown	384
Do. Kinross	366	Do. Zetland...	384
Do. Kirkcudbright	368		

STANDARDISED RATES

48. Death rates standardised to population of Great Britain: Scotland: England and Wales for comparison 386

MARRIAGES

49. Method of celebration, etc., of marriages, 1855 to 1950 387
50. Ecclesiastical, Civil and Irregular Marriages, Scotland, Counties of Cities, Large Burghs and Counties, 1950 388
51. Marriages according to Church of Celebration, Scotland, Counties of Cities, Large Burghs and Counties, 1950 389
52. Conjugal Condition of Persons marrying, Scotland, Counties of Cities, Large Burghs and Counties, 1950 390
53. Ages of Men at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1950 392
54. Ages of Women at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1950 394
55. Ages in combination of men and women at marriage, Scotland, 1950 ... 396
56. Ages in combination of bachelors and spinsters at marriage, Scotland, 1950 397
57. Ages in combination of bachelors and widows at marriage, Scotland, 1950 398
58. Ages in combination of widowers and spinsters at marriage, Scotland, 1950 399
59. Ages in combination of widowers and widows at marriage, Scotland, 1950 400
59A. Ages in combination of divorced men and of women (all conjugal conditions) at marriage, Scotland, 1950 401
59B. Ages in combination of men (all conjugal conditions) and of divorced women at marriage, Scotland, 1950 402

See also Tables 7 and 63

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

60. Parliamentary Electors on the March, 1951, Register 403
61. Local Government Electors and analysis of local elections on the March, 1951, Register 406

INHABITED HOUSES

62. Return of Inhabited Houses in Scotland, 1939 and 1947-1951 417

METEOROLOGY

63. Meteorology of Scotland for 1951; also number of births, still-births, deaths, deaths under one year and marriages by months, with rates 423
64. Deaths, temperature and rainfall for each week of 1951—sixteen Large Burghs 424

See also Tables I to IV, pages 425-429

METEOROLOGICAL TABLES FOR APPENDIX VI

I. District Values of air temperature, rainfall and sunshine, 1951 425
II. Summary table of mean values of air temperature at the principal towns, Monthly values, 1951, also generalised figures for rain for the United Kingdom 426
III. Number of hours bright sunshine, Monthly values, 1951 427
IV. Rainfall, Monthly values, 1951 428

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1951

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,
NEW REGISTER HOUSE,
EDINBURGH, 10*th July*, 1953

SIR,

In compliance with the requirements of the 7th Section of the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, 17 & 18 Vict., c. 80, I beg to submit, for transmission to the Secretary of State, with a view to its being laid before Parliament, a Report on the Vital Statistics of Scotland for the year 1951.

I am, Sir,

Your obedient Servant,

E. A. HOGAN,
Registrar-General

THE SECRETARY,
DEPARTMENT OF HEALTH FOR SCOTLAND

REPORT

SUMMARY

The total number of births in Scotland in the year 1951 was 90,639. The number has decreased each year since the exceptionally high total of 113,147 registered in 1947. In 1948 the number was 100,344; in 1949, 95,674; and in 1950, 92,530. The birth-rate per 1,000 of the population in 1951 was 17·72. This compares with rates of 22·02 in 1947, 19·41 in 1948, 18·49 in 1949 and 17·88 in 1950.

The birth-rate is very much as it was before the war, namely, 17·65 in 1937 and 17·75 in 1938.

The number of marriages in 1951 was 41,383, which is 900 more than in 1950. The marriage-rate, while it has been falling from the exceptionally high rates immediately following the last war, is a little above the average for the pre-war years.

Deaths registered during the year numbered 65,778. The death-rate of 12·86 per 1,000 of the population is 0·49 above the rate of 12·37 in 1950, and slightly more than the average over the five years 1946-1950*. The infant mortality rate of 37·4 per 1,000 live births was the lowest ever recorded in Scotland.

Deaths from heart disease continue to increase and in 1951 constituted 32·7 per cent of the total deaths registered.

The decline in the number of deaths from tuberculosis, which started in 1948, was continued in 1951; and the mortality rate of 43 per 100,000 of the population, which compares with 54 in 1950 and 67 in 1949, is the lowest ever recorded in Scotland.

Maternal deaths numbered 99, and this, too, is the lowest on record.

The still-birth rate has fallen steadily from 42·2 per 1,000 total births in 1939, the first year in which still-births were registered in Scotland, to 26·6 in 1951.

POPULATION

The population of Scotland at 30th June, 1951, is estimated at 5,113,900†.

Table A (1) indicates how it was distributed among the counties of cities, the large burghs, the small burghs and the landward areas. It also shows the corresponding distribution of population at the time of the censuses of 1931 and 1951.

There was a natural increase of 24,058 in the population in the year ended 30th June, 1951. This was materially reduced by a balance of outward over inward migration estimated at 22,871, of which, according to the estimates, 9,887 was overseas and 12,984 to other parts of the United Kingdom.

EXPLANATORY NOTES

*(1) *To save repetition, any subsequent references to an average or average rate will, unless the contrary is indicated, be intended as references to the average for the five years 1946 to 1950.*

†(2) *The population is taken to be the civil population (including members of the Mercantile Marine for the time being in Scotland) and members of the armed forces stationed in Scotland. Birth, death and marriage rates are calculated accordingly.*

(In 1950 the population estimate also included members of the Mercantile Marine temporarily outside Scotland. These are now excluded to make the scope of the estimate identical with that of the census.)

(3) *Throughout the Report "year" means "calendar year" except where otherwise specified.*

BIRTHS

Numbers.—The number of living children whose births were registered in Scotland during the year 1951 was 90,639 (46,699 males and 43,940 females). This is 1,891 less than in 1950 and is the lowest number of births in the post-war years. It is greater, however, than in any pre-war year since 1932.

Still-births are dealt with in Appendix II (Tables 18-25 and 27).

Rates.—The birth-rate for the year was 17·7 per 1,000 population—0·2 below the rate for 1950 and 1·9 below the average. In the counties of cities the rate was 17·5, in the large burghs 18·5, in the small burghs 17·4 and in the landward districts 17·7.

The birth-rate reached its peak in Scotland in 1876 when it was 35·6 per 1,000 population. Since then it has kept on declining more or less continuously. By 1901 it had fallen to 29·5, and by 1931 to 19. From 1935 till the war began

TABLE A (1).—Population of Scotland in 1951

Group of Districts	Estimated Population at 30th June, 1951	Census 1951 (Preliminary Resident)			Census 1931 (Resident)		
	Persons	Persons	Males	Females	Persons	Males	Females
Counties of Cities ...	1,919,300	1,926,678	902,107	1,024,571	1,892,302	889,235	1,003,067
Large Burghs	831,800	829,287	397,387	431,900	776,296	377,586	398,710
Small Burghs	824,100	820,723	382,008	438,715	739,504	343,432	396,072
Landward	1,538,800	1,519,281	753,247	766,034	1,434,878	715,270	719,608
Scotland	5,113,900	5,095,969	2,434,749	2,661,220	4,842,980	2,325,523	2,517,457
Males	2,444,600						
Females	2,669,300						

TABLE A (2).—Migration, 1951

	From Scotland to other parts of the United Kingdom	To Scotland from other parts of the United Kingdom	Net Movement	From Scotland to places abroad	To Scotland from places abroad	Net Movement	Total Net Movement
1st Quarter	17,325	14,677	−2,648	7,786	6,174	−1,612	−4,260
2nd Quarter	18,576	17,613	−963	8,202	8,593	+391	−572
3rd Quarter	19,301	15,246	−4,055	14,888	9,476	−5,412	−9,467
4th Quarter	21,850	17,811	−4,039	10,979	7,382	−3,597	−7,636
Year	77,052	65,347	−11,705	41,855	31,625	−10,230	−21,935

it varied on a definitely descending trend between 17 and 18, and stood in 1939 at 17·4. A sharp rise after the last war brought it back temporarily in 1947 to 22, but it has since declined again. In 1950 it stood at 17·9.

Birth-rates for each county of city, large burgh and county will be found in Table 4. In the counties of cities and large burghs the birth-rate ranged from 22·9 in Coatbridge, 22·7 in Clydebank and Port Glasgow and 21·0 in Airdrie to 16·3 in Stirling, 15·9 in Ayr and Falkirk and 15·7 in Edinburgh and

Rutherglen. In the counties the rate ranged from 20·0 in Clackmannan, 19·4 in Midlothian and 19·1 in West Lothian to 14·8 in Roxburgh, 14·4 in Berwick and Perth and 12·2 in Bute.

Ratio of Male to Female Births.—There were 1,063 males to every thousand females among the children born alive in 1951. This differs little from the figures for immediately previous years, e.g., 1,070 in 1950, 1,058 in 1949, 1,070 in 1948, 1,052 in 1947, 1,065 in 1946, 1,062 in 1945 and 1,067 in 1944.

Monthly Birth-rates.—As will be seen from Table 63, the average monthly birth-rate was higher in the first than in the second half of the year.

Fertility Rates.—Table 8 contains the birth-rate for Scotland and for each county and large burgh calculated, not on the total population, but on the number of women of child-bearing age and the number of married women of child-bearing age, thus providing a truer index of fertility than does the ordinary birth-rate quoted in Table 2. Table B (2) summarises these rates for Scotland for triennial periods around the census years from 1860-62 to 1940-42.

The rates in Table B (2) show that fertility was diminishing up to the period 1940-42 and that the decline was more pronounced for legitimate births per 1,000 married women than for all births per 1,000 women, married and unmarried. As will be seen from column 3 of the following summary, however, there was a steady improvement in the general fertility rate from 1940 to 1947, interrupted only temporarily in 1945. The decrease in the rates in 1948-50

TABLE B (1).—Birth-rate in Scotland and its Groups of Public Health Districts in 1951

Groups of Districts	Live Births					Birth-rate per 1,000 of Estimated Population			Illegitimate Births per 100 Live Births
	Total	Legitimate		Illegitimate		Total	Legitimate	Illegitimate	
		Males	Females	Males	Females				
Counties of Cities ...	33,614	16,455	15,323	959	877	17·51	16·56	0·96	5·46
Large Burghs	15,407	7,591	7,164	319	333	18·52	17·74	0·78	4·23
Small Burghs	14,324	7,015	6,667	319	323	17·38	16·60	0·78	4·48
Landward ...	27,294	13,310	12,522	731	731	17·74	16·79	0·95	5·36
Scotland ...	90,639	44,371	41,676	2,328	2,264	17·72	16·83	0·90	5·07

	Still-births			Rate per 1,000 Births (including Still-births)		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Counties of Cities ...	931	864	67	27·0	26·5	35·2
Large Burghs	436	395	41	27·5	26·1	59·2
Small Burghs	367	344	23	25·0	24·5	34·6
Landward ...	745	698	47	26·6	26·3	31·1
Scotland ...	2,479	2,301	178	26·6	26·0	37·3

was continued in 1951. The general trend of the rate per 1,000 married women is fairly similar, although in several instances it shows a decline in a year when the general fertility rate increased. The illegitimate birth-rate per 1,000 unmarried women rose steadily from 1940 to 1945 but has fallen since the termination of the war.

	Crude Birth-rate per 1,000 Population	Births per 1,000 Women aged 15-44	Legitimate births per 1,000 Married Women aged under 45	Illegitimate births per 1,000 Unmarried Women aged 15-44
1931	19·0	79·8	168·3	10·3
1932	18·6	78·4	164·3	9·9
1933	17·6	74·5	154·7	9·2
1934	18·0	76·5	156·8	9·4
1935	17·8	74·9	152·4	9·0
1936	17·9	75·1	151·4	9·1
1937	17·6	73·7	147·2	8·6
1938	17·7	74·0	146·1	8·7
1939	17·4	72·1	141·1	8·3
1940	17·1	71·4	137·0	8·3
1941	17·5	73·5	138·1	9·6
1942	17·6	74·2	135·9	10·7
1943	18·4	78·7	140·6	12·3
1944	18·5	79·9	141·5	13·1
1945	16·9	73·1	126·1	13·3
1946	20·3	89·5	158·0	12·6
1947	22·0	99·1	171·5	12·2
1948	19·4	88·7	150·2	11·5
1949	18·5	85·4	144·0	10·6
1950	17·9	83·4	139·8	10·0
1951	17·7	80·2	132·2	9·6

The rate per 1,000 women for 1951 is 8 per cent above that for 1938 and the rate per 1,000 unmarried women 10 per cent above. The crude rate showed no change in the same period.

TABLE B (2).—Birth-rate in Scotland, per 1,000 Women aged 15-44, 1861-1941

Year	Births per 1,000 Women aged 15-44			Legitimate Births per 1,000 Married Women aged under 45		
	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62
1860-62 ...	144·6	—	100	316·0	—	100
1870-72 ...	149·4	103·3	103·3	319·4	101·1	101·1
1880-82 ...	145·8	97·6	100·8	311·5	97·5	98·6
1890-92 ...	132·5	90·9	91·6	296·4	95·2	93·8
1900-02 ...	121·9	92·0	84·3	271·8	91·7	86·0
1910-12 ...	107·3	88·0	74·2	233·2	85·8	73·8
1920-22 ...	105·1	97·9	72·7	226·7	97·2	71·7
1930-32 ...	80·1	76·2	55·4	169·0	74·5	53·5
1940-42 ...	73·0	91·1	50·5	136·9	81·0	43·3

In the counties of cities and large burghs the number of births per 1,000 married women aged 16-44 ranged from 164·0 in Port Glasgow, 163·1 in Coatbridge and 159·9 in Arbroath to 112·8 in Ayr, 107·8 in Dunfermline and 107·0 in Falkirk. In the counties the range was from 185·1 in Inverness, 184·8 in Sutherland and 182·1 in Ross and Cromarty to 118·6 in Selkirk, 111·5 in Bute, and 110·0 in Berwick. In the counties of cities the rate was 126·8 and in the large burghs 130·5, compared with 131·2 in the small burghs and 141·2 in the landward areas. As usual the rates were highest in the industrial towns of the west and in the Northern Counties (Table 8).

Multiple Births.—The total number of women giving birth to living children in 1951 was 89,428, of whom 88,232 or 98·66 per cent gave birth to single children, 1,181 or 1·32 per cent to twin children and 15 or 0·02 per cent to triplets. These births refer only to children born alive and single births here include multiple births in which only one child was live born. Appendix II, which analyses the still-births registered in Scotland in 1951, provides further particulars regarding multiple births, live and still, from which the total frequency of plural births can be estimated.

The percentage of mothers who gave birth to two or more children was 1·34 and compares with 1·35 in 1950. From 1855 until about 1895 this percentage tended to decrease. It was 1·08 in 1895, but in the following 20 or 25 years it increased, attaining a quinquennial maximum of 1·39 in 1916-20. Since then the trend has been downward, reaching a rate of 1·17 for 1942, the lowest since 1899. The mean of the rates for the quinquennium 1946-50, 1·29, is a little higher than the means (1·22 and 1·24) for the two preceding quinquennia.

Illegitimate Births.—These numbered 4,592 and constituted 5·07 per cent of the total living births compared with 4,837 and 5·23 per cent in 1950. The percentage of illegitimate births is the lowest rate ever recorded.

In the counties of cities this rate was 5·5 and in the large burghs 4.2, compared with 5·5 and 4·5 in 1950. It was 4·5 in the small burghs and 5·4 in the landward districts. Relating these births to the estimated number of unmarried women and widows aged 15-44, the rate for Scotland was 9·6 per thousand, that for the counties of cities being 9·4, for the large burghs 8·6, for the small burghs 8·2 and for the landward areas 11·2. The corresponding Scottish rate for 1950 was 10·0 (Tables 1-4 and 8).

TABLE C.—Birth-rate per 1,000 Women aged 15-44, 1951

Groups of Districts	Estimated Number of Women aged 15-44	Births	Birth-rate per 1,000 of Population		Birth-rate per 1,000 Women aged 15-44	
		Number	Rate	Relative Quantity, Scotland being=100	Rate	Relative Quantity, Scotland being=100
Counties of Cities ...	445,300	33,614	17·51	98·8	75·5	94·1
Large Burghs	188,500	15,407	18·52	104·5	81·7	101·9
Small Burghs	182,900	14,324	17·38	98·1	78·3	97·6
Landward ...	313,500	27,294	17·74	100·1	87·1	108·6
Scotland ...	1,130,200	90,639	17·72	100·0	80·2	100·0

International Rates.—The following table shows birth-rates in certain other countries:—

BIRTH-RATES PER 1,000 POPULATION, 1951

Mexico	44·6	Netherlands	22·3
Israel	32·7†	Eire	21·2
Chile	32·4	Northern Ireland	20·7
Northern Rhodesia	31·9*	Spain	20·1
Southern Rhodesia	28·5*	France	19·4§
Canada	27·1	Norway	18·5
India	26·6	Italy	18·1
Japan	25·6	Denmark	17·8
Union of South Africa	25·5*	**Scotland**	**17·7**
New Zealand	24·4‡	Switzerland	17·2
United States of America	24·3	Belgium	16·1
Portugal	24·1	Sweden	15·6
Australia	22·9	England and Wales	15·5
Finland	22·9	Austria	14·6

* European population only. † Jewish population only.
‡ Excluding Maoris.
§ Excluding infants born alive but dying before registration of birth.

MARRIAGES

There were 41,383 marriages in Scotland in 1951. This was 900 more than in the previous year and equalled a rate of 8·09 marriages per 1,000 of the population.

The Scottish marriage-rate fluctuated between 6 and 7 per 1,000 population until 1914 when it was 7·38. It moved within narrow limits during the 1914-18 war, but rose suddenly to 9·14 in 1919 and to 9·61 in 1920, declining sharply thereafter to its former average of 6 or 7 per 1,000, which continued during the years between the wars. It was 7·75 in 1938, rose to 9·23 in 1939 and continued high until 1942 (9·21) after which it fell abruptly to 7·40 in 1943 and 7·13 in 1944. It recovered in 1945 to the high figure of 9·43, dropping gradually to 8·92 in 1946, 8·63 in 1947, 8·46 in 1948, 8·06 in 1949 and 7·82 in 1950.

During 1951 the marriage rate was highest in the months of March (14·5), July (10·4), April (10·0) and September (9·3) and lowest in May (2·7). (Table 63.)

The marriage-rate was 9·4 per thousand in the counties of cities, 9·5 in the large burghs, 8·7 in the small burghs and 5·3 in the landward districts. Marriages, however, are not corrected in any way by transfer to place of usual residence, and for this reason these rates may not in fact show the real difference between the relative frequency of marriage in the respective areas, and the higher rate in the large burghs may be due, to some extent, to a tendency on the part of persons living in the counties to resort to the larger centres for the purpose of celebrating the marriage. (Table 4.)

TABLE D.—Marriages in Scotland and its Groups of Public Health Districts in 1951

Groups of Districts	Marriages	Marriage-rate per 1,000 of Population	
	Number	Rate	Relative Quantity, Scotland being = 100
Counties of Cities	18,129	9·45	116·8
Large Burghs	7,919	9·52	117·7
Small Burghs	7,175	8·71	107·7
Landward	8,160	5·30	65·5
Scotland	41,383	8·09	100·0

Civil Marriages.—The following table shows the number of ecclesiastical and civil marriages registered in counties of cities, large burghs, small burghs and landward areas in 1951:—

	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward
All Marriages	41,383	18,129	7,919	7,175	8,160
Solemnised by a minister of religion:—					
Preceded by Banns or Publication of Notice	34,269	13,692	6,492	6,218	7,867
Authorised by Sheriff's Licence	187	99	31	33	24
Irregular Marriages:—					
Decree of Declarator (Court of Session) ...	3	1	1	—	1
Civil Marriages:—					
Preceded by Publication of Notice ...	6,471	4,015	1,312	882	262
Authorised by Sheriff's Licence	453	322	83	42	6

Civil marriages constituted 16·7 per cent of all marriages registered in Scotland, this percentage being 23·9 for the counties of cities, 17·6 for the large burghs, 12·9 for the small burghs and 3·3 for the landward areas. In 1950 civil marriages constituted 17·9 per cent of all marriages (25·5 per cent for the counties of cities, 18·9 for the large burghs, 14·0 for the small burghs and 3·6 for landward areas.)

International Rates.—The following table shows marriage-rates in other countries so far as these are available:—

MARRIAGE RATES PER 1,000 POPULATION, 1951

Israel	11·4*	Japan	8·0
United States of America	10·5	Belgium	7·9
Australia	9·2	Switzerland	7·9
Canada	9·2	Chile	7·8
Austria	9·1	Portugal	7·7
New Zealand	8·9†	Sweden	7·6
Netherlands	8·8	France	7·5
Norway	8·3	Spain	7·5
England and Wales ...	8·2	Italy	6·9
Denmark...	8·1	Northern Ireland ...	6·8
Scotland	**8·1**	Mexico	6·0
Finland	8·0	Eire	5·4

* Jewish population only. † Maoris excluded.

Divorce.—By decrees pronounced in Scotland during the year 1951, 1,955 marriages were dissolved, 1,928 by divorce, 16 by decrees of nullity, and 11 by dissolution of marriage (presumption of death). Compared with 1950 this is a decrease of 258 divorces, an increase of 6 dissolutions and an increase of 3 nullities. As will be seen from Table E, the number of divorces showed a steady increase since 1855. In the years 1855-64 the average annual number was only 17, but the numbers rose, particularly during and following the war of 1914-18, until in 1935-44 they (including decrees of nullity) averaged 906 per annum. Marked increases occurred in 1938, the year in which the Divorce (Scotland) Act was passed, and in every year since, except 1940 and 1941, until they reached a peak of 2,934 in 1946. They then dropped to 2,533 in 1947, and 2,057 in 1948, but increased in 1949 to 2,447. In 1950 they again decreased to 2,204 and further decreased in 1951 to 1,955.

DEATHS

The total number of deaths registered during the year was 65,778—an increase of 1,782 compared with 1950. The death-rate for the year is 12·9 per 1,000 population. It is 0·5 above the rate for 1950.

STANDARDISED DEATH-RATES

The following table shows for each year since 1931 the crude death-rate for Scotland as a whole, and also a standardised death-rate based on the standard population devised for the purpose by the International Statistical Institute. This standard was arrived at by reference to the distribution by

age and sex of the combined populations of a number of European countries as ascertained at censuses nearest in point of time to the year 1900. Broadly speaking, the way the standard death-rate is calculated is to apply the actual death-rate of any quinquennial age group to the corresponding population in the internationally agreed standard population. The object of presenting a standardised death-rate is to eliminate the main factors vitiating comparison of death-rates between one country and another or the same country at different times. Chief among these is the factor of a different age constitution of a population. Where a population is relatively old, for example, the number of deaths will be higher and consequently the comparison with a younger population is not a true comparison. It will be appreciated, therefore, that the standardised death-rate is not the true death-rate in relation to the population of Scotland but a fictional rate taken solely for the purpose of establishing international comparison upon an agreed basis.

While the movement of the crude death-rate has been irregular since 1931, the trend of the standardised rate, in spite of year to year fluctuations, has been definitely downwards. It was 12·45 in 1931, 11·13 in 1938, 9·63 in 1945, 8·57 in 1948 and 8·52 in 1950. The rate for 1951, however, is 8·80 or 0·28 higher than in 1950. The disparity between the crude and the standardised rates, resulting from the ageing of the population, was increasing up to 1939, and the gap between the rates widened still more rapidly during the war. In 1946, 1947 and 1948, however, the difference between crude and standardised rates was less than in 1945, but is still greater than in the years preceding the war. The disparity in the two rates for 1949 was the same as in 1945, but for 1950 and 1951 the gap has again widened.

When the death-rates are standardised separately for each sex it is found that between 1931 and 1937 both male and female rates moved irregularly within narrow limits. Except for a temporary rise in 1940 and 1941 the male rate fell steadily between 1939 and 1948, but the rate for 1949 showed a slight increase of 0·11. The rate in 1950 declined to the lowest on record but increased in 1951 by 0·44. The female rate showed the same temporary increase in 1940 and 1941, the subsequent trend being generally downwards, and, as for males, the value for 1950 is the lowest observed. The rate for 1951, however, showed a slight increase of 0·15.

TABLE E.—Number of Divorces, etc., in Scotland, 1855-1951

Ten Year	Average Number of Decrees of Divorce and Nullity of Marriage	Year	Annual Number of Decrees of		
			Divorce	Nullity of Marriage	Dissolution of Marriage (Presumption of Death)
		1934	465	3	
1855–64	17	1935	494	4	
1865–74	14	1936	633	9	
1875–84	60	1937	642	7	
1885–94	100	1938	783	5	1
1895–1904	159	1939	882	2	6
1905–14	222	1940	772	8	2
1915–24	458	1941	757	5	2
1925–34	488	1942	1010	7	3
1935–44	906	1943	1300	12	5
		1944	1721	10	8
		1945	2208	15	4
		1946	2902	22	10
		1947	2495	18	20
		1948	2028	19	10
		1949	2419	19	9
		1950	2186	10	8
		1951	1928	16	11

Death-rates for Scotland per 1,000 Population

	PERSONS		MALES		FEMALES	
	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate
1931	13·26	12·45	13·86	13·74	12·71	11·28
1932	13·53	12·65	13·94	13·76	13·14	11·64
1933	13·20	12·22	13·79	13·50	12·66	11·04
1934	12·92	11·98	13·51	13·23	12·37	10·84
1935	13·19	11·99	13·76	13·30	12·66	10·80
1936	13·44	12·14	14·16	13·57	12·77	10·83
1937	13·85	12·33	14·59	13·82	13·17	10·98
1938	12·61	11·13	13·22	12·39	12·04	10·00
1939	12·87	11·10	13·68	12·62	12·11	9·73
1940*	14·86	12·46	16·59	14·32	13·40	10·78
1941*	14·74	12·30	16·75	14·02	13·11	10·71
1942*	13·34	10·70	15·24	12·26	11·81	9·27
1943*	13·98	10·71	15·93	12·21	12·43	9·34
1944*	13·57	10·22	15·65	11·74	11·95	8·82
1945*	13·20	9·63	15·11	11·07	11·70	8·32
1946*	13·07	9·82	14·14	11·15	12·15	8·61
1947	12·88	9·53	13·62	10·83	12·20	8·36
1948	11·80	8·57	12·33	9·70	11·30	7·56
1949	12·27	8·70	12·71	9·81	11·86	7·70
1950	12·37	8·52	12·86	9·68	11·91	7·47
1951	12·86	8·80	13·55	10·12	12·24	7·62

* Civilian death-rates.

The male rates, crude and standardised, are invariably higher than the female. The male excess in the standardised rate was 33 per cent and is 3 per cent higher than in 1950.

Local Death-rates (standardised)

For local death-rates the standardising factors are not derived from the international standard but from the age and sex distribution of the population of Scotland as ascertained at the 1931 Census. The effect of this standardisation is to adjust the local death-rate to allow for difference between the local age and sex distribution in 1931 and that of Scotland as a whole in the same year. The crude rates do not vary greatly between urban and rural areas, being 13·27 per 1,000 in the counties of cities, 12·35 in the large burghs, 13·82 in the small burghs and 12·12 in the landward areas; but when standardised for differences of age and sex constitution there is appreciable excess urban mortality, the rates for these aggregates being respectively 14·15, 13·19, 12·62 and 11·37.

TABLE F.—Deaths in Scotland and its Groups of Public Health Districts in 1951

Groups of Districts	Deaths		Death-rate per 1,000 of Population	
	Registered Number	Corrected for Transfers	Corrected for Transfers	Corrected for Transfers and Adjusted for Age and Sex Distribution, 1931
Counties of Cities	27,640	25,464	13·27	14·15
Large Burghs	10,656	10,270	12·35	13·19
Small Burghs	9,640	11,390	13·82	12·62
Landward	17,842	18,654	12·12	11·37
Scotland	65,778	65,778	12·86	—

In the counties of cities and large burghs the standardised rate ranged from 15·0 in Rutherglen, 14·7 in Glasgow and 14·5 in Hamilton to 11·8 in Perth, 11·4 in Arbroath and Inverness and 11·1 in Dunfermline. In the counties it ranged from 14·1 in Peebles, 13·6 in Renfrew and 13·5 in Selkirk to 10·3 in Kirkcudbright, 9·7 in Moray and 9·6 in Kincardine. (Table 4.)

Monthly Death-rates

The highest death-rates of the year occurred in January, February and March and the lowest in July, August and September. They ranged from 22·9 in January to 9·9 in September. (Table 63.)

International Death-rates

The following table gives the crude death-rates for a certain number of countries, so far as available, but if the influence of difference of population structure in age and sex were eliminated by standardisation the position of Scotland in the list would be likely to be favourably altered.

Death-rates per 1,000 Population, 1951

Mexico	17·3	Finland	10·0
Chile	15·7	Japan	10·0
India	15·1	Sweden	9·9
Eire	14·3	Australia	9·7
France	13·2	United States of America	9·7
Scotland	**12·9**	New Zealand	9·6†
Northern Ireland	12·8	Union of South Africa	9·2‡
Austria	12·7	Canada	9·0
Belgium	12·7	Denmark	8·8
England and Wales	12·5	Norway	8·3
Portugal	12·3	Netherlands	7·6
Spain	11·6	Southern Rhodesia	6·9‡
Switzerland	10·5	Israel	6·4§
Italy	10·3	Northern Rhodesia	6·2‡

* Excluding infants born alive but dying before registration of birth.
† Excluding Maoris. ‡ White population only.
§ Jewish population only.

Age and Sex.—The death-rates by age-groups show a rapid decline from the high rates in infancy to a minimum in age-group 10-14. After that there is an increase in the rate, gradual at first but becoming more pronounced at higher ages.

Table 35 shows the death-rates for each sex in the various age-groups, and it will be observed that, except at 10-14 years—where the rates are the same—and at age-group 85 and over, the male death-rate exceeds the female in each age-group.

Table G (1) shows the population estimates on which these rates have been calculated. In Table G (2) there are shown death-rates by age and sex for the years 1936 to 1951 and for groups of years back to 1911-15. (Tables 35, 37 and 38.)

Infant Mortality.—Deaths of children aged under one year numbered 3,391. When related to the 90,639 live births in 1951 this gives an infant mortality rate for 1951 of 37·4 per 1,000 live births. This is the lowest infant mortality rate ever recorded in Scotland. Up to the year 1915 it had never been below 100. In 1916 it was 97·1 and it fluctuated rather irregularly until 1922 when for the last time it exceeded 100. Thereafter it dropped to 79 in 1923 but did not again touch so low a figure until 1934 when it was 78. By 1939 it had fallen to 68·5. During the early war years the rates were fluctuating with little evidence of general improvement, but thereafter fell to 65 in 1943 and 1944, 45 in 1948 and to its record low level of 37·4 in 1951. Among male children the rate was 42·2, and among female children 32·4, the male rate being 0·8, the female 1·4 below that for 1950.

The monthly infant mortality rate was highest in January and February and March and lowest in September, May, June and July. In 1950 the highest rates were recorded in January, February and December and the lowest in June, July and August. (Tables 1, 2 and 63.)

The rate is 40 in the counties of cities, 38 in the large burghs and 34 in the small burghs and 36 in the landward areas. In 1950 these rates were respectively 40, 41, 37 and 37. The landward areas, however, are by no means uniformly rural in character. In the Central Industrial Belt of Scotland* there are considerable areas which are distinctly urban although not within the boundaries of a burgh. The Census of 1951† showed that no less than 67·9 per cent of the landward population in the Central Industrial Belt was enumerated in towns or villages which, though not burghs, had a population of 1,000 or more. The corresponding percentage in the rest of the country was no higher than 7·6.

† Census 1951, Scotland, Volume II, Population of Towns and Larger Villages, etc., published by H.M. Stationery Office, price 4s. 0d.

TABLE G (1).—Estimated Population of Scotland, by Age and Sex, 1951

Age	Both Sexes	Males	Females	Age	Both Sexes	Males	Females
0	90,000	46,200	43,800	45—54	669,000	316,800	352,100
1—4	381,700	195,000	186,800	55—64	488,100	215,300	272,800
5—9	400,600	203,400	197,100	65—74	350,700	153,400	197,200
10—14	385,600	194,700	190,900	75—84	146,400	59,600	86,800
15—24	721,800	342,000	379,900	85 & over	18,300	6,700	11,600
25—34	720,000	353,000	367,000				
35—44	741,800	358,500	383,300	All ages	5,113,900	2,444,600	2,669,300

* The Central Industrial Belt comprises:—
East Central Division: Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian, East Lothian and the City of Dundee.
West Central Division: Counties of Lanark, Dunbarton, Renfrew and Ayr.
The Counties lying to the north and west of the Central Industrial Belt are referred to as the Northern Division; those lying to the south and east of it as the Southern Division.

TABLE G (2).—Age-group Death-rates per 1,000 of Population from 1911 to 1951

Years	Males												Females											
	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
1911–15	140·0	18·5	3·7	2·4	4·1	5·6	8·8	16·2	33·5	67·4	162·7	...	111·2	17·5	3·7	2·6	3·8	5·5	8·3	12·9	26·4	54·3	147·0	...
1916–20	110·8	15·5	3·6	2·4	4·5	6·2	8·5	16·2	34·3	69·1	170·2	...	85·4	14·7	3·6	2·7	4·3	6·0	7·8	12·6	25·9	49·8	149·5	...
1921–25	109·1	15·1	2·9	1·9	3·2	4·6	6·9	12·0	26·8	61·9	144·5	280·7	82·6	13·7	2·7	1·9	3·2	4·5	6·3	10·1	21·5	49·2	118·7	252·6
1926–30	103·8	11·8	2·7	1·9	3·1	4·2	7·0	11·9	25·9	62·4	143·2	303·8	79·0	10·2	2·4	1·7	2·9	4·1	5·9	10·0	20·6	48·4	118·6	271·4
1931–35	96·2	9·3	2·6	1·6	2·9	3·8	6·3	11·8	24·3	59·7	140·7	289·8	74·1	8·3	2·2	1·5	2·8	3·7	5·2	9·1	19·4	47·8	117·4	260·6
1936–40	90·7	6·8	2·2	1·5	2·8	3·5	6·0	12·4	25·4	60·9	147·2	349·9	69·0	6·1	1·9	1·2	2·6	3·2	4·6	8·7	18·8	47·5	116·9	282·3
1941–45	82·1	4·6	1·9	1·4	3·3	4·2	6·1	11·7	24·4	54·1	129·1	290·3	62·0	4·2	1·5	1·2	3·0	3·3	4·0	7·5	16·5	41·0	101·1	261·4
1946–50	56·0	2·6	1·1	0·9	1·8	2·4	3·4	10·6	24·5	54·2	117·8	258·5	42·6	2·1	0·8	0·7	1·5	3·0	3·3	6·5	15·3	41·2	98·0	237·9
1936	98·6	7·9	2·4	1·5	2·8	3·5	6·1	12·6	24·6	61·2	145·4	318·6	75·6	7·3	1·9	1·2	2·6	3·2	4·9	9·2	18·9	47·8	117·4	263·5
1937	96·2	7·2	2·2	1·5	2·8	3·8	6·3	12·8	25·8	63·0	150·3	351·2	73·5	6·6	1·9	1·2	2·7	3·4	4·9	9·1	19·5	50·0	121·2	288·6
1938	81·6	7·0	1·9	1·4	2·5	3·2	5·6	11·6	23·8	57·0	137·7	319·9	65·7	6·2	1·9	1·3	2·5	3·0	4·4	8·3	18·2	45·2	108·6	261·0
1939	82·1	4·8	1·9	1·4	2·5	3·2	5·6	12·0	25·2	59·5	146·1	356·2	61·5	4·1	1·7	1·1	2·3	3·0	4·3	8·5	17·8	45·6	114·9	281·2
1940‡	95·0	7·0	2·4	1·5	3·3	4·1	6·6	13·2	27·8	63·6	156·1	408·7	68·3	6·4	2·1	1·3	2·7	3·3	4·6	8·5	19·7	48·6	122·3	317·3
1941‡	100·5	6·5	2·5	1·7	3·7	4·9	6·8	13·3	26·6	58·4	146·3	299·0	75·8	6·6	2·0	1·6	3·2	3·5	4·6	8·5	18·0	45·3	113·4	274·5
1942‡	85·4	4·6	1·7	1·4	3·3	4·0	5·8	11·9	23·9	54·0	132·4	278·3	65·2	4·1	1·4	1·2	3·0	3·3	4·0	7·2	16·5	40·3	100·7	246·7
1943‡	79·1	4·4	1·9	1·4	3·5	4·4	6·3	11·6	23·9	53·8	131·0	300·7	60·9	3·9	1·6	1·2	3·2	3·3	4·1	7·5	17·0	40·9	100·0	272·9
1944‡	80·5	4·0	1·8	1·4	3·2	3·8	5·8	11·0	24·1	52·5	121·3	289·3	60·8	3·2	1·4	1·1	2·9	3·1	3·7	7·1	15·7	38·9	97·3	256·8
1945‡	65·0	3·5	1·5	1·2	2·9	4·1	5·6	10·8	23·7	51·6	118·2	284·9	47·2	3·0	1·1	1·0	2·6	3·1	3·5	7·0	15·4	39·8	95·8	257·3
1946‡	73·2	3·5	1·4	1·1	2·3	2·6	4·8	11·4	24·4	54·4	121·2	279·3	56·5	2·8	1·1	0·9	2·4	3·3	3·4	6·8	15·8	40·7	98·1	271·0
1947	64·3	3·1	1·3	0·9	2·0	2·6	4·5	11·1	24·5	54·2	124·4	305·1	48·8	2·7	1·0	1·0	2·5	3·2	3·4	6·5	15·6	41·1	97·5	267·1
1948	51·8	2·5	1·1	1·0	1·8	2·5	4·3	10·1	23·5	50·8	108·9	242·4	37·2	1·9	0·8	0·8	2·3	3·0	3·3	6·4	14·8	39·5	91·1	217·5
1949	46·8	2·1	1·1	0·7	1·6	2·3	4·2	10·3	24·6	55·1	115·6	242·4	36·5	1·8	0·7	0·6	2·1	2·9	3·2	6·4	15·1	42·5	99·6	224·5
1950	43·7	2·0	0·8	0·6	1·5	2·0	3·7	10·3	25·3	56·4	119·4	239·4	34·1	1·6	0·6	0·4	1·6	2·5	3·2	6·3	15·4	42·4	103·6	221·2
1951	42·6	1·8	0·9	0·5	1·3	2·1	3·6	10·2	26·3	57·3	140·8	291·4	32·5	1·6	0·6	0·5	1·2	1·9	3·0	6·3	15·7	43·0	112·9	314·9

‡ 1940-1946—Civilians only.

The infant mortality for 1951 in landward areas was 38 per 1,000 in the Industrial Belt, compared with 33 per 1,000 in the rest of Scotland.

The following table shows the infant mortality rates for the years 1950 and 1951 for the large burghs (including counties of cities) and small burghs in Scotland and also for the landward areas of the four main geographical divisions.*

The rate for the large burghs is largely influenced by the rate in Glasgow in which 41 per cent of the births in the large burghs occurred. The rates for Glasgow are therefore shown separately in the table.

	1950	1951		1950	1951
Scotland	**39**	**37**	Landward	37	36
Large burghs	40	39	Northern...	32	31
Glasgow	44	46	East Central*	40	36
Other large burghs ...	37	34	West Central*	40	40
Small burghs	37	34	Southern	33	40

This analysis shows an overall decrease in Scottish infant mortality during 1951, but in Glasgow and in the Southern Division (landward) there was a slight increase.

The rate in the large burghs was 59 per 1,000 live births in 1946, 64 in 1947 and 48 in 1948 and 44 in 1949. In Glasgow the rates were 67 in 1946, 77 in 1947 and 56 in 1948 and 49 in 1949. The groups are arranged in descending order in the following table:—

	1950	1951		1950	1951
Glasgow	44	46	Small burghs	37	34
Landward (Central) ...	40	38	Landward (Northern and Southern)	32	33
Other large burghs ...	37	34			

In individual large burghs the rate ranged from 54 in Airdrie and Coatbridge, 46 in Glasgow and Kilmarnock and 45 in Paisley to 23 in Arbroath, 22 in Dumbarton and Perth and 20 in Clydebank. In the counties it ranged from 71 in Bute, 55 in Berwick and 51 in Wigtown to 22 in Orkney and Roxburgh, 21 in Kincardine and 20 in Nairn and Zetland.

International Rates.—The following table shows Infant Mortality rates in other countries so far as these are available:—

INFANT MORTALITY PER 1,000 BIRTHS, 1951

Spain	68	**Scotland**	**37**
Italy	67	Finland	35
Austria	62	Union of South Africa ...	34‡
Belgium	58	Northern Rhodesia ...	31‡
France	46†	England and Wales ...	30
Eire	45	United States of America	29
Northern Ireland	41	Netherlands	27
Israel	39§	Sweden	21

† Excluding infants born alive but dying before registration of birth.
‡ White population only. § Jewish population only.

Mortality among Legitimate and Illegitimate Children.—Among legitimate children the infant mortality rate was 37 per thousand live births, being 38 in counties of cities, 37 in the large burghs and 35 in the counties. In 1950 the rates were 38 for Scotland, 39 in the counties of cities, 40 in the large burghs and 36 in the counties. Among illegitimate children the rate was 54, being 58 in counties of cities, 46 in the large burghs and 53 in the counties. In 1950 the rates were 54 for Scotland, 55 in the counties of cities, 50 in the large burghs and 54 in the counties.

* See note *, p.17

Infant Mortality.—Age at Death.—Table 31 classifies the number of deaths and the death-rates per 1,000 births by age in days, weeks and months during the first year of life. It shows that more infants died in the first day of life than in the remaining six days of the first week, and 48 per cent of the children who died before reaching one year of age did not survive the first week. When ages are stated in months it is found that the rate falls suddenly from 22·3 per 1,000 births at ages under a month to 6·0 at 1-2 months and to 1·5 at 9-11 months.

Infant death-rates at age under 1 month are highest in the counties of cities. At ages over 1 month the rates for the counties of cities and large burghs are in excess of the county rate for the first half of the year.

In Tables 29 and 30, infant deaths are classified according to selected causes of death and according to month of registration. (See also page 34.)

Neo-Natal Mortality.—Deaths at ages under one month are shown in Tables 29 and 31. The following table shows the variations in the Infant Mortality rate since 1911 and how much of the rate has been attributable to neo-natal mortality. In the quinquennium 1911-15 the rate at ages 1-11 months was very much higher than the neo-natal rate, but that position was gradually reversed between 1911 and 1941. The rates tended towards equality in the years 1942 to 1945, but with that for 1 to 11 months slightly lower. Since 1948 the difference between the two rates has widened and in 1951 the rate for 1 to 11 months (15·1) was appreciably below the neo-natal rate (22·3).

NEO-NATAL MORTALITY PER 1,000 BIRTHS

	Deaths under 1 year			Deaths under 1 month		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
1911–15	112·8	—	—	43·0	—	—
1916–20	99·0	—	—	40·5	—	—
1921–25	91·8	—	—	38·2	—	—
1926–30	85·4	—	—	36·5	—	—
1931–35	80·8	—	—	36·8	—	—
1936–40	75·8	73·3	113·3	36·9	35·8	54·5
1941–45	67·7	64·4	108·6	33·8	32·3	53·0
1946–50	47·3	45·5	76·8	26·1	25·3	39·8
1947	55·8	53·6	91·7	28·5	27·5	45·8
1948	44·7	43·1	70·6	25·1	24·4	37·6
1949	41·4	39·7	70·8	23·2	22·2	40·8
1950	38·6	37·7	53·5	23·0	22·5	32·0
1951	37·4	36·5	53·8	22·3	21·8	31·6

Since 1936 infant deaths have been, for certain purposes, separately classified according to legitimacy and this classification is shown in the table above. The illegitimate infant mortality rates have not followed quite the same course as the legitimate. The rate for ages 1-11 months was, until 1947, higher than the neo-natal rate, except in the year 1945. It has, however, been lower each year since 1948.

The causes of death in infancy will be found in Table 29 and are discussed later. (See page 34.)

See Appendix III for Neo-Natal Mortality according to Social Class.

Centenarians.—Eighteen deaths of reputed centenarians were registered during the year, four males and fourteen females. In seventeen cases the age was verified as being at least 100 years, the verified age being 100 years in seven cases, 101 in eight cases, 102 in two cases. In one case such evidence as was available was rather against the claim. Since 1910, when enquiries regarding such cases were begun, 580 have been registered as those of centenarians, 96 of males and 484 of females. The age has been verified as being at least 100 years in 343 cases (47 males and 296 females); in 101 the evidence was rather against the claim; while in 136 cases no satisfactory evidence of age could be found. The highest numbers registered were in the years 1918 and 1950 when there were 19 deaths of centenarians. The greatest age verified since 1921 was one of 109 years and 14 days in 1936.

CAUSES OF DEATH

Certification.—Of the 65,778 deaths registered in 1951, 99·9 per cent were certified as to cause by a registered medical practitioner, by an officer of the Forces or other similarly authorised person, or by Procurator Fiscal's report, and 46 or 0·1 per cent were uncertified. As will be observed from Table H the percentage of uncertified deaths approximately halved itself in every decade from 1881—reaching 0·3 per cent in 1936 and remaining at that figure until 1944. Standing at 0·2 from 1945 to 1947 it has dropped to 0·1 for the succeeding four years. As usual, these uncertified deaths were more numerous in counties in which the population is widely scattered; Ross and Cromarty (19) and Inverness (12). (Table 7.)

The cause of death was specified in 64,707 cases or 98·4 per cent of the total deaths, including 1,292 from senility, while in 1,071 or 1·6 per cent it was due to causes ill-defined or unspecified. Of the latter 536 were ascribed to heart failure and 425 to symptoms and other ill-defined causes which included 93 from convulsions aged under 5 and 89 from uræmia unqualified. In 47 cases no cause was specified and in 63 cases the death was described as sudden. Owing to the changes in classification it is not possible to compare the rates prior to 1950. In that year it was 1·2.

TABLE H.—Deaths from Uncertified Causes, 1881-1951

Year	Uncertified Causes	Percentage of Uncertified to Total	Year	Uncertified Causes	Percentage of Uncertified to Total
1881–1890	6,061	8·2	1949 ...	55	0·1
1891–1900	3,239	4·1	1950 ...	52	0·1
1901–1910 ...	1,839	2·4	1951 ...	46	0·1
1911–1920 ...	1,239	1·7			
1921–1930 ...	499	0·8			
1931–1940	235	0·4			
1941–1950 ...	128	0·2			
1941 ...	218	0·3			
1942 ...	174	0·3			
1943 ...	187	0·3			
1944 ...	178	0·3			
1945 ...	144	0·2			
1946 ...	98	0·2			
1947 ...	135	0·2			
1948 ...	40	0·1			

Principal Epidemic Diseases.—This group, as now constituted, consists of typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections and measles. For comparison with previous years, deaths from influenza are also included. The total number of deaths in the group in 1951 was 1,132. The equivalent death-rate is 22 per 100,000 population, which compares with 10 in 1950 and an average of 13.

There were, in 1951, 37 more deaths from whooping-cough than in 1950, but the number was still under 100 as it was in each of the preceding three years. 5 deaths from diphtheria show a further reduction from the already small numbers which have been seen for some years past. 958 deaths from influenza made up the greater part of the deaths from epidemic diseases and were 572 higher than in 1950. The following Table J (1) shows in addition the number of deaths certified in which influenza was mentioned as a contributory cause.

TABLE J (1).—Deaths associated with Influenza but not classified as such, 1951

International abbreviated List No.	Cause of Death	Total	Males	Females	Ages: Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
1	Tuberculosis of respiratory system ...	9	3	6	–	–	–	–	–	2	1	2	3	1	–	–
3	Syphilis and its sequelæ	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–
17	Other infective and parasitic diseases ...	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
18	Malignant neoplasms	3	1	2	–	–	–	–	–	–	–	–	1	2	–	–
20	Diabetes Mellitus	5	2	3	–	–	–	–	–	–	–	–	–	3	2	–
46·1	Other general diseases	5	1	4	–	–	–	–	–	–	1	1	2	1	–	–
22	Vascular lesions of central nervous system...	23	10	13	–	–	–	–	–	–	–	–	4	8	9	2
46·2	Other diseases of nervous system ...	6	3	3	–	–	–	–	–	–	1	1	–	2	2	–
25	Chronic rheumatic heart disease ...	5	5	–	–	–	–	–	–	–	1	2	1	–	1	–
26	Arteriosclerotic and degenerative heart disease...	174	77	97	–	–	–	–	1	1	1	8	28	44	72	19
27	Other diseases of heart	5	2	3	–	–	–	–	–	–	–	1	1	2	–	1
28	Hypertension with heart disease ...	5	2	3	–	–	–	–	–	–	–	–	–	3	2	–
46·3	Other circulatory disease	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
32	Bronchitis	4	2	2	–	–	–	–	–	–	–	–	1	1	2	–
46·4	Other respiratory diseases	2	1	1	–	–	–	–	–	–	–	–	–	2	–	–
33	Ulcer of stomach and duodenum ...	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
38	Nephritis and nephrosis	5	3	2	–	–	–	2	–	–	–	–	–	3	–	–
46·7	Other diseases of genito-urinary system	4	–	4	–	–	–	–	–	–	1	–	–	1	1	1
46·8	Diseases of skin and organs of locomotion	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
41	Congenital malformations	2	2	–	1	1	–	–	–	–	–	–	–	–	–	–
45·1	Cause ill-defined and unknown ...	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
48·1	Other violence	3	2	1	–	–	–	–	–	–	1	–	–	–	1	1
	Total	267	121	146	2	1	–	2	1	3	7	17	42	75	93	24

Deaths from meningococcal infections were 44, nine more than in 1950, but an extremely low figure compared even with earlier post-war experience. There was 1 death from typhoid fever. Measles accounted for 25 of the epidemic disease deaths, 13 fewer than in 1950. There was one death from scarlet fever. It is of interest to note that deaths in the whole of this group constituted less than 2 per cent of all deaths in Scotland. (Tables 35-40.)

Tuberculosis.—Deaths from all forms of tuberculosis numbered 2,179 compared with 2,775 in 1950. They showed a decline of 40 per cent from the average of 3,649. The death-rate was 43 per 100,000 compared with 54 the previous year and an average of 71. (Tables 35, 37-40.)

Since 1855, when the registration of deaths began, mortality ascribed to tuberculosis has continuously improved decade by decade except for a slight retardation in the rate of decline in the first world war and a temporary set-back in the second.

Note:—In the first four of the preceding five years deaths were classified according to the 5th Revision of the International List. In the fifth year they were classified to the 6th Revision of the List. The averages referred to, however, are confined to causes where changes made through the recent revision are minimal or where (as from malignant disease) the figures can readily be made comparable.

On the 1951 statistics, deaths from tuberculosis were heaviest at ages 55-74 in males and 15-34 in females. (Table 35.)

Deaths from tuberculosis were most numerous in January, February and March, but otherwise there was no pronounced seasonal variation. (Table 43.)

The rate in the counties of cities was 54 per 100,000, in the large burghs 49, in the small burghs 31 and in the landward areas 31. The range was from 7 in Peebles to 83 in Port Glasgow. In the counties of cities and large burghs the highest rates were recorded in Port Glasgow (83), Coatbridge (80) and Greenock (74) and the lowest in Aberdeen (22), Rutherglen (21) and Arbroath (20). In the counties (excluding large burghs) the rates ranged from 52 in Renfrew, 51 in Zetland and 49 in Lanark to 12 in Berwick, 10 in East Lothian and 7 in Peebles. (Table 4.)

Over 85 per cent of the deaths from tuberculosis in 1951 were due to the respiratory forms of the disease. They numbered 1,886. In 1950 the number was 2,439 and the previous five years' average was 3,111. The death-rate in 1951 was 37 per 100,000 (males 45, females 29) compared with 47 in 1950 (males 52, females 42). The heaviest death-rates in males in 1951 were at ages 55-74, in females at 15-34. The lowest rates in each sex were recorded at 5-14 years. (Tables 35, 37, 38.)

Deaths were most numerous in January, February and March and fewest in June, August and September. The range of monthly incidence was from 112 in September to 259 in January. (Table 43.)

The rate in the counties of cities was 48 per 100,000, in the large burghs 43, in the small burghs 26 and in the landward areas 26. It was highest in the large burghs of the West, Port Glasgow 73, Coatbridge and Greenock 63, Glasgow 60, Hamilton and Paisley 52, Clydebank and Dumbarton 51 and Motherwell 50. The lowest respiratory rates occurred generally in the Border counties: 7 per 100,000 in Peebles, 8 in Berwick, 9 in Selkirk, 10 in East Lothian and 13 in Kinross and Roxburgh. (Table 4.)

Deaths from non-pulmonary forms of tuberculosis numbered 293 compared with 336 in 1950 and an average of 538 in the previous five years. The rate was 6 for males and 5 for females per 100,000. In 1950 they were 7 for males and 6 for females.

The rate for non-pulmonary tuberculosis averaged more than 100 per 100,000 population until 1880, fell rapidly to 72 in 1883, more gradually but persistently thereafter, reaching a level of 60 per 100,000 prior to the first world war. There was no arrest of the decline during these years, and by 1920 the rate had fallen to less than 40, and at the outbreak of war in 1939 mortality had reached 16 per 100,000. As in respiratory tuberculosis the decline was interrupted for a few years but has now reached record low figures. (Tables 35, 37-40.)

Mortality from this cause is highest in each sex at ages under five years. Forty-one per cent of deaths from non-respiratory forms of tuberculosis occurred at ages under 10, and the following table shows the distribution at these younger ages in the past 14 years. It will be observed that the age incidence of deaths from this cause has entirely altered since 1938. Until 1946 in the case of males, and 1943, 1944, and from 1947 onwards in the case of females, the highest rate was at age under 1 year, but since then this age-group has shown a lower death rate than for ages 1-4 years.

Most of the deaths in this group are from tubercular meningitis. Over the past ten years the general improvement in non-pulmonary deaths is shown in varying degree by deaths in most sites, but outstandingly so in abdominal and disseminated tuberculosis, relatively less in meningeal tuberculosis.

DEATH-RATES PER 100,000 FROM NON-RESPIRATORY FORMS OF TUBERCULOSIS

	MALES				FEMALES			
	Under One year	1–4	5–9	10 and over	Under One year	1–4	5–9	10 and over
1938	73	63	26	12	78	50	24	12
1939	78	53	20	13	67	40	23	12
1940	109	77	23	14	72	62	19	14
1941	100	69	26	16	75	77	23	15
1942	92	65	27	14	88	63	21	13
1943	76	68	21	16	58	63	27	15
1944	76	57	24	16	51	62	36	14
1945	54	51	27	13	59	58	26	13
1946	57	54	29	9	54	48	27	10
1947	40	44	24	9	31	52	22	10
1948	29	34	16	7	16	29	13	7
1949	21	30	14	5	19	27	7	6
1950	11	23	6	5	14	23	6	5
1951	13	18	10	4	7	21	7	4

Other Infective and Parasitic Diseases.—Deaths from syphilitic and parasyphilitic diseases numbered 149, of which nearly half are attributable to aortic aneurysm and one-third to the nervous affections, including locomotor ataxia and general paralysis of insane.

Other deaths in this group included 5 from erysipelas, 9 from tetanus, 33 from septicæmia and 15 deaths from dysentery. There were 24 deaths from acute poliomyelitis and polioencephalitis (64 in 1950), 60 from lethargic encephalitis and 43 from other diseases due to viruses, including one from late effects of acute poliomyelitis. (Table 42.)

TABLE J (2).—Deaths from Syphilitic and Parasyphilitic Diseases, 1855-1951 (Decennial Averages, 1855-1950)

	Total	Syphilis	General Paralysis of the Insane	Locomotor Ataxia (Tabes Dorsalis)	Aneurysm of Aorta
1855–1860 ...	—	87	—	—	—
1861–1870 ...	—	157	—	—	—
1871–1880 ...	—	210	—	—	—
1881–1890 ...	—	237	—	—	—
1891–1900 ...	—	203	—	—	—
1901–1910 ...	—	218	220	70	149*
1911–1920 ...	—	202	248	76	136*
1921–1930 ...	—	141	191	71	139*
1931–1940 ...	—	88	116	56	128*
1941–1950 ...	222	57	55	28	83‡
1950 ...	170	35	33	21	81†
1951 ...	149	36	28	15	70†

NOTE.—The symbol—indicates the number is not available.
The numbers for decennial periods are annual averages. * Aneurysm (all sites).
† Excludes dissecting aneurysm unqualified.
‡ Excludes dissecting aneurysm unqualified in the year 1950.

Malignant Disease.—Deaths from this group of diseases numbered 9,840, equivalent to a death-rate of 192 per 100,000. This is 2 below the rate for the previous year and 10 above that for the preceding five years. (See note, page 21.)

The increase in the crude rate since 1931 is substantial and was accelerated during the recent war. The increase is attributable mainly to changes in the age constitution of the population. This was accentuated by the withdrawal to the Services during the war of a large number of young men and women, the remaining civilian population thus being loaded with an increased proportion of persons at ages wherein mortality from malignant disease is heavy.

The following table shows the crude rates and rates standardised to the 1931 (Scottish) population for each year since 1931. The crude rates increased appreciably during the pre-war years but the standardised rate varied within narrow limits, and in 1939 was the same as in 1931. Since 1939 the rapid rise in the crude rate has been accompanied by an almost stationary standardised rate. Owing to the inclusion of Hodgkin's disease, leukæmia, aleukæmia and mycosis fungoides with the malignant neoplasms in the 1950 classification, the rates are not quite comparable with previous years.

DEATH-RATE PER 100,000 OF POPULATION FROM MALIGNANT DISEASE

Year	Crude	Standardised to Scotland 1931	Effect of Standardisation
1931	148	148	—
1932	153	151	— 2
1933	153	151	— 2
1934	153	149	— 4
1935	157	152	— 5
1936	159	151	— 8
1937	157	147	—10
1938	162	151	—11
1939	161	148	—13
1940	170	149	—21
1941	174	149	—25
1942	179	149	—30
1943	185	147	—38
1944	186	146	—40
1945	192	149	—43
1946	180	145	—35
1947	176	146	—30
1948	181	148	—33
1949	185	151	—34
(1950 (5th Revision)	188	151	—37)
(1950 (6th Revision)	194	157	—37)
1951	192	155	—37

From the following table which gives the separate sex rates, it will be observed that in males the crude rate increased rapidly between 1931 and 1945, but fell slightly in the following four years. There has been an upward trend since then, however, apart from changes in classification in 1950 and 1951. In females, on the other hand, the crude rate rose more slowly and steadily, and in 1949 reached the highest of the series if allowance is made for classification changes. The rate for 1951 is slightly less than the previous year. The trend, however, when correction is made for differences of age constitution throughout the period, is quite different. In males the standardised rate rose only slowly between 1931 and the outbreak of war, but since then the upward trend is rather more rapid. The rate for 1951, however, shows a slight decrease compared with 1950. In females the trend from 1931 was, with interruptions, generally downwards to 1947, the rates in the last three years (1948-51) being rather above this low level in 1947.

Death-rate from Malignant Disease per 100,000 of Population

Year	Males Crude	Males Standardised	Females Crude	Females Standardised
1931	140	150	155	147
1932	145	153	160	150
1933	147	155	159	147
1934	148	154	158	146
1935	152	158	162	148
1936	155	158	163	146
1937	151	152	163	144
1938	152	153	170	150
1939	156	155	165	143
1940	175	158	165	141
1941	184	159	166	140
1942	193	162	168	138
1943	199	160	173	137
1944	205	162	171	134
1945	209	163	178	138
1946	190	162	171	130
1947	183	165	170	130
1948	185	165	178	134
1949	188	167	183	137
(1950 (5th Revision) ...	194	171	182	136)
(1950 (6th Revision) ...	201	178	187	139)
1951	201	176	184	138

In about half of the deaths from cancer the site was in some part of the digestive system, this including the stomach, intestines, liver and œsophagus. These deaths in all numbered 4,732 (2,352 males and 2,380 females) compared with 4,930 (2,470 males and 2,460 females) in 1950.

Of individual sites within the group, for both males and females the greatest number of deaths are from cancer of the stomach, intestines, rectum, pancreas, liver and œsophagus. The number of male deaths from cancer of the stomach was 877 in 1931, and of female deaths 822. In 1951 they had increased to 910 and 881 respectively. Deaths from cancer of the intestines have, in each sex, been increasing slowly but persistently since 1931. Deaths from cancer of the rectum also have been steadily if slowly rising since 1931, from 220 to 348 male deaths and from 170 to 237 female deaths. Both male and female deaths from cancer of the liver and gall bladder have declined.

The digestive sites which show the most marked increase in number compared with 1931 are rectum, pancreas, intestines and stomach, for males, and intestines, rectum, pancreas and stomach, for females, in that order. The number of male deaths from cancer of the rectum has increased by 58 per cent since 1931, while the number of female deaths has increased by 39 per cent. For cancer of the pancreas the number of male deaths has increased by 96 per cent and the number of female deaths by 75 per cent. For cancer of the intestines the number of male deaths has increased by 10 per cent and the number of female deaths by 14 per cent. For cancer of the œsophagus the number of male deaths has increased by 21 per cent and the number of female deaths by 48 per cent. The only site for which deaths have decreased since 1931 is the liver and gall bladder. Male deaths fell by 36 per cent and female deaths by 19 per cent. The number of both male and female deaths from cancer of all digestive organs has increased by 13 per cent since 1931.

The location was in some part of the respiratory system in 1,556 cases (1,240 males and 316 females). In 1950 this group of cancer deaths numbered 1,567. Next in numerical order comes cancer of the breast, deaths from which numbered 806 as against 829 in 1950. The uterus was specified in 452 cases (465 in 1950). There was a steady increase in cancer of this site until 1942 since when there has been some improvement.

Deaths from cancer of the urinary organs numbered 362 (234 males and 128 females) and of the male genital organs 354, of which 314 were of the prostate. Cancer of the female genital organs, other than specified above, numbered 270 (275 in 1950).

Cancer of the buccal cavity and pharynx accounted for 244 deaths as compared with 296 in 1950. Of these 179 were of males and 65 of females. There has been, since 1941, a marked and fairly steady decline in the number of male deaths from cancer of sites associated with the buccal cavity. The total for all these sites was 357 in 1941 compared with 179 in 1951, a decrease of 50 per cent.

Comparing 1950 and 1951, the number of male deaths decreased for sites associated with the buccal cavity, digestive organs and male genital organs and increased for all other groups of sites; decreases were recorded in the number of female deaths from cancer of the buccal cavity, digestive organs and urinary organs.

The addition of neoplasms of lymphatic and hæmatopoietic tissues most of which were classified outside the malignant group in the Fifth Revision account for 446 deaths, 238 males and 208 females. About half these are found in the leukæmia and aleukæmia group, male deaths being 109 and female deaths 111.

Diabetes.—Deaths from this cause numbered 559, 169 males and 390 females. This number is slightly lower than in 1950, but the annual fluctuations in the past ten years have not been great. The much heavier female rate is most in evidence at the highest age groups. (Tables 35 and 37.)

Anæmias.—Deaths from this cause numbered 345 of which 116 were males and 229 were females. In 1950 the number was 357. The majority of deaths in the group are due to pernicious and other hyperchromic anæmias and these account for 234.

Other General Diseases.—In addition to the foregoing there were 370 deaths from asthma, an increase of 31 compared with 1950, 36 deaths from thyrotoxicosis (45 in 1950) and from other diseases of thyroid 51 (57 in 1950).

Diseases of the Nervous System.—In this group there were 10,194 deaths of which the majority (9,122) were from vascular lesions affecting the central nervous system. Most of the latter are certified as either cerebral hæmorrhage (4,682) or cerebral embolism and thrombosis (3,986). Apart from these, though much less important numerically, the main nervous diseases were paralysis agitans, multiple sclerosis, epilepsy and other cerebral paralysis. Non-meningococcal meningitis deaths numbered only 59—a continuation of a fairly steady improvement manifest in this cause over recent years.

The vascular lesions of the central nervous system show a heavier crude death-rate in females, but for other diseases of the central nervous system there is little sex difference.

Diseases of the Circulatory System.—Deaths in this group numbered 23,418 of which 21,502 were ascribed to heart disease. The latter is the highest number ever recorded in Scotland. The number increased steadily from 9,535 in 1931 to 16,503 in 1940. Change of classification in 1941 reduced this number slightly (about 1 per cent) and in the two following years there was a substantial diminution in deaths allocated here. Since then there has been an irregular increase. When comparing the change of classification between the fifth and sixth revision the experience of 1951 gives only an increase of ½ per cent.

Of the total deaths from diseases of the heart the vast majority (18,447) are arteriosclerotic or degenerative. Of these 7,461 were ascribed to arteriosclerotic heart disease (including coronary thrombosis) and 10,353 to other forms of myocardial degeneration and 633 to chronic endocarditis not specified as rheumatic.

The number of deaths from angina pectoris and disease of the coronary arteries was 7,421 compared with 6,757 in 1950. These deaths, which in 1931 numbered only 823, have since then shown a progressive increase in numbers. There has been a tendency, no doubt accelerated by official practice, to certify deaths as due to coronary thrombosis which previously might have been recorded merely as angina pectoris. From 1931 to 1945 all certificates specifying the cause of death as angina pectoris were returned to the certifier to ask if coronary disease was actually present. In the majority of instances this was so. The result was that only 184 deaths were classified to angina pectoris in 1941, 123 in 1942, 94 in 1943, 37 in 1944, and 44 in 1945. Since 1945 angina has not been shown as a separate subheading, in Scotland, deaths from this cause being classified to diseases of the coronary arteries. There is, however, no doubt about the marked increase in deaths from this cause since in 1941 there were 2,803 deaths registered as due to either angina or coronary disease while in 1951 there were no less than 7,421. Male deaths are much more frequent than female from this cause.

Deaths from chronic rheumatic heart disease numbered 900 compared with 942 in 1950. Acute rheumatic fever accounted for 49 deaths, a decrease of 8 from the previous year. Acute non-rheumatic conditions of the heart were 209. Functional and other and unspecified diseases of the heart caused 1,115 deaths, hypertension accounting for 1,479, of which 831 were associated with heart diseases.

Circulatory diseases apart from the heart are much less important. In 1951 there were 824 ascribed to general arteriosclerosis, a number similar to that in 1950 (830). Deaths from pulmonary embolism and infarct numbered 117, an increase of 15 compared with the previous year. The latter cause was, in the Fifth Revision, classified to the respiratory group. Other causes are much less frequent.

Diseases of the Respiratory System.—Deaths from these causes accounted for 6,400 deaths, compared with 5,394 for the previous year. Of these the principal individual causes were bronchitis (2,488), bronchopneumonia (1,659) and lobar pneumonia (403). Deaths particularly from the two latter conditions have improved appreciably over recent years. Under the new list, deaths from influenza are included under diseases of the respiratory system. They numbered 958 compared with 386 in 1950. In the month of January they accounted for 676 and in February 181.

Diseases of the Digestive System.—Deaths in this group, exclusive of those from malignant disease and tuberculosis, numbered 2,299 compared with 2,272 in 1950. The principal conditions causing death under this heading are ulcer of stomach (302) and duodenum (317), and diarrhœa between 4 weeks and under 2 years of age (198). In the latter there has been a considerable reduction of mortality over recent years. Deaths from appendicitis numbered 118, and from hernia and intestinal obstruction 394.

Diseases of Genito-urinary System.—These collectively numbered 1,451 deaths compared with 1,547 in 1950. The numbers here have shown a slight but fairly steady decline during the past ten years. The principal components of the group are chronic nephritis (521) and diseases of the prostate (458). Deaths due to arteriosclerotic kidney, etc., which were classified to this group in the fifth revision are now classified to the hypertension group. The numbers are therefore not strictly comparable with previous years. Deaths from diseases of the prostate were 85 fewer than in 1950.

Diseases of Pregnancy and Childbirth.—These numbered only 99 and form a new low record. They are less than one-quarter of what were so registered ten years ago. The most prominent constituents are sepsis (including post-abortive sepsis), hæmorrhage, accidents of childbirth and toxæmias. The total deaths represent a rate only fractionally above 1 per 1,000 total births. (Table K (1).)

In addition to the deaths classified as due to puerperal conditions there were 27 which occurred during pregnancy or within four weeks thereafter, but in which the puerperal condition was not specified as the primary cause of death. These are shown in detail in Table K (2). The number in 1951 is 8 fewer than in 1950.

TABLE K (1).—Deaths and Death-rates from Puerperal Conditions in Scotland and its Groups of Public Health Districts in 1951.

	Births (Living Children)	Still-births	Deaths from all Puerperal Conditions	Deaths from Puerperal Sepsis	Deaths from other Puerperal Conditions	Death-rate per 1,000 Live Births			
						All Puerperal Conditions	Puerperal Sepsis	Other Puerperal Conditions	Death-rate (all Puerperal conditions) per 1,000 Total Births (including Still-births)
Scotland ...	90,639	2,479	99	28	71	1·09	0·31	0·78	1·06
Counties of Cities ...	33,614	931	36	13	23	1·07	0·39	0·68	1·04
Large Burghs	15,407	436	16	3	13	1·04	0·19	0·84	1·01
Counties (ex Counties of Cities & Large Burghs) ...	41,618	1,112	47	12	35	1·13	0·29	0·84	1·10
Small Burghs	14,324	367	15	7	8	1·05	0·49	0·56	1·02
Landward ...	27,294	745	32	5	27	1·17	0·18	0·99	1·14

Diseases of Skin and Cellular Tissue.—There were 70 deaths from these causes compared with 79 in 1950 and 234 in 1941. There were over 300 deaths in this group in 1936 and 1937, and the general trend since that date has been steadily downwards. The reduction is mainly in deaths from cellulitis.

Diseases of Bones and Organs of Locomotion.—These, too, are comparatively unimportant causes of death, 176 deaths only being registered during the year.

Malformations.—There were 602 deaths from these compared with 613 in 1950. Congenital malformations of the heart were the most frequent (204), and were followed by spina bifida (112) and hydrocephalus (69), which accounted for most of the remaining conditions specified. The vast majority (77 per cent) of these deaths took place in the first year of life.

TABLE K (2).—Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1951

International Abbreviated List Nos.	Cause of Death	All Ages	Ages						
			15–19	20–24	25–29	30–34	35–39	40–44	45 and over
1	Tuberculosis of respiratory system ...	2	—	—	1	—	1	—	—
2	Tuberculosis—Other forms ...	1	—	—	1	—	—	—	—
18	Malignant neoplasms	1	—	—	—	1	—	—	—
21	Anæmias	1	—	—	—	1	—	—	—
46·1	Other general diseases	3	—	1	—	2	—	—	—
22	Vascular lesions of central nervous system	2	1	—	—	1	—	—	—
24	Rheumatic fever	1	—	—	1	—	—	—	—
27	Other diseases of heart	3	—	—	1	1	1	—	—
29	Hypertension without heart disease	1	—	—	—	—	—	1	—
46·3	Other circulatory disease	1	—	—	—	—	—	1	—
30	Influenza	1	—	—	—	—	—	1	—
31	Pneumonia	2	—	—	2	—	—	—	—
32	Bronchitis	1	—	—	—	—	—	1	—
36·2	Diarrhœa	1	—	—	1	—	—	—	—
46·6	Other digestive diseases	2	—	—	1	—	1	—	—
46·7	Other diseases of genito-urinary system	2	—	—	1	—	1	—	—
45·1	Cause ill-defined and unknown ...	1	—	—	1	—	—	—	—
48·1	Other violence	1	—	—	—	—	—	1	—
	All Causes	27	1	1	10	6	4	5	—

Table L shows these deaths distributed in age groups. Of the 602 who died from congenital malformations, 464 died at ages under one year, and of these 202 did not survive a week. The following table shows for each of the principal causes in the group and also for certain diseases of early infancy the rate per 1,000 births in each quinquennium since 1936 and for individual years since 1947. The congenital malformation rate was 6·64 in 1951 compared with 6·62 in 1950. A more accurate rate is obtained by limiting the deaths to those which occurred in the first year of life, but this does not materially affect the trend of the rates. Internal changes in classification such as prematurity affect some of the rates comparing 1950 and 1951 with earlier years.

TABLE L.—Deaths from Congenital Malformations in 1951

International Long List Nos.	Cause of Death	Persons	Males	Females	Under 1 day	1–6 days	1 week	2 weeks	3 to 4 weeks	1–2 months	3–5 months	6–8 months	9–11 months	1–4 years	5–9 years	10–14 years	15–24 years	25 years and over
751	Spina Bifida, Meningocele ...	112	52	60	14	28	20	11	4	19	6	1	1	5	2	–	–	1
752	Congenital Hydrocephalus ...	69	37	32	14	8	4	5	2	8	6	7	1	9	2	1	–	2
754	Congenital Malformations of circulatory system ...	204	115	89	20	45	10	7	2	29	19	11	5	20	8	7	5	16
756	Congenital Pyloric Stenosis	12	9	3	–	2	1	–	2	7	–	–	–	–	–	–	–	–
750, 753, 755, 756–759	Other Congenital Defects	205	119	86	27	44	15	7	5	21	12	8	6	21	3	2	3	31
	Total ...	602	332	270	75	127	50	30	15	84	43	27	13	55	15	10	8	50

	1936–40	1941–45	1946–50	1947	1948	1949	1950	1951
Congenital Malformations (all ages) ...	6·87	7·28	6·58	6·79	6·44	6·34	6·62	6·64
Do. (under 1 year)	6·20	6·33	5·47	5·82	5·46	5·11	5·33	5·12
Hydrocephalus	0·70	0·74	0·64	0·77	0·50	0·68	0·59	0·76
Spina Bifida, Meningocele ...	1·89	1·93	1·38	1·42	1·36	1·48	1·32	1·24
Congenital Heart Disease ...	2·26	2·26	2·11	2·09	2·04	1·77	2·33	2·25
Congenital Pyloric Stenosis	2·02	2·34	0·48	0·53	0·57	0·43	0·29	0·13
Other Congenital Defects			1·97	1·98	1·97	1·99	2·09	2·26
Diseases of Early Infancy ...	30·61	27·74	20·24	21·24	18·90	17·55	19·45	18·99
Debility	7·09	5·22	1·93	2·23	1·90	1·26	1·09	1·20
Premature Birth	16·79	15·07	10·39	11·75	9·57	9·03	7·38	6·63
Injury at Birth	3·22	3·19	2·94	2·66	2·89	2·96	3·31	3·35
Asphyxia at Birth	3·50	4·27	2·99	3·02	2·90	2·87	3·69	3·57
Other specified causes			2·00	1·58	1·63	1·42	*3·99	*4·23
Total (all ages)	37·48	35·02	26·83	28·03	25·33	23·89	26·08	25·63

* Includes pneumonia of newborn and diarrhœa of newborn.

Diseases of Early Infancy.— Deaths from this group of causes totalled 1,721 compared with 1,800 in 1950, and there has been a steady improvement in mortality from such causes during recent years. The most important individual component of this group is prematurity, deaths from which numbered 601, or just over a third of the total. Asphyxia, birth injury, pneumonia of newborn and congenital debility are next in order of importance. Mortality ascribed to prematurity and, more particularly, congenital debility has shown remarkable improvement recently, but deaths from injury at birth have shown no such favourable change.

Senility.—Only 1,292 deaths were so attributed. In spite of the ageing of the population the numbers here have shown fairly steady diminution, and it is clearly due to transfer to other cause groups, presumably as a result of more specific certification.

Violence.—These numbered 2,584, a slight decrease compared with the figure for 1950, which was 2,598. Of these 687 were transport accidents, 51 more than in 1950. The majority were motor vehicle accidents (516), an increase of 27 on the number for the previous year. Of the remainder 67 were from railway accidents, 49 from road transport fatalities (other than with motor vehicles), 24 in water transport accidents and 31 in air transport. For motor vehicles and other road transport accidents male deaths greatly exceed those of females, and the heaviest mortality rates are found in pre-school and early school years and in older age-groups, 65 and over. The greatest number of deaths is, for males, in ages 1-9 and 15-34 years, and for females, at 1-9 and 65-84.

Deaths from Road Transport Accidents

		All Ages	Under 15	15–34	35–54	55 and over
Males	1934–38 (average) ...	515	128	169	93	125
	1939–45 ,, ...	709	154	183	154	218
	1945	436	156	94	79	107
	1946	429	140	122	62	105
	1947	402	105	98	85	114
	1948	374	120	75	71	108
	1949	367	103	87	71	106
	1950	397	108	107	73	109
	1951	424	125	115	62	122
Females	1934–38 (average) ...	162	58	25	24	55
	1939–45 ,, ...	188	65	29	30	64
	1945	135	51	21	23	40
	1946	163	58	19	18	68
	1947	162	61	23	20	58
	1948	164	62	24	16	62
	1949	150	55	19	21	55
	1950	133	47	14	18	54
	1951	141	52	18	17	54

Apart from transport accidents, important fatal accidents are found in accidental falls, crushing, etc., accidental drowning, accidental inhalation of poisonous vapours, suffocation and burns.

A full list of deaths by accidental poisoning, by suicidal poisoning and under anæsthetics will be found in Table 41.

A special tabulation has been made of all accidents classified from Nos. 870 to 936 of the 1948 International Statistical Classification. Table M (1) show accidents at home and Table M (2) accidents elsewhere.

Of the total 1,572 fatal accidents in 1951 no less than 1,039, or 60 per cent, occur in the home, the proportion of accidental deaths among females (85 per cent) being very much greater than among males (50 per cent). The importance of domestic to total fatal accidents, too, differs widely according to age. Thus, among both male and female deaths in infancy the vast majority are domestic in origin. At pre-school ages domestic and non-domestic accidents are nearly equally frequent among males, but domestic are still much the more numerous in young female children. At school ages in both sexes non-domestic accidents predominate. In earlier adult life, 15-44 years, non-domestic accidents outnumber the domestic in males by a little more than 3 to 1, but in females of the same ages the numbers in the two groups show little variation. At 45-64 years non-domestic are still in excess of domestic among males, but the relative excess is less than at earlier years, whereas among females at this period of life domestic are now appreciably more frequent than non-domestic. At ages over 65 years domestic accidents are decidedly more frequent than non-domestic even in males, while in the elderly females domestic accidents are over 10 times as frequent as those originating outside the home. The nature of the accidents, too, differs widely in home and other fatal accidents. Over half of those occurring in the home are allocated to the group, falls, crushings, etc., the other two important groups being poisonings by gases and vapours and suffocation. The latter are predominantly among infants and pre-school children, among whom burning accidents also stand out prominently. In accidents originating outside the home the most important are falls, crushings and drownings.

TABLE M (1).—Accidents at Home, 1951

International Long List Nos.	Cause of Death		Total	Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	Not stated
870–888	Accidental poisoning by solid and liquid substances	M.	22	1	4	—	—	3	1	2	5	3	2	1	—	—
		F.	27	—	1	—	—	1	2	6	6	4	4	2	1	—
890–895	Accidental poisoning by gases and vapours ...	M.	81	—	1	1	—	2	4	13	14	19	15	11	1	—
		F.	78	—	—	—	—	3	3	4	11	15	21	15	6	—
900–904, 910	Accidental falls, crushing, etc.	M.	150	1	5	6	—	2	—	4	6	12	22	67	25	—
		F.	374	—	1	2	—	—	2	2	5	16	51	177	118	—
916–918	Accidents caused by fire, explosion, hot substance, radiation, etc.	M.	32	1	8	2	—	1	—	—	—	3	7	8	2	—
		F.	75	—	17	5	—	—	2	4	4	4	14	20	5	—
919	Accidental injury by firearms	M.	11	—	—	—	—	3	—	4	1	1	2	—	—	—
		F.	1	—	—	—	—	—	1	—	—	—	—	—	—	—
921–925	Accidental and mechanical suffocation	M.	103	84	4	2	—	—	3	—	—	6	3	1	—	—
		F.	66	58	—	—	—	1	1	—	2	—	4	—	—	—
926	Lack of care of infants under 1 year of age ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	1	1	—	—	—	—	—	—	—	—	—	—	—	—
929	Accidental drowning and submersion	M.	5	—	2	1	—	—	—	—	1	—	—	1	—	—
		F.	4	—	1	—	—	—	—	—	—	3	—	—	—	—
911-915, 920, 927, 928, 930-936	Other and unspecified accidents	M.	8	—	1	1	—	2	—	1	1	—	1	—	1	—
		F.	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	Total	M.	412	87	25	13	—	13	8	24	28	44	52	89	29	—
		F.	627	59	21	7	—	5	11	16	28	42	94	214	130	—

TABLE M (2).—Accidents elsewhere than at Home, 1951

International Long List Nos.	Cause of Death		Total	Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	Not stated
870–888	Accidental poisoning by solid and liquid substances	M.	5	—	1	—	—	1	2	1	—	—	—	—	—	—
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—	—
890–895	Accidental poisoning by gases and vapours ...	M.	10	—	—	—	—	1	1	3	1	1	3	—	—	—
		F.	2	—	—	—	—	1	—	1	—	—	—	—	—	—
900–904, 910	Accidental falls, crushing, etc.	M.	159	—	1	2	7	13	26	23	20	21	16	22	8	—
		F.	38	1	1	2	1	—	2	—	1	1	7	16	6	—
911	Accident caused by vehicle	M.	11	—	—	—	—	3	1	1	2	2	2	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
912	Accident caused by machinery	M.	27	—	—	—	1	2	3	3	9	1	6	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
915	Accident caused by explosion of pressure vessel	M.	3	—	—	—	—	—	1	—	2	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
916–918	Accident caused by fire, explosion, hot substance, radiation, etc.	M.	11	—	1	—	—	4	2	1	—	—	1	2	—	—
		F.	3	—	—	—	—	—	1	—	1	—	1	—	—	—
919	Accidental injury by firearms	M.	16	—	—	—	—	4	6	3	2	1	—	—	—	—
		F.	2	—	—	—	—	1	1	—	—	—	—	—	—	—
921-925	Accidental mechanical suffocation	M.	13	2	—	—	—	2	2	1	1	1	4	—	—	—
		F.	4	1	1	—	—	—	1	—	1	—	—	—	—	—
926	Lack of care of infants under one year of age ...	M.	1	1	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
929	Accidental drowning and submersion (excluding water transport) ...	M.	133	—	15	14	9	6	9	12	26	16	20	5	1	—
		F.	62	—	3	3	2	3	5	7	16	10	10	2	1	—
913, 914, 920, 927, 928, 930–936	Other and unspecified accidents	M.	29	—	2	2	—	6	5	6	2	4	1	1	—	—
		F.	3	—	1	—	—	—	—	—	2	—	—	—	—	—
	Total ...	M.	418	3	20	18	17	42	58	54	65	47	53	32	9	—
		F.	115	2	6	5	3	6	10	8	21	11	18	18	7	—

The accompanying Table M (3) shows the death-rates calculated by broad age groups for each sex. For home accidents it will be observed that although the male rate, irrespective of age, is appreciably less than the corresponding female rate, the male rate is in excess in every individual group except for age 65 and over, where the female rate is nearly twice as high. For accidents elsewhere that at home the total male rate is over four times that of the female rate, the difference being even greater in the age groups from 5 to 64.

TABLE M (3)—Death-rate per 100,000 from Accidental Deaths classified to Nos. 870 to 936 of the 1948 International List

		All ages	0–4	5–14	15–44	45–64	65 and over
Accidents at Home	Male	17	46	3	4	14	77
	Female	23	35	2	3	11	148
Accidents Elsewhere	Male	17	10	9	15	21	43
	Female	4	3	2	2	5	15
Total	Male	34	56	12	19	35	120
	Female	28	38	4	5	16	163

The following Table N shows accidents in coal mines and quarries analysed by age groups, and cause.

TABLE N.—Accidents in Coal Mines and Quarries, 1951

International Long List Nos. 870-936	Cause of Death	Total	15–24	25–34	35–44	45–54	55–64	65–74
890–895	Accidental poisoning by gases and vapours	1	—	—	—	—	—	1
900–904	Accidental falls	3	—	1	—	1	—	1
910	Accident caused by blow from falling object	27	2	7	7	6	5	—
911	Accident caused by vehicle ...	11	3	1	1	2	2	2
912	Accident caused by machinery ...	2	—	—	1	1	—	—
914	Accident caused by electric current	2	1	—	1	—	—	—
919	Accidental injury by firearms ...	1	1	—	—	—	—	—
921–925	Accidental mechanical suffocation	3	—	1	—	—	1	1
936	Other and unspecified accidents	5	2	—	2	1	—	—
	Total	55	9	10	12	11	8	5

Suicide.—Deaths from suicide numbered 276, 177 males and 99 females. This is equivalent to a death-rate of 5 per 100,000, and is the lowest recorded for many years. (Tables 41 and 42.)

Relative Frequency of Cause of Death.—As in recent years the commonest causes or cause groups of death are, in descending order, heart disease, malignant disease, vascular lesions of the central nervous system, violence, bronchitis, congenital causes, pneumonia, tuberculosis and influenza. These together account for 81 per cent of the total deaths in 1951.

TABLE O.—Relative Frequency of Causes of Death

Causes of Death	1951		1950	
	Number	Per cent of total	Number	Per cent of total
Heart disease	21,502	32·69	20,303	31·73
Malignant neoplasms... ...	9,840	14·96	10,029	15·67
Vascular lesions of the central nervous system	9,122	13·87	8,732	13·64
Violence	2,584	3·93	2,598	4·06
Bronchitis	2,488	3·78	2,259	3·53
Congenital malformations and diseases of early infancy ...	2,323	3·53	2,413	3·77
Pneumonia (excluding pneumonia of newborn)... ...	2,297	3·49	2,117	3·31
Tuberculosis (all forms) ...	2,179	3·31	2,775	4·34
Influenza	958	1·46	386	0·60
	53,293	81·02	51,612	80·65

Infant Deaths.—Table 29 contains an analysis of deaths at age-periods under one year classified according to cause of death. For all causes of death the infant death-rates and the neo-natal rates (referring to children aged under one month) will be found on page 19 for years and combinations of years back to 1911, but Table 29 shows for 1951 a finer analysis by age with classification according to cause of death. Of the 3,391 children who died before reaching one year of age, 827 had died before they were a day old; 1,634 did not survive a week and no fewer than 2,019 had died before they were 4 weeks old. The changes in recent years in the number of deaths from congenital defects and from conditions associated with early infancy (debility, premature birth, etc.) have already been referred to (page 30). Compared with 1950 deaths from whooping-cough increased by 35. Deaths over 4 weeks from pneumonia and diarrhœa decreased by 29 and 66 respectively.

Of all deaths under one year of age congenital malformations account for the largest number, followed by pneumonia (excluding newborn), asphyxia and atelectasis and birth injuries, in that order. (Table 29.)

Month of Registration.—Table 30 shows death from the same causes as are shown in Table 29 but classified according to calendar month of registration. The rates by calendar month for all infant deaths have already been referred to (page 17). These deaths were at a maximum in January, showing a downward trend to a minimum in September. The incidence of individual causes throughout the year generally conforms to this pattern. (Tables 30 and 63.)

TABLE P.—Deaths under One Year per 1,000 Births in Scotland, 1922–1951

Year	Males						Females					
	Under 1 year	Under 1 week	1 week and under 1 month	1 month and under 3 months	3 months and under 6 months	6 months and under 12 months	Under 1 year	Under 1 week	1 week and under 1 month	1 month and under 3 months	3 months and under 6 months	6 months and under 12 months
1922–25	103·7	42·6		16·0	16·6	28·5	80·0	32·7		11·8	12·6	23·0
1926–30	96·0	41·1		14·9	16·5	23·5	74·4	31·8		10·6	12·1	19·9
1931	93·2	27·5	12·6	13·9	15·9	23·3	69·9	21·7	9·6	9·9	10·4	18·4
1932	94·6	26·8	13·4	15·4	17·0	22·1	77·3	20·7	11·1	12·3	13·8	19·4
1933	89·3	28·8	12·0	14·8	14·2	19·5	72·4	23·3	10·9	10·0	11·4	16·7
1934	86·9	27·7	12·2	14·3	14·0	18·7	68·0	21·6	10·8	9·5	11·1	15·0
1935	86·9	28·8	14·6	13·2	13·6	16·7	66·2	20·7	12·8	9·1	10·1	13·6
1931–35	90·3	27·9	13·0	14·3	15·0	20·1	70·8	21·6	11·0	10·2	11·4	16·6
1936	92·2	28·4	14·1	15·9	15·2	18·7	71·9	21·3	11·2	10·7	13·0	15·8
1937	89·6	28·2	14·2	15·0	16·2	16·0	70·5	22·0	12·0	10·8	11·5	14·2
1938	76·6	26·6	11·4	13·4	12·2	13·0	62·1	21·9	10·0	8·9	9·1	12·1
1939	77·4	29·7	12·4	12·1	11·7	11·6	59·1	22·8	8·0	8·8	9·7	9·8
1940	90·3	29·5	13·1	15·0	15·7	17·0	65·7	21·2	10·4	10·5	11·8	11·8
1936–40	85·2	28·5	13·0	14·3	14·2	15·3	65·9	21·8	10·3	9·9	11·0	12·8
1941	93·3	29·0	16·0	17·4	17·0	14·0	71·6	22·5	12·2	12·6	10·9	13·4
1942	77·9	27·0	12·9	14·1	13·1	10·8	60·2	19·8	10·3	10·0	11·4	8·8
1943	73·0	25·3	11·8	13·3	12·3	10·3	57·0	18·7	9·8	9·1	10·0	9·4
1944	73·0	24·7	12·3	13·3	13·1	9·5	56·4	17·8	10·4	9·4	10·4	8·4
1945	64·7	23·6	9·0	12·4	11·5	8·2	47·3	17·5	6·6	8·9	8·2	6·0
1941–45	76·4	25·9	12·4	14·1	13·4	10·6	58·5	19·2	9·9	10·0	10·2	9·2
1946	60·0	25·1	8·1	10·0	9·5	7·3	47·3	19·4	7·0	7·2	7·8	5·9
1947	62·9	22·4	9·4	11·8	10·3	9·1	48·2	17·5	7·6	7·7	7·8	7·6
1948	51·3	21·6	6·9	8·9	8·1	5·8	37·7	15·5	5·9	5·9	5·8	4·6
1949	46·2	21·0	5·3	8·3	6·6	5·0	36·3	15·4	4·4	6·3	5·9	4·2
1950	43·0	21·0	4·6	6·5	6·4	4·5	33·8	16·2	4·0	5·3	4·4	3·9
1946–50	53·2	22·3	7·0	9·2	8·3	6·4	41·1	16·9	5·9	6·5	6·4	5·3
1951	42·2	20·4	4·8	6·9	6·2	3·8	32·4	15·5	3·6	5·1	4·6	3·6

STIRLINGSHIRE
Western No.2 District
Western No.3 District
DUNBARTONSHIRE
Old Kilpatrick District
MILNGAVIE BURGH
New Kilpatrick District
KIRKINTILLOCH BURGH
Kirkintilloch District
DUNBARTONSHIRE (Detached)
Cumbernauld District
STIRLINGSHIRE
Eastern No.3 District
CLYDEBANK BURGH
Third District
Ninth District
WEST LOTHIAN
RENFREW BURGH
COUNTY OF THE CITY OF GLASGOW
COATBRIDGE BURGH
AIRDRIE BURGH
Fourth District
PAISLEY BURGH
JOHNSTONE BURGH
RUTHERGLEN BURGH
Sixth District
Seventh District
BARRHEAD BURGH
Eighth District
RENFREWSHIRE
LANARKSHIRE
MOTHERWELL AND WISHAW BURGH
HAMILTON BURGH
Second District
Kilbirnie District
First District
Fifth District
Fourth District
Kilmarnock District
AYRSHIRE
Newmilns District
REFERENCE
Conurbation Boundary
County Boundary
Burgh Boundary
District Boundary
SCALE OF MILES
1 ½ 0 1 2 3 4

Deaths of Illegitimate Children.—These have been separately classified since 1936, and differences in rates (all causes) have already been referred to in page 19. It will there be seen that the rate among illegitimate children is 46 per cent above that for legitimate children—54 per 1,000 live births against 37 per 1,000 live births.

In Table 31 will be found for each large burgh and county the infant deaths classified by age-periods under one year, with equivalent rates for individual ages under one year, and mortality among illegitimate infants. But it may be pointed out that many of these rates, being based on small numbers, are subject to large chance fluctuations. The neo-natal rates for Scotland as a whole have already been dealt with (see page 19), but in Table P there will be found for Scotland the death-rates for certain age-groups within the first year of life for 1951 and previous years.

Death-rates Standardised to Population of Great Britain in the Year of Experience.—Precise comparisons between the death-rates in England and Wales and those in Scotland cannot be made from an examination of the crude death-rates in the two countries. By agreement between the two Registrars-General, death-rates for Scotland and for England and Wales have been standardised according to population based upon the age and sex distribution of Great Britain for the year of observation.

Table 48 gives the standardised death-rates for the two countries for all causes and for certain specified diseases for the years 1950 and 1951. It is not possible as in previous reports to show a series of years because of the difficulty of comparison with the introduction of the 1948 International Classification of Causes of Death. A new series was therefore begun with 1950. It will be observed that the standardised death-rates for Scotland are generally materially in excess of those for England and Wales.

CENTRAL CLYDESIDE CONURBATION

There has been an increasing interest for some time in the production of statistics for what have come to be known as conurbations. Cities have tended to overflow their legal boundaries, and as a result the economic and social unit in many respects has been the wider, not the limited, area. The term has, however, also been taken as applying to other types of case where there are around and close to a city a number of industrial towns and villages which, though in status quite independent, are closely associated with it. Consequently, in various matters of local and general administration it is desirable to look at, and have statistics relating to, the wider area.

Seven conurbations have been defined for Great Britain of which one is Central Clydeside. It comprises:—

Dunbarton County (Part of)
- Clydebank Burgh
- Kirkintilloch Burgh
- Milngavie Burgh
- New Kilpatrick
- District of County

Lanark County (Part of)
- Glasgow City
- Airdrie Burgh
- Coatbridge Burgh
- Hamilton Burgh
- Motherwell and Wishaw Burgh
- Rutherglen Burgh
- Lanark Fifth District of County
- Lanark Sixth District of County
- Lanark Eighth District of County
- Lanark Ninth District of County

Renfrew County (Part of)
- Barrhead Burgh
- Johnstone Burgh
- Paisley Burgh
- Renfrew Burgh
- Renfrew First District of County
- Renfrew Second District of County

The boundary goes a good deal further out than would otherwise have been necessary because statistics cannot be produced for any smaller area than a burgh or a county district. In the north-east, for example, the conurbation reaches far eastwards because the Ninth District of Lanarkshire reaches far eastwards. On the other hand the unavoidable inclusion of such areas does not materially affect the statistical picture.

The following is a summary of the births, deaths and marriages in the area of the conurbation in the calendar year 1951. The births and deaths are corrected, where necessary, to relate to the area of usual residence.

CENTRAL CLYDESIDE CONURBATION

	Registered	Transferred Out	Transferred In	Corrected for Transfer	Rate per 1,000 of estimated population
Births	32,257	1,569	2,180	32,868	18·7
Deaths	21,977	882	1,249	22,344	12·7
Deaths under 1 year	—	—	—	1,421	43·2 per 1,000 live births
Marriages ...	15,917	—	—	—	9·0
Still-births ...	1,017	76	37	978	29 per 1,000 total births (including still-births)

The population of Central Clydeside is estimated at 1,760,100, which is rather more than a third of the population of Scotland. The birth-rate of 18·7 is more favourable than that of the remainder of Scotland, which is 17·2. The death-rate is 0·3 less but the still-birth rate is 4 per 1,000 total births more than in the rest of Scotland.

The excess of the birth-rate over the death-rate in the conurbation area was 6·0 per 1,000 of the population against 4·2 in the remainder of Scotland. The excess of births and deaths in Scotland was 24,861, those in Central Clydeside accounting for no less than 10,524.

The infant mortality rate at 43 per 1,000 live births is much less favourable than that of the remainder of Scotland, which is 34.

The accompanying table compares the rate per 100,000 from the principal groups of causes of death. Mortality from respiratory tuberculosis in the conurbation area is twice as high as that for the rest of Scotland. The rate from other forms of tuberculosis is nearly twice as high for males and three times as high for females. The only other outstanding excess is found in bronchitis, where the male rate is nearly twice that of the rest of Scotland. The female excess is not so marked.

Diseases due to the vascular lesions of the central nervous system and heart disease show a higher mortality in the rest of Scotland. This is no doubt due to a higher age structure. Little change is noted in the other diseases. The over-all death rate in the conurbation area for males is 1,378 compared with 1,342 in the rest of Scotland, but the female rates are 1,170 and 1,252 respectively.

The rates in the conurbation area are to a large extent influenced by those of Glasgow. The following statement shows the rates for respiratory tuberculosis, other forms of tuberculosis and bronchitis separately for the conurbation area, Glasgow and the remainder of the conurbation area.

	Rate per 100,000 of Estimated Population					
	Conurbation Area		Glasgow		Remainder of Conurbation Area	
	Males	Females	Males	Females	Males	Females
Respiratory tuberculosis	68	44	78	44	54	44
Other forms of tuberculosis	9	9	10	8	7	10
Bronchitis ...	90	42	105	47	65	35

These show generally a reduction in the rates for the remainder of the conurbation area, which are, however, still higher than those experienced in the rest of Scotland.

Certain specified causes of death in the Central Clydeside Conurbation and the Rest of Scotland with their corresponding rates per 100,000 population—1951

	Number				Rates per 100,000 Population			
	Conurbation Area		Rest of Scotland		Conurbation Area		Rest of Scotland	
	Males	Females	Males	Females	Males	Females	Males	Females
Tuberculosis — respiratory system	576	401	530	379	68	44	33	22
Tuberculosis — other forms	74	82	76	61	9	9	5	3
Syphilis	30	19	70	30	4	2	4	2
Principal epidemic diseases	174	208	342	408	21	23	21	23
Malignant neoplasms ...	1,804	1,622	3,121	3,293	214	177	195	188
Vascular lesions of central nervous system	1,280	1,593	2,583	3,666	152	173	161	209
Heart disease	3,499	3,337	7,288	7,378	416	363	455	421
Pneumonia (including new-born)	472	414	774	803	56	45	48	46
Bronchitis	757	390	756	585	90	42	47	33
Ulcer of stomach and duodenum	169	45	317	88	20	5	20	5
Diarrhœa (including new-born)	84	103	145	140	10	11	9	8
Nephritis	80	122	218	230	10	13	14	13
Congenital malformations and other diseases of early infancy	475	370	744	534	56	40	46	30
Transport accidents ...	165	48	378	96	20	5	24	5
Other accidental violence ...	285	214	558	530	34	23	35	30
Suicide	50	39	127	60	6	4	8	3
All other causes	1,629	1,734	3,486	3,640	194	189	217	208
All causes	11,603	10,741	21,513	21,921	1,378	1,170	1,342	1,252

APPENDIX I

REPORT ON INFORMATION OBTAINED FOR THE YEAR 1951 UNDER THE POPULATION (STATISTICS) ACT, 1938

This Appendix contains an analysis of the statistics obtained in respect of the year 1951.

The crude birth-rate for the year is 17·7, 0·2 below the rate for 1950. The fall in the birth-rate is to a certain extent reflected in a drop in the net reproduction rate, which was 1·098. This figure indicates that during 1951 the population of Scotland was more than reproducing itself.

The crude birth-rates and the gross and net reproduction rates for each year from 1940 are as follows:—

Year	Crude Birth-rate	Gross Reproduction rate	Net Reproduction rate
1940	17·1	1·042	0·896
1941	17·5	1·058	0·893
1942	17·6	1·087	0·948
1943	18·4	1·162	1·012
1944	18·5	1·183	1·041
1945	16·9	1·088	0·978
1946	20·3	1·336	1·192
1947	22·0	1·496	1·346
1948	19·4	1·317	1·208
1949	18·5	1·268	1·168
1950	17·9	1·233	1·150
1951	17·7	1·172	1·098

Table 10 shows the number of births analysed by age of mother, and, so far as legitimate births are concerned, by the duration of marriage. As is usual, more children were born to mothers aged between 25 and 29 than to those in any other quinquennial age-group, and the single ages which contributed the greatest number of children were 25 years, 24 years and 26 years (in that order). At age 31 the number was much smaller. The largest number of legitimate births was to mothers aged 25 years, 24 years and 26 years in that order and the largest number of illegitimate births was to mothers aged 22, 20, 21 and 19 in that order (Table 9).

It will be observed from the following Table that every year since 1940 the proportion of legitimate births to mothers in the age-group 20-24 was much greater than in 1939, reaching a peak in 1947.

Year	Total Legitimate Births	Number of Legitimate Births by quinquennial age-groups 20-34			Proportion compared with 1939		
		20–24	25–29	30–34	20–24	25–29	30–34
1939 ...	81,669	18,605	25,661	19,267	100	100	100
1940 ...	81,248	19,086	26,068	18,619	103	102	97
1941 ...	83,800	19,933	26,038	19,410	107	101	101
1942 ...	84,187	20,827	25,396	19,459	112	99	101
1943 ...	87,450	21,285	24,417	21,361	114	95	111
1944 ...	88,308	21,614	23,402	22,062	116	91	115
1945 ...	89,398	18,940	21,163	19,791	102	82	103
1946 ...	97,465	22,228	29,070	24,450	119	113	127
1947 ...	106,836	25,804	33,600	24,795	139	131	129
1948 ...	94,568	24,117	30,001	20,255	130	117	105
1949 ...	90,451	23,586	29,628	17,949	127	115	93
1950 ...	87,693	23,168	27,964	18,193	125	109	94
1951 ...	86,047	23,244	27,302	18,306	125	106	95

The following Tables summarise the figures in Table 11 for the thirteen years 1939 to 1951.

TABLE F (a).—Fertility Rates by Age of Mother

LEGITIMATE BIRTHS PER 1,000 MARRIED WOMEN

Year	All Ages (16–49)	16–19	20–24	25–29	30–34	35–39	40–44
1939 ...	119·8	525·7	336·6	220·0	140·5	82·7	25·8
1940 ...	115·2	448·9	322·7	213·6	131·3	77·4	25·0
1941 ...	116·4	376·6	300·8	211·1	134·9	82·6	27·7
1942 ...	114·3	354·3	290·9	208·3	133·3	82·0	26·8
1943 ...	117·9	357·8	283·4	209·6	146·9	90·6	30·2
1944 ...	118·3	340·9	284·8	210·0	153·8	92·4	31·3
1945 ...	105·2	322·7	246·9	192·9	139·1	82·4	27·6
1946 ...	131·6	385·0	290·7	264·9	180·5	98·6	28·5
1947 ...	142·9	481·6	330·5	288·6	188·4	100·5	29·5
1948 ...	125·2	472·6	305·1	238·5	159·6	87·9	26·6
1949 ...	119·7	536·3	306·3	221·6	148·1	83·7	23·6
1950 ...	116·0	496·2	307·7	200·6	153·4	81·1	22·5
1951 ...	109·9	507·1	317·0	206·3	128·2	72·2	21·1

ILLEGITIMATE BIRTHS PER 1,000 UNMARRIED WOMEN

Year	All Ages (15–49)	15–19	20–24	25–29	30–34	35–39	40–44
1939 ...	7·7	5·3	12·0	11·5	10·6	7·7	2·8
1940 ...	7·7	4·7	12·5	12·0	10·7	7·6	3·1
1941 ...	8·8	5·1	14·4	15·0	13·3	8·5	2·6
1942 ...	10·0	5·2	16·3	18·6	15·3	9·9	3·4
1943 ...	11·4	5·6	19·0	24·1	17·7	10·8	4·0
1944 ...	12·1	5·2	19·8	29·7	20·1	11·6	3·6
1945 ...	12·3	5·1	20·2	30·3	20·6	12·5	3·4
1946 ...	11·5	5·1	18·0	29·3	19·0	11·9	3·6
1947 ...	11·0	4·6	17·3	30·5	19·2	11·7	3·8
1948 ...	10·3	4·7	14·9	29·3	20·8	11·1	3·8
1949 ...	9·5	4·2	13·6	25·1	23·4	10·5	3·5
1950 ...	9·0	4·0	12·4	24·2	22·0	10·7	3·5
1951 ...	8·6	3·7	12·2	18·3	23·0	12·7	2·8

On comparing the legitimate rates for 1950 and 1951 it will be observed that there is a decrease at the higher age-groups from 30-34 onwards. The illegitimate fertility rates show a decrease in all age-groups except 30-34 and 35-39.

Table 12 shows the interval between marriage and the birth of the first child for all first children born in 1951 according to the age of mother, and the following Table gives a summary for the years 1939 to 1951 of the percentage of first births occurring within eight months of marriage.

TABLE F (b).—Percentage of First Births taking place within Eight Months of Date of Marriage

Year				All ages	Age of Mother: Under 20	20–24	25–29	30–34
1939	...	...	...	28·8	70·1	40·3	17·0	10·0
1940	...	...	...	24·9	61·3	34·8	14·6	9·2
1941	...	...	...	18·5	53·6	24·2	10·4	8·5
1942	...	...	...	17·0	52·3	21·2	9·5	7·4
1943	...	...	...	14·4	49·0	17·4	7·9	6·2
1944	...	...	...	14·3	51·1	17·0	7·8	6·2
1945	...	...	...	15·2	51·1	18·5	8·3	6·5
1946	...	...	...	13·4	51·4	17·2	7·8	6·1
1947	...	...	...	15·1	50·8	18·9	9·6	7·7
1948	...	...	...	19·1	56·6	23·7	11·6	8·4
1949	...	...	...	20·4	59·8	24·3	11·3	8·7
1950	...	...	...	20·2	60·0	24·6	10·0	8·1
1951	...	...	...	19·8	60·3	23·6	9·9	9·1

The percentage of first births taking place within eight months of marriage is slightly lower than that for 1950. If we add the number of so-called pre-nuptial conceptions to the number of illegitimate births, the combined total is about 3,200 below that for 1939; and about 600 below that for last year.

In the Report for 1950 a summary of Table 13 was given for the year 1939, and 1942 to 1950 (Table F (c)). This Table is now repeated for the years 1939 and 1943 to 1951.

TABLE F (c).—Number of Births by Present Husband which are First, Second, etc.

Number of previous children (including still-born and dead)	1939	1943	1944	1945	1946	1947	1948	1949	1950	1951
0	28,976	33,835	32,390	29,321	38,531	44,369	36,492	34,177	31,843	30,834
1	19,473	21,919	23,395	21,017	25,789	27,962	26,697	25,893	25,284	24,795
2	11,757	12,094	12,786	11,410	14,028	15,016	13,717	13,474	13,804	13,952
3	7,391	6,893	7,308	6,540	7,358	7,811	7,069	6,955	6,926	7,129
4	4,771	4,406	4,393	3,995	4,326	4,434	3,872	3,838	3,770	3,725
More than 4	9,301	8,303	8,036	7,106	7,413	7,244	6,668	5,979	5,886	5,478
Not stated	—	—	—	9	20	—	53	135	180	134
TOTAL	81,669	87,450	88,308	79,398	97,465	106,836	94,568	90,451	87,693	86,047

In 1951 there was a decrease of 1,646 legitimate births compared with 1950 and first births were responsible for 1,009 of these. The total legitimate births decreased by 2 per cent, first births by 3 per cent, and second births by 2 per cent, while third births increased by 1 per cent.

On examining the proportion which first births bear to the total births for the year as set out in Table F (c) it is found that the percentage increased steadily from 35·5 in 1939 to 39·9 in 1942. In 1943 it was 38·7, in 1944 36·7 and it increased steadily to 41·5 in 1947. Since then, however, the rate has decreased, being 38·6 in 1948, 37·8 in 1949, 36·3 in 1950 and 35·8 in 1951.

Table 14 shows legitimate births by duration of marriage and number of previous children. It also indicates the trend of family size. The following Table covering the years 1939 to 1951 (relating to children by present husband only) gives average family size—but only for those families having a child in the year under observation. The figures shown include the birth in the particular year referred to as well as previous births. They show that the average size of family into which a child was born decreased from 1939 to 1942, and remained practically stationary until 1945. The average decreased substantially in 1946 and 1947, rose slightly in 1948 but declined a little again in 1949. The figure for 1951 (2·45) is similar to that for 1950 and ·01 less than in 1946. The trend since 1939 has therefore been downward.

Duration of Marriage	Average number of children by present husband in family including still-born and dead												
	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
Under one year ...	1·03	1·02	1·02	1·03	1·03	1·03	1·03	1·04	1·03	1·03	1·03	1·03	1·03
1 ...	1·29	1·26	1·19	1·17	1·16	1·17	1·18	1·15	1·17	1·23	1·23	1·24	1·27
2 ...	1·77	1·76	1·73	1·58	1·55	1·55	1·60	1·55	1·56	1·69	1·71	1·73	1·71
3 ...	2·14	2·14	2·08	2·00	1·88	1·85	1·85	1·79	1·82	1·96	2·01	2·06	2·04
4 ...	2·48	2·42	2·42	2·35	2·23	2·12	2·09	1·95	2·00	2·22	2·25	2·30	2·33
5 ...	2·77	2·81	2·71	2·64	2·53	2·48	2·34	2·13	2·17	2·38	2·49	2·53	2·56
6 ...	3·17	3·11	3·05	2·94	2·81	2·74	2·71	2·39	2·39	2·54	2·65	2·76	2·78
7 ...	3·50	3·41	3·41	3·25	3·06	3·00	3·01	2·76	2·67	2·74	2·81	2·94	3·00
8 ...	3·83	3·75	3·67	3·59	3·38	3·29	3·27	3·09	3·06	3·02	3·02	3·08	3·20
9 ...	4·10	4·12	4·12	3·86	3·72	3·58	3·57	3·40	3·34	3·40	3·37	3·26	3·35
10–14 ...	5·06	4·98	4·87	4·77	4·61	4·51	4·41	4·27	4·22	4·32	4·29	4·18	4·13
15–19 ...	6·93	6·79	6·65	6·50	6·33	6·13	6·07	6·02	5·98	6·08	6·15	6·13	5·97
20–24 ...	8·94	8·50	8·50	8·29	8·21	7·98	7·84	7·94	7·93	7·93	7·78	7·91	7·90
25 and over ...	10·68	10·96	11·15	10·29	10·37	9·92	9·15	10·00	9·07	9·62	9·54	9·53	9·69
Total Present Husband...	2·79	2·70	2·68	2·60	2·60	2·61	2·59	2·46	2·37	2·43	2·42	2·45	2·45

Table 15 sets out the number of multiple confinements classified by age of mother and type of birth. It also shows as a percentage of all mothers the number of mothers who gave birth to twins.

Tables 16 and 17 contain statistics of women who have been married but at the time of death are stated to have had no children. The results are summarised in the following Table F (d). It will be seen that the percentage of women who die childless does not vary greatly from year to year but has tended to decrease since 1943. The number of deaths among divorced women is too small to give a reliable rate for individual years. The lower percentage of widows who die childless is due in part to the fact that the average age at death of widows is higher than among married women up to age 45 or 50. In 1951, 14 per cent of the married women who died were under 45 years of age, whereas less than one per cent of widows died under that age.

TABLE F (d).—Percentage of Women who have been Married and who at Death are stated to have had No Children

	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951
Married	15·4	16·1	16·9	17·4	17·8	17·7	17·3	17·0	17·1	16·7	16·6	16·3	16·2
Widowed	13·8	13·5	14·4	14·5	14·7	14·6	14·3	14·3	14·5	14·6	14·2	14·3	14·0
Divorced	35·0	29·1	9·1	33·3	22·7	31·4	24·5	31·1	24·3	26·5	23·9	26·5	28·0
All women who had been married ...	14·6	14·7	15·5	15·9	16·2	16·1	15·7	15·6	15·7	15·6	15·3	15·2	15·0

APPENDIX II

REGISTRATION OF STILL-BIRTHS

The total number of still-births registered during the year 1951 was 2,479 and with 90,639 live births registered during the same period these still-births are equivalent to a rate of 26·6 per 1,000 total births, live and still, as compared with 42·2 in 1939, 27·1 in 1949 and 26·9 in 1950. There has been a continuous reduction in the rate since 1939, the first year in which still-births were registered in Scotland, and the rate for 1951 is the lowest so far recorded.

The geographical distribution of these live and still-births (together with neo-natal deaths among live born infants) and the corresponding rates for still-births, neo-natal deaths and for the two groups combined are shown in Table 18. For Local Authority aggregates the highest still-birth rate is recorded for large burghs, the lowest for small burghs, the value for the principal cities being intermediate. The neo-natal death-rates show practically no difference in these aggregates except for the counties of cities, the rate for which is slightly higher. The slight decline in the still-birth rate compared with 1950 is found in the counties of cities and large burghs. The rate for the counties of cities was 27·0, and for large burghs 27·5, the corresponding rates for the previous year being 27·4 and 30·1. The aggregate rates for 1951, showing a definite urban excess, are in this respect in line with the general experience of preceding years.

As in previous years the rates for individual large burghs and counties show wide variations, but in some, owing to the comparatively small numbers involved, the annual rates are not very stable. Among large burghs the highest rates for the year are observed in Rutherglen (38), Hamilton (35) and Dumfries (33), the lowest in Perth (18), Falkirk (15) and Stirling (11). In the counties the highest rates were in Kirkcudbright (36) and Argyll (35), the lowest in the smaller counties (Sutherland, Kincardine, Peebles, Banff and Dumfries). For the combined still-birth and neo-natal rate, the lowest rates were in the burghs of Stirling (29), Ayr (28), and Perth (26), and in the counties of Peebles, Suther- and and Zetland (38), Roxburgh (37) and Kincardine (29). The heaviest were in the counties of Kinross (68), Selkirk (64) and Argyll (63) and in the large burghs of Rutherglen (60), Airdrie (59) and Kilmarnock (57).

In Table SB (A) will be found the still-birth rates aggregated for the four geographical divisions of Scotland. The rate in the West Central group of counties is highest, with that for the East Central second, while the rate for the Northern district is lowest of all. (From Table 18 it will be seen that for the more comprehensive rate for still-births and neo-natal deaths the higher rates are for the West Central and Southern county groups in that order and the lowest is again in the North). The rates for large burghs are heavier than those for county districts in the West Central and the South.

TABLE SB (A).—Still-birth Rates per 1,000 Births (Live and Still) by Divisions, 1951

Division*	Total	Counties of Cities and Large Burghs	Counties (excluding Counties of Cities and Large Burghs)
Northern	23·5	22·0	24·1
East Central...	26·4	25·5	27·4
West Central	28·0	28·5	26·9
Southern	25·7	32·7	24·8
SCOTLAND	26·6	27·1	26·0

* The East Central Division consists of the Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian and East Lothian, with the City of Dundee; the West Central Division consists of the Counties of Lanark, Dunbarton, Renfrew and Ayr; while the Northern Division includes all counties north and west of these two divisions, and the Southern Division all counties south and east.

Still-births and Neo-natal Deaths.—Table 18 shows the numbers and rates for still-births and neo-natal deaths (under 1 month of age) separately and combined for individual Local Authority areas and administrative and geographical aggregates thereof. For Scotland as a whole in 1951, out of every 1,000 born alive or dead after the 28th week of pregnancy, 48·3 died before or within one month of birth. This figure compares with 50·7 in 1948-50 and with 77·3 in 1939. The rates for individual years since the beginning of still-birth registrations are as follows:—

DEATH-RATES PER 1,000 TOTAL BIRTHS, LIVE AND STILL.

Year	Still-Births	Neo-natal Deaths*	Total
1939 ...	42·2	35·0	77·3
1940 ...	42·1	35·7	77·8
1941 ...	39·6	38·4	77·9
1942 ...	38·2	33·7	71·9
1943 ...	35·6	31·7	67·3
1944 ...	32·5	31·7	64·2
1945 ...	32·8	27·6	60·4
1946 ...	32·3	28·9	61·2
1947 ...	30·5	27·7	58·2
1948 ...	28·7	24·4	53·1
1949 ...	27·1	22·5	49·7
1950 ...	26·9	22·4	49·3
1951 ...	26·6	21·7	48·3

* These neo-natal rates, being based on Total Births, do not quite correspond with those based on live births only, which will be found elsewhere in this Report.

Both rates have declined since 1939, the still-birth rate rather more regularly than the neo-natal rate, but each is now rather less than two-thirds of the rate registered 12 years ago.

Age of Mother and Number of Previous Children.—Table 19 shows legitimate and illegitimate still-births classified according to age of mother, and legitimate still-births according to the number of children already born to the mother. For all births, legitimate and illegitimate, the rate is 26·6 per 1,000 total births, this rate being at its lowest when the mother was aged 20-24 years and rising thereafter with increasing age of the mother. These latest figures confirm the experience of earlier years which is that in general the younger the mother the less risk there is of still-birth, except that youngest mothers (under 20 years) show rather a heavier rate than mothers of 20-24. For every age-group under 45 years the illegitimate still-birth rates are higher than the corresponding legitimate rates. They are based on small numbers,

but exhibit a general trend similar to that of the legitimate rates, viz., a fairly steady increase with increasing age of mother after 20.

Table SB (B) has been prepared from the distribution of still-births by age and parity shown in Table 19 in order to contrast first births with all subsequent births at different ages of mother. This shows that the rate for primiparous is for every age of the mother appreciably higher than for multiparous births.

Among multiparous births themselves, as will be observed from Table 19, the relative frequency of still-birth varies widely, being least in the case of a second birth and thereafter increasing with increase in the number of previous children born to the mother.

TABLE SB (B).—Legitimate Still-births per 1,000 Legitimate Births (Live and Still), 1951

Age of mother	Children of all married mothers	Primiparæ (first births)	Multiparæ (one or more previous births)
Under 20	21	22	15
20—	19	22	14
25—	22	27	19
30—	28	40	25
35—	39	41	38
40 and over	65	72	64
All Ages	26	27	26

To examine separately the influence of parity and of age of mother, Table SB (C) has been compiled. The parity groups are aggregated to obtain more stable rates. For each parity group the still-birth rate tends to increase with increasing age of mother and when the experience of mothers of similar ages is examined, it is found that as a rule the rate increases with increasing number of previous children, an important exception being for first births in which are found higher rates than for 1-3 previous children. The still-birth rate for first births is above the average rate for each maternal age-group.

TABLE SB (C).—Legitimate Still-births per 1,000 Legitimate Births (Live and Still), (Age of Mother and Number of Previous Children), 1951

Number of previous children	Age of mother						
	All ages	—20	20—	25—	30—	35—	40 and over
None	27	22	22	27	40	41	72
1–3	21	15	14	18	23	32	49
4–6	42	—	21	30	34	49	68
7–9	53	—	—	17	35	49	76
10 and over ...	78	—	—	—	—	50	111
Total ...	26	21	19	22	28	39	65

No rate has been calculated where the number of births (live and still) is less than 50.

Illegitimate Still-births.—Of the 2,479 still-births, 178 or 7·2 per cent were illegitimate, this being an appreciably greater proportion than among living births, 5·1 per cent of which were illegitimate. The still-birth rate was 37·3 per 1,000 total illegitimate births, but it varied with age of mother, being 33 for young unmarried women under 20 years, and 32 at ages 20-24, the highest rates of all being in the later ages. The corresponding general rate for legitimate infants was 26·0 per 1,000, and this better experience is apparent, with negligible exception, when individual age-groups are contrasted.

The percentages of illegitimate still-births and live births are compared for individual years as follows:—

Year	Still-births	Live Births
1939	6·8	6·0
1940	7·2	6·0
1941	8·3	6·6
1942	8·8	7·2
1943	9·0	7·6
1944	10·0	7·9
1945	9·9	8·7
1946	8·2	6·7
1947	7·8	5·6
1948	7·2	5·8
1949	7·1	5·5
1950	6·8	5·2
1951	7·2	5·1

Multiple Births.—In Table 20 will be found a detailed analysis of multiple births in which at least one child was still-born. All statistics referring to multiple births published in Tables 1 and 2 of these Reports include only cases of children born alive. Thus the birth of two children, one of whom was born alive, is there counted as a single birth, while the triplet birth with two living children and one still-born is counted as a twin birth. In the former part of this Report it was stated that 1,181 mothers gave birth to twin living children and 15 to triplets; but if still-born children are included it is found that there were 105 additional cases of the birth of twins, in 83 of which one was still-born (the others being included among the single births of Table 1) and in 22 of which both were still-born. In addition to the 15 cases of living triplets there were 3 cases in which one child was still-born (the other two children ranking as twin births in Table 1).

Adding the number of still-births to the living births, it is found that the total number of children born was 93,118, of whom 90,639 were live born and 2,479 still-born, the total number of confinements being 91,799. Of these confinements 90,498 resulted in a single birth, 1,283 in a twin birth and 18 in a triplet birth. Of the 2,566 twin children 127 were still-born—a rate of 49 per 1,000 twin children compared with 27 for all children and 26 for single births. The total confinements according to plurality or otherwise are summarised below.

TABLE SB (D).—Multiple Births, 1951

Number of children born	Confinements	Living born Children	Still-born Children
1 living	88,149	88,149	—
1 still-born	2,349	—	2,349
2 living	1,178	2,356	—
1 living, 1 still-born ...	83	83	83
2 still-born	22	—	44
3 living	15	45	—
2 living, 1 still-born ...	3	6	3
TOTAL ...	91,799	90,639	2,479

Certification.—In the great majority of the 2,479 still-births registered, the cause of death was certified by a medical practitioner (2,439) and in only 35 by a certified midwife. There were 4 cases of registration following receipt from the Procurator Fiscal of a Schedule of Result of Precognition, and there was only one case in which it was necessary for a statutory declaration to be made by the informant that the child was not born alive. The percentages certified by a medical practitioner and by a midwife were 98·4 and 1·4 respectively. In 1950 the corresponding figures were 98·4 and 1·5, and in 1939, 94·4 and 5·3 respectively.

Principal Causes of Still-birth.—The causes of still-birth, shown separately by sex of child and age of mother, are dealt with in detail in Table 21 and rates per 1,000 total births are given in Table SB (E) in summarised form. Of the 2,479 still-births, 476 were attributed to fœtal defects, 448 to difficult labour, 390 to ill-defined causes, 358 to antepartum hæmorrhage and 256 to toxæmias of pregnancy. The order of importance of these several groups is as in recent past experience.

In group 1 (acute and chronic diseases of mother) only 79 cases are included, of which the chief individual components are diseases of the circulatory system (28) and genito-urinary system (9). Deaths from toxæmia, of which 83 per cent were eclampsia, numbered 212 compared with 218 in 1950 and 236 in 1949. Fœtal deaths attributed to difficulties at birth numbered 448, of which 97 were certified as birth injury alone and a further 7 as birth injury associated with immaturity. Of the remainder the most frequently stated causes were malposition of fœtus (145 cases of which 13 were also stated to be immature), abnormality of forces of labour (71, with 4 stated as immature) and disproportion (59, with 14 immature). (The individual causes within this group are not readily comparable with these in the list in use in previous years). Antepartum hæmorrhage leading to still-birth is preponderantly accidental hæmorrhage, only one-fifth of this whole group being ascribed to placenta prævia. Of still-births ascribed to congenital defect, the most important individual defects were anencephalus (242) and hydrocephalus (137), these accounting jointly for nearly four-fifths of the whole group. Placental and cord complications (apart from antepartum hæmorrhage) accounted for a total of 365 deaths, roughly equal numbers being found for prolapse and torsion of cord and placental infarct. Ill-defined and unknown causes still constitute 16 per cent of still-births (17 per cent in 1950, but 33 per cent at the outset of registration of still-births in 1939).

TABLE SB (E).—Still-births per 1,000 Births (Live and Still) by Age and Disease Groups, 1951

Age of mother	All causes	Acute and chronic disease in mother	Toxæmias	Antepartum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
Under 20	23	0·3	3·4	2·4	2·4	5·8	4·5	0·8	3·4
20—	19	0·5	2·2	2·2	2·6	4·5	3·2	0·8	3·5
25—	22	0·5	2·0	3·5	3·4	4·2	3·8	1·0	4·1
30—	28	0·5	2·8	4·2	3·8	5·9	5·6	1·1	4·2
35—	40	2·4	4·4	5·7	6·1	6·0	7·8	2·0	4·9
40 and over	65	4·1	6·5	11·7	12·7	8·9	10·6	2·7	7·9
All Ages	27	0·8	2·7	3·8	3·9	5·1	4·8	1·1	4·2

For the principal cause groups the rates per 1,000 births by age of mother are shown in Table SB (E). For acute and chronic disease of mother, and placental and cord conditions, the rates rise steadily with age of mother. Generally for the remaining groups, the rates in the first age-group (under 20 years) are rather higher than at 20-24 years, but thereafter, as in other groups, these rates also progressively increase with advance of maternal age.

Sex Ratios.—The ratio of male to female still-births (1950 ratio in brackets) for groups of causes is given below.

Acute and chronic disease in mother ...	2·43 (1·14)
Toxæmias	1·27 (1·32)
Antepartum hæmorrhage	1·37 (1·30)
Other placental and cord conditions ...	1·24 (1·26)
Fœtal defects	0·54 (0·61)
Difficult labour	1·45 (1·27)
Other defined causes...	0·95 (1·07)
Ill-defined and unknown causes	1·06 (1·02)
ALL CAUSES	1·09 (1·07)

For 1951 the ratio of male : female still-births was 1·09, the corresponding ratio for live births being 1·06. This ratio throughout the years from 1939 has fluctuated between 1·06 and 1·27, but during the same period the ratio for live births has been much more stable, varying only between 1·05 and 1·07. The excess of males is (as in previous years) more pronounced for the cause groups, diseases of mother, antepartum hæmorrhage and difficulties at birth; but for fœtal defects there is a decided female excess.

Causes of Still-birth by Parity.—Table SB (F) shows the still-birth rates for broad cause groups for all married women and separately among primiparous and multiparous births. The heavier general rate among primiparous births is chiefly attributable to fœtal defects and other placental and cord conditions and, in less degree, to difficult labour and ill-defined and unknown causes. The rates among them are more favourable than in the multiparous for antepartum hæmorrhage and other defined causes.

TABLE SB (F).—Still-birth Rates per 1,000 Births (Live and Still) among Married Mothers, 1951

	All married mothers	Primiparæ	Multiparæ
Acute and chronic disease in mother	0·9	0·8	0·9
Toxæmias	2·7	4·0	2·0
Antepartum hæmorrhage	3·8	2·9	4·3
Other placental and cord conditions	3·9	4·7	3·5
Fœtal defects	5·0	5·5	4·8
Difficult labour	4·6	4·5	4·6
Other defined causes...	1·1	0·4	1·5
Ill-defined or unknown causes ...	4·0	4.2	3·9
ALL CAUSES	26·0	27·0	25·5

Illegitimate Still-births by Cause.—The number of illegitimate still-births analysed by cause is shown in the last column of Table 22. There were in all 178 still-births from unmarried mothers, the rate being 37·3 per 1,000 compared with 26·0 among infants of married mothers. The greatest absolute and relative excess in the rates for illegitimates are found in difficult labour, ill-defined and unknown causes and other defined causes.

Month of Registration.—Still-births are classified by cause of death and month of registration in Table 23. The monthly rate for all causes fluctuates between 23 in May and 29 in April and December. The quarterly rates show no marked or regular seasonal fluctuation either for all or for individual cause groups of still-births. The rate for each quarter was 27 except for the third quarter when it was 25. (Table SB (G)).

Still-births by Cause and Local Authority Area.—With the introduction of the new cause list, it has been decided to amplify the tabular information on still-births and in Table 24 the still-births in each Local Authority area in Scotland are shown subdivided according to the full list of causes now in use. Live births for these areas are given in Table 47. While a detailed geography of individual causes will not result until a longer experience than two years becomes available, the table will be published annually as offering opportunity for study of individual causes or groups of causes in different combinations or types of Local Authority area.

TABLE SB (G).—Still-birth Rates per 1,000 Births (Live and Still), 1951

	All Causes	Acute and Chronic Disease in Mother	Toxæmias	Antepartum hæmorrhage	Other Placental and Cord Conditions	Fœtal Defects	Difficult Labour	Other Defined Causes	Ill-defined or Unknown Causes
1st Quarter	27	1·3	3·1	3·3	3·5	5·1	4·8	1·3	4·8
2nd Quarter	27	0·8	3·1	3·8	3·6	4·4	5·7	1·1	4·0
3rd Quarter	25	0·5	2·6	4·0	4·1	4·8	4·4	1·5	3·6
4th Quarter	27	0·8	2·1	4·3	4·7	6·3	4·2	0·7	4·4
Year	27	0·8	2·7	3·8	3·9	5·1	4·8	1·1	4·2

APPENDIX III

BIRTHS, STILL-BIRTHS AND INFANT DEATHS ACCORDING TO SOCIAL CLASS OF FATHER, 1951

The five social classes are those into which occupations have previously been grouped in vital statistical investigations. Class I represents the professional and financially independent section of the population, Class III represents the skilled artisan and analogous workers, and Class V labourers and workers in other unskilled callings. Classes II and IV are intermediate, comprising occupations of mixed types or types not readily assignable to the class on either side.

STILL-BIRTHS AND INFANT MORTALITY ACCORDING TO SOCIAL CLASS OF FATHER, 1951

Social Class	Numbers				Rates			
	Live Births	Still-births	Deaths		Still-births per 1000 Total Births (Live & Still)	Neo-Natal Deaths per 1000 Live Births	Post-Natal Deaths per 1000 Live Births	Total Infant Mortality per 1000 Live Births
			Under 1 month	Aged 1-11 months				
SCOTLAND								
I.	2,883	43	42	11	14·7	14·6	3·8	18·4
II.	10,039	236	153	76	23·0	15·2	7·6	22·8
III.	49,623	1,281	1,096	712	25·2	22·1	14·3	36·4
IV.	16,631	535	387	295	31·2	23·3	17·7	41·0
V.	11,463	384	341	278	32·4	29·7	24·3	54·0
TOTAL	90,639	2,479	2,019	1,372	26·6	22·3	15·1	37·4
COUNTIES OF CITIES								
I.	1,224	13	19	4	10·5	15·5	3·3	18·8
II.	2,924	82	48	26	27·3	16·4	8·9	25·3
III.	19,653	503	433	307	25·0	22·0	15·6	37·7
IV.	4,860	169	135	87	33·6	27·8	17·9	45·7
V.	4,953	164	144	126	32·1	29·1	25·4	54·5
TOTAL	33,614	931	779	550	27·0	23·2	16·4	39·5
LARGE BURGHS								
I.	381	5	4	1	13·0	10·5	2·6	13·1
II.	1,270	31	20	15	23·8	15·7	11·8	27·6
III.	8,947	231	190	122	25·2	21·2	13·6	34·9
IV.	2,276	80	48	48	34·0	21·1	21·1	42·2
V.	2,533	89	75	58	33·9	29·6	22·9	52·5
TOTAL	15,407	436	337	244	27·5	21·9	15·8	37·7
COUNTIES (EX CO.S OF CITIES & LARGE BURGHS)								
I.	1,278	25	19	6	19·2	14·9	4.7	19·6
II.	5,845	123	85	35	20·6	14·5	6·0	20·5
III.	21,023	547	473	283	25·4	22·5	13·5	36·0
IV.	9,495	286	204	160	29·2	21·5	16·9	38·3
V.	3,977	131	122	94	31·9	30·7	23·6	54·3
TOTAL	41,618	1,112	903	578	26·0	21·7	13·9	35·6

Numbers and rates are shown in the foregoing Table for Scotland as a whole, for counties of cities, large burghs and for all counties (excluding counties of cities and large burghs).

Analysis of the figures for 1951 confirms the conclusions to which that of previous years has pointed, viz., that social class has a much more marked effect on Infant Mortality than on the incidence of still-births, and that it is a more important factor in post-natal than in neo-natal deaths. These conclusions are borne out not only by the figures for Scotland as a whole but also by those for the counties of cities, the large burghs and for the counties.

Comparing the Scottish rates for 1950 with those for 1951 it is found that the fall in the Infant Mortality rate from 38·6 to 37·4 was shared by all classes with the exception of Class V. Classes I and IV benefited to the greatest extent. The post-natal mortality rate fell from 15·5 in 1950 to 15·1 in 1951, a fall which affected all classes except Class III, which was the same as the previous year. The neo-natal rate fell from 23·0 to 22·3 in 1951, a fall which affected all classes with the exception of Class V.

Age and Parity Distribution of Births in Different Social Classes.—Since age of mother and previous parity each have an influence on the outcome as regards still-birth frequency and since explanation of the differences of still-birth rates in the social classes is of importance, it has been decided to incorporate in this section detailed tables from which, inter alia, social class differences of parity and maternal age among the births each year can be observed and thus offer opportunity of assessing the influence, if any, of such differences on the crude still-birth rates. Tables 27 and 28 show total births and still-births separately thus subdivided for each of the five social classes.

The main points of note here are the higher proportion of first births and the lower proportion of parities of higher order (five and over) in Class I compared with Classes IV or V and the progressive regular change in this respect with descent in the social scale. Such differences of distribution would tend to produce favourable rates in Classes I and II compared with the remainder. With age of mother, the social class differences are of opposite character as regards influence on the crude still-birth rates, in the first two classes the proportion of births to mothers in earlier age groups being smaller, in older ages correspondingly higher than in the remaining classes. This difference would, other things being equal, tend to produce heavier still-birth rates in the upper classes. Moreover, for specific previous parities the tendency is for the average age to be higher in Classes I and II than elsewhere.

With a view to illustrating the magnitude of the effects of these social class differences of age and parity constitution, there was published in the 1950 Report a Table of correcting factors found by standardising the still-birth rates in the five social classes for age of mother and parity separately and jointly. The calculations were based upon the experience over several years. It was found that the application of these correcting factors had little effect upon the comparative relationships between the social class rates and that the crude still-birth rates were therefore sufficient for comparison purposes.

Causes of Still-births in Different Social Classes.—The relative importance of the several broad cause groups of fœtal death have already been noted. In Table 25 the registered causes of still-births are shown (in detail in respect of legitimate still-births only) for each of the five social classes.

The percentage social class distribution of total legitimate births (live and still) in Scotland is as follows: Class I 3·2, Class II 11·3, Class III 55·3, Class IV 17·4 and Class V 12·8 per cent. From these figures and those in Table 25,

the following condensed Table of numbers and rates per 10,000 total births offers some indication of the causes to which general social class differences in the total still-birth rates are attributable.

	No. of Still-births			Rate per 10,000 Births		
	I and II	III	IV and V	I and II	III	IV and V
Disease of mother ...	7	36	33	5	7	12
Toxæmia	27	136	76	21	28	29
Antepartum hæmorrhage ...	34	180	123	26	37	46
Other placental and cord conditions ...	52	178	118	40	36	44
Fœtal defects	43	243	158	33	50	59
Difficult labour ...	55	201	151	43	41	57
Other defined causes ...	12	53	35	9	11	13
Ill-defined and unknown	40	184	126	31	38	47
All causes ...	270	1211	820	210	248	308

While the rates for the five social classes increase progressively from Class I to V it is not possible to treat individual causes or even the broader cause groups in this fashion on the basis of one year's experience. The above condensed version does show, however, to some extent in what groups the greatest differences are found. Thus, relatively, the greatest divergences between the two extreme pairs of social class are in fœtal defects where the rate for Classes IV and V exceeds that for I and II by nearly 80 per cent, in antepartum hæmorrhage where the excess is 77 per cent and in ill-defined and unknown causes where there is a 52 per cent excess in the rate for Classes IV and V. These same cause groups account for the greater part (a little over half) of the absolute difference between the extremes of social class and in that same order. There is also a heavier rate for other defined causes and toxæmia which are 44 and 38 per cent, but no appreciable difference in the rate for other placental and cord conditions. In spite of these differences there is a general similarity in the broad pattern of causes of still-births in the classes. Actual difficulty in delivery, fœtal defects and other placental and cord conditions are the more important causes. Antepartum hæmorrhage and ill-defined and unknown causes are also prominent in all classes.

Causes of Infant Mortality in Different Social Classes.—The causes of death in the first year of life in legitimate infants in the five social classes are shown in Table 26. For any one year the number of deaths for a given cause in individual social classes is often small (especially in Classes I and II) so that several of the cause rates must be unreliable. Similar information is being published annually, so that soon a very useful body of reliable information will be built up.

The total infant mortality, as has been indicated above, is directly related to social class and, using only the three social groups as in the table below, it will be observed that the mortality of Classes IV and V is 110% higher than that in I and II. The difference between the rates for causes of early infant deaths and those generally occurring at a later date in the first year of life is also clear.

Thus, for the neo-natal causes as a whole, and for other causes the rates per 10,000 are these:—

	I and II	III	IV and V
Neo-natal	165	226	268
Other causes	43	121	169

Relatively and absolutely the difference in infant mortality between the extremes of social class is greater for the later death-rate of infancy, neo-natal causes being 62% higher in Classes IV and V than in I and II, other causes being four times as high, and of the total absolute difference between the rate for class extremes, a smaller contribution to this is made by the earlier causes (103 as compared with 126 per 10,000 for other causes).

For individual diseases or groups, mortality in infancy is consistently heavier in Classes IV and V, relatively least for congenital malformations, birth injury and other digestive diseases (with excess varying from 33% in the first to 50% in the last named), relatively greatest in diarrhœa, convulsions and bronchitis and pneumonia. The greatest contributions to the absolute difference in the total rate, are made, however, by other infantile diseases, bronchitis and pneumonia, diarrhœa and birth injury, which jointly contribute two-thirds of the divergence of 236 per 10,000 births in the rates for all causes.

Infant Mortality Rates (per 10,000) by Cause in Social Class

	I and II	III	IV and V
Principal epidemic disease	3	10	13
Tuberculosis	—	2	3
Meningitis	—	3	3
Convulsions	2	6	15
Bronchitis and pneumonia	14	46	63
Other respiratory diseases	2	5	5
Diarrhœa	3	18	33
Other digestive diseases	2	5	3
Congenital malformations	45	47	60
Birth injury, etc.	50	72	70
Pneumonia of newborn	10	17	22
Diarrhœa of newborn	3	3	5
Other infantile diseases	61	92	118
Suffocation	7	16	22
Other violence	—	1	1
Other causes	11	13	14
All causes	215	359	451

APPENDIX IV

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1950.

A preliminary statement regarding the marriages registered in Scotland during the year 1950 was incorporated in the Ninety-sixth Annual Report, but as full details of the registered marriages were not available at the time when the report was prepared the statement was necessarily restricted. It is now supplemented by this detailed report on these marriages, which includes figures according to the kind of marriage preliminaries (Banns, Notice or Sheriff's Licence), the type of marriage, the church of celebration and the ages and conjugal condition of those marrying.

In the Ninety-sixth Annual Report it was stated that the number of marriages registered in Scotland in 1950 was 40,483, but after complete examination of the registers the corrected number is found to be 40,459. This is 1,249 less than the number in 1949, but is much above the average numbers registered annually before 1939. The number of marriages, however, has decreased steadily during the last five years from 48,642 in 1945, 45,785 in 1946, 44,360 in 1947, 43,718 in 1948, 41,708 in 1949 to 40,459 in 1950. The greatest number of marriages ever registered in Scotland was in 1940 when the total was 53,522.

The marriages in 1950 represent a rate of 7·82 per 1,000 population as against 8·06 in 1949.

Ecclesiastical, Civil and Irregular Marriages.—Of the 40,459 marriages registered 33,208 or 82·08 per cent were solemnised by a minister of religion after proclamation of banns, publication of notice or Sheriff's licence, 7,243 or 17·90 per cent were civil marriages under the Act of 1939, and 8 or 0·02 per cent were irregular. Percentages in 1949 were 82·78, 17·21 and 0·01.

Civil marriages accounted for 25·5 per cent of marriages in the counties of cities, 18·8 in the large burghs and 8·6 per cent in the counties, as against 24·9, 17·8 and 8·1 respectively in 1949. This percentage ranged in the counties of cities and large burghs from 39·8 in Dunfermline, 32·3 in Edinburgh and 31·8 in Perth to 9·7 in Greenock, 7·3 in Coatbridge, and 2·0 in Port Glasgow. In Glasgow it was 22·0 and in Aberdeen 27·1. In the counties it ranged from 24·2 in Bute, 22·7 in Kinross and 18·5 in Selkirk to 4·5 in Ayr, 4·4 in Stirling and 4·1 in Kincardine.

TABLE Q.—Ecclesiastical Marriages in Scotland in 1950, following Proclamation of Banns, Publication of Notice at Registrar's Office, or Licence granted by Sheriff

Church of Celebration	Number					Percentage of Total for each Church, etc.				Percentage of Total Ecclesiastical Marriages
	Total	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	
Church of Scotland	23,579	21,818	905	777	79	92·5	3·8	3·3	0·3	71·0
United Free Church	428	315	95	17	1	73·6	22·2	4·0	0·2	1·3
Free Church ...	226	143	77	6	—	63·3	34·1	2·7	—	0·7
Roman Catholic Church	5,660	546	4,949	122	43	9·6	87·4	2·2	0·8	17·0
Scottish Episcopal Church	1,009	527	396	79	7	52·2	39·2	7·8	0·7	3·0
Congregational Church	1,023	713	274	33	3	69·7	26·8	3·2	0·3	3·1
Baptist Church ...	372	227	124	20	1	61·0	33·3	5·4	0·3	1·1
Methodist Church ...	331	201	108	17	5	60·7	32·6	5·1	1·5	1·0
Jews	90	1	89	—	—	1·1	98·9	—	—	0·3
All other Ecclesiastical Marriages ...	490	221	232	33	4	45·1	47·3	6·7	0·8	1·5
All Ecclesiastical Marriages... ...	33,208	24,712	7,249	1,104	143	74·4	21·8	3·3	0·4	100·0

All the 8 irregular marriages were registered on the authority of Decree of Declarator of the Court of Session.

Method of Publication.—Of the 33,208 ecclesiastical marriages (i.e., those with a religious ceremony) 74·4 per cent were solemnised after proclamation of banns, 21·8 per cent after publication of notice, 3·3 per cent after proclamation of banns for one party and publication of notice for the other, while 0·4 per cent were after Sheriff's licence under the special provisions of the Act of 1939. In the case of the counties of cities and large burghs these four percentages were respectively 67·8, 28·1, 3·6 and 0·5 while in the counties they were 83·7, 13·1, 2·9 and 0·3.

Table Q shows the frequency of banns or of publication of notice in the case of marriages solemnised according to the forms of each of the principal churches. In the Church of Scotland proclamation of banns was the most usual preliminary (92·5 per cent of all Church of Scotland marriages). In the United Free Church 73·6 per cent of the marriages celebrated were preceded by banns and in the Congregational Church 69·7 per cent. On the other hand 87·4 per cent of Roman Catholic marriages and 98·9 per cent of Jewish marriages were preceded by publication of notice.

Of the 7,243 civil marriages registered 6,814 were preceded by publication of notice at the office of the Registrar, while 429 were after Sheriff's licence under a provision of the Act of 1939 whereby publication of notice may be dispensed with in certain circumstances of emergency. (Tables R, 49 and 50).

Church of Celebration.—Of the 33,208 ecclesiastical marriages those according to the forms of the Church of Scotland numbered 23,579 or 71·0 per cent, those according to the forms of the Roman Catholic Church 5,660 or 17·0 per cent and of the Congregational Church 1,023 or 3·1 per cent. (Tables Q and S).

TABLE R.—Ecclesiastical, Civil and Irregular Marriages in 1950

	Number				Percentage of Total Marriages			
	Scotland	Counties of Cities	Large Burghs	Other Districts	Scotland	Counties of Cities	Large Burghs	Other Districts
Ecclesiastical Marriages								
Church of Scotland ...	23,579	8,559	4,079	10,941	58·3	48·5	53·0	72·3
United Free Church ...	428	186	76	166	1·1	1·1	1·0	1·1
Free Church	226	55	46	125	0·6	0·3	0·6	0·8
Roman Catholic Church	5,660	2,745	1,273	1,642	14·0	15·6	16·5	10·9
Scottish Episcopal Church	1,009	526	186	297	2·5	3·0	2·4	2·0
Congregational Church	1,023	484	227	312	2·5	2·7	2·9	2·1
Baptist Church ...	372	152	91	129	0·9	0·9	1·2	0·9
Methodist Church ...	331	141	131	59	0·8	0·8	1·7	0·4
Jews	90	69	1	20	0·2	0·4	0·0	0·1
All other Ecclesiastical Marriages	490	213	140	137	1·2	1·2	1·8	0·9
Irregular Marriages ...	8	3	1	4	0·0	0·0	0·0	0·0
Civil Marriages ...	7,243	4,497	1,450	1,296	17·9	25·5	18·8	8·6
Total Marriages	40,459	17,630	7,701	15,128	100·0	100·0	100·0	100·0

From Table 49 it will be seen that there has not been any marked change from year to year in the proportions of those married according to the forms of the principal churches. Compared with 1949 the percentage of marriages celebrated according to the forms of the Church of Scotland, Scottish Episcopal Church, and other forms show small decreases but the number celebrated according to the form of the Roman Catholic Church has increased slightly. There is also a small increase in the percentage of civil marriages. The local distribution according to ecclesiastical forms, and the numbers and proportion of non-ecclesiastical marriages, are set out in Table 51. Church of Scotland marriages constituted 58·3 per cent of all marriages in Scotland. The proportion was 48·5 in the counties of cities, 53·0 in the large burghs and 72·3 in the counties. In individual large burghs the percentage was 68·0 in Arbroath, 65·9 in Rutherglen and 64·8 in Kilmarnock. In the counties it was highest in Berwick (87·2), Kincardine (86·3) and Aberdeen (85·3). Roman Catholic marriages made up 14·0 per cent of all Scottish marriages, the percentage being 15·6 in the counties of cities, 16·5 in large burghs and 10·9 in the counties. It was 39·5 in Port Glasgow, 39·4 in Coatbridge and 37·8 in Dumbarton. In the counties it was 26·7 in Dunbarton, 22·8 in Lanark and 18·2 in Renfrew. (Table 51).

Conjugal Condition of those Marrying.—Of the 40,459 males marrying during the year 36,756 or 90·8 per cent were bachelors, 2,145 or 5·3 per cent were widowers and 1,558 or 3·9 per cent had been divorced. Of the same number of females 37,373 or 92·4 per cent were spinsters, 1,640 or 4·1 per cent were widows and 1,446 or 3·6 per cent had been divorced. Compared with the previous year there is a slight decrease in the percentage of widowers and widows and an increase in the percentage of divorced males and divorced females. The

following Table shows the marriages registered during 1950 arranged according to the conjugal conditions of the contracting parties:—

	Spinsters	Widows	Divorced Women	All Women
Bachelors	34,967	800	989	36,756
Widowers	1,322	633	190	2,145
Divorced men	1,084	207	267	1,558
All men	37,373	1,640	1,446	40,459

From the above it will be seen that of the bachelors who married during the year 95 per cent married spinsters and 2 per cent married widows, while

TABLE S.—Marriages in Scotland in 1950 by Denominations, etc., in Order of Frequency

1. Church of Scotland ...	23,579	16. Church of Christ	18
2. Roman Catholic Church ...	5,660	17. Reformed Presbyterian Church	17
3. Congregational Church ...	1,023	18. Foursquare Gospel Church	13
4. Scottish Episcopal Church	1,009	19. Other Religious Forms ...	107
5. United Free Church ...	428		
6. Baptist Church	372		
7. Methodist Church	331	All Religious Forms ...	33,208
8. Free Church	226	Irregular Marriages ...	8
9. Christian Brethren ...	127	Civil Marriages	7,243
10. Jews	90		
11. Salvation Army	69	All Marriages	40,459
12. Free Presbyterian Church	55		
13. Original Secession Church	29		
14. Church of the Nazarene ...	28		
15. Unitarian Church	27		

of widowers 62 per cent married spinsters and 30 per cent married widows. Of divorced men 70 per cent married spinsters, 13 per cent married widows and 17 per cent married divorced women. Some 94 per cent of the spinsters marrying during 1950 married bachelors, of the widows 49 per cent married bachelors and 39 per cent married widowers, and of the divorced women who remarried 68 per cent married bachelors, 13 per cent married widowers and 18 per cent married men who had also been divorced. These proportions do not differ materially from those observed in 1949. The number of cases in which both parties had been divorced rose from 42 in 1942 to 264 in 1947. The numbers fell to 254 in 1948 and to 228 in 1949 but further increased in 1950 to 267. (Table 52).

The Table below shows the civil condition of those marrying as compared with previous years. From about 1880 there was an almost continuous decline in the percentage of widowed persons of both sexes remarrying. In the case of males this decline was arrested in 1941, the trend thereafter being somewhat irregular. In 1940 the percentage of widows remarrying had fallen to 2·5, as against an average of 4·8 for the decennium 1921-30. From 1941 to 1947 the trend was upward but the rate for 1949 showed a decrease of 1·1 compared with that for 1947. The rate for 1950 shows a further decline of 0·1 compared with that for 1949. The percentage of persons marrying who had been divorced was appreciably larger in 1947 than in any year since marriages of divorced persons were separately tabulated in 1933, but the rates for 1948 and 1949 showed a slight decrease. The rates for 1950, however, show a small increase compared with the previous two years.

All Marriages		Percentage of Males marrying who were			Percentage of Females marrying who were			Not stated (either Spouse)
		Bachelors	Widowers	Divorced*	Spinsters	Widows	Divorced *	
1855–1860	100·0	84·3	11·2	—	90·1	5·4	—	4·5
1861–1870	100·0	87·3	11·5	—	93·6	5·2	—	1·2
1871–1880	100·0	87·8	12·0	—	93·5	6·3	—	0·2
1881–1890	100·0	88·6	11·4	—	94·2	5·8	—	0·0
1891–1900	100·0	90·1	9·9	—	94·6	5·3	—	0·0
1901–1910	100·0	91·4	8·5	—	95·0	4·9	—	0·0
1911–1920	100·0	91·7	8·3	—	93·4	6·6	—	0·0
1921–1930	100·0	92·6	7·4	—	95·2	4·8	—	0·0
1931–1940	100·0	93·4	5·9	0·7	96·3	3·0	0·7	0·0
1931	100·0	92·9	7·1	—	96·4	3·6	—	0·0
1932	100·0	93·5	6·5	—	96·6	3·4	—	0·0
1933	100·0	92·9	6·5	0·6	96·1	3·2	0·7	0·0
1934	100·0	93·1	6·3	0·6	96·1	3·3	0·6	0·0
1935	100·0	93·4	5·9	0·7	96·6	2·8	0·6	0·0
1936	100·0	93·4	5·9	0·7	96·3	2·9	0·8	0·0
1937	100·0	93·2	5·9	0·9	96·1	3·0	0·9	0·0
1938	100·0	93·4	5·6	1·0	96·0	3·0	1·0	0·0
1939	100·0	93·6	5·4	1·0	96·2	2·8	1·0	0·0
1940	100·0	94·4	4·7	0·9	96·6	2·5	0·9	0·0
1941	100·0	93·6	5·3	1·1	95·8	3·2	1·0	0·0
1942	100·0	93·6	5·3	1·1	95·4	3·5	1·1	0·0
1943	100·0	91·9	6·3	1·7	94·2	4·3	1·5	0·0
1944	100·0	91·5	6·5	2·0	93·5	4·6	1·9	0·0
1945	100·0	92·5	5·5	2·0	93·8	4·2	2·0	0·0
1946	100·0	90·7	6·1	3·1	92·1	5·3	2·7	0·0
1947	100·0	90·2	5·7	4·1	91·2	5·3	3·5	0·0
1948	100·0	90·9	5·4	3·7	92·0	4·6	3·3	0·0
1949	100·0	90·8	5·5	3·7	92·4	4·2	3·4	0·0
1950	100·0	90·8	5·3	3·9	92·4	4·1	3·6	0·0

*—Previous to 1933 classified as Bachelors and Spinsters respectively.

The following Table shows the number of divorces notified in each year since 1933 and some detail regarding marriages of divorced persons. From

Year	Divorces*	Re-marriage of Divorced Persons		Divorced Persons Remarried per 100 Divorced in previous year	
		Males	Females	Males	Females
1932	488	—	—	—	—
1933	510	203	253	41·6	51·8
1934	468	240	238	47·1	46·7
1935	498	258	244	55·1	52·1
1933–35				*47·8*	*50·1*
1936	642	274	288	55·0	57·8
1937	649	346	347	53·9	54·0
1938	788	387	362	59·6	55·8
1936–38				*56·3*	*55·7*
1939	884	480	460	60·9	58·4
1940	780	513	500	58·0	56·6
1941	762	531	471	68·1	60·4
1939–41				*62·2*	*58·4*
1942	1,017	505	507	66·3	66·5
1943	1,312	660	585	64·9	57·5
1944	1,731	757	707	57·7	53·9
1942–44				*62·2*	*58·2*
1945	2,223	959	956	55·4	55·2
1946	2,924	1,442	1,217	64·9	54·7
1947	2,513	1,798	1,557	61·5	53·2
1945–47				*61·0*	*54·2*
1948	2,047	1,607	1,464	63·9	58·3
1949	2,438	1,553	1,415	75·9	69·1
1950	2,196	1,558	1,446	63·9	59·3
1948–50				*67·4*	*61·8*

* Including nullities

1934 until 1940 the annual number of divorced men and women who remarried was roughly equal, but in every year since, with the exception of 1942 and 1945, there has been a substantial excess of males.

Ages of those Marrying.—The average age of all men marrying in 1950 was 28·9 and of all women 25·9. Among men this age was 29·7 in 1938 and 29·0 in 1949 and among women 26·7 in 1938 and 26·0 in 1949. In the counties of cities the average was 29·3 for men and 26·3 for women, in the large burghs it was 28·5 and 25·6 and in the counties 28·6 and 25·5. (Tables 53 and 54).

The average ages arranged according to the conjugal condition of those marrying are set forth below in tabular form:—

Average ages of—	Spinsters	Widows	Divorced Women	All Women
Bachelors marrying	27·0	36·2	31·9	27·3
Widowers marrying	47·1	55·8	45·6	49·6
Divorced men marrying	36·0	42·9	37·4	37·1
All men marrying	28·0	44·6	34·7	28·9

Average ages of—	Bachelors	Widowers	Divorced Men	All Men
Spinsters marrying	24·2	38·2	30·0	24·9
Widows marrying	36·7	50·2	40·8	42·4
Divorced women marrying	31·4	39·1	34·3	32·9
All women marrying	24·7	41·8	32·1	25·9

These do not show any marked differences compared with 1949. The average age of widowers marrying has increased slightly. The average age of women who married widowers in 1950 is a little higher than in 1949.

For all marriages the average age of the bridegrooms was 3·0 years greater than that of the brides—a figure which scarcely varies from year to year. It was 3·0 in 1943 and 1944, 2·8 in 1945 and 3·0 since 1946. In the case of bachelors and spinsters this excess was 2·8 (2·8 in 1949), of widowers and spinsters 8·9 (9·5) and of widowers marrying widows 5·6 (5·8). In cases where either party had been divorced the average age of the bridegrooms was always higher than that of the brides.

The youngest bridegrooms of the year were 8 bachelors aged 16 and 84 aged 17 who all married spinsters. The youngest brides were 156 spinsters aged 16. Of these 155 married bachelors and 1 married a man who had been divorced. There were 723 brides aged 17, all spinsters. (Tables 55-59B).

The oldest man who married during the year was a widower aged 85 who married a widow aged 76. The oldest bride was a spinster aged 77 who married a widower aged 76. (Tables 55-59B).

In the counties of cities and large burghs the average age at marriage among males ranged from 30·5 in Inverness, 30·0 in Perth and 29·9 in Clydebank and Edinburgh to 27·4 in Coatbridge, 27·3 in Kilmarnock and Port Glasgow and 27·2 in Dumbarton. In the counties it ranged from 33·2 in Sutherland, 31·7 in Zetland and 31·5 in Bute and Inverness to 28·0 in Ayr, Banff and Fife, 27·8 in Clackmannan and East Lothian and 27·4 in West Lothian and in Wigtown. Among females the average age in the counties of cities and large burghs ranged from 27·1 in Clydebank, 27·0 in Inverness and 26·9 in Edinburgh to 24·7 in Coatbridge, 24·4 in Arbroath and 24·1 in Port Glasgow. In the counties the range was from 28·7 in Bute, 27·8 in Ross and Cromarty and 27·2 in Inverness and Selkirk to 24·7 in West Lothian, 24·2 in Wigtown and 24·1 in Orkney.

The following Table shows in age-groups the number of persons married in each year from 1938 to 1950. Compared with 1949 all the male age-groups show

a reduction with the exception of the under 20 and the 30-34 age-groups. The largest decrease was in the group 25-29. The age-group 25-29 showed the largest decrease in the number of females married, but all other female groups except 45 and over show decreases compared with 1949.

Age at Marriage, 1938-50

	Year	All Ages	Under 20	20–24	25–29	30-34	35–44	45 and over
Males	1938	38,716	812	10,028	14,292	7,215	4,205	2,164
	1939	46,236	1,237	12,478	16,996	8,419	4,782	2,324
	1940	53,522	1,376	15,456	19,694	9,226	5,412	2,358
	1941	47,620	1,654	14,682	15,747	7,883	5,134	2,520
	1942	47,402	1,856	16,611	14,323	6,997	5,164	2,451
	1943	38,177	1,661	14,048	10,228	5,442	4,458	2,340
	1944	37,017	1,582	14,412	9,443	5,031	4,220	2,329
	1945	48,642	1,658	17,691	14,775	6,872	4,992	2,654
	1946	45,785	1,216	14,309	14,901	7,239	5,348	2,772
	1947	44,360	1,013	14,264	14,881	6,685	4,911	2,606
	1948	43,718	977	14,848	14,774	5,861	4,716	2,542
	1949	41,708	993	14,834	13,857	5,251	4,288	2,485
	1950	40,459	1,005	14,646	13,055	5,288	4,129	2,336
	1950 per cent of 1938	104·5	123·8	146·1	91·3	73·3	98·2	107·9

	Year	All Ages	Under 20	20–24	25–29	30-34	35-44	45 and over
Females	1938	38,716	4,846	14,219	10,927	4,804	2,819	1,101
	1939	46,236	6,327	16,925	13,197	5,365	3,260	1,162
	1940	53,522	7,040	21,161	14,526	5,886	3,666	1,243
	1941	47,620	6,694	19,559	11,652	4,956	3,460	1,299
	1942	47,402	7,040	21,183	9,889	4,466	3,526	1,298
	1943	38,177	6,180	16,729	7,216	3,686	3,087	1,279
	1944	37,017	5,816	16,759	6,729	3,412	2,988	1,313
	1945	48,642	6,827	22,139	10,154	4,486	3,589	1,447
	1946	45,785	5,728	19,414	10,698	4,715	3,667	1,563
	1947	44,360	5,560	19,221	10,370	4,191	3,521	1,497
	1948	43,718	5,755	19,420	10,027	3,668	3,339	1,509
	1949	41,708	5,945	18,741	9,387	3,154	3,061	1,420
	1950	40,459	5,833	18,604	8,660	3,100	2,818	1,444
	1950 per cent of 1938	104·5	120·4	130·8	79·3	64·5	100·0	131·2

APPENDIX V

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

Tables 60 and 61 summarise certain electoral statistics which are related to the Register of Electors compiled under the provisions of the Representation of the People Acts and published on the 15th March, 1951, with reference to the qualifying date, the 1st December, 1950.

The figures contained in Table 60 have been compiled from returns furnished by the electoral registration officers of the several areas. The Table shows the total number of parliamentary electors in each parliamentary constituency in Scotland; separate figures are given for the civilian residents and service voters. There were no bye-elections held on the basis of the March, 1951, register.

The figures contained in Table 61 have been compiled from returns furnished by Town Clerks and County Clerks. The Table shows the numbers of local government electors in the counties, burghs, landward areas and districts (district council areas) respectively. Additional figures show to what extent seats on Councils were contested and what proportion of the electorate voted at the local elections held in 1951.

APPENDIX VI

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR ENDING 31st DECEMBER, 1951

Supplied by the Meteorological Office, Edinburgh

Under the heading of "Meteorological Notes" a descriptive account of the weather is given in the "Quarterly Returns" published by authority of the Registrar General, and the notes are accompanied by statistics for some of the Principal Towns. The present report, for the whole year, is of a general character as to the text, and to it are appended tables summarizing the statistics of the various stations (pages 425 to 429).

General.—The outstanding features of the year are indicated in the course of the Report. The most notable were:—

1. The prolonged winter and cool summer contrasting with unusua mildness in the late months.
2. Excessive rainfall in the East from January to April, and the dryness everywhere in early and mid-autumn.
3. A high frequency of snow in the early months.
4. An excess of sunshine over practically the whole country.
5. The destructive gale on December 30th/31st when wind speed in gusts exceeded 100 miles per hour.

Gales.—Winds rose to gale force on 138 days, fewer than in either 1950 or 1949. Many storms occurred in February, April, November and December causing damage at sea and ashore. On February 17th and 18th gusts rose to 75-80 miles per hour at Bell Rock Lighthouse, and others exceeded 70 there on April 12th and 16th. Damage and traffic dislocation resulted from gales on November 4th/5th, 28th and 30th. At Stornoway, Lerwick and Bell Rock gusts attained 70 miles per hour. December had more gales than any of the months. A fierce gale, the worst of the year, swept the country on the 30th/31st. Violent gusts left a trail of damage and destruction in most districts of Scotland. At Millport a gust rose to 108 m.p.h. and others of about 100 m.p.h. were registered at Benbecula, Tiree and Bell Rock. At the latter, mean hourly wind speed never fell below 45 miles per hour from 5 a.m. on the 30th until the early hours of the 31st.

Temperature.—Mean temperature in 1951 was slightly below normal. It was persistently cold until the end of May. A cool summer followed, but unusual mildness was the feature from September onwards. The first quarter of the year was the coldest for the country since 1947, while not since 1923 had there been so persistent cold weather for the time of year as occurred in the second quarter.

Only short mild spells occurred in January and February, both months having frequent frost. Despite a mild opening, March was the coldest in Scotland since 1947. Ground readings below zero occurred at Dalwhinnie (– 4 on the 11th) and at Glenlivet (–5 on the 13th). Low temperatures continued in April and May, the mean monthly values being the lowest in Scotland for nearly 30 years.

June began with a fine warm spell. The 5th, with 81° in Glasgow, was the warmest day of the year. July was the first month to have a mean value above average, but August was disappointingly cool, and only at the outset did temperature reach 70°.

A change to unusual mildness came in September, the whole country having high mean temperatures. October too was a mild month, but a short cold snap occurred in the fourth week. For nearly three weeks in November, the wind was South-westerly giving Scotland its mildest November since 1938. Though many places in the Lowlands had no air frost at all, the mildness was marred by high winds and excessive rains. The disturbed South-west type continued in December, the month as a whole being a mild one despite severe frosts in the second and last weeks.

Rainfall.—In 1951 only a few small areas received less than average rainfall. There was a moderate excess over nearly the whole of the East and South. Amongst the highest totals were 126 inches at Kinlochquoich and 116 inches at Loch Sloy Dam.

Persistent rains fell in January, a noteworthy total for the month being 17·52 inches at Kinlochquoich. Western districts had a deficiency in February and March, whereas the East was rather wet. April was wet and unpleasant in nearly all areas. South-east Scotland was the wet area in May in marked contrast to the dryness in parts of the North and North-west. At Glenquoich and Fort William, for instance, it was the driest May for about 75 years. June opened with a fine spell but unsettled weather followed. In July totals varied considerably, but the month as a whole was rather wetter than usual. The wet weather continued in August leading to serious delays in harvesting work.

September, however, was dry in the West, and abnormally dry in the East. At Nairn it was the driest September since 1884. Relative to average, October was easily the driest month in 1951. Indeed, over the previous 75 years only one drier October had been experienced in Scotland. On the other hand, November was the wettest month. New high records for the month (and for 24 hours) were established in some parts. Perth reported its largest November rainfall since 1855. The West was very wet in December, totals for the month at Kinlochquoich, Kinlochourn and Kingairloch exceeding 20 inches. The East, however, was favoured, some districts registering only 50 per cent of average.

Snow.—The frequency of snow in the early months of 1951 was well above average, but few of the falls were exceptionally heavy. A good deal occurred on January 10th and 13th, and on February 17th. Many roads were blocked following a blizzard which swept the counties of Perth, Inverness and Argyll. A train was trapped for 30 hours in the Moor of Rannoch. Appreciable falls occurred on high ground on March 10th-12th, and also during the second week of April. On some of the hills in the Highlands snow lay throughout the summer and patches were still visible in Wester Ross on August 22nd. The falls on December 10th and 26th were deep in places in the Highlands.

Thunder.—Thunder, which occurred on 84 days, was less frequent than usual. Few outbreaks occurred in the first quarter, whereas storms were noted on about 15 days in each of the months June, July and August. The most widely reported were those on June 12th, 17th and 25th. Thunder broke out over a wide area in the afternoon and evening of September 13th, and again on the 14th. In the last quarter thunder was mainly local in character, but an outbreak on October 20th was widely reported in Ayrshire.

Flooding.—Widespread flooding followed a thaw on January 17th. Many roads were rendered impassable and some train services were cancelled for a time. Notably heavy falls in 24 hours were registered in Dunbartonshire on March 22nd when 4·25 inches fell at Loch Sloy Dam. Towards the end of June, rain storms in Aberdeen led to cancellation of several events at the Royal Highland and Agricultural Show. Aberdeen and district had almost continuous rain for 16 hours on July 12th, and it was reported that nearly an inch fell in

Dundee in half-an-hour. On July 22nd torrential rain caused widespread damage in Central and East Scotland. Intense downpours occurred on November 4th/5th. Falls of over 4 inches in 24 hours were registered in the Loch Tay area, the River Tay rising 10 feet in a few hours. Severe flooding caused a good deal of destruction along the rivers, Dee, Don, Isla, Tay and Tweed.

Sunshine.—As in the preceding two years, 1951 had more than the normal sunshine. Amongst stations with an excess of 100 hours or more were Renfrew, Glasgow, St. Andrews, Oban, Rothesay and Carnoustie. The sunniest places were Tiree (1,555 hours), Arbroath (1,546), Leuchars (1,546), St. Andrews (1,536) and Benbecula (1,520).

Sunshine was plentiful in January, especially in the North and East. In February and March it was dull in parts of the East, but records were up to average in the West. Tiree enjoyed its sunniest March for 10 years. April and May were both sunny months, particularly the latter in which roughly half the country had upwards of 200 hours. June opened with ten days of brilliantly sunny weather, some of the Islands registering 12-13 hours per day. Two places in the West returned totals for the month of 250 hours or more.

Unlike June, July was rather dull in the West and North-west, whereas aggregates in parts of Fife and Angus reached 200 hours. August was rather cloudy, and records varied considerably in September and October. An exceedingly dull November followed, but December showed an improvement especially along the East Coast where Aberdeenshire stations headed the list of aggregates.

Fog.—Fog was prevalent on 198 days, more than in any year since 1941. There was a good deal during the first quarter, while April (which had the least), September and December were the only months with less than the average. Thick fog brought shipping to a stand-still on the Clyde on January 24th. In Edinburgh and Glasgow visibility in places was reduced to a few yards. Haar persisted in Eastern districts over the five days, May 22nd-26th. On December 13th dense fog in Clyde districts hampered road, rail and air services.

Aurora.—The aurora borealis was seen on 127 nights, the largest number in any year since at least 1934. The frequency was above average in every month except in March, June and October. A brilliant display was visible over most of Scotland, and in many parts of England, on September 25th.

(*For Statistical Tables see pages 425 to 429*)

APPENDIX VII

ALTERATIONS OF BOUNDARIES OF BURGHS, LANDWARD AREAS OF COUNTIES, COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1951

Area	Nature of Alteration	Population at Census 1951 (Preliminary)					
		Before Alteration			After Alteration		
		Persons	Males	Females	Persons	Males	Femal
I. BURGHS							
Falkirk	Extension (no population) within Civil Parish of Falkirk	—	—	—	—	—	—
Airdrie	Extension within Civil Parishes of New Monkland, Shotts, Old Monkland and Bothwell	30,308	14,693	15,615	30,661	14,854	15,80
Buckhaven and Methil	Extension within Civil Parish of Wemyss	20,154	10,021	10,133	20,201	10,045	10,15
Crail	Extension within Civil Parish of Crail	1,139	479	660	1,213	511	70
Fortrose	Extension within Civil Parish of Rosemarkie	882	395	487	892	399	49
Forres	Extension within Civil Parishes of Forres and Rafford	4,462	2,157	2,305	4,674	2,236	2,43
Newton-Stewart	Extension within Civil Parish of Penninghame	2,000	906	1,094	2,064	932	1,13
Lanark	Extension within Civil Parish of Lanark	6,219	2,820	3,399	8,043	3,662	4,38
Crieff	Extension (no population) within Civil Parishes of Crieff, Muthill and Monzievaird and Strowan	—	—	—	—	—	—
Penicuik	Extension within Civil Parishes of Penicuik and Glencorse	4,255	2,003	2,252	5,043	2,396	2,64
Dollar	Extension (no population) within Civil Parish of Dollar	—	—	—	—	—	—
Stewarton	Extension within Civil Parish of Stewarton	2,800	1,266	1,534	3,189	1,464	1,72
II. LANDWARD AREAS							
Stirling County	Extension of Burgh of Falkirk	—	—	—	—	—	—
Lanark County	Extension of Burghs of Airdrie and Lanark	306533	149359	157174	304356	148356	15600
Fife County	Extension of Burghs of Buckhaven and Methil and Crail	108781	54,626	54,155	108660	54,570	54,09
Ross and Cromarty	Extension of Burgh of Fortrose	47,458	23,058	24,400	47,448	23,054	24,39
Moray County	Extension of Burgh of Forres	24,156	13,432	10,724	23,944	13,353	10,59
Wigtown County	Extension of Burgh of Newton-Stewart	18,559	9,683	8,876	18,495	9,657	8,83
Perth County	Extension of Burgh of Crieff	—	—	—	—	—	—
Midlothian County	Extension of Burgh or Penicuik	58,603	29,906	28,697	57,815	29,513	28,30
Clackmannan County	Extension of Burgh of Dollar	—	—	—	—	—	—
Ayr County	Extension of Burgh of Stewarton	132796	65,704	67,092	132407	65,506	66,90
III. COUNTIES	None						
IV. CIVIL PARISHES	None						
		Population as at Census 1931					
V. REGISTRATION DISTRICTS							
472 Balfron	United with Registration District of Kippen under the name "Balfron and Kippen" Registration District (472)	1,200	583	617	—	—	—
484 Kippen	See above	1,356	632	724	—	—	—
472 Balfron and Kippen	See above	—	—	—	2,556	1,215	1,34

APPENDIX VIII

RE-REGISTRATION OF BIRTHS

REGISTRATION OF BIRTHS, ETC. (SCOTLAND) AMENDMENT ACT, 1934

This Act, which came into force on 1st January, 1935, provides that the Registrar-General may authorise re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents, and also of persons the original entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

The number of re-registrations authorised in each year was as follows:—

Year	*No.*
1935	1,259
1936	1,063
1937	1,048
1938	979
1939	1,069
1940	1,191
1941	716
1942	742
1943	687
1944	737
1945	719
1946	729
1947	717
1948	648
1949	534
1950	552
1951	507

ADOPTED CHILDREN REGISTER

The Adoption of Children (Scotland) Act, 1930, provided for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. An amending Act (Adoption of Children Act, 1949) came into force on 1st January, 1950, and the enactments relating to the adoption of children were consolidated by the Adoption Act, 1950, which came into force on 1st October, 1950. The Adopted Children Register is open for search and extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an Extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if such date is recorded in the relative entry. The original Act came into operation on 1st October, 1930, and the following Table shows the number of Adoptions recorded in each year:—

Year	*No.*	*Year*	*No.*
1930	3	1941	1,222
1931	347	1942	1,563
1932	492	1943	1,747
1933	437	1944	1,681
1934	602	1945	1,876
1935	683	1946	2,292
1936	704	1947	1,890
1937	820	1948	2,073
1938	812	1949	1,764
1939	1,100	1950	1,289
1940	1,424	1951	1,562

RECORDS IN GENERAL REGISTRY OFFICE

The principal records maintained in the General Registry Office, Edinburgh, are the duplicate Registers of Births, Deaths and Marriages for every Registration District in Scotland kept under the provisions of the Scottish Registration Acts, 1854-1938, and the Parochial Registers of Births and Baptisms, Proclamations of Banns and Marriages, and Deaths and Burials kept prior to 1855 in the respective parishes under the administration of the Church of Scotland. The earlier Census records in the custody of the Registrar-General, including those relating to the decennial censuses from 1841 to 1891 inclusive, have also been made available for search and extract purposes under prescribed conditions.

The following Table shows the number of searches made and extracts issued during each year since 1937:—

SEARCHES AND EXTRACTS

Year	Total Searches	Official Searches	Paid Searches	Extracts	Total Fees received		
					£	s.	d.
1937	37,107	21,338	15,769	10,929	2,184	11	5
1938	39,360	22,432	16,928	12,419	2,348	17	8
1939	40,064	24,964	15,100	13,048	2,179	11	7
1940	67,233	53,355	13,878	13,044	2,099	14	2
1941	47,275	35,090	12,185	11,656	1,861	5	6
1942	46,636	33,454	13,182	12,734	2,006	19	8
1943	43,567	30,070	13,497	12,395	2,009	3	10
1944	49,986	35,534	14,452	13,408	2,167	16	7
1945	59,405	42,460	16,945	16,430	2,543	4	6
1946	118,861	95,838	23,023	22,889	3,485	12	4
1947	89,732	65,694	24,038	23,911	3,677	18	4
1948	88,208	64,609	23,599	26,658	3,640	16	2
1949	83,516	59,727	23,789	25,063	3,592	4	1
1950	73,832	50,691	23,141	25,136	3,453	9	7
1951	103,436	77,816	25,620	28,595	3,927	18	4

The 77,816 official searches made in 1951 include 42,993 for the purposes of the Family Allowances Act, 1945; 31,634 for contributory, non-contributory and Service pensions purposes; 854 for the purposes of the Service Departments; and 2,335 for other Government Departments. The number of Extracts shown for 1951 includes 7,509 abbreviated certificates of birth issued under Section 4 of the Registration of Births, etc. (Scotland) Amendment Act, 1934.

APPENDIX IX

INHABITED HOUSES

Table 62 gives the numbers, as entered in the Valuation Rolls, of inhabited houses in each county of city, large burgh, small burgh and landward area in Scotland for the year 1939 and for each year from 1947 to 1951.

The Table has been compiled from statements received from Town Clerks and County Clerks.

APPENDIX X

CLASSIFICATION OF CAUSES OF DEATH ACCORDING TO THE FIFTH AND SIXTH INTERNATIONAL REVISION

As indicated in the Annual Report of 1950 the new classification came into operation in that year. Owing to the numerous changes between the two revisions, it was thought advisable to try and establish some comparability between the two lists, and as in 1950, deaths for 1951 were classified to both revisions. The experience now gained in the new coding makes it appear that a comparison with the 1951 numbers would be more appropriate.

Certain Tables have been prepared showing the changes. The first gives a detailed list of the sixth revision as adapted for Scotland with the corresponding numbers of the detailed list of the fifth revision. The latter is shown in two columns, one giving the whole group where possible and the other showing the portions of the old list which make up the new numbers. The number of deaths is also given. (See Table W).

From the above Table two abbreviated International Lists were prepared, one for each revision, and the results are shown on the accompanying Table. The causes of death according to the sixth revision are given vertically, those of the fifth revision horizontally. The sexes are shown alternately. (See Table X).

Apart from the changes due to the new list, it was found necessary to re-classify a small number of deaths. The result of the change is included in the two way abbreviated table. In all they numbered 72 of which 33 were males and 39 females. These alterations are shown below. Separate figures are given for each sex. In three cases, all females, the change was within the short list group.

Malignant neoplasms-added 1F from tumours non-malignant.

Benign and unspecified neoplasms-added 9M and 5F from cancer, malignant tumours.

Vascular lesions affecting central nervous system-added

,, ,, ,, ,, ,, ,, ,, 7M and 4F from heart disease.

,, ,, ,, ,, ,, ,, ,, 1M from other circulatory disease.

,, ,, ,, ,, ,, ,, ,, 2M from pneumonia.

,, ,, ,, ,, ,, ,, ,, 1M and 2F from nephritis, etc.

,, ,, ,, ,, ,, ,, ,, 1F from diseases of skin and organs of movement.

Other diseases of nervous system-added 1M from cancer, malignant tumours.

,, ,, ,, ,, ,, ,, 1F from cerebral hæmorrhage, etc.

,, ,, ,, ,, ,, ,, 1M from other circulatory diseases.

Arteriosclerotic and degenerative heart disease-added 1F from bronchitis.

,, ,, ,, ,, ,, ,, 1F ,, pneumonia.

,, ,, ,, ,, ,, ,, 1F ,, nephritis.

Other diseases of heart-added 1F from bronchitis.

,, ,, ,, ,, ,, 1M ,, other respiratory diseases.

,, ,, ,, ,, ,, 1F ,, nephritis, etc.

Hypertension with heart disease-added 1M and 1F from cerebral hæmorrhage, etc.

,, ,, ,, ,, ,, 1M from other circulatory diseases.

,, ,, ,, ,, ,, 1M ,, pueumonia.

,, ,, ,, ,, ,, 1M ,, other respiratory diseases.

Hypertension without heart disease-added 2F from cerebral hæmorrhage, etc.

Hypertension without heart disease-added 2F ,, heart disease.
,, ,, ,, ,, ,, 1F ,, pneumonia.
,, ,, ,, ,, ,, 1F ,, other respiratory diseases.
,, ,, ,, ,, ,, 1F ,, other puerperal causes.
Other circulatory diseases-added 2M from heart disease.
Other respiratory diseases-added 2F from heart disease.
,, ,, ,, ,, 1F ,, nephritis.
Other diseases of liver-added 1M from pneumonia.
Nephritis and nephrosis-added 1M from heart disease.
Diseases of skin and organs of locomotion added 1F from cancer, malignant tumours.
,, ,, ,, ,, ,, ,, ,, ,, 1F ,, tumours, non-malignant.
,, ,, ,, ,, ,, ,, ,, ,, 1F ,, heart disease.
,, ,, ,, ,, ,, ,, ,, ,, 1F ,, nephritis, etc.
Causes ill-defined and unknown-added 1M from heart disease.
Other violence-added 1F from heart disease.
,, ,, ,, 1M and 1F from other circulatory diseases.

For reference a Table by sex is given showing the deaths in 1951 by the detailed list of the fifth revision. (See Table Y).

From the previous Tables it is possible to show a modified bridge between the two revisions. This has been tabulated according to the abbreviated lists, and any one desirous of converting the fifth into the sixth revision could apply the factors given in the accompanying Table. It should be borne in mind that the factor of correction is based only on the observations of 1951 and this has not the same value as would the average of a series of years. The abbreviated lists are shown for the sexes combined and separately. The short list numbers of the 1938 revision are given in the last column. Owing to the larger abbreviated list of the sixth revision certain groups of diseases have had to be amalgamated. The symbol=signifies unity. (See Table Z).

TABLE W.

Classification of Causes of Death in Scotland in 1951 according to the Sixth International Revision (1948) with the corresponding number or portions of number of the Fifth Revision (1938)

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
	Tuberculosis				
001-007	Respiratory system	13		1,105	779
			110	1	1
008	Site unspecified		22	—	—
010	Meninges nervous system	14		78	83
011	Intestines, peritoneum	15		12	16
012.0	Vertebral column	16		22	14
012.1-3	Hip, knee, other bones and joints ...	17		3	3
013.0	Late effects vertebral column (see 012.0)				
013.1-3	,, ,, hip, knee, other bones and joints (see 012.1-3)				
014	Skin	18		3	2
015	Lymphatic system	19		2	—

NOTE.—In the Sixth Revision sub-headings indicated by numbers (1, 2, 3 etc.) correspond with those in the International List. Those indicated by letters (a, b, c etc.) apply to the Scottish List only. In the Fifth Revision sub-headings indicated by letters (a, b, c etc.) correspond with those in the International List. Those indicated by numbers (1, 2, 3 etc.) apply to the Scottish List only.

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
016	Genito-urinary system	20		13	7
017	Adrenals	21a		2	—
018	Other organs	21b		1	1
019	Disseminated		22	14	17
			44d	—	—
020	Congenital syphilis		30a	—	—
			30b	—	—
			30d	3	1
			88	—	—
021	Early syphilis		30d	—	—
022	Aneurysm of aorta		30c	41	29
023	Other cardiovascular syphilis		30c	1	—
			30d	14	2
			92.1	1	—
			99	2	—
024	Tabes dorsalis		30a	11	4
025	General paralysis of insane		30b	19	9
026	Other syphilis of central nervous system		30c	—	—
			30d	7	2
027	Other forms of late syphilis		30d	—	1
028	Latent syphilis		30d	—	—
029	Syphilis unqualified		30d	1	1
030-035	Gonorrhœa		26(25)	—	—
036-039	Other venereal diseases		44d(a)	—	—
040	Typhoid fever	1		1	—
041	Paratyphoid fever	2		—	—
042	Other salmonella infections		177	5	4
043	Cholera		26(4)	—	—
044	Brucellosis		26(5)	—	—
045	Dysentery, bacillary		27	4	2
046	Amœbiasis		27	1	—
			125b	—	—
047	Other protozoal dysentery		27	—	—
048	Dysentery, unspecified		27	4	4
049	Food poisoning (except salmonella) ...		177	2	—
050	Scarlet fever	8		—	1
051	Streptococcal sore throat		105	—	—
			115b	—	—
			115c	—	—
052	Erysipelas	11		1	4
053	Septicæmia		24	19	14
054	Bacterial toxæmia...		26	—	—
055	Diphtheria	10		3	2
056	Whooping-cough	9		50	48
057	Meningococcal infection	6		23	21
058	Plague		26(3)	—	—
059	Tularæmia		26	—	—
060	Leprosy		26(23)	—	—
061	Tetanus	12		4	5
062	Anthrax		26(7)	—	—
063	Gas gangrene		24	—	—
064	Other bacterial diseases		26	—	—
070	Vincent's infection		32	—	—
071	Relapsing fever		32(31)	—	—

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
072	Weil's disease		32	9	1
073	Yaws		32	—	—
074	Other spirochætal diseases		32	—	—
080	Acute poliomyelitis		36	11	13
081	Late effects of acute poliomyelitis ...		36	—	1
082	Acute infectious encephalitis	37.1		5	9
083	,, ,, ,, late effects ...	37c(b)		17	29
			80b, 81	—	—
084	Smallpox		38(34)	—	—
085	Measles	35		8	17
086	Rubella		38	—	—
087	Chicken pox		38	1	—
088	Herpes zoster		38	5	11
089	Mumps		44d(c)	—	1
090	Dengue		38	—	—
091	Yellow fever		38	—	—
092	Infectious hepatitis		44d	—	—
			125b	9	13
			127	—	1
093	Glandular fever		44d	—	—
094	Rabies		38	—	—
095	Trachoma		88	—	—
096	Other disease attributable to viruses ...		38	—	1
			44d	—	—
			88	—	—
100	Typhus, louseborne epidemic		39	—	—
101-108	Other typhus and rickettsioses		39	—	—
110-117	Malaria		28	1	—
120	Leishmaniasis		28(29)	—	—
121	Trypanosomiasis		28(29)	—	—
122	Other protozoal infections		28(29)	—	—
123	Schistosomiasis		42	—	—
124	Other trematode diseases...		42	—	—
125	Hydatid disease		42(41)	—	—
126	Other cestode infection		42	—	—
127	Filariasis		42	—	—
128	Trichiniasis...		42	—	—
129	Ankylostomiasis		42(40)	—	—
130	Infestation by other worms		42	—	—
131	Dermatophylosis		43	—	—
132	Actinomycosis		43	1	—
133	Coccidioidomycosis		43	—	—
134	Other fungus diseases		43	2	—
135	Scabies		153	—	—
136	Pediculosis		153	—	—
137	Other arthropod infestation		44d	—	—
			153	—	—
138	Other infective and parasitic diseases ...		22	—	—
			44d	2	2
140	Malignant neoplasms of lip		45	14	3
141	Tongue		45	47	18
142	Salivary glands		45	10	7
			55	—	—

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
143	Floor of mouth		45	22	6
144a	Palate upper alveoli		45	19	7
144b	Cheek internal		45	6	1
145	Oral mesopharynx		45	16	2
146	Nasopharynx		45	6	4
147	Hypopharynx		45	5	5
			47	—	—
148a	Pharynx		45	24	10
148b	Throat		55	10	2
150	Œsophagus		46	176	121
151	Stomach		46	910	881
152a	Duodenum		46	2	2
152b	Small intestine		46	20	7
153a	Large intestine		46	457	603
153b	Undefined intestine		46	103	149
154	Rectum		46	348	237
155a	Liver (primary site)		46	84	79
155b	Gall bladder		46	17	70
155c	Bile ducts		46	14	24
156	Liver (secondary and unspecified) ...		46	19	24
157	Pancreas		46	178	156
158	Peritoneum		46	20	25
159	Unspecified digestive system		46	4	2
160	Nose, middle ear, sinuses		45	9	11
			55	5	1
161	Larynx		47	55	15
162a	Trachea (primary)		47	2	1
162b	Bronchus (,,)		47	678	154
162c	Lung (,,)		47	420	112
162d	Pleura (,,)		47	1	1
163a	Trachea (unspecified)		47	—	—
163b	Bronchus (,,)		47	23	4
163c	Lung (,,)		47	24	6
163d	Pleura (,,)		47	1	—
164	Mediastinum		47	21	11
165	Thoracic organs (secondary)		47	1	—
170	Breast	50		6	800
171	Cervix uteri		48	—	187
172	Corpus uteri		48	—	26
173	Other uterus, specified		48	—	11
174	Uterus unspecified		48	—	228
175	Ovary, tube broad ligament		49	—	215
176	Other and unspecified female genital organs		49	—	55
177	Prostate		51	314	—
178	Testis		51	23	—
179a	Penis		51	12	—
179b	Scrotum		51	5	—
179c	Other male genital organs...		51	—	—
180	Kidney		52	82	58
181a	Bladder		52	149	65
181b	Other urinary organs		52	3	5

TABLE W—*continueu*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
190	Melanoma of skin		53	7	10
191a	Skin of face		53	26	15
191b	Anus		53	4	5
191c	Skin other parts		53	18	28
192	Eye		54	—	—
			55	5	7
193a	Brain		54	81	43
193b	Spinal cord		54	4	3
193c	Other parts of nervous system		54	2	1
194	Thyroid gland		55	13	42
195	Other endocrine glands		55	8	5
196a	Jaw		45	26	6
196b	Spine		55	14	17
196c	Other bones		55	46	33
197	Connective tissue		55	8	8
198	Secondary and unspecified lymph glands		55	9	7
199a	Other sites		46	16	20
			55	26	34
199b	Unspecified...		55	9	11
200	Lymphosarcoma and reticulosarcoma ...		55	41	28
201	Hodgkins disease	44b		47	40
202	Other lymphoma		55	14	8
			57e.2(56)	—	—
			66	3	2
203	Multiple myeloma		55	24	17
204	Leukæmia, aleukæmia	74		109	111
205	Mycosis fungoides		43	—	2
210	Benign neoplasms of buccal cavity, pharynx		57e.2(56)	—	—
211	Other digestive system		57e.2(56)	1	2
212	Respiratory system		57e.2(56)	2	2
213	Breast		57e.2(56)	—	1
214, 215	Uterus		57b(56)	—	9
216	Ovary		57a(56)	—	21
217	Other female genital organs		57c(56)	—	—
218	Male genital organs		57e.2(56)	2	—
219a	Bladder		57e.1(56)	14	5
219b	Other and unspecified organs		57e.2(56)	—	—
220	Melanoma of skin		57e.2(56)	—	—
221	Pilonidal cyst		57e.2(56)	—	—
222	Other skin		57e.2(56)	—	—
223	Brain, nervous system		57d(56)	9	14
224	Endocrine glands		57e.2(56)	2	7
225	Bone cartilage		57e.2(56)	—	2
226	Lipoma		57e.2(56)	—	1
227	Other connective tissues		57e.2(56)	—	—
228	Hemangioma		57e.2(56)	1	2
229	Other and unspecified organs		57e.2(56)	—	—
230	Neoplasms, unspecified digestive system		57e.2	—	4
231	Respiratory system		57e.2	4	2
232	Breast		57e.2	—	—
233	Uterus		57b	—	1
234	Ovary		57a	—	1

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
235	Other female genitals		57c	—	—
236a	Bladder		57e.1	2	1
236b	Other genito-urinary		57e.2	—	1
237	Brain, nervous system		57d	15	23
238	Skin musculo-skeletal		57e.2	—	1
239	Other and unspecified		57e.2	2	1
240	Hay fever	112		184	185
			106.1	—	—
			106.2	—	—
241	Asthma		106.3	1	—
242	Angioneurotic œdema		87e	1	1
			105	—	—
			153	—	—
243	Urticaria		153	—	—
244	Allergic eczema		153	1	—
245	Other allergic diseases				
250	Simple goitre		63e(a)	1	4
251	Non-toxic nodular goitre			5	31
252	Toxic goitre	63b		6	36
253	Myxœdema cretinism	63c			
254	Other disease of thyroid		63e(a)d	3	1
260	Diabetes mellitus		61	169	390
270	Disorders of pancreatic internal secretion		61	—	1
271	Diseases of parathyroid		63e	—	—
272	Diseases of pituitary	62		2	12
			66	—	—
273	Diseases of thymus	64		8	4
274	Diseases of adrenals	65		2	9
275	Ovarian dysfunction		139a	—	—
276	Testicular dysfunction		138	—	—
277	Other diseases of endocrine glands ...		62	—	1
			63e	2	2
			66	—	—
280	Beri-beri		71(68)	—	—
281	Pellagra		71(69)	—	—
282	Scurvy		71(67)	1	1
283	Acute rickets				
284	Late effect of rickets		70	—	—
285	Osteomalacia		66	—	1
			155	—	—
286	Other avitaminosis and nutritional deficiency states		66	7	8
			71	8	7
			76	—	—
			200a.2	1	2
287	Obesity		66	—	1
288	Gout		66(60)	1	—
289	Other metabolic diseases		66	8	8
			125	—	—
			133	—	—
290a	Pernicious anæmia	73a(b)		69	156
			73d(c)	1	—
290b	Sub-acute combined degeneration without mention of pernicious anæmia	82.2		4	4
291	Iron deficiency anæmia		73d(c)	7	12
292	Other anæmias of unspecified type ...		73d	24	31
293	Anæmia unspecified		73d	11	26
294	Polycythæmia		76	1	4

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
295	Hæmophilia		72	1	—
296	Purpura and other hæmorrhagic conditions		72	6	11
			76	—	—
297	Agranulocytosis		76	3	7
298	Diseases of spleen		75	9	15
299	Other diseases of blood and blood forming organs		76	—	—
300	Schizophrenia		84	3	4
301	Manic depressive psychosis		84	4	11
302	Involutional melancholia		84	—	3
303	Paranoia		84	—	—
304	Senile psychosis		162	20	48
305	Presenile psychosis		87.5	1	1
			162	2	5
306	Psychosis with cerebral arteriosclerosis				
307	Alcoholic psychosis		77	2	—
308	Psychosis of other demonstrable ætiology				
309	Other and unspecified psychosis ...		84	5	9
310-318	Psychoneurosis		84	3	4
320	Pathological personality		84	—	—
321	Immature personality		84	—	—
322	Alcoholism		77	11	—
323	Other drug addiction		79	—	—
324	Primary childhood behaviour disorders ...				
325	Mental deficiency		84	10	7
326	Other and unspecified character etc. disorders				
330	Subarachnoid hæmorrhage		83a	72	93
331	Cerebral hæmorrhage		83a	1856	2661
332	Cerebral embolism and thrombosis ...		83b	1669	2235
			83c	39	43
333	Spasm of cerebral arteries		83a	1	—
			83d	—	—
334	Other and unspecified character etc. disorders		83a	29	40
			83d	12	10
		83e		3	2
			87e	15	8
			97	155	153
			99	1	4
			102	—	1
340	Meningitis (except meningococcal and tuberculous)		33b1	5	2
			81	26	26
341	Phlebitis of intracranial sinuses		83b	—	4
			83c	—	—
			100	—	3
342	Intracranial and intraspinal abscess ...		80a	12	7
343	Encephalitis, myelitis and encephalomyelitis		80b	18	12
			81	—	—
			82.3	9	8
344	Late effects of intracranial abscess, etc.		80a	—	3
			157a	—	—
345	Multiple sclerosis	87.d		68	106
350	Paralysis agitans	87c		69	92
			37c(b)	10	9
			97	1	—

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
351	Cerebral spastic infantile paralysis ...		82.4	1	—
			87e	10	12
			157j(i)	—	—
352	Other cerebral paralysis		83d	91	137
			87e	—	—
353	Epilepsy	85		73	55
354	Migraine		87e	—	—
355	Other diseases of brain		83b	—	1
			87e	32	37
			162	4	4
356	Motor neurone disease and muscular atrophy	82.1		38	22
357	Other diseases of spinal cord		82.3	—	—
			82.4	6	7
360	Facial paralysis		87b	—	—
361	Trigeminal neuralgia		87b	—	—
362	Brachial neuritis		87b	—	1
363	Sciatica		87b	1	—
364	Polyneuritis and polyradiculitis		87b	4	3
365	Erythrœdema		66	4	—
366	Other and unspecified forms of neuralgia and neuritis		87b	2	2
			87e	—	—
367	Other diseases of cranial nerves		87b	—	1
368	Other diseases of peripheral nerves except autonomic		87b	—	—
369	Diseases of peripheral autonomic nervous system		87b	—	—
370-389	Inflammatory and other conditions of eye	88		3	4
390	Otitis externa		89a	—	—
391	Otitis media without mention of mastoiditis		89a	7	13
392	Otitis media with mastoiditis		89b	1	—
393	Mastoiditis without mention of otitis ...		89b	4	—
394-398	Other ear and mastoid diseases		89a	—	—
400	Rheumatic fever without mention of heart involvement	58d		3	1
401	Rheumatic fever with heart involvement	58c(a.b)		15	24
402	Chorea	87a		3	3
410	Diseases of mitral valve		92b	241	443
411	Diseases of aortic valve specified as rheumatic		92a	10	9
			92b	—	—
412	Diseases of tricuspid valve		92b	—	—
413	Diseases of pulmonary valve specified as rheumatic		92b	—	—
414	Other endocarditis specified as rheumatic		92b	35	40
415	Other myocarditis specified as rheumatic		93b	7	25
416	Other heart disease specified as rheumatic	95b		23	34
		90a		2	3
			90b	3	3
			92b	5	7
			93b	6	4
420.0	Arteriosclerotic heart disease		93c.1	26	14
			131	—	—
420.1	Coronary thrombosis (420.2)	94		4709	2598
			93c.3	66	48
421	Chronic endocarditis not specified as rheumatic		92a	82	57
			92b	27	36
			92c	181	250
422.0	Fatty degeneration of heart		93c.2	16	34
422.1	Myocardial degeneration with arteriosclerosis		93c.1	2098	2887
			131	2	1

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
422.2	Other myocardial degeneration		93c.3	1563	2163
			93d	707	878
			95c	—	—
			162	1	—
430	Acute and sub-acute endocarditis ...	91		22	22
			43	—	—
			92c	1	1
431	Acute myocarditis not specified as rheumatic	93a		82	79
432	Acute pericarditis specified as non-rheumatic		90b	2	—
433	Functional disease of heart		93c.3	3	3
			95c(a)	156	284
434	Other and unspecified diseases of heart ...		90b	8	3
			95c	324	317
			111c(b)	5	—
			156	1	1
			162	—	1
			200.1	4	2
440	Essential benign hypertension with heart disease...		93c.1	—	—
			93c.2	—	—
			93c.3	—	—
			93d	—	1
			95c	—	—
			102	—	—
441	Essential malignant hypertension with heart disease		93c.1	1	—
			93c.2	—	—
			93c.3	1	2
			93d	—	—
			95c	4	1
			102	1	4
442	Hypertensive heart disease with arteriolar nephrosclerosis		131	23	31
443	Other and unspecified hypertensive heart disease...		93c.1	68	88
			93c.2	1	1
			93c.3	81	92
			93d	35	53
			95c	117	144
			102	32	44
444	Essential benign hypertension without mention of heart		83d	1	—
			97	—	—
			102	127	128
445	Essential malignant hypertension without mention of heart		83d	—	—
			97	4	1
			102	21	20
446	Hypertension with arteriolar nephrosclerosis without mention of heart		131	104	90
447	Other hypertensive disease without mention of heart		83d	2	—
			97	43	56
			102	20	24
450	General arteriosclerosis		83d	—	—
			92a	—	—
			93c.1	4	2
			97	330	347
			98	83	44
			99	8	3
			131	1	1
451	Aortic aneurysm specified as non-syphilitic		30c	7	6
			96	1	3
			99	—	—
452	Other aneurysm, except of heart and aorta		96	8	5
			30c	—	—
			99	—	1

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
453	Peripheral vascular disease		97	3	3
			99	12	3
454	Arterial embolism and thrombosis ...		99	16	19
455	Gangrene of unspecified cause		98	38	37
456	Other diseases of arteries		99	7	11
			153	—	4
460	Varicose veins of lower extremities ...		100	2	3
461	Hæmorrhoids		100	2	—
462	Varicose veins of other specified sites ...		100	2	6
463	Phlebitis and thrombophlebitis of lower extremities		100	4	7
464	Phlebitis and thrombophlebitis of other sites		100	6	14
465	Pulmonary embolism and infarction	111a		58	58
466	Other venous embolism and thrombosis		100	18	22
467	Other diseases of circulatory system ...		103	3	1
468	Certain diseases of lymph nodes and lymph channels	101		2	1
			153	1	—
470	Acute nasopharyngitis		104	—	—
			115c	2	1
471	Acute sinusitis		104	1	1
472	Acute pharyngitis		115c	1	—
473	Acute tonsillitis		115b	1	5
			115c	—	—
474	Acute laryngitis and tracheitis		105	3	3
			106.1	—	—
			106.2	—	—
			106.3	—	1
475	Acute upper respiratory infection ill-defined		104	3	2
480	Influenza with pneumonia	33a.1		153	198
481a	Influenza with other respiratory complications	33a.2		108	115
481b	Influenza unqualified	33b.2		70	72
			33b.1	96	134
482	Influenza with digestive manifestations		33b.1	3	8
483	Influenza with nervous manifestations ...		33b.1	1	—
490	Lobar pneumonia		108	208	195
491	Broncho-pneumonia		107	814	845
492	Primary atypical pneumonia		108	4	7
			109	—	—
493	Pneumonia other and unspecified ...		109	121	102
			111.2	1	—
500	Acute bronchitis		106.1	70	105
			106.3	108	150
501a	Bronchitis unqualified		106.2	2	2
			106.3	108	108
			113	—	—
501b	Bronchitis unqualified with heart disease		106.1	153	130
			113	—	—
502a	Chronic bronchitis...		106.2	5	1
			106.3	593	233
			113	—	—
502b	Chronic bronchitis with heart disease ...		106.1	474	246
			113	—	—
510	Hypertrophy of tonsils		115b	1	1
			115c	—	—
511	Peritonsillar abscess		115c	1	1
512	Chronic pharyngitis		104	—	—
			115c	—	—
513	Chronic sinusitis		104	1	1
514	Deflected nasal septum		104	—	1
515	Nasal polyp		57e.2	1	—
516	Chronic laryngitis		105	—	—

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
517	Other diseases of upper respiratory tract		105	—	1
			115c	3	—
518	Empyema		110	9	5
519	Pleurisy		110	19	14
520	Spontaneous pneumothorax		114e.2	4	1
521	Abscess of lung		114e.2(c.d)	13	7
522	Pulmonary congestion and hypostasis ...		111c	70	80
523, 524	Pneumoconiosis and occupational pulmonary fibrosis	114a(b)		109	1
525	Other chronic interstitial pneumonia ...		114e.1	14	6
			114e.2	1	—
526	Bronchiectasis		106.1	24	17
			106.2	4	—
			106.3	67	35
527	Other diseases of lung and pleural cavity		111c(b)	14	12
			113	52	15
			114e.1	1	—
			114e.2	11	13
530-535	Diseases of teeth and supporting structures		115a	2	3
536-538	Other diseases of mouth and salivary glands	115d		3	7
			43	—	—
			115a	—	1
539	Diseases of œsophagus	116		9	6
540	Ulcer of stomach		117a	220	82
541	Ulcer of duodenum	117b		266	51
542	Gastrojejunal ulcer		117a	3	1
			120b	—	—
543	Gastritis and duodenitis		118	11	17
			119	—	—
			120a	2	4
544	Functional disorders of stomach ...		118	4	4
545	Other diseases of stomach and duodenum		118	25	12
550-553	Appendicitis and other diseases of appendix	121		64	54
560	Hernia without mention of intestinal obstruction		122.1	33	21
			157j(i)	4	4
561	Hernia with intestinal obstruction ...		122.1	59	62
			157j(1)	—	1
570	Intestinal obstruction without mention of hernia		99	27	30
			122b	80	73
			123	—	—
			126	—	—
			157j(i)	—	—
571.0	Gastro-enteritis between 4 weeks and 2 years		119	119	79
571.1	Gastro-enteritis over 2 years		120a	40	64
			120b	1	2
572	Chronic enteritis and colitis		119	—	—
			120a	6	13
			120b	16	37
			123	25	36
573	Functional disorders of intestines ...		119	—	—
			120a	—	—
			123	1	5
574	Anal fissure and fistula		123	1	—
575	Anal and rectal abscess		123	1	1
576	Peritonitis		122b	1	—
			129	24	21
577	Peritoneal adhesion		122b	—	3

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
578	Other diseases of intestines and peritoneum		119	—	—
			120.2	—	—
			123	14	19
			129	—	1
			157j(2)	—	—
580	Acute and sub-acute yellow atrophy of liver	125a		10	14
			125b	5	3
581	Cirrhosis of liver	124		95	74
			125b	—	—
582	Suppurative hepatitis, liver abscess ...		125b	4	2
583	Other diseases of liver		125b	6	11
584	Cholelithiasis		126	22	62
585	Cholecystitis without mention of calculi...		127	32	97
586	Other diseases of gall bladder and ducts...		127	12	21
587	Diseases of pancreas	128		19	34
590	Acute nephritis		130	24	27
591	Nephritis with œdema		130	—	—
			131	—	5
			132	4	5
			133	—	—
592	Chronic nephritis		130	—	—
			131	240	280
			132	—	1
593	Nephritis unspecified		130	1	—
			131	2	5
			132	23	27
594	Other renal sclerosis		70	—	—
			131	3	2
600	Infections of kidney		133	51	75
601	Hydronephrosis		133	8	8
602	Calculi of kidney and ureter		134	24	30
603	Other diseases of kidney and ureter ...		133	3	2
604	Other urinary calculi		134	5	—
605	Cystitis		135	31	21
606	Other diseases of bladder...		123	—	—
			135	24	7
607	Urethritis (non-venereal)		136	—	—
608	Stricture of urethra		136	10	1
609	Other diseases of urethra		136	1	1
610	Hyperplasia of prostate		57e.2(56)	—	—
			137	425	—
611	Prostatitis		137	13	—
612	Other diseases of prostate		137	20	—
613	Hydrocele		138	—	—
614	Orchitis and ependymitis...		138	1	—
615	Redundant prepuce phimosis		138	—	—
616	Sterility male		138	—	—
617	Other diseases of male genital organs ...		44d(a)	1	—
			138	1	—
620, 621	Diseases of breast	139c		—	—
622-624	Salpingitis and oophoritis		139a	—	6
625	Other diseases of ovaries and Fallopian tubes		139a	—	2
626	Diseases of parametrium...		139a	—	5
630	Infectious disease of uterus, vagina and vulva		139b	—	—
			139d	—	—
631	Utero-vaginal prolapse		123	—	—
			135	—	1
			139d	—	10
632	Malposition of uterus		139b	—	—
633	Other diseases of uterus		139b	—	7
634	Disorders of menstruation		139b	—	2
635	Menopausal symptoms		139b	—	—
636	Sterility female		139d	—	—

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
637	Other female genital diseases		139d	—	5
640	Pyelitis of pregnancy		145	—	1
641	Other infections of genito-urinary tract in pregnancy		144d.2	—	—
			145	—	—
642[2]	Eclampsia of pregnancy (642.3)	144a		—	7
			144b	—	—
642[4]	Hyperemesis gravidarum	144d.1		—	—
642[5]	Other toxæmias of pregnancy (642.0, 642.1)	144c		—	1
			144b	—	1
			144d.2	—	2
643	Placenta prævia	143a		—	—
644	Other hæmorrhage of pregnancy ...	143b		—	4
			143c	—	1
645	Ectopic pregnancy	142		—	2
646	Anæmia of pregnancy		143c	—	—
647	Pregnancy with malformation of fœtus		145	—	—
648	Other complications arising from pregnancy		145	—	3
650	Abortion without mention of sepsis or toxæmia		141	—	6
			145	—	—
651	Abortion with sepsis	140		—	11
652	Abortion with toxæmia but without sepsis		141	—	2
			145	—	—
660	Normal delivery		150	—	—
670a	Delivery complicated by placenta prævia	146a		—	2
670b	Delivery with other hæmorrhage of pregnancy	146b		—	1
671	Delivery with retained placenta ...		146d	—	6
			149	—	1
672	Delivery with other postpartum hæmorrhage	146c		—	2
			146d	—	3
673	Delivery with abnormality of bony pelvis		149	—	—
674	Delivery with disproportionate fœtus ...		149	—	4
675	Delivery with prolonged labour		149	—	1
676	Delivery with laceration of perineum ...		149	—	—
677	Delivery with other trauma		149	—	3
678	Delivery with other complications ...		149	—	9
680	Puerperal urinary infection without other sepsis		147b(a)	—	1
681	Sepsis of childbirth and puerperium ...		147b	—	3
682	Puerperal phlebitis and thrombosis ...		147d(c)	—	5
683	Pyrexia in puerperium		147b	—	—
684	Puerperal pulmonary embolism		147d	—	8
685	Puerperal eclampsia	148a		—	3
			148b	—	—
686	Other puerperal toxæmia...		148b	—	—
		148c		—	1
			148d	—	—
687	Cerebral hæmorrhage in puerperium ...		147d	—	2
688	Other and unspecified complications of the puerperium		146d	—	—
			150	—	3
689	Mastitis and disorders of lactation ...		150	—	—
690	Boil and carbuncle	151		1	2
691-693	Cellulitis	152		12	7
694	Acute lymphadenitis		153	—	—
695	Impetigo		153	—	—
696	Infectious warts		38	—	—
697	Molluscum contagiosum		38	—	—
698	Other local infections of skin		153	1	—
700-703	Dermatitis and eczema		79	—	—
			153	4	3
704	Pemphigus		153	5	7
705	Erythematous conditions...		153	4	6

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
706-716	Other diseases of skin and sub-cutaneous tissues		153	7	11
720	Acute pyogenic arthritis		156	1	2
721	Acute non-pyogenic arthritis		156	—	—
722	Rheumatoid arthritis		59	10	58
723	Osteo-arthritis and allied conditions ...		59	4	18
724	Other specified forms of arthritis ...		59	1	2
			156	—	—
725	Arthritis unspecified		59	—	4
726	Muscular rheumatism		59	—	—
			156	—	—
727	Rheumatism unspecified		58d	—	—
			59	3	6
730	Osteomyelitis and periostitis		154	5	7
731	Osteitis deformans		155	15	8
732	Osteochondrosis		154	—	—
			155	—	—
733	Other diseases of bone		155	2	4
734	Internal derangement of knee joint ...		156	—	—
735	Displacement of intervertebral disc ...		155	—	1
			156	—	—
736	Affections of sacro-iliac joint		156	—	—
737	Ankylosis of joint		156	—	—
738	Other diseases of joint		156	—	1
740	Bunion		156	—	—
741, 742	Synovitis bursitis and tenosynovitis ...		156	—	—
743	Infective myositis and other inflammatory disease		156	—	—
744	Other diseases of muscle, tendon and fascia		156	10	5
			157j(i)	1	—
745	Curvature of spine		156	3	1
			157j(i)	—	—
746	Flat foot		156	—	—
747	Hallux valgus and varus		156	—	—
748	Club foot		156	—	—
			157j(i)	—	—
749	Other deformities		156	—	—
750	Monstrosity		157j(d)	5	6
751	Spina bifida and meningocele	157b		52	60
			157j(i)	—	—
752	Congenital hydrocephalus	157a		37	32
753	Other congenital malformations of nervous system and sense organs		157j(i)	12	4
754	Congenital malformations of circulatory system...	157c		114	89
			157j(i)	1	—
755	Cleft palate and harelip		157j(f)	2	1
756.0	Congenital pyloric stenosis	157e		9	3
756.1 & 2	Other congenital malformations of digestive system		157j(g)(i)	53	34
757	Congenital malformations of genito-urinary system		157j(h)(i)	29	21
758	Congenital malformation of bone and joint		157j(i)	3	5
759	Other and unspecified congenital malformations		157j(i)	15	15
760	Intracranial and spinal injury at birth		160	139	85
761	Other birth injury		160	54	26
762	Post-natal asphyxia	161a		105	91
			159	79	49
763	Pneumonia of newborn		107	64	35
			108	2	4
			109	32	29
764	Diarrhœa of newborn		119	22	12
765	Ophthalmia neonatorum		26(25)	—	—
			159	—	—

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
766	Pemphigus neonatorum		161c	—	1
767	Umbilical sepsis		161c	3	—
768	Other sepsis of newborn		161c	2	3
769	Neonatal disorders from maternal toxæmia	161b		31	17
770	Hæmolytic disease of newborn		161e	46	28
771	Hæmorrhagic disease of newborn ...	161d		25	14
772	Nutritional maladjustment		119	—	—
			158	2	—
			159	—	—
773a	Congenital debility without immaturity		158	34	26
773b	Congenital debility with immaturity ...		158	22	13
			159	6	8
773c	Other diseases peculiar to early infancy		161e	5	6
774	Immaturity and subsidiary cause ...		159	21	11
776	Immaturity unqualified		159	313	256
780a	Convulsions under 5		86	52	41
			87e	—	—
780b, 781	Certain other nervous symptoms ...		87e	2	—
			200a.2	—	2
782.4	Heart failure		93.5	14	17
			200a.1	306	199
782.5	Syncope	199		36	27
782.0-3, 6-9	Other symptoms of cardiovascular and lymphatic system		75	—	—
			95c(a)	1	—
			200a.1	2	1
			200a.2	1	—
783	Symptoms referable to respiratory system		103	—	—
			114e.2	5	—
			200a.2	—	—
784	Symptoms referable to upper gastro-intestinal tract		87e	—	—
			118	13	10
			200a.2	—	—
785	Symptoms referable to abdomen and lower gastro-intestinal system ...		120.1	2	2
			123	1	—
			125b	7	3
			161e	—	1
			200a.2	2	2
786	Symptoms referable to genito-urinary system...		66	—	—
			133	1	1
			134	2	—
			135	15	—
787	Symptoms referable to limbs and back		156	—	—
			200a.2	—	—
788	Other general symptoms		66	1	—
			86	1	1
			87.5	—	—
			153	—	—
			200a.2	2	—
789	Abnormal urinary constituents of unspecified cause		42	—	—
			61	—	4
			66	—	—
			132	1	1
			133	4	—
			135	—	—
790	Nervousness and debility		87e.2	—	—
			200a.1	—	—
791	Headache		200a.2	—	—
792	Uræmia unqualified		132	61	27
794	Senility without psychosis		132	—	1
			162	488	802
			200a.1	—	1
795.0.1	Ill-defined causes		66	—	—
			200a.2	96	56

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
795.2-5	Unknown or unspecified causes ...		200c	27	20
E800-802	Railway accidents		169	64	3
E810-835	Motor vehicle traffic accidents		170	385	130
			195d(175)	1	—
E840-845	Other road vehicle accidents		171	38	11
E850, 851	Submersion in water transport	172.1		11	—
E852-855	Falls in water transport		172.2	10	—
E856-858	Other water transport accidents... ...		172.2	3	—
E860-866	Aircraft accidents		173	31	—
E870-877	Accidental poisoning by various drugs ...		179	18	14
E878	Accidental poisoning by other and unspecified drugs		79	—	—
			179	1	2
E879	Accidental poisoning by noxious foodstuffs		177	—	—
E880	Accidental poisoning by alcohol		179	1	1
E881	Accidental poisoning by petroleum products		179	—	—
E882	Accidental poisoning by industrial solvents		79	—	—
			179	—	—
E883	Accidental poisoning by corrosive alkalis and acids		79	—	—
			179	4	7
E884	Accidental poisoning by mercury and its compounds		179	—	1
E885	Accidental poisoning by lead and compounds	78		—	—
			179	—	—
E886	Accidental poisoning by arsenic and antimony		179	—	—
E887	Accidental poisoning by fluorides ...		179	—	—
E888	Accidental poisoning by other and unspecified solid and liquid substances		79	—	—
			179	3	3
E890-895	Accidental poisoning by gaseous substances	178		90	80
			79	—	—
			174	1	—
E900-904	Accidental falls		174	3	—
			186	253	408
			195d	—	—
E910	Blow from falling object		174	27	—
			186	23	2
			195d	2	—
E911	Accident caused by vehicle		171	—	—
			174	11	—
			195d(175)	—	—
E912	Accident caused by machinery		174	2	—
			176	25	—
E913	Accident caused by cutting and piercing instruments		195d	4	—
E914	Accident caused by electric current ...	193		6	1
			174	2	—
E915-917	Accidents by explosion, fire, hot substances		174	—	—
			180	5	7
			181	37	71
			195d	4	—
E918	Accident caused by radiation		195d(b)	—	—
E919	Accident caused by firearm		174	1	—
			184	26	3
			195d	—	—
E920	Foreign body in eye		195d	—	—
E921-925	Accidental obstruction or suffocation by foreign body or food	182		113	70
			174	3	—
			195d	—	—
E926	Lack of care of infants under 1 year ...		195d(c)	1	1
E927	Accident by bite or sting, venomous ...		195d(194)	—	—
			175	—	—
E928	Other accidents caused by animals ...		195d(175, 178)	2	—

TABLE W—*continued*

International 6th Revision as adapted for Scotland	Title (abbreviated)	Whole groups of 5th Revision as adapted for Scotland	Portions of Old List Groups Old No.	Number of Deaths Males	Number of Deaths Females
E929	Accidental drowning and submersion ...	183		138	66
			195d	—	—
E930	High and low air pressure		195d	—	—
E931	Excessive heat		190(191)	—	—
E932, 933	Excessive cold, hunger, thirst, exposure		189	—	—
			190	3	—
E934	Cataclysm		195d(187)	—	—
E935	Lightning		190(192)	—	—
E936	Other and unspecified accidents		174	5	—
			195d	15	3
E940, 941	Generalised vaccinia and post-vaccinal encephalitis		195a	1	1
E942	Other complications of smallpox vaccination		195a	—	—
E943, 944	Complications of prophylactic inoculation not for smallpox		195d(b)	—	—
E945	Complications of anæsthesia non-therapeutic		195d(b)	—	—
E946	Other complications of non-therapeutic procedures		195d(b)	—	—
E954	Therapeutic misadventure in anæsthesia		195d(b)	2	—
E960-962	Late effects of accidental injury		169	2	—
			170	1	—
			171	—	—
			172.2	—	—
			173	—	—
			174	1	—
			176	—	—
			184	—	—
			186	2	—
			195d	4	1
E963	Late effects of self inflicted injury ...		164	—	—
E964	Late effects of injury purposely inflicted by another person (not in war) ...		168	—	—
E965	Late effects injuries due to war operations		196	12	—
			197	—	—
E970	Suicide by poisoning—analgesic and soporific substances		164(163)	9	7
E971	Suicide other solid or liquid		164(163)	4	6
E972	,, gas in domestic use		164(163)	65	53
E973	,, other gases		164(163)	6	2
E974	,, hanging, strangulation		164	35	10
E975	,, immersion...		164	13	15
E976	,, firearms, explosives		164	17	—
E977	,, cutting or piercing instrument ...		164	16	4
E978	,, jumping from high places ...		164	10	2
E979	,, other and unspecified means ...		164	2	—
E980	Non-accidental poisoning by another ...		168(165)(168)	—	1
E981-983	Assault		168(166)	11	9
E984	Injury by police intervention		168(167)	—	—
			195d	—	—
E985	Execution	198		1	—
E990-999	Injury by war		196	—	—
			197	—	—

Table X.—Deaths in 1951 by Sex Classified according to the Abridged Lists of the Fifth and Sixth Revisions—Scotland

International Abbreviated List "B"	Causes of Death		All Ages	1 Typhoid fever (including paratyphoid)	14(1) Cerebro-spinal fever	3 Scarlet fever	4 Whooping-cough	5 Diphtheria	6 Tuberculosis of respiratory system	7 Other forms of tuberculosis	9 Syphilis	10 Influenza	12 Measles	14(2) Other infectious or parasitic diseases (2, 8, 11, 13)	15 Cancer, malignant tumours	16 Tumours, non-malignant or not defined	20(1) Acute rheumatism	18 Diabetes mellitus	20(2) Other general diseases (17, 19)
	ALL CAUSES—Both Sexes ...		**65778**	**1**	**44**	**1**	**98**	**5**	**1884**	**293**	**159**	**965**	**25**	**293**	**9541**	**158**	**43**	**564**	**923**
	Males ...		**33116**	**1**	**23**	–	**50**	**3**	**1105**	**150**	**104**	**436**	**8**	**145**	**4776**	**55**	**18**	**169**	**334**
	Females ...		**32662**	–	**21**	**1**	**48**	**2**	**779**	**143**	**55**	**529**	**17**	**148**	**4765**	**103**	**25**	**395**	**589**
1	Tuberculosis of resp. system ...	M.	1106	–	–	–	–	–	1105	–	–	–	–	–	–	–	–	–	–
		F.	780	–	–	–	–	–	779	–	–	–	–	–	–	–	–	–	–
2	Tuberculosis, other forms ...	M.	150	–	–	–	–	–	–	150	–	–	–	–	–	–	–	–	–
		F.	143	–	–	–	–	–	–	143	–	–	–	–	–	–	–	–	–
3	Syphilis and its sequelæ ...	M.	100	–	–	–	–	–	–	–	97	–	–	–	–	–	–	–	–
		F.	49	–	–	–	–	–	–	–	49	–	–	–	–	–	–	–	–
4	Typhoid fever	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Dysentery, all forms	M.	9	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–
7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Diphtheria	M.	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
9	Whooping-cough	M.	50	–	–	–	50	–	–	–	–	–	–	–	–	–	–	–	–
		F.	48	–	–	–	48	–	–	–	–	–	–	–	–	–	–	–	–
10	Meningococcal infections ...	M.	23	–	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	21	–	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Acute poliomyelitis	M.	11	–	–	–	–	–	–	–	–	–	–	11	–	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–	–	13	–	–	–	–	–
14	Measles	M.	8	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	–
		F.	17	–	–	–	–	–	–	–	–	–	17	–	–	–	–	–	–
17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	83	–	–	–	–	–	–	–	–	–	–	67	–	–	–	–	–
		F.	96	–	–	–	–	–	–	–	–	–	–	78	–	–	–	–	–
18	Malignant neoplasms	M.	4925	–	–	–	–	–	–	–	–	–	–	47	4766	–	–	–	112
		F.	4915	–	–	–	–	–	–	–	–	–	–	42	4759	1	–	–	113
19	Benign and unspec. neoplasms	M.	63	–	–	–	–	–	–	–	–	–	–	–	9	54	–	–	–
		F.	106	–	–	–	–	–	–	–	–	–	–	–	5	101	–	–	–
20	Diabetes mellitus	M.	169	–	–	–	–	–	–	–	–	–	–	–	–	–	–	169	–
		F.	390	–	–	–	–	–	–	–	–	–	–	–	–	–	–	390	–
21	Anæmias	M.	116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	112
		F.	229	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	225
46.1	Other general diseases ...	M.	262	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	74
		F.	352	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	163
22	Vascular lesions affecting central nervous system... ...	M.	3863	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	5259	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Non-meningococcal meningitis	M.	31	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–
		F.	28	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
46.2	Other dis. of nervous sys. ...	M.	531	–	–	–	–	–	–	–	–	–	–	10	1	–	–	–	17
		F.	636	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–
24	Rheumatic fever	M.	21	–	–	–	–	–	–	–	–	–	–	–	–	–	18	–	–
		F.	28	–	–	–	–	–	–	–	–	–	–	–	–	–	25	–	–
25	Chronic rheumatic heart dis....	M.	332	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	568	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Arteriosclerotic and degenerative heart disease	M.	9478	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	8969	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
27	Other diseases of heart ...	M.	609	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	715	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
28	Hypertension with heart dis....	M.	368	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	463	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
29	Hypertension without heart dis.	M.	322	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	326	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46.3	Other circulatory disease ...	M.	618	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–
		F.	601	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–
30	Influenza	M.	431	–	–	–	–	–	–	–	–	431	–	–	–	–	–	–	–
		F.	527	–	–	–	–	–	–	–	–	527	–	–	–	–	–	–	–
31	Pneumonia	M.	1148	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32	Bronchitis	M.	1513	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	975	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table X.—*continued*

	22 Cerebral hæmorrhage, etc.	23 Other diseases of nervous system	24 Heart disease	25 Other circulatory diseases	26 Bronchitis	27 Pneumonia	28 Other respiratory diseases	32(1) Gastric and duodenal ulcer	29 Diarrhœa (all ages)	30 Appendicitis	31(1) Cirrhosis of liver	31(2) Other diseases of liver	32(2) Other digestive diseases	33 Nephritis, acute or chronic	34 Other diseases of genito-urinary system	35 Puerperal sepsis	36 Other puerperal causes	37 Diseases of skin and organs of movement	38 Congenital debility, premature birth, malformation, etc	39 Old age	40 Suicide	42 Road transport accidents	43 Other violence (41)	44 Causes ill-defined or unknown	
	9008	**845**	**21398**	**1982**	**2639**	**2468**	**989**	**623**	**421**	**118**	**169**	**334**	**679**	**1000**	**823**	**30**	**70**	**144**	**2134**	**1375**	**276**	**565**	**1751**	**789**	
	3776	**404**	**10744**	**983**	**1609**	**1249**	**581**	**489**	**208**	**64**	**95**	**107**	**335**	**490**	**639**	–	–	**73**	**1224**	**515**	**177**	**424**	**992**	**477**	
	5232	**441**	**10654**	**999**	**1030**	**1219**	**408**	**134**	**213**	**54**	**74**	**227**	**344**	**510**	**184**	**30**	**70**	**71**	**910**	**860**	**99**	**141**	**759**	**312**	
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–	–	–	–	–	–	7	–	
	–	–	–	–	–	–	–	–	–	–	–	14	–	–	–	–	–	–	–	–	–	–	4	–	17
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	1	–	–	1	–	184	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	46.1
	–	1	–	–	–	–	185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	
	3681	15	7	157	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	5086	8	4	158	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	22
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	91	330	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26	–	–	–	–	46.2
	143	387	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	57	–	–	–	–	
	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
	–	–	332	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	568	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	9475	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	25
	–	–	8965	–	1	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	
	–	–	598	–	–	–	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	4	26
	–	–	709	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	2	
	1	–	308	34	–	1	1	–	–	–	–	–	–	23	–	–	–	–	–	–	–	–	–	–	
	1	–	383	48	–	–	–	–	–	–	–	–	–	31	–	–	–	–	–	–	–	–	–	–	27
	3	–	–	215	–	–	–	–	–	–	–	–	–	104	–	–	–	–	–	–	–	–	–	–	
	2	–	2	229	–	1	1	–	–	–	–	–	–	90	–	–	1	–	–	–	–	–	–	–	28
	–	–	6	545	–	–	58	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
	–	–	2	530	–	–	58	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	46.3
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30
	–	–	–	–	–	1147	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	1149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31
	–	–	–	–	1513	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	975	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish Headings. * Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis

Table X.—Deaths in 1951 by Sex Classified according to the Abridged Lists of the Fifth and Sixth Revisions—Scotland

International Abbreviated List "B"	Causes of Death		All Ages	1 Typhoid fever (including Paratyphoid)	14(1) Cerebro-spinal fever	3 Scarlet fever	4 Whooping-cough	5 Diphtheria	6 Tuberculosis of respiratory system	7 Other forms of tuberculosis	9 Syphilis	10 Influenza	12 Measles	14(2) Other infectious or parasitic diseases (2, 8, 11, 13)	15 Cancer, malignant tumours	16 Tumours, non-malignant or not defined	20(1) Acute rheumatism	18 Diabetes mellitus	20(2) Other general diseases (17, 19)
46.4	Other respiratory diseases ...	M.	430	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	227	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Ulcer of stomach and duodenum	M.	486	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	133	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Appendicitis	M.	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	Intest. obstruction and hernia	M.	203	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
36.1	Gastritis and duodenitis ...	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
36.2	Diarrhœa (except newborn) ...	M.	207	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	231	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Cirrhosis of liver	M.	95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46.5	Other diseases of liver ...	M.	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	210	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46.6	Other digestive diseases ...	M.	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Nephritis and nephrosis ...	M.	298	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	352	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	Hyperplasia of prostate ...	M.	425	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46.7	Other dis. of gen.-urinary sys.	M.	193	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	183	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40.0	Puer. and post-abortive sepsis	F.	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40.1	Other puerperal causes ...	F.	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46.8	Dis. of skin and org. of locom.	M.	89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
		F.	157	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	88
41	Congenital malformations ...	M.	332	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	270	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
42	Birth injuries, post-natal asphyxia and atelectasis	M.	377	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	251	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43.1	Pneumonia of newborn ...	M.	98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43.2	Diarrhœa of newborn	M.	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43.3	Other infec. of newborn ...	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44	Other diseases of early infancy	M.	505	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	379	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45.0	Senility	M.	488	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	804	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45.1	Causes ill-def. and unknown ...	M.	656	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F.	415	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–
E49	Suicide	M.	177	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E47	Motor vehicle accidents ...	M.	386	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E48.0	Other road transport accidents	M.	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E48.1	Other violence (BE 50) ...	M.	986	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	757	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table X.—*continued*

22 Cerebral hæmorrhage, etc.	23 Other diseases of nervous system	24 Heart disease	25 Other circulatory diseases	26 Bronchitis	27 Pneumonia	28 Other respiratory diseases	32(1) Gastric and duodenal ulcer	29 Diarrhœa (all ages)	30 Appendicitis	31(1) Cirrhosis of liver	31(2) Other diseases of liver	32(2) Other digestive diseases	33 Nephritis, acute or chronic	34 Other diseases of genito-urinary system	35 Puerperal sepsis	36 Other puerperal causes	37 Diseases of skin and organs of movement	38 Congenital debility, premature birth, malformation, etc	39 Old age	40 Suicide	42 Road transport accidents	43 Other violence (41)	44 Causes ill-defined or unknown	
–	–	–	–	95	–	325	–	–	–	–	–	9	–	–	–	–	–	–	–	–	–	–	–	
–	–	2	–	53	–	163	–	–	–	–	–	8	1	–	–	–	–	–	–	–	–	–	–	46.0
–	–	–	–	–	–	–	486	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	133	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
–	–	–	–	–	–	–	–	–	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
–	–	–	27	–	–	–	–	–	–	–	–	172	–	–	–	–	–	4	–	–	–	–	–	
–	–	–	30	–	–	–	–	–	–	–	–	156	–	–	–	–	–	5	–	–	–	–	–	35
–	–	–	–	–	–	–	–	2	–	–	–	11	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	4	–	–	–	17	–	–	–	–	–	–	–	–	–	–	–	36.1
–	–	–	–	–	–	–	–	182	–	–	–	25	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	195	–	–	–	36	–	–	–	–	–	–	–	–	–	–	–	36.2
–	–	–	–	–	–	–	–	–	–	95	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	74	–	–	–	–	–	–	–	–	–	–	–	–	–	37
–	–	–	–	–	1	–	–	–	–	–	91	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	210	–	–	–	–	–	–	–	–	–	–	–	–	46.5
–	–	–	–	–	–	–	3	–	–	–	–	104	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	117	–	–	–	–	–	–	–	–	–	–	–	46.6
–	–	1	–	–	–	–	–	–	–	–	–	–	297	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	352	–	–	–	–	–	–	–	–	–	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	425	–	–	–	–	–	–	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	192	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	183	–	–	–	–	–	–	–	–	–	46.7
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27	1	–	–	–	–	–	–	–	40.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	68	–	–	–	–	–	–	–	40.1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70	1	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	65	–	–	–	–	–	–	46.8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	332	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	270	–	–	–	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	377	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	251	–	–	–	–	–	42
–	–	–	–	–	98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43.1
–	–	–	–	–	–	–	–	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43.2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	43.3
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	505	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	379	–	–	–	–	–	44
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	488	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	802	–	–	–	1	45.0
–	55	16	–	–	–	5	–	2	–	–	7	14	62	22	–	–	–	–	–	–	–	–	472	
–	42	17	–	–	–	–	–	2	–	–	3	10	28	1	–	–	–	1	–	–	–	–	307	45.1
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	177	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	99	–	–	–	E49
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	385	1	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	130	–	–	E47
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	E48.0
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	984	–	
–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	755	–	E48.1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish Headings. * Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis

TABLE Y.

CAUSES OF DEATH IN SCOTLAND DURING 1951 CLASSIFIED ACCORDING TO THE FIFTH REVISION

	International Detailed List		Males	Females
		ALL CAUSES—Males	**33,116**	
		Females	**32,662**	
			Males	Females
		I. INFECTIVE AND PARASITIC DISEASES ...	**2,025**	**1,743**
		Diseases due to Bacteria—		
1.	01.	Typhoid fever	1	—
2.	01.	Paratyphoid fevers	—	—
6.	02.	Cerebro-spinal (meningococcal) meningitis ...	23	21
8.	03.	Scarlet fever	—	1
9.	04.	Whooping-cough	50	48
10.	05.	Diphtheria	3	2
11.	11.	Erysipelas	1	4
12.	11.	Tetanus...	4	5
		Tuberculosis— (Total)	1,255	922
13.	06.	Respiratory system	1,105	779
14.	07.	Central nervous system	78	83
15.	07.	Intestines and peritoneum	12	16
16.	07.	Vertebral column	22	14
17.	07.	Other bones and joints	3	3
18.	07.	Skin and sub-cutaneous tissue	3	2
19.	07.	Lymphatic system	2	—
20.	07.	Genito-urinary system	13	7
21.*a*	07.	Addison's dis. (specified as tuberculous) ...	2	—
b	07.	Other organs	1	1
22.	07.	Disseminated	14	17
24.	11.	Purulent infection and septicæmia	19	14
26.	11.	Other bacterial diseases (3-5, 7, 23, 25) ...	—	—
		Dysentery—		
27.	11.	Dysentery	9	6
		Diseases due to Protozoa—		
28.	11.	Malaria (29)	1	—
		Diseases due to Spirochætes—		
30.*a*	08.	Locomotor ataxia (tabes dorsalis)	11	4
b	08.	General paralysis of insane	19	9
c	08.	Aneurysm of aorta	49	35
d	08.	Syphilis, congenital or unspecified	25	7
32.	11.	Other spirochætal diseases (31)	9	1
		Diseases due to Filterable Viruses—		
		Influenza— (Total)	436	529
33.*a*.1	09.	With pneumonia	153	198
2	09.	With other respiratory complications ...	108	115
b.1	09.	With non-respiratory complications ...	105	144
2	09.	Without stated complications	70	72
35.	10.	Measles	8	17
36.	11.	Acute poliomyelitis and polioencephalitis ...	11	14
37.*a*	11.	Lethargic encephalitis—acute	5	9
c	11.	Other or unspecified lethargic encephalitis (*b*) ...	27	38
38.	11.	Other diseases due to viruses (34)	6	12

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) correspond with those in the International List. Those indicated by numbers (1, 2, 3, etc.) apply to the Scottish List only.

TABLE Y.—*continued*

		International Detailed List	Males	Females
		Diseases due to Rickettsia—		
39.	11.	Typhus fever	—	—
		Diseases due to Helminths—		
42.	11.	Diseases due to helminths (40, 41)	—	—
		Diseases due to Fungi—		
43.	11.	Mycoses	3	2
		Other infective or parasitic diseases—		
44.*b*	11.	Pernicious lymphogranulomatosis (Hodgkin's disease)	47	40
d	11.	Other infective or parasitic diseases (*a*, *c*) ...	3	3
		II. CANCER AND OTHER TUMOURS ...	**4,831**	**4,868**
		Cancer and other malignant tumours— (Total)	4,776	4,765
45.	12.	Buccal cavity and pharynx	204	80
46.	12.	Digestive organs and peritoneum	2,371	2,406
47.	12.	Respiratory system	1,231	304
48.	12.	Uterus	—	452
49.	12.	Other female genital organs	—	270
50.	12.	Breast	6	800
51.	12.	Male genital organs	354	—
52.	12.	Urinary organs	234	128
53.	12.	Skin (scrotum excepted)...	55	58
54.	12.	Brain and nervous system	89	47
55.	12.	Other or unspecified organs	232	220
		Tumours, non-malignant or of undetermined nature (56)		
57.*a*	13.	Ovaries	—	22
b	13.	Uterus	—	10
c	13.	Other female genital organs	—	—
d	13.	Brain and nervous system	24	38
e.1	13.	Bladder	16	6
2	13.	Other and unspecified organs	15	27
		III. RHEUMATISM, DISEASES OF NUTRITION, AND OF ENDOCRINE GLANDS, OTHER GENERAL DISEASES AND VITAMIN DEFICIENCY DISEASES	**267**	**636**
58.*c*	14.	Acute rheumatic heart conditions (*a*, *b*) ...	15	24
d	14.	Other forms of acute rheumatism	3	1
59.	16.	Chronic rheumatism and other rheumatic diseases	18	88
61.	15.	Diabetes mellitus...	169	395
62.	16.	Diseases of the pituitary gland	2	13
63.*b*	16.	Exophthalmic goitre	5	31
c	16.	Myxœdema and cretinism	6	36
e	16.	Other diseases of thyroid and parathyroid (*a*, *d*)	6	7
64.	16.	Diseases of thymus (including status lymphaticus)	8	4
65.*a*	16.	Addison's disease (not tuberculous)	2	6
b	16.	Other diseases of adrenal glands	—	3
66.	16.	Other general diseases (60)	24	20
		Vitamin deficiency diseases—		
70.	16.	Rickets	—	—
71.	16.	Other vitamin deficiency diseases (67, 68, 69)	9	8

TABLE Y.—*continued*

International Detailed List			Males	Females
		IV. DISEASES OF BLOOD AND OF BLOOD-FORMING ORGANS	**241**	**373**
72.	16.	Purpura, hæmophilia	7	11
73.*a*	16.	Pernicious anæmia (*b*)	69	156
d	16.	Other anæmias (*c*)	43	69
74.	16.	Leukæmia, aleukæmia	109	111
75.	16.	Diseases of spleen	9	15
76.	16.	Other diseases of blood and of blood-forming organs	4	11
		V. CHRONIC POISONING AND INTOXICATION	**13**	—
77.	16.	Alcoholism	13	—
78.	16.	Lead poisoning	—	—
79.	16.	Chronic poisoning by other mineral and organic substances	—	—
		VI. DISEASES OF NERVOUS SYSTEM AND OF SENSE ORGANS	**4,264**	**5,740**
80.*a*	19.	Intra-cranial abscess	12	10
b	19.	Other forms of encephalitis (non-epidemic) ...	18	12
81.	17.	Meningitis (not meningococcal)	26	26
82.1	17.	Motor neurone disease	38	22
2	17.	Sub-acute combined degeneration	4	4
3	17.	Myelitis of unstated origin	9	8
4	17.	Other diseases of medulla and of spinal cord ...	7	7
83.*a*	18.	Cerebral hæmorrhage, apoplexy	1,958	2,794
b	18.	Cerebral embolism and thrombosis	1,670	2,246
c	18.	Softening of brain	39	43
d	18.	Hemiplegia and other paralyses of unstated origin	106	147
e	18.	Other intra-cranial effusions	3	2
84.	19.	Mental disorders and deficiency	25	38
85.	19.	Epilepsy	73	55
86.	19.	Convulsions (age under 5 years)	53	42
87.*a*	19.	Chorea	3	3
b	19.	Neuritis	7	7
c	19.	Paralysis agitans	69	92
d	19.	Disseminated sclerosis	68	106
e	19.	Other diseases of nervous system	61	59
88.	19.	Diseases of organs of vision	3	4
89.*a*	19.	Otitis and other diseases of ear	7	13
b	19.	Diseases of mastoid	5	—
		VII. DISEASES OF CIRCULATORY SYSTEM	**11,727**	**11,653**
		Heart diseases— (Total)	10,744	10,654
90.*a*	20.	Chronic rheumatic pericarditis	2	3
b	20.	Other pericarditis	13	7
91.*a*	20.	Acute bacterial endocarditis (*b*)	17	18
c	20.	Other acute endocarditis	5	4
92.*a*	20.	Aortic valvular disease (without mitral) ...	93	66
b	20.	Mitral and oth. spec. valvular dis. (including sequelæ of rheumatic fever)	308	526
c	20.	Valvular disease, endocarditis—unspecified ...	182	251
93.*a*	20.	Acute myocarditis	82	79
b	20.	Chronic rheumatic myocarditis	13	29
c.1	20.	Cardio-vascular degeneration	2,200	2,994
2	20.	Fatty degeneration of heart	17	35
3	20.	Chronic myocarditis, other myocardial degeneration	1,732	2,327

TABLE Y.—*continued*

International Detailed List			Males	Females
93.*d*	20.	Myocarditis, not specified as acute or chronic...	743	932
94.1	20.	Diseases of coronary arteries	4,711	2,602
2	20.	Angina pectoris		
95.*b*	20.	Rheumatic heart disease (undefined)	23	34
c	20.	Other diseases of heart (*a*)	603	747
96.	21.	Aneurysm (heart and aorta excepted)	9	8
97.	21.	Arteriosclerosis	537	561
98.	21.	Gangrene	121	81
99.	21.	Other diseases of arteries	74	71
100.	21.	Diseases of veins	34	55
101.	21.	Diseases of lymphatic system	3	1
102.	21.	High blood pressure (idiopathic)	202	221
103.	21.	Other diseases of circulatory system	3	1
VIII.		**DISEASES OF RESPIRATORY SYSTEM** ...	**3,439**	**2,657**
104.	24.	Diseases of nasal fossæ and annexa	5	5
105.	24.	Diseases of larynx	3	4
106.		Bronchitis— (Total)	1,609	1,030
1	22.	With heart disease secondary	721	500
2	22.	With chronic nephritis secondary	11	3
3	22.	Otherwise defined	877	527
107.	23.	Broncho-pneumonia	879	882
108.	23.	Lobar pneumonia	215	206
109.	23.	Pneumonia (unspecified)	155	131
110.	24.	Pleurisy	29	20
111.*a*	24.	Pulmonary embolism, thrombosis, infarct ...	58	58
c	24.	Congestion of lung (*b*)	90	92
112.	24.	Asthma	185	186
113.	24.	Pulmonary emphysema	52	15
114.*a*	24.	Occupational diseases of respiratory system (*b*)	109	1
e.1	24.	Chronic interstitial pneumonia (not occupational)	16	6
2	24.	Other diseases of respiratory system (*c*, *d*) ...	34	21
IX.		**DISEASES OF DIGESTIVE SYSTEM** ...	**1,298**	**1,046**
115.*a*	30.	Diseases of teeth and gums	2	4
b	30.	Septic sore throat	2	6
c	30.	Other diseases of pharynx and tonsils	7	2
d	30.	Other diseases of buccal cavity	3	7
116.	30.	Diseases of œsophagus	9	6
117.*a*	25.	Ulcer of stomach	223	83
b	25.	Ulcer of duodenum	266	51
118.	30.	Other diseases of stomach	53	43
119.	26.	Diarrhœa, enteritis (under 2 years of age) ...	141	91
120.*a*	26.	Diarrhœa, enteritis (over 2 years of age) ...	50	83
b	26.	Ulceration of intestines	17	39
121.	27.	Appendicitis	64	54
122.*a*	30.	Hernia	92	83
b	30.	Intestinal obstruction	81	76
123.	30.	Other diseases of intestines	43	61
124.	28.	Cirrhosis of liver	95	74
125.*a*	29.	Acute yellow atrophy of liver (not associated with pregnancy)	10	14
b	29.	Other diseases of liver	31	32
126.	29.	Biliary calculi	22	62
127.	29.	Other diseases of gall bladder and bile ducts ...	44	119
128.	30.	Diseases of pancreas	19	34
129.	30.	Peritonitis without stated cause	24	22

TABLE Y.—*continued*

		International Detailed List	Males	Females
		X. DISEASES OF URINARY AND GENITAL SYSTEMS	**1,129**	**694**
		(Not Venereal or connected with Pregnancy or the Puerperium)		
130.	31.	Acute nephritis	25	27
131.	31.	Chronic nephritis	375	418
132.	31.	Nephritis unspecified (over 10 years of age) ...	90	65
133.	32.	Other diseases of kidney and ureters	67	86
134.	32.	Calculi of urinary passages	31	30
135.	32.	Diseases of bladder	70	29
136.	32.	Diseases of urethra, urinary abscess	11	2
137.	32.	Diseases of prostate	458	—
138.	32.	Diseases of other male genital organs	2	—
139.*a*	32.	Diseases of ovaries, Fallopian tubes and parametria	—	13
b	32.	Diseases of uterus	—	9
c	32.	Diseases of breast	—	—
d	32.	Other diseases of female genital organs ...	—	15
		XI. DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE	—	**100**
140.	33.	Post-abortive sepsis	—	11
141.	34.	Abortion not specified as septic...	—	8
142.	34.	Ectopic gestation	—	2
143.*a*	34.	Placenta prævia (pregnancy)	—	—
b	34.	Accidental hæmorrhage of pregnancy	—	4
c	34.	Other and unspecified hæmorrhages of pregnancy	—	1
144.*a*	34.	Eclampsia of pregnancy	—	7
b	34.	Albuminuria and nephritis of pregnancy ...	—	2
c	34.	Acute yellow atrophy of liver with pregnancy	—	1
d.1	34.	Uncontrollable vomiting	—	—
2	34.	Other toxæmias of pregnancy	—	2
145.	34.	Other diseases and accidents of pregnancy ...	—	4
146.*a*	34.	Placenta prævia (with childbirth)	—	2
b	34.	Accidental hæmorrhage of childbirth	—	1
c	34.	Other hæmorrhages of childbirth	—	2
d	34.	Other hæmorrhages after childbirth	—	9
147.*b*	33.	Puerperal sepsis (*a*)	—	4
d	33.	Puerperal embolism and thrombo-phlebitis (*c*)	—	15
148.*a*	34.	Puerperal eclampsia	—	3
b	34.	Puerperal albuminuria and nephritis ...	—	—
c	34.	Acute yellow atrophy of liver (postpartum) ...	—	1
d	34.	Other puerperal toxæmias	—	—
149.	34.	Other accidents of childbirth	—	18
150.	34.	Other or unspecified conditions of childbirth and the puerperal state	—	3
		XII. DISEASES OF SKIN AND CELLULAR TISSUE	**36**	**41**
151.	35.	Carbuncle, boils	1	2
152.	35.	Cellulitis, acute abscess	12	8
153.	35.	Other diseases of skin and cellular tissue ...	23	31
		XIII. DISEASES OF BONES AND OF ORGANS OF MOVEMENT	**37**	**30**
154.	35.	Osteomyelitis and periostitis	5	7
155.	35.	Other diseases of bones	17	13
156.	35.	Diseases of joints and other organs of movement	15	10

TABLE Y.—*continued*

		International Detailed List	Males	Females
		XIV. CONGENITAL MALFORMATIONS	**337**	**275**
157.*a*	36.	Congenital hydrocephalus	37	32
b	36.	Spina bifida and meningocele	52	60
c	36.	Congenital malformation of heart	114	89
e	36.	Congenital pyloric stenosis	9	3
j	36.	Other or unspecified congenital malformations (*d, f, g, h, i*)	125	91
		XV. DISEASES PECULIAR TO THE FIRST YEAR OF LIFE	**887**	**635**
158.	36.	Congenital debility	58	39
159.	36.	Premature birth	419	324
160.	36.	Injury at birth	193	111
161.*a*	36.	Asphyxia at birth, atelectasis	105	91
b	36.	Maternal toxæmia	31	17
c	36.	Infections of newly born	5	4
d	36.	Melæna neonatorum	25	14
e.	36.	Other specified diseases	51	35
		XVI. SENILITY		
162.	37.	Senility, senile dementia	515	860
		XVII. DEATHS FROM VIOLENCE	**1,593**	**999**
164.	38.	Suicide (163)	177	99
168.	40.	Homicide (165-167)	11	10
		Accidental deaths—		
169.	40.	Railway accidents	66	3
170.	39.	Motor vehicle accidents	386	130
171.	39.	Other road transport accidents	38	11
172.1	40.	Water transport accidents—drowning ...	11	—
2	40.	,, ,, ,, otherwise ...	13	—
173.	40.	Air transport accidents	31	—
174.	40.	Accidents in mines and quarries	56	—
176.	40.	Accidents caused by machinery	25	—
177.	40.	Food poisoning	7	4
178.	40.	Accidental absorption of poisonous gas ...	90	80
179.	40.	Other acute accidental poisoning	27	28
180.	40.	Conflagration	5	7
181.	40.	Accidental burns (conflagration excepted) ...	37	71
182.	40.	Accidental mechanical suffocation	113	70
183.	40.	Drowning—accidental and unspecified (excluding water transport)	138	66
184.	40.	Accidental injury by firearms	26	3
186.	40.	Accidental fall, crushing, etc.	278	410
189.	40.	Hunger or thirst	—	—
190.	40.	Weather agencies (191, 192)	3	—
193.	40.	Electricity (lightning excepted)	6	1
195.*a*	40.	Vaccinia	1	1
d	40.	Other and unspecified accidents (175, 185, 187, 188, 194, 195, *b, c*)	35	5
		Other violent deaths—		
196.	40.	War operations—military	12	—
197.	40.	,, ,, —civilian	—	—
198.	40.	Execution	1	—
		XVIII. ILL-DEFINED CAUSES OF DEATH... ...	**477**	**312**
199.	41.	Sudden death	36	27
200.*a*.1	41.	Heart failure	312	203
2	41.	Other ill-defined causes	102	62
c	41.	Cause not specified (*b*)	27	20

Table Z.—Deaths in 1951 Classified according to the Fifth and Sixth Revisions (Abbreviated Lists) with Factor of Conversion to the Sixth Revision—Scotland

International Abbreviated List "B"		Males			Females			Both Sexes			1938 Revision Abbreviated List Nos.
		1948 Revision	1938 Revision	Factor of conversion to 1948 revision	1948 Revision	1938 Revision	Factor of conversion to 1948 Revision	1948 Revision	1938 Revision	Factor of conversion to 1948 Revision	
1	Tuberculosis of respiratory system	1,106	1,105	1·001	780	779	1·001	1,886	1,884	1·001	6
2	Tuberculosis, other forms	150	150	=	143	143	=	293	293	=	7
3	Syphilis and its sequelae	100	104	·962	49	55	·891	149	159	·937	9
4	Typhoid fever	1	1	=	—	—	—	1	1	=	(Part of) 1
6	Dysentery, all forms	9	—	—	6	—	—	15	—	—	(Part of) 14(2)
7	Scarlet fever and streptococcal sore throat	—	—	—	1	1	=	1	1	=	3
8	Diphtheria	3	3	=	2	2	=	5	5	=	5
9	Whooping-cough	50	50	=	48	48	=	98	98	=	4
10	Meningococcal infections	23	23	=	21	21	=	44	44	=	14(1)
12	Acute poliomyelitis	11	—	—	13	—	—	24	—	—	(Part of) 14(2)
14	Measles	8	8	=	17	17	=	25	25	=	12
17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)	83	145	·572*	96	148	·649*	179	293	·611*	(Remainder of) 1 (Remainder of) 14(2) (2, 8, 11, 13)
18	Malignant neoplasms	4,925	4,776	1·031	4,915	4,765	1·031	9,840	9,541	1·031	15
19	Benign and unspecified neoplasms	63	55	1·145	106	103	1·029	169	158	1·070	16
20	Diabetes mellitus	169	169	=	390	395	·987	559	564	·991	18
21	Anæmias	116	334	1·132	229	589	·986	345	923	1·039	(Part of) 20(2)
46.1	Other general diseases	262			352			614			(Remainder of) 20(2) (17, 19)
22	Vascular lesions affecting central nervous system ...	3,863	3,776	1·023	5,259	5,232	1·005	9,122	9,008	1·013	22
23	Non-meningococcal meningitis	31	84	·369†	28	67	·418†	59	151	·391†	21
46.2	Other diseases of nervous system	531	404	1·314	636	441	1·442	1,167	845	1·381	23
24	Rheumatic fever	21	18	1·167	28	25	1·120	49	43	1·140	20(1)
25	Chronic rheumatic heart disease	332			568			900			
26	Arteriosclerotic and degenerative heart disease ...	9,478			8,969			18,447			
27	Other diseases of heart	609	10,744	1·004	715	10,654	1·006	1,324	21,398	1·005	24
28	Hypertension with heart disease	368			463			831			
29	Hypertension without heart disease	322			326			648			(Part of) 25
46.3	Other circulatory disease	618	983	·956	601	999	·928	1,219	1,982	·942	(Remainder of) 25
30	Influenza	431	436	·989	527	529	·996	958	965	·993	10
31	Pneumonia	1,148	1,249	·998‡	1,149	1,219	·998‡	2,297	2,468	·998‡	(Part of) 27
32	Bronchitis	1,513	1,609	·940	975	1,030	·947	2,488	2,639	·943	26

46.4	Other respiratory diseases	430	581	·740		227	408	·556		657	989	·664		28
33	Ulcer of stomach and duodenum	486	489	·994		133	134	·993		619	623	·994		32(1)
34	Appendicitis	64	64	=		54	54	=		118	118	=		30
35	Intestinal obstruction and hernia...	203	—	—		191	—	—		394	—	—		(Part of) 32(2)
36.1	Gastritis and duodenitis	13	—	—		21	—	—		34	—	—		(Part of) 29 and 32(2)
36.2	Diarrhœa (except newborn)	207	208	1·101‡		231	213	1·141‡		438	421	1·121‡		(Part of) 29
37	Cirrhosis of liver	95	95	=		74	74	=		169	169	=		31(1)
46.5	Other diseases of liver	92	107	·860		210	227	·925		302	334	·904		31(2)
46.6	Other digestive diseases	107	335	·964§		118	344	·959§		225	679	·962§		(Remainder of) 32(2)
38	Nephritis and nephrosis	298	490	·608		352	510	·690		650	1,000	·650		33
39	Hyperplasia of prostate	425	—	—		—	—	—		425	—	—		(Part of) 34
46.7	Other diseases of genito-urinary system	193	639	·967		183	184	·995		376	823	·973		(Remainder of) 34
40.0	Puerperal and post-abortive sepsis	—	—	—		28	30	·933		28	30	·933		35
40.1	Other puerperal causes	—	—	—		71	70	1·014		71	70	1·014		36
46.8	Diseases of skin and organs of locomotion	89	73	1·219		157	71	2·211		246	144	1·708		37
41	Congenital malformations	332	—	—		270	—	—		602	—	—		(Part of) 38
42	Birth injuries, post-natal asphyxia and atelectasis ...	377	—	—		251	—	—		628	—	—		(Part of) 38
43.1	Pneumonia of newborn	98	—	—		68	—	—		166	—	—		(Remainder of) 27
43.2	Diarrhœa of newborn	22	—	—		12	—	—		34	—	—		(Remainder of) 29
43.3	Other infections of newborn	5	—	—		4	—	—		9	—	—		(Part of) 38
44	Other diseases of early infancy	505	1,224	·993¶		379	910	·993¶		884	2,134	·995¶		(Remainder of) 38
45.0	Senility	488	515	·948		804	860	·935		1,292	1,375	·940		39
45.1	Cause ill-defined and unknown	656	477	1·375		415	312	1·330		1,071	789	1·357		44
E49	Suicide	177	177	=		99	99	=		276	276	=		40
E47	Motor vehicle accidents	386	—	—		130	—	—		516	—	—		(Part of) 42
E48.0	Other road transport accidents	38	424	=		11	141	=		49	565	=		(Remainder of) 42
E48.1	Other violence (BE 50)	986	992	·994		757	759	·997		1,743	1,751	·995		43(41)
	ALL CAUSES	33,116	33,116	—		32,662	32,662	—		65,778	65,778	—		—

* If dysentery and acute poliomyelitis are excluded the factor for males is ·664, for females ·744 and for both sexes ·705
1938 Revision Abbreviated List includes diseases of spinal cord
‡ Including newborn
§ This includes 2 males and 4 females from duodenitis which were allocated to diarrhœa in Fifth Revision
¶ Excluding pneumonia and diarrhœa of newborn

TABLE 1.—Population of Scotland, estimated in the middle of each year, with the Numbers of Births, Still-births, Deaths and Marriages registered in each year, 1855-1951

Year	Estimated Mid-Year Population	Live-Births						Still-births	Marriages	Deaths			
		Total	Males	Fem.	Illegit.	Twin Births	Triplet Births	Total		Total	Males	Fem.	Under 1 Year
1855	2,978,065	93,349	47,804	45,545	7,357	—	—	—	19,680	62,004	30,626	31,378	11,691
1856	2,995,771	101,821	52,239	49,582	8,695	1,267	12	—	20,740	58,529	29,418	29,111	12,058
1857	3,012,310	103,415	53,158	50,257	8,859	1,300	*16	—	21,369	61,906	30,937	30,969	12,191
1858	3,027,665	104,018	53,694	50,324	9,354	1,262	17	—	19,655	63,539	31,652	31,887	12,622
1859	3,041,812	106,543	54,628	51,915	9,715	1,335	11	—	21,201	61,714	30,588	31,126	11,523
1860	3,054,738	105,629	54,409	51,220	9,736	1,247	23	—	21,225	68,170	33,610	34,560	13,413
1855-60	*3,018,000*	*102,462*	*52,655*	*49,807*	*8,953*	*1,282*	**16*	—	*20,645*	*62,644*	*31,139*	*31,505*	*12,250*
1861	3,069,403	107,009	54,606	52,403	9,929	1,249	18	—	20,896	62,341	30,890	31,451	11,869
1862	3,098,008	107,069	55,257	51,812	10,376	1,279	18	—	20,597	67,195	33,179	34,016	12,556
1863	3,126,879	109,341	56,226	53,115	10,948	1,267	6	—	22,234	71,481	35,631	35,850	13,125
1864	3,156,023	112,333	57,374	54,959	11,197	1,332	12	—	22,725	74,416	37,010	37,406	14,180
1865	3,185,439	113,070	58,220	54,850	11,262	1,364	9	—	23,611	70,891	35,190	35,701	14,099
1861-65	*3,127,000*	*109,764*	*56,336*	*53,428*	*10,742*	*1,298*	*13*	—	*22,013*	*69,265*	*34,380*	*34,885*	*13,166*
1866	3,215,130	113,667	58,360	55,307	11,673	1,366	12	—	23,688	71,348	35,355	35,993	13,915
1867	3,245,101	114,044	58,517	55,527	11,148	1,365	*13	—	22,618	69,068	34,363	34,705	13,521
1868	3,275,353	115,514	59,222	56,292	11,354	1,443	15	—	21,855	69,416	34,662	34,754	13,600
1869	3,305,889	113,354	58,321	55,033	11,066	1,407	15	—	22,144	75,875	37,868	38,007	14,654
1870	3,336,712	115,390	58,959	56,431	11,108	1,384	9	—	23,854	74,165	36,866	37,299	14,166
1866-70	*3,276,000*	*114,394*	*58,676*	*55,718*	*11,270*	*1,393*	**13*	—	*22,832*	*71,974*	*35,823*	*36,151*	*13,971*
1871	3,368,926	116,128	60,029	56,099	11,077	1,299	17	—	24,019	74,712	36,827	37,885	15,134
1872	3,404,799	118,765	61,293	57,472	10,927	1,383	11	—	25,641	75,794	37,939	37,855	14,720
1873	3,441,057	119,700	61,467	58,233	10,925	1,410	15	—	26,748	76,946	39,037	37,909	14,950
1874	3,477,704	123,711	63,602	60,109	10,991	1,512	13	—	26,390	80,720	40,678	40,042	15,447
1875	3,514,744	123,578	63,432	60,146	10,786	1,477	9	—	25,974	81,767	40,323	41,444	16,320
1871-75	*3,441,000*	*120,376*	*61,964*	*58,412*	*10,941*	*1,416*	*13*	—	*25,754*	*77,988*	*38,961*	*39,027*	*15,314*
1876	3,552,182	126,534	64,819	61,715	11,029	1,463	20	—	26,579	74,129	37,404	36,725	15,340
1877	3,590,021	126,822	65,089	61,733	10,568	1,429	12	—	25,817	73,937	37,173	36,764	14,571
1878	3,628,268	126,773	65,200	61,573	10,641	1,367	12	—	24,358	76,793	38,389	38,404	15,599
1879	3,666,923	125,730	64,346	61,384	10,727	1,452	20	—	23,519	73,347	36,296	37,051	13,571
1880	3,705,994	124,570	63,786	60,784	10,589	1,438	8	—	24,505	75,803	38,055	37,748	15,523
1876-80	*3,629,000*	*126,086*	*64,648*	*61,438*	*10,711*	*1,430*	*14*	—	*24,956*	*74,801*	*37,463*	*37,338*	*14,921*
1881	3,742,564	126,171	64,720	61,451	10,484	1,418	13	—	26,004	72,325	36,097	36,228	14,198
1882	3,770,656	126,158	64,505	61,653	10,546	1,415	7	—	26,596	72,989	36,325	36,664	14,883
1883	3,798,961	124,458	63,879	60,579	10,114	1,370	18	—	26,869	76,891	38,296	38,595	14,812
1884	3,827,476	129,157	66,379	62,778	10,439	1,457	19	—	26,106	75,168	37,556	37,612	15,228
1885	3,856,207	126,100	64,543	61,557	10,680	1,423	14	—	25,304	74,607	36,932	37,675	15,200
1881-85	*3,799,000*	*126,409*	*64,805*	*61,604*	*10,453*	*1,417*	*14*	—	*26,176*	*74,396*	*37,041*	*37,355*	*14,864*
1886	3,885,154	127,890	65,910	61,980	10,506	1,331	10	—	24,515	73,640	36,432	37,208	14,797
1887	3,914,318	124,418	63,842	60,576	10,380	1,335	18	—	24,876	74,546	36,805	37,741	15,202
1888	3,943,701	123,269	63,129	60,140	9,968	1,380	12	—	25,305	71,174	34,953	36,221	13,945
1889	3,973,304	122,783	63,303	59,480	9,770	1,423	10	—	26,344	73,238	36,328	36,910	14,895
1890	4,003,131	121,526	62,187	59,339	9,241	1,421	13	—	27,469	79,004	39,130	39,874	15,877
1886-90	*3,944,000*	*123,977*	*63,674*	*60,303*	*9,973*	*1,378*	*13*	—	*25,702*	*74,320*	*36,729*	*37,591*	*14,943*
1891	4,036,245	125,986	64,769	61,217	9,647	1,372	14	—	27,969	83,573	41,122	42,451	16,110
1892	4,078,910	125,043	64,356	60,687	9,248	1,468	17	—	28,670	75,545	37,463	38,082	14,693
1893	4,122,029	127,110	65,010	62,100	9,467	1,469	10	—	27,145	79,670	39,585	40,085	17,286
1894	4,165,606	124,367	63,857	60,510	9,064	1,450	13	—	27,604	71,113	35,153	35,960	14,516
1895	4,209,645	126,494	64,799	61,695	9,204	1,342	12	—	28,422	81,852	40,663	41,189	16,874
1891-95	*4,122,000*	*125,800*	*64,558*	*61,242*	*9,326*	*1,420*	*13*	—	*27,962*	*78,350*	*38,797*	*39,553*	*15,896*
1896	4,254,153	129,172	66,214	62,958	9,393	1,493	21	—	30,270	70,677	35,321	35,356	14,924
1897	4,299,132	128,877	65,817	63,060	9,068	1,375	15	—	31,050	79,144	39,506	39,638	17,773
1898	4,344,589	130,861	66,814	64,047	8,870	1,450	14	—	32,112	78,397	39,344	39,053	17,566
1899	4,390,530	130,733	66,778	63,955	8,486	1,463	15	—	32,978	79,593	39,903	39,690	17,132
1900	4,436,958	131,401	67,147	64,254	8,534	1,544	15	—	32,444	82,296	41,276	41,020	16,888
1896-1900	*4,345,000*	*130,209*	*66,554*	*63,655*	*8,870*	*1,465*	*16*	—	*31,771*	*78,021*	*39,070*	*38,951*	*16,857*

* Including one case of quadruplets

TABLE 1—*continued*

Year	Estimated Mid-Year Population	Live-Births						Still-births	Marriages	Deaths			
		Total	Males	Fem.	Illegit.	Twin Births	Triplet Births	Total		Total	Males	Fem.	Under 1 Year
1901	4,479,104	132,192	67,753	64,439	8,359	1,547	13	—	31,387	80,107	40,213	39,894	17,104
1902	4,507,220	132,267	67,442	64,825	8,300	1,620	25	—	31,913	77,941	39,183	38,758	15,004
1903	4,535,513	133,525	68,087	65,438	8,295	1,604	*13	—	32,351	76,002	38,136	37,866	15,693
1904	4,563,985	132,603	67,794	64,809	9,010	1,603	18	—	32,271	77,981	38,851	39,130	16,329
1905	4,592,636	131,410	66,750	64,660	9,082	1,619	17	—	31,270	74,536	37,196	37,340	15,275
1901-05	*4,536,000*	*132,399*	*67,565*	*64,834*	*8,609*	*1,599*	**17*	—	*31,838*	*77,313*	*38,716*	*38,597*	*15,881*
1906	4,621,466	132,005	67,461	64,544	9,306	1,524	21	—	33,142	75,635	37,731	37,904	15,174
1907	4,650,478	128,840	65,901	62,939	8,791	1,676	*14	—	33,298	77,296	38,240	39,056	14,140
1908	4,679,671	131,362	66,826	64,536	9,111	1,675	15	—	31,606	77,838	38,864	38,974	15,900
1909	4,709,048	128,669	65,725	62,944	9,370	1,627	12	—	30,108	74,632	37,094	37,538	13,856
1910	4,738,611	124,059	63,144	60,915	9,049	1,541	8	—	30,902	72,268	36,049	36,219	13,436
1906-10	*4,680,000*	*128,987*	*65,811*	*63,176*	*9,125*	*1,609*	**14*	—	*31,811*	*75,534*	*37,596*	*37,938*	*14,501*
1911	4,751,132	121,850	62,274	59,576	9,200	1,552	11	—	31,844	71,732	35,823	35,909	13,707
1912	4,741,077	122,790	62,931	59,859	8,989	1,524	13	—	32,506	72,340	36,072	36,268	12,949
1913	4,728,132	120,516	61,464	59,052	8,548	1,527	21	—	33,676	73,069	36,504	36,565	13,214
1914	4,747,167	123,934	62,974	60,960	8,879	1,634	16	—	35,028	73,557	36,757	36,800	13,710
1915	4,770,798	114,181	58,392	55,789	7,875	1,451	15	—	36,233	81,631	41,110	40,521	14,441
1911-15	*4,748,000*	*120,654*	*61,607*	*59,047*	*8,698*	*1,538*	*15*	—	*33,857*	*74,466*	*37,253*	*37,213*	*13,604*
1916	4,794,708	109,942	56,471	53,471	7,797	1,419	6	—	31,419	70,640	35,649	34,991	10,674
1917	4,810,338	97,441	50,011	47,430	7,295	1,274	7	—	30,421	69,483	35,361	34,122	10,473
1918	4,812,274	98,554	50,373	48,181	7,854	1,357	10	—	34,529	78,372	39,144	39,228	9,836
1919	4,820,077	106,268	54,771	51,497	8,424	1,584	*14	—	44,060	75,149	37,500	37,649	10,795
1920	4,864,396	136,546	69,719	66,827	10,204	1,822	15	—	46,754	68,179	34,619	33,560	12,565
1916-20	*4,820,000*	*109,750*	*56,269*	*53,481*	*8,315*	*1,491*	**10*	—	*37,437*	*72,365*	*36,455*	*35,910*	*10,869*
1921	4,882,497	123,201	63,075	60,126	8,757	1,596	8	—	39,243	66,210	33,085	33,125	11,130
1922	4,898,000	115,085	58,826	56,259	7,881	1,498	11	—	34,375	72,905	36,244	36,661	11,664
1923	4,888,100	111,902	57,332	54,570	7,477	1,491	9	—	35,200	63,283	31,682	31,601	8,825
1924	4,862,200	106,900	54,919	51,981	7,086	1,400	13	—	32,328	70,357	35,168	35,189	10,446
1925	4,867,100	104,137	53,426	50,711	6,831	1,309	7	—	32,456	65,507	33,036	32,471	9,430
1921-25	*4,879,600*	*112,245*	*57,516*	*54,729*	*7,606*	*1,459*	*10*	—	*34,720*	*67,652*	*33,843*	*33,809*	*10,299*
1926	4,864,300	102,449	52,362	50,087	7,046	1,279	*12	—	31,244	63,780	32,021	31,759	8,514
1927	4,853,100	96,672	49,314	47,358	6,978	1,237	9	—	32,553	65,830	33,097	32,733	8,576
1928	4,847,900	96,822	49,584	47,238	7,158	1,201	15	—	32,948	65,271	32,577	32,694	8,299
1929	4,832,200	92,880	47,769	45,111	7,165	1,157	12	—	32,967	70,917	35,386	35,531	8,061
1930	4,828,000	94,549	48,069	46,480	6,950	1,265	9	—	33,315	64,285	32,448	31,837	7,852
1926-30	*4,845,100*	*96,674*	*49,419*	*47,255*	*7,059*	*1,228*	*11*	—	*32,605*	*66,017*	*33,106*	*32,911*	*8,260*
1931	4,842,980	92,220	46,972	45,248	6,661	1,117	15	—	32,652	64,229	32,238	31,991	7,544
1932	4,883,100	91,000	46,579	44,421	6,456	1,106	17	—	33,157	66,045	32,743	33,302	7,840
1933	4,912,400	86,546	44,767	41,779	5,964	1,067	10	—	34,201	64,848	32,593	32,255	7,019
1934	4,934,300	88,836	45,414	43,422	6,119	1,034	15	—	36,934	63,741	32,093	31,648	6,901
1935	4,952,500	87,928	44,965	42,963	5,777	1,058	5	—	37,988	65,331	32,822	32,509	6,754
1931-35	*4,905,000*	*89,306*	*45,739*	*43,567*	*6,195*	*1,076*	*12*	—	*34,986*	*64,839*	*32,498*	*32,341*	*7,212*
1936	4,966,300	88,928	45,323	43,605	5,744	1,047	7	—	37,896	66,749	33,873	32,876	7,315
1937	4,976,600	87,810	45,035	42,775	5,404	1,035	10	—	38,334	68,942	34,964	33,978	7,050
1938	4,993,100	88,627	45,447	43,180	5,449	1,058	3	—	38,716	62,953	31,806	31,147	6,163
1939	5,006,700	86,913	44,687	42,226	5,244	1,080	13	3,832	46,236	64,413	33,002	31,411	5,955
1940†	4,841,200	86,392	44,234	42,158	5,144	1,051	4	3,799	53,522	72,775	37,649	35,126	6,766
1936-40	—	*87,734*	*44,945*	*42,789*	*5,397*	*1,054*	*7*	—	*42,941*	*67,166*	*34,259*	*32,907*	*6,650*
1941†	4,819,400	89,748	46,104	43,644	5,948	1,061	14	3,698	47,620	72,558	37,690	34,868	7,426
1942†	4,751,000	90,703	46,405	44,298	6,516	1,044	7	3,602	47,402	64,963	33,813	31,150	6,283
1943†	4,661,600	94,669	48,473	46,196	7,219	1,153	10	3,494	38,177	66,733	34,326	32,407	6,174
1944†	4,653,600	95,920	49,519	46,401	7,612	1,190	*12	3,221	37,017	64,603	33,323	31,280	6,237
1945†	4,673,900	86,924	44,774	42,150	7,526	1,098	10	2,949	48,642	62,655	32,001	30,654	4,889
1941-45	*4,711,900*	*91,593*	*47,055*	*44,538*	*6,964*	*1,109*	*11*	*3,393*	*43,772*	*66,302*	*34,230*	*32,072*	*6,202*
1946†	4,900,800	104,413	53,857	50,556	6,948	1,319	15	3,483	45,785	64,605	32,717	31,888	5,621
1947	5,138,700	113,147	58,010	55,137	6,311	1,397	14	3,563	44,360	66,200	33,801	32,399	6,309
1948	5,169,200	100,344	51,858	48,486	5,776	1,218	9	2,966	43,718	60,979	30,844	30,135	4,486
1949	5,175,000	95,674	49,183	46,491	5,223	1,235	16	2,666	41,708	63,488	31,851	31,637	3,961
1950	5,174,500	92,530	47,822	44,708	4,837	1,215	14	2,557	40,459	63,996	32,191	31,805	3,569
1946-50	—	*101,222*	*52,146*	*49,076*	*5,819*	*1,277*	*14*	*3,047*	*43,206*	*63,854*	*32,281*	*31,573*	*4,789*
1951	5,113,900	90,639	46,699	43,940	4,592	1,181	15	2,479	41,383	65,778	33,116	32,662	3,391

* Including one case of quadruplets

† Mean civilian population for year

TABLE 2.—Birth-, Still-birth-, Death-, and Marriage-rates in Scotland, 1855-1951

Year	Rates per 1,000 of Population						Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births	Deaths of Children under one year per 1,000 Live Births	Still-births per 1,000 Births (including Still-births)
	Birth-rate (Living Children)	Mar-riage-rate	Death-rate			Natural Increase (excess of Births over Deaths)					
			Total	Males	Fem.						
1855	31·346	6·608	20·820	21·62	20·03	10·53	7·88	1049	—	125·2	—
1856	33·988	6·923	19·537	20·65	18·50	14·45	8·54	1053	1·27	118·4	—
1857	34·331	7·094	20·551	21·61	19·58	13·78	8·58	1057	1·29	117·9	—
1858	34·356	6·492	20·986	22·02	20·05	13·37	8·99	1066	1·25	121·3	—
1859	35·026	6·969	20·288	21·20	19·40	14·74	9·12	1052	1·28	108·2	—
1860	35·578	6·948	22·316	23·21	21·50	13·26	9·22	1062	1·22	127·0	—
1855-60	*34·104*	*6·839*	*20·750*	*21·72*	*19·84*	*13·36*	*8·74*	*1057*	*1·26*	*119·6*	—
1861	34·863	6·808	20·310	21·25	19·46	14·55	9·28	1042	1·20	110·9	—
1862	34·561	6·648	21·690	22·60	20·87	12·87	9·69	1066	1·23	117·3	—
1863	34·968	7·160	22·860	24·02	21·81	12·11	10·01	1058	1·18	120·0	—
1864	35·594	7·200	23·579	24·70	22·56	12·02	9·97	1044	1·21	126·2	—
1865	35·496	7·412	22·255	23·25	21·35	13·24	9·96	1061	1·23	124·7	—
1861-65	*35·096*	*7·046*	*22·139*	*23·16*	*21·21*	*12·96*	*9·79*	*1054*	*1·21*	*119·9*	—
1866	35·354	7·367	22·191	23·13	21·34	13·16	10·27	1055	1·23	122·4	—
1867	35·063	6·970	21·284	22·26	20·40	13·78	9·78	1054	1·22	118·6	—
1868	35·267	6·673	21·193	22·22	20·25	14·07	9·83	1052	1·28	117·7	—
1869	34·288	6·698	22·951	24·04	21·96	11·34	9·76	1059	1·27	129·3	—
1870	34·582	7·149	22·227	23·17	21·37	12·36	9·63	1044	1·22	122·8	—
1866-70	*34·911*	*6·971*	*21·969*	*22·96*	*21·06*	*12·94*	*9·85*	*1053*	*1·24*	*122·1*	—
1871	34·470	7·130	22·177	22·90	21·51	12·29	9·54	1070	1·15	130·3	—
1872	34·882	7·531	22·261	23·33	21·00	12·62	9·20	1066	1·19	123·9	—
1873	34·786	7·773	22·361	23·72	21·11	12·43	9·13	1055	1·20	124·9	—
1874	35·573	7·588	23·211	24·44	22·08	12·36	8·88	1058	1·25	124·9	—
1875	35·160	7·390	23·264	23·94	22·63	11·90	8·73	1055	1·22	132·1	—
1871-75	*34·974*	*7·482*	*22·655*	*23·67*	*21·67*	*12·32*	*9·09*	*1061*	*1·20*	*127·2*	—
1876	35·621	7·482	20·869	21·96	19·86	14·75	8·72	1050	1·19	121·2	—
1877	35·326	7·191	20·595	21·57	19·69	14·73	8·33	1054	1·15	114·9	—
1878	34·940	6·713	21·165	22·02	20·37	12·78	8·39	1059	1·10	123·0	—
1879	34·288	6·414	20·002	20·58	19·47	14·29	8·53	1048	1·18	107·9	—
1880	33·613	6·612	20·454	21·33	19·64	13·16	8·50	1049	1·17	124·6	—
1876-80	*34·758*	*6·882*	*20·617*	*21·49*	*19·81*	*13·94*	*8·49*	*1052*	*1·16*	*118·3*	—
1881	33·712	6·948	19·325	20·02	18·68	14·39	8·31	1053	1·15	112·5	—
1882	33·458	7·053	19·357	19·98	18·77	14·10	8·36	1046	1·14	118·0	—
1883	32·761	7·073	20·240	20·90	19·61	12·52	8·13	1054	1·13	119·0	—
1884	33·745	6·821	19·639	20·32	18·97	14·11	8·08	1057	1·16	117·9	—
1885	32·700	6·562	19·347	19·83	18·87	13·35	8·47	1049	1·15	120·5	—
1881-85	*33·275*	*6·891*	*19·582*	*20·21*	*18·98*	*13·69*	*8·27*	*1052*	*1·15*	*117·6*	—
1886	32·918	6·310	18·954	19·40	18·50	13·96	8·21	1063	1·06	115·7	—
1887	31·785	6·355	19·044	19·44	18·63	12·74	8·34	1054	1·10	122·2	—
1888	31·257	6·417	18·048	18·32	17·75	13·21	8·09	1050	1·14	113·1	—
1889	30·902	6·630	18·433	18·88	17·96	12·47	7·96	1064	1·18	121·3	—
1890	30·358	6·862	19·736	20·26	19·25	10·62	7·60	1048	1·19	130·6	—
1886-90	*31·444*	*6·515*	*18·843*	*19·26*	*18·42*	*12·60*	*8·04*	*1056*	*1·13*	*120·5*	—
1891	31·214	6·929	20·706	21·11	20·33	10·51	7·66	1058	1·11	127·9	—
1892	30·656	7·029	18·521	19·01	18·06	12·14	7·40	1060	1·20	117·5	—
1893	30·837	6·585	19·328	19·87	18·82	11·51	7·45	1047	1·18	136·0	—
1894	29·856	6·627	17·071	17·45	16·72	12·79	7·29	1055	1·19	116·7	—
1895	30·049	6·752	19·444	19·95	18·96	10·61	7·28	1050	1·08	133·4	—
1891-95	*30·522*	*6·784*	*19·014*	*19·48*	*18·58*	*11·51*	*7·41*	*1054*	*1·15*	*126·4*	—
1896	30·364	7·115	16·614	17·14	16·12	13·75	7·27	1052	1·19	115·5	—
1897	29·977	7·222	18·409	18·96	17·89	11·57	7·04	1044	1·09	137·9	—
1898	30·120	7·391	18·045	18·67	17·46	12·08	6·78	1043	1·13	134·2	—
1899	29·776	7·511	18·128	18·72	17·57	11·65	6·49	1044	1·14	131·0	—
1900	29·615	7·312	18·548	19·15	17·98	11·07	6·49	1045	1·20	128·5	—
1896-1900	*29·970*	*7·310*	*17·949*	*18·53*	*17·40*	*12·02*	*6·81*	*1046*	*1·15*	*129·5*	—
1901	29·513	7·007	17·885	18·47	17·33	11·63	6·32	1051	1·19	129·4	—
1902	29·346	7·080	17·292	17·89	16·73	12·05	6·28	1040	1·26	113·4	—
1903	29·440	7·133	16·757	17·31	16·24	12·68	6·21	1040	1·23	117·5	—
1904	29·054	7·071	17·086	17·53	16·67	11·97	6·79	1046	1·24	123·1	—
1905	28·613	6·809	16·229	16·68	15·81	12·38	6·91	1032	1·26	116·2	—
1901-05	*29·193*	*7·020*	*17·050*	*17·58*	*16·56*	*12·14*	*6·50*	*1042*	*1·24*	*119·9*	—

TABLE 2—*continued*

Year	Rates per 1,000 of Population						Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births	Deaths of Children under one year per 1,000 Live Births	Still-births per 1,000 Births (including Still-births)
	Birth-rate (Living Children)	Mar-riage-rate	Death-rate			Natural Increase (excess of Births over Deaths)					
			Total	Males	Fem.						
1906	28·563	7·171	16·366	16·82	15·94	12·20	7·05	1045	1·18	115·0	—
1907	27·705	7·160	16·621	16·94	16·32	11·08	6·82	1047	1·33	109·7	—
1908	28·071	6·754	16·633	17·11	16·18	11·44	6·94	1035	1·30	121·0	—
1909	27·324	6·394	15·849	16·24	15·48	11·48	7·28	1044	1·29	107·7	—
1910	26·180	6·521	15·251	15·68	14·84	10·93	7·29	1037	1·26	108·3	—
1906-10	*27·569*	*6·800*	*16·144*	*16·56*	*15·75*	*11·43*	*7·07*	*1042*	*1·27*	*112·4*	—
1911	25·647	6·702	15·098	15·55	14·67	10·55	7·55	1045	1·30	112·5	—
1912	25·899	6·856	15·258	15·68	14·86	10·64	7·32	1051	1·27	105·5	—
1913	25·489	7·122	15·454	15·90	15·04	10·04	7·09	1041	1·30	109·6	—
1914	26·107	7·379	15·495	15·93	15·08	10·61	7·16	1033	1·35	110·6	—
1915	23·933	7·595	17·111	17·77	16·49	6·82	6·90	1047	1·30	126·5	—
1911-15	*25·415*	*7·131*	*15·683*	*16·17*	*15·23*	*9·73*	*7·21*	*1043*	*1·30*	*112·8*	—
1916	22·930	6·553	14·733	15·37	14·13	8·20	7·09	1056	1·31	97·1	—
1917	20·257	6·324	14·445	15·24	13·71	5·81	7·49	1054	1·33	107·5	—
1918	20·480	7·175	16·286	16·96	15·67	4·19	7·97	1045	1·41	99·8	—
1919	22·047	9·141	15·591	16·20	15·02	6·46	7·93	1064	1·53	101·6	—
1920	28·070	9·611	14·016	14·81	13·28	14·05	7·47	1043	1·36	92·0	—
1916-20	*22·757*	*7·761*	*15·014*	*15·72*	*14·36*	*7·74*	*7·58*	*1052*	*1·39*	*99·0*	—
1921	25·233	8·037	13·561	14·09	13·07	11·67	7·11	1049	1·32	90·3	—
1922	23·496	7·018	14·885	15·37	14·43	8·61	6·85	1046	1·33	101·4	—
1923	22·892	7·201	12·946	13·47	12·46	9·95	6·68	1051	1·36	78·9	—
1924	21·986	6·649	14·470	15·10	13·89	7·52	6·63	1057	1·34	97·7	—
1925	21·396	6·668	13·459	14·15	12·82	7·94	6·56	1054	1·28	90·6	—
1921-25	*23·001*	*7·114*	*13·864*	*14·44*	*13·34*	*9·14*	*6·78*	*1051*	*1·33*	*91·8*	—
1926	21·061	6·423	13·112	13·73	12·55	7·95	6·88	1045	1·28	83·1	—
1927	19·919	6·707	13·564	14·22	12·96	6·35	7·22	1041	1·31	88·7	—
1928	19·971	6·796	13·463	14·01	12·96	6·51	7·39	1050	1·28	85·7	—
1929	19·220	6·822	14·675	15·27	14·12	4·54	7·71	1059	1·27	86·8	—
1930	19·583	6·900	13·314	14·01	12·67	6·27	7·35	1034	1·37	83·0	—
1926-30	*19·951*	*6·730*	*13·626*	*14·25*	*13·05*	*6·32*	*7·30*	*1046*	*1·30*	*85·4*	—
1931	19·042	6·742	13·262	13·86	12·71	5·78	7·22	1038	1·24	81·8	—
1932	18·636	6·790	13·525	13·94	13·14	5·11	7·09	1049	1·25	86·2	—
1933	17·618	6·962	13·201	13·79	12·66	4·42	6·89	1072	1·26	81·1	—
1934	18·004	7·485	12·918	13·51	12·37	5·09	6·89	1046	1·20	77·7	—
1935	17·754	7·670	13·191	13·76	12·66	4·56	6·57	1047	1·23	76·8	—
1931-35	*18·207*	*7·133*	*13·219*	*13·77*	*12·71*	*4·99*	*6·94*	*1050*	*1·23*	*80·8*	—
1936	17·906	7·631	13·440	14·16	12·77	4·47	6·46	1039	1·20	82·3	—
1937	17·645	7·703	13·853	14·59	13·17	3·79	6·15	1053	1·20	80·3	—
1938	17·749	7·754	12·608	13·22	12·04	5·14	6·15	1053	1·21	69·5	—
1939	17·359	9·235	12·865	13·68	12·11	4·49	6·03	1058	1·27	68·5	42·2
1940*	17·124	10·609	14·863	16·59	13·40	2·26	5·95	1049	1·24	78·3	42·1
1936-40	*17·557*	*8·586*	*13·526*	*14·45*	*12·70*	*4·03*	*6·15*	*1050*	*1·22*	*75·8*	—
1941*	17·501	9·284	14·741	16·75	13·11	2·76	6·63	1056	1·21	82·7	39·6
1942*	17·632	9·215	13·343	15·24	11·81	4·29	7·18	1048	1·17	69·3	38·2
1943*	18·355	7·402	13·977	15·93	12·43	4·38	7·63	1049	1·24	65·2	35·6
1944*	18·485	7·134	13·574	15·65	11·95	4·91	7·94	1067	1·27	65·0	32·5
1945*	16·855	9·432	13·200	15·11	11·70	3·65	8·66	1062	1·29	56·2	32·8
1941-45	*17·766*	*8·493*	*13·767*	*15·14*	*12·20*	*4·00*	*7·61*	*1056*	*1·24*	*67·7*	*35·7*
1946*	20·334	8·917	13·074	14·14	12·15	7·26	6·65	1065	1·29	53·8	32·3
1947	22·019	8·633	12·883	13·62	12·20	9·14	5·58	1052	1·26	55·8	30·5
1948	19·412	8·457	11·797	12·33	11·30	7·62	5·76	1070	1·24	44·7	28·7
1949	18·488	8·059	12·268	12·71	11·86	6·22	5·46	1058	1·33	41·4	27·1
1950	17·882	7·819	12·368	12·86	11·91	5·51	5·23	1070	1·35	38·6	26·9
1946-50	*19·622*	*8·376*	*12·378*	*12·94*	*11·85*	*7·24*	*5·75*	*1063*	*1·29*	*47·3*	*29·2*
1951	17·724	8·092	12·862	13·55	12·24	4·86	5·07	1063	1·34	37·4	26·6

* Death-rates from 1940 to 1946 are based on civilian population and civilian deaths

TABLE 3.—Births, Still-births, Deaths and Marriages in Scotland, 1941-1951

	Numbers							Rates						
	Live Births		Still-births	Marriages	Deaths			Per 1,000 of Estimated Population			Illegit. Births per 100 Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality-rate per 1,000 Live Births	Still-births per 1,000 Total Births incl.
	Total	Illegitimate			All Ages	Under One Year	Under Four Weeks	Births (living children)	Marriages	Deaths				
1st Quarter, 1941	22,255	1,374	1,039	10,732	23,332	2,435	—	17·6	8·5	19·3	6·2	109	—	45
2nd ,, ,,	23,425	1,477	961	12,358	18,999	1,965	—	18·3	9·7	15·5	6·3	84	—	39
3rd ,, ,,	22,657	1,632	869	13,052	14,464	1,424	—	17·5	10·1	11·6	7·2	63	—	37
4th ,, ,,	21,411	1,465	829	11,478	15,763	1,602	—	16·6	8·9	12·7	6·8	75	—	37
Year 1941*	**89,748**	**5,948**	**3,698**	**47,620**	**72,558**	**7,426**	**†3,584**	**17·5**	**9·3**	**14·7**	**6·6**	**83**	**40**	**40**
1st Quarter, 1942	21,886	1,544	970	12,710	19,444	1,960	—	17·3	10·0	16·3	7·1	90	—	42
2nd ,, ,,	24,144	1,775	931	12,209	16,298	1,544	—	18·8	9·5	13·4	7·4	64	—	37
3rd ,, ,,	22,588	1,691	835	11,888	13,783	1,322	—	17·4	9·2	11·2	7·5	59	—	36
4th ,, ,,	22,085	1,506	866	10,595	15,438	1,457	—	17·0	8·2	12·6	6·8	66	—	38
Year 1942*	**90,703**	**6,516**	**3,602**	**47,402**	**64,963**	**6,283**	**†3,179**	**17·6**	**9·2**	**13·3**	**7·2**	**69**	**35**	**38**
1st Quarter, 1943	23,274	1,647	940	9,267	17,746	1,756	844	18·3	7·3	15·1	7·1	75	36	39
2nd ,, ,,	25,435	1,897	886	9,697	15,874	1,479	821	19·8	7·5	13·3	7·5	58	32	34
3rd ,, ,,	23,317	1,900	825	10,203	14,243	1,283	644	17·9	7·8	11·8	8·1	55	28	34
4th ,, ,,	22,643	1,775	843	9,010	18,870	1,656	807	17·4	6·9	15·8	7·8	73	36	34
Year 1943*	**94,669**	**7,219**	**3,494**	**38,177**	**66,733**	**6,174**	**3,116**	**18·4**	**7·4**	**14·0**	**7·6**	**65**	**33**	**34**
1st Quarter, 1944	23,226	1,828	816	9,020	17,988	1,756	892	18·0	7·0	15·2	7·9	76	38	34
2nd ,, ,,	25,612	2,050	874	9,243	15,288	1,462	838	19·9	7·2	12·9	8·0	57	33	34
3rd ,, ,,	23,400	1,862	751	9,847	14,745	1,510	694	17·9	7·5	12·3	8·0	65	30	34
4th ,, ,,	23,682	1,872	780	8,907	16,582	1,509	722	18·2	6·8	13·9	7·9	64	30	34
Year 1944*	**95,920**	**7,612**	**3,221**	**37,017**	**64,603**	**6,237**	**3,146**	**18·5**	**7·1**	**13·6**	**7·9**	**65**	**33**	**34**
1st Quarter, 1945	21,642	1,911	746	9,747	18,674	1,465	658	17·0	7·6	16·0	8·8	68	30	34
2nd ,, ,,	22,577	1,971	774	12,362	15,364	1,234	681	17·6	9·6	13·0	8·7	55	30	34
3rd ,, ,,	21,342	1,896	671	13,622	13,082	979	533	16·4	10·5	10·9	8·9	46	25	34
4th ,, ,,	21,363	1,748	758	12,911	15,535	1,211	606	16·4	10·0	12·9	8·2	57	28	34
Year 1945*	**86,924**	**7,526**	**2,949**	**48,642**	**62,655**	**4,889**	**2,478**	**16·9**	**9·4**	**13·2**	**8·7**	**56**	**29**	**34**
1st Quarter, 1946	22,910	1,818	810	9,971	19,741	1,579	759	18·1	7·9	16·3	7·9	69	33	34
2nd ,, ,,	25,851	1,887	864	11,466	15,185	1,221	710	20·2	9·0	12·2	7·3	47	27	34
3rd ,, ,,	27,033	1,746	854	12,839	13,594	1,222	725	20·9	9·9	10·8	6·5	45	27	34
4th ,, ,,	28,619	1,497	955	11,509	16,085	1,599	925	22·1	8·9	12·7	5·2	56	32	34
Year 1946*	**104,413**	**6,948**	**3,483**	**45,785**	**64,605**	**5,621**	**3,119**	**20·3**	**8·9**	**13·1**	**6·7**	**54**	**30**	**34**
1st Quarter, 1947	30,479	1,615	1,018	9,497	21,198	1,915	1,006	24·1	7·5	16·8	5·3	63	33	34
2nd ,, ,,	30,366	1,700	913	11,241	15,653	1,609	854	23·7	8·8	12·2	5·6	53	28	29
3rd ,, ,,	27,028	1,651	853	12,747	13,447	1,353	709	20·8	9·8	10·4	6·1	50	26	34
4th ,, ,,	25,274	1,345	779	10,875	15,902	1,432	660	19·5	8·4	12·3	5·3	57	26	34
Year 1947	**113,147**	**6,311**	**3,563**	**44,360**	**66,200**	**6,309**	**3,229**	**22·0**	**8·6**	**12·9**	**5·6**	**56**	**29**	**34**
1st Quarter, 1948	25,324	1,417	760	9,959	16,825	1,303	653	19·8	7·8	13·1	5·6	51	26	29
2nd ,, ,,	26,561	1,642	775	10,490	14,698	1,144	680	20·7	8·2	11·4	6·2	43	26	29
3rd ,, ,,	24,389	1,392	711	13,509	13,652	972	592	18·7	10·4	10·5	5·7	40	24	29
4th ,, ,,	24,070	1,325	720	9,760	15,804	1,067	596	18·5	7·5	12·2	5·5	44	25	29
Year 1948	**100,344**	**5,776**	**2,966**	**43,718**	**60,979**	**4,486**	**2,521**	**19·4**	**8·5**	**11·8**	**5·8**	**45**	**25**	**29**
1st Quarter, 1949	24,230	1,381	707	10,638	19,222	1,225	632	19·0	8·4	15·1	5·7	51	26	29
2nd ,, ,,	25,424	1,442	710	9,209	15,274	913	545	19·7	7·1	11·8	5·7	36	21	29
3rd ,, ,,	23,324	1,274	642	12,786	13,119	823	496	17·9	9·8	10·1	5·5	35	21	29
4th ,, ,,	22,696	1,126	607	9,075	15,873	1,000	544	17·4	7·0	12·2	5·0	44	24	29
Year 1949	**95,674**	**5,223**	**2,666**	**41,708**	**63,488**	**3,961**	**2,217**	**18·5**	**8·1**	**12·3**	**5·5**	**41**	**23**	**29**
1st Quarter, 1950	23,542	1,185	673	11,111	18,647	1,080	580	18·5	8·7	14·7	5·0	46	25	29
2nd ,, ,,	24,646	1,359	659	8,680	14,986	841	521	19·1	6·7	11·6	5·5	34	21	29
3rd ,, ,,	22,498	1,195	627	11,847	13,341	737	487	17·3	9·1	10·2	5·3	33	22	29
4th ,, ,,	21,844	1,098	598	8,821	17,022	911	543	16·8	6·8	13·1	5·0	42	25	29
Year 1950	**92,530**	**4,837**	**2,557**	**40,459**	**63,996**	**3,569**	**2,131**	**17·9**	**7·8**	**12·4**	**5·2**	**39**	**23**	**29**
1st Quarter, 1951	23,625	1,195	657	11,566	22,428	1,088	583	18·8	9·2	17·8	5·1	46	25	29
2nd ,, ,,	24,310	1,289	658	8,963	15,442	850	530	19·1	7·0	12·1	5·3	35	22	29
3rd ,, ,,	21,932	1,126	575	12,054	13,104	698	461	17·0	9·4	10·2	5·1	32	21	29
4th ,, ,,	20,772	982	589	8,800	14,804	755	445	16·1	6·8	11·5	4·7	36	22	29
Year 1951	**90,639**	**4,592**	**2,479**	**41,383**	**65,778**	**3,391**	**2,019**	**17·7**	**8·1**	**12·9**	**5·1**	**37**	**22**	**29**

* Death-rates from 1941 to 1946 are based on civilian population and civilian deaths

†Numbers and rates not available for individual quarters

Counties, Counties of Cities and Large Burghs	Estimated Population 1951	Rates per 1,000 of Population											Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (Live and Still)
		Birth-rate	Marriage-rate	Death-rate												
				Crude (Corrected for Transfers)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence	Road Transport Accidents				
SCOTLAND ...	**5,113,946**	**17·7**	**8·1**	**12·9**	**12·9**	**0·43**	**0·37**	**0·22**	**1·92**	**0·97**	**0·51**	**0·11**	**5·1**	**37**	**22**	**27**
Counties of Cities	1,919,267	17·5	9·4	13·3	14·2	0·54	0·48	0·19	2·16	1·24	0·53	0·10	5·5	40	23	27
Large Burghs ...	831,809	18·5	9·5	12·3	13·1	0·49	0·43	0·22	1·75	0·93	0·44	0·10	4·2	38	22	28
Counties (ex. Counties of Cities and Large Burghs)	2,362,870	17·6	6·5	12·7	11·8	0·31	0·26	0·25	1·79	0·76	0·51	0·12	5·1	36	22	26
Small Burghs ...	824,106	17·4	8·7	13·8	12·6	0·31	0·26	0·24	2·04	0·79	0·47	0·08	4·5	34	Not available	25
Landward ...	1,538,764	17·7	5·3	12·1	11·3	0·31	0·26	0·25	1·66	0·74	0·53	0·14	5·4	36		27
Aberdeen County...	328,383	17·4	8·3	12·0	11·3	0·22	0·19	0·12	1·83	0·86	0·44	0·08	6·5	29	19	23
Aberdeen C. of C.	183,248	16·5	10·0	11·9	12·0	0·22	0·20	0·08	1·95	0·98	0·33	0·02	5·4	27	18	21
Remainder of Co.	145,135	18·6	6·1	12·1	10·5	0·22	0·19	0·17	1·67	0·71	0·58	0·14	7·9	30	21	25
Angus County ...	276,040	17·3	8·0	13·7	12·8	0·35	0·32	0·14	2·11	1·18	0·59	0·13	6·4	36	22	25
Dundee C. of C. ...	178,220	17·6	8·9	14·0	14·0	0·44	0·40	0·15	2·29	1·28	0·68	0·15	6·7	41	25	25
Arbroath Burgh ...	19,569	19·8	8·5	13·7	11·4	0·20	0·15	0·05	1·99	1·18	0·36	0·05	5·2	23	8	23
Remainder of Co.	78,251	15·8	6·0	13·1	10·8	0·18	0·17	0·17	1·71	0·95	0·45	0·12	6·1	27	16	24
Argyll County ...	64,095	15·3	5·4	16·0	11·8	0·44	0·37	0·53	2·37	0·73	0·56	0·11	5·9	42	30	35
Ayr County ...	322,567	17·4	8·0	12·2	12·5	0·30	0·24	0·24	1·70	0·79	0·46	0·09	4·4	37	20	22
Ayr Burgh ...	43,242	15·9	9·9	13·0	13·4	0·30	0·21	0·16	1·94	0·76	0·25	0·07	4·4	28	7	21
Kilmarnock Burgh	42,209	17·4	8·4	11·8	12·7	0·36	0·33	0·38	1·56	0·85	0·52	0·09	4·8	46	27	30
Remainder of Co.	237,116	17·6	7·5	12·2	12·4	0·29	0·23	0·22	1·67	0·78	0·48	0·09	4·4	37	21	21
Banff County ...	50,108	17·7	6·6	13·3	11·9	0·16	0·14	0·26	2·22	0·48	0·44	0·14	8·5	34	24	18
Berwick County ...	25,213	14·4	5·1	15·3	13·0	0·12	0·08	0·20	2·54	0·48	0·71	0·24	6·4	55	28	27
Bute County ...	19,497	12·2	6·2	16·0	11·4	0·36	0·36	0·26	2·62	0·97	0·36	0·10	8·8	71	42	21

* Includes typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.

TABLE 4.—*continued*

Counties, Counties of Cities and Large Burghs	Estimated Population 1951	Rates per 1,000 of Population											Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (Live and Still)
		Birth-rate	Marriage-rate	Death-rate												
				Crude (Corrected for Transfers)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence	Road Transport Accidents				
Caithness County...	22,801	18·2	6·6	15·9	11·9	0·31	0·22	0·48	2·02	0·53	0·75	0·13	4·1	36	22	26
Clackmannan Co. ...	37,774	20·0	6·7	11·9	11·8	0·26	0·19	0·16	1·40	0·87	0·53	0·16	4·0	38	20	27
Dumfries County ...	86,094	17·1	7·8	13·1	11·9	0·24	0·20	0·24	1·70	0·91	0·63	0·20	6·9	43	22	23
Dumfries Burgh ...	26,479	17·9	11·3	14·0	13·8	0·42	0·30	0·15	1·70	0·94	0·79	0·38	6·1	38	21	33
Remainder of Co.	59,615	16·7	6·3	12·8	11·3	0·17	0·15	0·29	1·69	0·89	0·55	0·12	7·3	45	23	19
Dunbarton County	164,005	19·7	6·7	12·2	13·0	0·49	0·42	0·20	1·80	0·82	0·42	0·12	3·0	31	17	26
Clydebank Burgh†	44,708	22·7	7·4	11·3	—	0·60	0·51	0·13	1·92	0·96	0·40	0·09	2·4	20	11	29
Dumbarton Burgh	23,716	19·3	7·3	12·6	13·2	0·55	0·51	0·21	1·69	0·80	0·46	0·21	2·0	22	13	30
Remainder of Co.	95,581	18·4	6·2	12·6	12·5	0·43	0·36	0·22	1·78	0·76	0·42	0·10	3·6	39	22	24
East Lothian Co. ...	52,504	16·7	6·4	10·8	10·7	0·10	0·10	0·21	1·66	0·86	0·53	0·08	4·7	40	19	21
Fife County ...	308,374	18·4	8·1	12·2	12·2	0·30	0·28	0·21	1·79	0·78	0·50	0·11	3·9	37	24	25
Dunfermline Burgh	45,041	16·6	9·9	10·9	11·1	0·24	0·24	0·09	1·27	0·82	0·47	0·16	4·8	34	23	31
Kirkcaldy Burgh...	49,230	18·7	9·6	13·1	13·2	0·35	0·35	0·20	2·28	0·77	0·51	0·02	2·9	36	25	23
Remainder of Co.	214,103	18·8	7·4	12·3	12·3	0·30	0·27	0·23	1·79	0·78	0·51	0·12	4·0	39	24	24
Inverness County...	86,191	17·4	7·2	14·1	10·9	0·32	0·27	0·41	2·00	0·60	0·56	0·08	8·5	31	23	25
Inverness Burgh ...	28,487	17·2	15·0	13·0	11·4	0·32	0·28	0·25	2·04	0·42	0·49	0·11	8·6	39	25	32
Remainder of Co.	57,704	17·5	3·3	14·6	10·7	0·33	0·26	0·49	1·98	0·69	0·59	0·07	8·4	28	22	22
Kincardine County	27,970	17·0	6·3	11·8	9·6	0·18	0·18	0·07	2·15	0·64	0·43	0·18	6·1	21	15	15
Kinross County ...	7,484	15·1	6·4	15·6	12·8	0·27	0·13	0·27	2·54	0·67	0·80	—	4·4	44	35	34
Kirkcudbright Co.	31,124	16·6	6·2	12·4	10·3	0·29	0·22	0·29	1·99	0·58	0·74	0·06	7·2	29	14	36
Lanark County ...	1,616,922	18·7	9·1	12·7	14·3	0·63	0·55	0·22	1·92	1·19	0·48	0·11	4·8	45	25	29
Glasgow C. of C. ...	1,090,364	18·4	9·6	13·1	14·7	0·69	0·60	0·22	2·07	1·31	0·49	0·11	5·3	46	26	28
Airdrie Burgh ...	30,832	21·0	7·7	11·4	13·0	0·52	0·45	0·10	1·56	0·97	0·55	0·03	3·5	54	35	24
Coatbridge Burgh	47,781	22·9	8·4	11·8	13·3	0·80	0·63	0·21	1·34	1·09	0·38	0·10	3·1	54	24	29
Hamilton Burgh ...	40,448	20·3	10·4	12·7	14·5	0·54	0·52	0·35	2·05	0·77	0·52	0·10	3·5	43	21	35

Rutherglen Burgh	24,294	15·7	12·1	13·6	15·0	0·21	0·21	0·45	1·89	1·28	0·25	0·08	2·4	26	24	38
Remainder of Co.	314,955	18·9	7·0	11·6	13·2	0·49	0·42	0·18	1·56	0·87	0·48	0·16	4·2	40	22	32
MIDLOTHIAN COUNTY	566,917	16·4	8·7	13·4	13·4	0·34	0·31	0·18	2·29	1·09	0·59	0·12	5·2	26	17	28
Edinburgh C. of C.	467,435	15·7	9·0	13·9	13·7	0·37	0·33	0·19	2·39	1·18	0·62	0·12	5·5	27	17	27
Remainder of Co.	99,482	19·4	7·2	11·2	11·8	0·23	0·18	0·12	1·84	0·70	0·47	0·15	4·2	24	18	32
MORAY COUNTY ...	48,792	18·5	7·2	11·7	9·7	0·27	0·27	0·10	1·48	0·47	0·88	0·10	6·8	34	22	29
NAIRN COUNTY ...	8,814	16·8	5·7	14·9	11·3	0·23	0·23	0·57	1·93	0·45	0·57	0·23	8·8	20	14	33
ORKNEY COUNTY ...	21,337	17·0	5·6	15·8	10·7	0·28	0·19	0·23	2·34	0·52	0·37	0·05	4·1	22	14	27
PEEBLES COUNTY ...	15,360	15·2	5·2	16·7	14·1	0·07	0·07	0·20	1·76	0·72	0·78	—	3·0	30	21	17
PERTH COUNTY ...	129,040	15·1	7·3	13·9	11·7	0·24	0·22	0·31	2·09	0·66	0·71	0·12	6·8	29	17	20
Perth Burgh ...	40,593	16·6	11·5	12·6	11·8	0·39	0·37	0·52	1·70	0·52	0·59	0·07	7·7	22	9	18
Remainder of Co.	88,447	14·4	5·3	14·5	11·7	0·17	0·16	0·21	2·27	0·72	0·76	0·15	6·4	33	22	21
RENFREW COUNTY ...	325,906	17·8	7·8	12·7	13·6	0·62	0·52	0·23	1·76	0·91	0·43	0·09	4·0	40	25	29
Greenock Burgh ...	76,625	20·4	8·9	12·5	13·4	0·74	0·63	0·22	1·50	1·04	0·43	0·09	4·4	36	22	27
Paisley Burgh ...	93,838	17·1	9·5	12·7	13·7	0·61	0·52	0·17	1·81	1·00	0·44	0·07	4·2	45	28	31
Pt. Glasgow Burgh	21,786	22·7	6·3	11·2	12·6	0·83	0·73	0·14	1·70	1·33	0·55	0·14	4·2	44	26	29
Remainder of Co.	133,657	16·1	6·2	13·0	13·6	0·52	0·42	0·29	1·88	0·71	0·41	0·09	3·6	38	24	27
ROSS AND CROMARTY COUNTY	60,810	16·6	3·9	15·3	10·8	0·46	0·35	0·49	1·76	0·76	0·44	0·07	5·2	31	21	22
ROXBURGH COUNTY	45,892	14·8	6·0	14·5	12·9	0·15	0·13	0·41	2·11	0·52	0·46	0·15	4·4	22	10	27
SELKIRK COUNTY ...	21,868	15·2	5·5	15·4	13·5	0·14	0·09	0·09	2·29	1·10	0·46	—	4·8	48	33	32
STIRLING COUNTY ...	188,382	17·8	7·7	11·8	12·6	0·26	0·23	0·19	1·70	0·86	0·40	0·11	4·2	36	24	27
Falkirk Burgh ...	37,594	15·9	10·0	11·5	12·7	0·35	0·29	0·19	2·00	0·80	0·27	0·11	4·0	42	30	15
Stirling Burgh ...	27,089	16·3	9·7	13·4	13·4	0·30	0·26	0·22	2·07	1·14	0·55	0·15	5·7	38	18	11
Remainder of Co.	123,699	18·7	6·5	11·5	12·4	0·23	0·21	0·19	1·54	0·82	0·40	0·11	4·0	33	23	33
SUTHERLAND COUNTY	13,686	17·0	4·0	16·7	10·7	0·44	0·44	1·02	1·90	0·37	0·37	—	4·3	39	30	9
WEST LOTHIAN CO. ...	88,701	19·1	8·0	10·4	11·9	0·29	0·24	0·19	1·52	0·83	0·44	0·14	2·7	33	16	26
WIGTOWN COUNTY ...	31,820	18·3	7·4	12·3	10·9	0·16	0·16	0·25	1·57	0·75	0·50	0·25	12·3	51	38	20
ZETLAND COUNTY ...	19,475	15·7	5·0	17·6	11·4	0·51	0·41	0·92	2·21	0·67	0·51	0·05	4·3	20	13	26

* Includes typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.
† On account of evacuation the 1931 age distribution is unsuitable for use as a standardising factor.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Small Burghs of Scotland in 1951

Small Burghs	Estimated Population 1951	Rates per 1,000 of Population							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (including Still-births)
		Birth-rate (Living Children)	Marriage-rate	Death-rate							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
Aberdeen County—											
Ballater	1,302	10·0	10·8	18·4	13·7	—	—	—	7·7	—	—
Ellon	1,493	9·4	38·8	14·1	10·2	—	—	0·67	7·1	—	—
Fraserburgh ...	10,464	20·7	9·7	9·5	10·3	0·10	—	0·10	4·1	28	18
Huntly	4,202	19·8	11·2	16·2	12·1	0·24	0·24	0·48	8·4	36	—
Inverurie ...	5,056	12·5	9·7	11·1	9·6	0·20	0·20	0·40	6·3	16	31
Kintore	867	19·6	5·8	15·0	11·0	1·15	1·15	—	5·9	59	—
Oldmeldrum ...	1,101	17·3	15·4	13·6	9·0	—	—	—	—	53	50
Peterhead ...	12,777	18·2	7·4	12·3	12·4	0·63	0·63	—	6·5	22	45
Rosehearty ...	1,176	24·7	3·4	14·5	10·9	—	—	—	—	34	—
Turriff	3,002	19·0	11·0	13·7	10·3	0·67	0·67	—	1·8	18	17
Angus County—											
Brechin	7,278	17·3	10·6	14·6	10·7	0·14	0·14	—	5·6	24	16
Carnoustie ...	5,207	16·1	3·5	17·9	12·7	0·58	0·38	0·38	2·4	—	—
Forfar	9,999	14·0	9·8	15·8	13·3	—	—	0·10	1·4	29	28
Kirriemuir ...	3,568	13·7	10·7	19·1	12·4	—	—	0·56	2·0	41	39
Monifieth ...	3,420	9·9	7·3	15·2	13·2	—	—	0·29	2·9	—	—
Montrose... ...	10,778	17·6	8·3	14·8	11·4	0·19	0·19	0·19	7·9	26	36
Argyll County—											
Campbeltown ...	7,286	20·3	9·6	11·9	10·5	0·55	0·41	0·55	4·1	47	39
Dunoon	10,055	14·8	6·7	18·9	13·0	0·20	0·20	0·20	5·4	67	39
Inveraray ...	510	17·6	13·7	15·7	12·0	—	—	1·96	—	—	—
Lochgilphead ...	1,243	19·3	9·7	19·3	13·8	0·80	0·80	0·80	12·5	—	77
Oban	6,312	15·5	8·9	16·5	14·8	0·48	0·48	1·27	2·0	71	30
Tobermory ...	700	15·7	10·0	18·6	12·7	—	—	1·43	18·2	—	—
Ayr County—											
Ardrossan ...	8,836	19·7	7·6	13·0	14·2	0·34	0·23	0·57	4·0	52	17
Cumnock and Holmhead ...	4,638	24·1	13·6	13·4	12·7	0·65	0·43	—	5·4	27	—
Darvel	3,243	8·3	5·6	18·8	18·2	0·31	0·31	0·62	7·4	—	36
Galston	4,586	19·4	11·6	13·1	14·0	0·22	0·22	—	4·5	22	—
Girvan	6,016	20·6	9·1	14·0	12·1	0·50	0·33	0·33	8·9	32	—
Irvine	14,823	18·5	8·8	10·3	11·2	0·20	0·13	0·07	6·6	44	18
Kilwinning ...	6,588	20·5	12·4	9·6	10·6	0·30	0·30	—	3·7	37	22
Largs	8,620	12·3	5·9	18·8	13·2	0·23	0·12	0·12	3·8	9	28
Maybole	4,790	19·4	7·5	9·8	9·6	0·21	0·21	0·21	7·5	43	—
Newmilns and Greenholm ...	4,056	16·5	6·7	15·5	14·7	0·25	0·25	0·25	3·0	45	15
Prestwick ...	11,440	15·9	8·3	16·5	13·6	—	—	0·17	3·3	27	22
Saltcoats ...	13,170	20·0	8·7	11·2	11·3	0·38	0·08	0·30	2·7	11	15
Stewarton ...	2,815	17·8	6·0	15·6	14·5	0·71	0·36	—	—	40	20
Troon	10,099	13·3	7·3	12·4	12·3	0·30	0·30	0·20	3·0	45	22
Banff County—											
Aberchirder ...	796	23·9	3·8	23·9	16·4	—	—	—	21·1	53	—
Aberlour ...	1,151	12·2	12·2	14·8	15·1	—	—	—	—	—	—
Banff	3,357	15·2	11·9	14·3	11·5	0·30	0·30	—	13·7	98	19
Buckie	7,701	14·5	9·0	11·0	11·1	0·13	0·13	0·13	2·7	45	9
Cullen	1,552	16·8	8·4	23·2	19·2	—	—	—	7·7	—	—
Dufftown ...	1,460	19·2	4·1	21·2	14·4	—	—	0·68	—	—	34
Findochty ...	1,492	16·1	3·4	10·7	12·2	—	—	—	12·5	—	40
Keith	4,358	16·5	10·3	13·3	11·3	0·23	0·23	1·38	6·9	14	40
Macduff	3,326	17·7	4·5	11·1	9·1	—	—	—	1·7	17	48
Portknockie ...	1,455	17·2	2·1	15·1	15·0	—	—	—	16·0	40	—
Portsoy	1,780	17·4	10·7	15·7	11·8	—	—	—	3·2	—	31
Berwick County—											
Coldstream ...	1,307	18·4	5·4	16·8	12·7	—	—	1·53	8·3	42	40
Duns	2,045	25·4	12·7	16·1	12·0	—	—	—	—	19	37
Eyemouth ...	2,280	11·0	5·7	16·2	15·6	0·44	—	—	4·0	—	—
Lauder	627	15·9	8·0	20·7	14·9	—	—	—	—	100	—
Bute County—											
Millport	2,030	4·9	2·5	16·3	12·2	0·99	0·99	—	—	—	167
Rothesay ...	10,256	14·2	8·5	15·0	10·8	0·49	0·49	0·20	10·3	96	7
Caithness County—											
Thurso	3,224	20·2	11·2	15·2	12·3	—	—	0·62	6·2	46	—
Wick	7,191	19·2	10·4	14·7	13·0	0·28	0·14	0·42	1·4	51	42
Clackmannan County—											
Alloa	13,528	20·8	9·8	12·6	13·3	0·44	0·30	0·15	5·3	39	17
Alva	4,124	17·2	7·5	14·3	12·4	0·24	0·24	—	2·8	14	14
Dollar	1,394	17·9	4·3	18·7	14·2	—	—	0·72	4·0	40	38
Tillicoultry ...	3,839	17·7	6·5	12·5	11·0	—	—	—	1·5	15	29

NOTE.—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found in Table 47.

* Typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.

TABLE 5.—*continued*

Small Burghs	Estimated Population 1951	Rates per 1,000 of Population							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (including Still-births)
		Birth-rate (Living Children)	Marriage-rate	Death-rate							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
Dumfries County—											
Annan	4,655	20·2	10·7	12·7	11·7	0·21	0·21	0·21	7·4	53	21
Langholm ...	2,412	12·9	5·4	17·0	12·6	—	—	—	12·9	—	—
Lochmaben ...	1,133	22·9	14·1	21·2	16·3	—	—	—	11·5	115	—
Lockerbie ...	2,637	16·3	8·0	19·7	17·6	0·76	0·76	0·76	—	47	23
Moffat	2,123	10·8	5·7	15·5	11·5	0·47	0·47	—	4·3	87	—
Sanquhar ...	2,394	23·0	10·4	14·6	13·8	—	—	—	3·6	55	—
Dunbarton County											
Cove & Kilcreggan	883	15·9	7·9	24·9	16·7	—	—	2·27	—	—	67
Helensburgh ...	8,716	13·0	8·9	15·6	13·5	0·11	—	0·11	8·0	53	26
Kirkintilloch ...	14,768	21·2	8·6	11·2	12·3	0·54	0·41	0·14	2·2	38	31
Milngavie ...	7,842	16·8	4·7	13·1	12·5	0·26	0·26	0·26	1·5	23	36
East Lothian Co.—											
Cockenzie and Port Seton ...	3,193	17·2	5·0	14·4	16·4	—	—	0·31	5·5	18	—
Dunbar	4,129	15·7	8·2	14·0	11·9	—	—	0·24	4·6	—	44
East Linton ...	995	14·1	6·0	18·1	11·8	1·01	1·01	—	7·1	71	—
Haddington ...	4,513	18·4	8·0	14·4	12·7	—	—	0·22	2·4	60	35
North Berwick ...	4,012	13·2	10·5	12·5	10·2	—	—	—	1·9	—	19
Prestonpans ...	2,923	21·6	17·1	7·2	8·0	—	—	—	4·8	63	16
Tranent	5,663	19·4	10·1	7·9	9·1	0·18	0·18	0·18	2·7	36	18
Fife County—											
Auchtermuchty	1,333	19·5	9·8	15·0	10·2	—	—	—	3·8	—	—
Buckhaven and Methil	20,263	20·6	9·2	14·3	17·0	0·44	0·39	0·35	5·8	62	19
Burntisland ...	5,678	15·7	9·0	11·1	10·3	—	—	0·18	3·4	—	—
Cowdenbeath ...	13,212	17·9	9·5	10·4	12·4	0·30	0·30	—	6·8	38	29
Crail	1,213	13·2	6·6	24·7	14·7	0·82	0·82	—	6·3	—	59
Culross	582	17·2	43·0	5·2	4·3	—	—	—	—	—	—
Cupar	5,553	16·7	12·1	12·2	9·6	0·36	0·18	0·36	4·3	11	—
Elie and Earlsferry	1,190	9·2	5·9	14·3	9·1	—	—	—	9·1	—	—
Falkland ...	1,037	17·4	6·8	12·5	9·1	—	—	—	5·6	56	—
Inverkeithing ...	3,720	22·0	11·6	12·9	13·2	0·27	0·27	—	2·4	—	24
Kilrenny, Anstruther Easter & Anstruther Wester	2,997	11·0	6·3	17·0	13·0	—	—	—	—	—	29
Kinghorn ...	2,349	17·9	3·4	15·3	14·5	—	—	0·43	—	95	45
Ladybank ...	1,147	15·7	14·8	18·3	14·0	—	—	0·87	—	—	—
Leslie	2,623	17·9	6·9	13·0	11·9	0·38	0·38	0·38	—	64	21
Leven	8,900	15·6	8·3	11·8	11·6	0·22	0·22	0·11	7·2	36	41
Lochgelly ...	9,134	18·0	10·6	10·8	12·8	0·44	0·44	0·33	2·4	49	35
Markinch ...	2,306	11·7	12·6	18·6	18·0	0·43	0·43	0·43	3·7	37	—
Newburgh ...	2,384	18·0	6·7	10·1	7·9	—	—	—	2·3	23	—
Newport	3,278	16·5	5·2	18·6	13·0	0·31	0·31	0·31	3·7	19	18
Pittenweem ...	1,645	14·6	6·1	18·8	15·1	1·22	1·22	0·61	—	42	—
St. Andrews ...	9,490	13·2	10·6	14·4	12·8	0·11	0·11	0·42	3·2	—	38
St. Monance ...	1,513	16·5	3·3	20·5	17·4	0·66	0·66	0·66	4·0	40	—
Tayport ...	3,219	11·2	4·7	16·2	13·5	0·93	0·93	0·31	8·3	28	—
Inverness County—											
Fort William ...	2,680	22·0	17·2	13·8	14·0	0·75	0·37	0·37	5·1	34	17
Kingussie ...	1,072	13·1	4·7	21·5	17·2	—	—	1·87	14·3	—	—
Kincardine Co.—											
Banchory ...	1,957	14·3	13·3	12·3	8·8	—	—	—	3·6	—	34
Inverbervie ...	885	16·9	18·1	11·3	9·1	—	—	—	—	—	—
Laurencekirk ...	1,486	16·8	8·7	19·5	11·4	—	—	—	—	40	—
Stonehaven ...	4,452	15·7	11·0	12·6	8·6	0·22	0·22	—	2·9	—	14
Kinross County—											
Kinross	2,515	17·1	10·3	17·5	15·3	0·40	—	—	9·3	47	65
Kirkcudbright Co.—											
Castle Douglas ...	3,338	12·6	8·4	12·9	11·2	0·60	0·60	0·30	7·1	—	—
Dalbeattie ...	3,316	15·7	8·4	14·5	11·9	0·90	0·90	—	1·9	96	37
Gatehouse ...	882	14·7	4·5	12·5	7·6	—	—	—	15·4	—	133
Kirkcudbright ...	2,521	15·9	13·5	12·7	10·0	0·79	0·40	0·40	10·0	25	48
New Galloway ...	309	16·2	—	29·1	20·7	—	—	—	20·0	—	—
Lanark County—											
Biggar	1,434	13·2	11·2	21·6	15·0	0·70	0·70	1·39	—	53	50
Lanark	8,058	14·1	13·8	12·5	11·5	0·25	0·25	0·12	3·5	—	26
Midlothian Co.—											
Bonnyrigg and Lasswade ...	5,464	19·9	8·1	13·0	12·5	0·37	0·18	—	2·8	28	18
Dalkeith	8,846	19·7	9·0	11·4	11·4	—	—	0·11	5·2	17	33
Loanhead ...	4,912	18·1	6·3	11·0	12·5	0·20	0·20	0·20	4·5	—	22
Musselburgh ...	17,101	16·5	8·9	12·5	13·9	0·12	0·06	0·06	2·1	28	28
Penicuik	4,275	19·9	11·5	12·6	11·3	0·23	0·23	0·23	2·4	47	66

Typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.

TABLE 5.—*continued*

Small Burghs	Estimated Population 1951	Rates per 1,000 of Population: Birth-rate (Living Children)	Marriage-rate	Death-rate: Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*	Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (including Still-births)
Moray County—											
Burghead ...	1,386	25·3	7·9	12·3	10·1	1·44	1·44	—	5·7	—	28
Elgin	10,628	18·2	14·8	13·3	11·5	0·19	0·19	—	3·1	47	30
Forres	4,712	22·3	11·5	16·1	12·4	0·64	0·64	—	5·7	67	28
Grantown-on-Spey	1,560	12·2	7·1	17·9	14·3	—	—	—	15·8	53	—
Lossiemouth and Branderburgh...	4,978	22·5	8·0	12·1	11·3	0·20	0·20	—	6·3	36	34
Rothes	1,219	17·2	6·6	15·6	11·9	—	—	—	9·5	48	—
Nairn County—											
Nairn	4,748	15·8	9·5	15·8	11·7	0·21	0·21	0·63	5·3	—	13
Orkney County—											
Kirkwall ...	4,369	18·3	11·4	15·8	11·1	0·46	0·23	—	8·8	13	24
Stromness ...	1,508	13·3	4·6	16·6	12·0	0·66	0·66	—	—	—	48
Peebles County—											
Innerleithen ...	2,374	13·5	5·1	20·6	17·0	0·42	0·42	0·42	3·1	63	—
Peebles	6,068	15·0	5·8	19·6	16·2	—	—	0·16	1·1	44	22
Perth County—											
Aberfeldy ...	1,533	11·1	2·6	24·1	17·6	0·65	0·65	—	—	59	56
Abernethy ...	684	20·5	11·7	11·7	7·6	—	—	1·46	—	—	—
Alyth	2,088	13·4	7·7	22·0	14·3	0·48	0·48	0·48	7·1	36	67
Auchterarder ...	2,452	15·1	12·6	17·5	12·5	—	—	—	8·1	27	26
Blairgowrie ...	5,422	17·5	10·0	18·6	13·0	—	—	0·37	7·4	—	21
Callander ...	1,751	12·6	7·4	16·6	13·5	0·57	0·57	0·57	18·2	—	—
Coupar Angus ...	2,193	14·1	5·9	17·8	13·0	0·46	0·46	0·46	6·5	32	31
Crieff	5,514	12·0	6·5	17·6	13·7	0·73	0·73	0·36	1·5	30	15
Doune	844	26·1	22·5	24·9	20·3	—	—	2·37	—	—	—
Dunblane ...	3,012	13·6	9·6	15·3	11·0	0·66	0·66	0·33	—	24	24
Pitlochry† ...	2,402	19·2	5·0	16·7	—†	—	—	—	10·9	22	21
Renfrew County—											
Barrhead ...	13,048	19·6	6·3	15·2	17·0	0·84	0·69	0·46	5·1	66	23
Gourock	9,146	15·1	4·6	13·9	13·6	0·44	0·44	0·44	1·4	43	28
Johnstone ...	15,756	23·4	8·4	11·5	12·5	0·83	0·76	0·19	5·4	35	32
Renfrew	17,178	18·3	6·7	11·4	13·4	0·47	0·41	0·23	1·9	38	19
Ross and Cromarty County—											
Cromarty ...	726	6·9	4·1	28·9	19·5	—	—	—	—	200	167
Dingwall ...	3,388	23·9	9·1	10·3	8·2	0·30	0·30	—	6·2	25	—
Fortrose ...	897	5·6	8·9	14·5	8·4	—	—	1·11	20·0	—	—
Invergordon ...	1,520	18·4	4·6	12·5	11·0	—	—	—	7·1	71	34
Stornoway ...	4,981	17·1	4·4	13·9	11·3	0·80	0·80	—	4·7	59	34
Tain	1,620	23·5	18·5	19·8	13·6	0·62	0·62	0·62	5·3	—	—
Roxburgh County—											
Hawick	16,828	14·4	8·1	16·1	15·5	0·30	0·30	0·53	4·1	12	40
Jedburgh ...	4,118	16·8	7·8	14·3	14·1	—	—	—	—	—	42
Kelso	4,146	17·1	4·3	14·2	11·1	0·24	0·24	0·24	5·6	28	27
Melrose	2,152	9·3	7·0	19·5	14·1	—	—	—	5·0	50	—
Selkirk County—											
Galashiels ...	12,576	15·3	6·7	16·1	14·3	0·24	0·16	0·16	6·8	52	30
Selkirk	5,893	16·0	4·2	13·6	11·3	—	—	—	2·1	32	41
Stirling County—											
Bridge-of-Allan ...	3,176	13·2	7·6	20·5	15·9	0·63	0·63	—	4·8	48	23
Denny and Dunipace ...	6,738	20·8	7·9	11·6	13·6	—	—	0·30	4·3	36	48
Grangemouth ...	15,442	16·4	7·6	10·7	12·0	0·19	0·19	—	3·2	43	23
Kilsyth	9,974	19·1	7·0	11·3	13·3	0·10	0·10	0·70	1·0	21	35
Sutherland Co.—											
Dornoch	795	17·6	10·1	13·8	11·2	—	—	—	—	71	—
West Lothian Co.—											
Armadale ...	5,831	21·3	12·2	10·8	13·3	0·51	0·51	0·17	7·3	56	24
Bathgate... ...	11,307	18·6	10·8	11·1	13·1	0·44	0·35	0·09	1·4	33	23
Bo'ness	9,951	18·0	8·3	14·3	16·8	0·50	0·40	0·60	2·8	17	53
Linlithgow ...	3,932	20·1	11·7	12·2	12·2	0·25	0·25	0·25	3·8	25	25
Queensferry ...	2,494	24·1	6·4	11·2	11·9	—	—	—	—	—	32
Whitburn ...	5,242	22·9	8·0	7·8	9·0	0·57	0·57	0·19	3·3	33	16
Wigtown County—											
Newton-Stewart	2,071	17·9	8·7	15·0	12·4	—	—	0·48	—	108	51
Stranraer ...	8,653	18·5	10·3	12·1	11·1	0·58	0·58	0·12	8·8	31	30
Whithorn ...	1,074	28·9	10·2	14·0	9·9	—	—	—	19·4	129	—
Wigtown ...	1,376	17·4	3·6	14·5	10·9	—	—	—	12·5	42	40
Zetland County—											
Lerwick	5,583	17·4	10·2	13·4	10·3	0·18	0·18	0·72	4·1	31	30

* Typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.
† No standardising factor available.

TABLE 6.—Birth-, Death-, and Marriage-rates in the Landward Areas of Scotland in 1951

County Landward Areas	Estimated Population 1951	Rates per 1,000 of Population							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (including Still-births)
		Birth-rate (Living Children)	Marriage-rate	Death-rate							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
Aberdeen	103,695	18·8	4·5	12·1	10·3	0·17	0·14	0·17	8·9	32	25
Angus	38,001	16·2	3·4	10·3	9·3	0·21	0·21	0·13	7·8	33	24
Argyll	37,989	14·2	3·3	15·8	11·3	0·47	0·39	0·45	6·9	32	32
Ayr	133,396	17·6	6·8	11·3	11·9	0·28	0·25	0·24	4·3	41	25
Banff	21,680	19·6	4·7	12·5	11·4	0·23	0·18	0·23	10·6	38	12
Berwick	18,954	13·2	4·1	14·8	12·8	0·11	0·11	0·16	8·0	68	27
Bute	7,211	11·4	3·9	17·2	12·0	—	—	0·42	7·3	37	24
Caithness	12,386	17·2	3·1	16·7	11·5	0·40	0·32	0·48	5·2	23	23
Clackmannan ...	14,889	20·9	4·0	9·9	10·4	0·20	0·13	0·20	3·5	48	37
Dumfries	44,261	16·3	5·3	11·7	10·5	0·14	0·11	0·32	7·7	41	22
Dunbarton	63,372	18·8	5·5	12·3	12·4	0·47	0·41	0·22	3·8	40	21
East Lothian ...	27,076	16·0	3·5	9·8	10·2	0·11	0·11	0·26	5·8	46	20
Fife	109,337	20·5	5·6	11·2	11·6	0·29	0·25	0·22	3·6	41	26
Inverness	53,952	17·3	2·6	14·5	10·5	0·32	0·26	0·46	8·5	28	23
Kincardine ...	19,190	17·6	3·7	11·0	9·7	0·21	0·21	0·10	7·7	27	15
Kinross	4,969	14·1	4·4	14·7	11·6	0·20	0·20	0·40	1·4	43	14
Kirkcudbright ...	20,758	17·5	4·8	11·7	9·9	0·10	0·05	0·34	7·1	25	34
Lanark	305,463	19·1	6·8	11·5	13·2	0·49	0·42	0·18	4·2	40	32
Midlothian	58,884	20·2	6·0	10·6	11·2	0·29	0·24	0·14	4·8	24	32
Moray	24,309	17·1	2·9	9·5	7·8	0·21	0·21	0·21	8·4	22	30
Nairn	4,066	18·0	1·2	13·8	10·8	0·25	0·25	0·49	12·3	41	52
Orkney	15,460	17·0	4·0	15·7	10·4	0·19	0·13	0·32	3·0	27	26
Peebles	6,918	16·0	4·8	12·9	11·1	—	—	0·14	4·5	9	18
Perth	60,552	14·1	3·9	12·8	10·8	0·08	0·07	0·13	6·7	40	20
Renfrew	78,529	13·7	5·9	13·3	13·4	0·42	0·31	0·28	3·5	32	29
Ross and Cromarty	47,678	16·1	2·9	15·5	10·7	0·46	0·31	0·59	5·1	27	23
Roxburgh	18,648	14·7	3·9	12·6	11·0	0·05	—	0·48	5·5	33	14
Selkirk	3,399	13·5	3·2	15·9	14·7	—	—	—	2·2	65	21
Stirling	88,369	19·1	6·1	11·3	12·1	0·25	0·23	0·16	4·4	33	33
Sutherland	12,891	16·9	3·6	16·9	10·7	0·47	0·47	1·09	4·6	37	9
West Lothian ...	49,944	18·5	6·6	9·6	10·9	0·18	0·12	0·14	2·4	36	22
Wigtown	18,646	17·8	6·1	11·7	10·6	—	—	0·32	14·8	48	12
Zetland	13,892	15·0	3·0	19·3	12·1	0·65	0·50	1·01	4·3	14	23

* Typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.

TABLE 7.—General Registration Summary

Events registered in 1951. (Figures in this table show actual numbers as registered and are not "Corrected for Residence")

Counties, Counties of Cities and Large Burghs	Population* (Enumerated at Census of)		Registered Births, Still-births, Deaths and Marriages, 1951					
			Live Births			Deaths		
	1951 (Preliminary)	1931	Total	Illegitimate	Still-births	Total	From Uncertified Causes	Marriages
SCOTLAND	**5,095,969**	**4,842,980**	**90,639**	**4,592**	**2,479**	**65,778**	**46**	**41,383**
Counties of Cities ...	1,916,372	1,879,329	37,092	2,252	1,138	27,640	1	18,129
Large Burghs	828,447	773,723	18,858	729	490	10,656	1	7,919
Counties (ex. Counties of Cities and Large Burghs)	2,351,150	2,189,928	34,689	1,611	851	27,482	44	15,335
Small Burghs	821,644	744,922	12,996	599	238	9,640	3	7,175
Landward	1,529,506	1,445,006	21,693	1,012	613	17,842	41	8,160
Counties (ex. Counties of Cities and Large Burghs)								
Aberdeen	144,803	143,718	2,350	159	42	1,436	1	891
Angus	78,034	75,310	1,106	66	13	1,117	—	473
Argyll	63,270	63,050	862	51	24	948	3	346
Ayr	236,053	207,631	3,871	170	100	2,642	2	1,790
Banff	50,135	54,907	870	66	13	614	—	333
Berwick	25,060	26,612	248	12	4	289	—	129
Bute	19,285	18,823	210	17	6	291	—	120
Caithness	22,705	25,656	387	14	9	340	—	150
Clackmannan	37,528	31,948	307	14	5	343	—	254
Dumfries...	59,336	77,926	417	24	6	728	1	373
Dunbarton	95,935	58,016	1,217	43	34	1,083	1	595
East Lothian	52,240	47,338	622	27	9	477	—	337
Fife	213,108	196,565	2,812	116	57	2,228	—	1,575
Inverness	56,809	58,558	493	29	7	750	12	191
Kincardine	27,879	26,780	183	6	4	246	—	175
Kinross	7,418	7,454	60	4	1	104	—	48
Kirkcudbright	30,742	30,341	255	18	5	322	—	193
Lanark	313,836	294,466	5,774	218	206	3,872	—	2,205
Midlothian	98,976	87,286	1,044	37	18	905	—	713
Moray	48,211	40,806	867	57	24	531	—	351
Nairn	8,719	8,294	125	8	1	120	—	50
Orkney	21,258	22,077	361	15	10	323	—	119
Peebles	15,226	15,051	199	4	2	176	—	80
Perth	87,606	85,733	675	37	8	1,168	—	472
Renfrew	133,037	100,769	2,031	72	91	1,427	—	835
Ross and Cromarty ...	60,503	62,799	951	48	19	848	19	240
Roxburgh	45,562	45,788	522	19	14	586	—	274
Selkirk	21,724	22,608	430	22	11	464	—	120
Stirling	122,944	105,334	3,183	133	52	1,269	1	804
Sutherland	13,664	16,101	178	7	2	205	—	55
West Lothian	88,576	81,431	1,387	42	40	944	—	710
Wigtown	31,625	29,331	393	45	6	352	—	236
Zetland	19,343	21,421	299	11	8	334	4	98
Counties of Cities								
Glasgow	1,089,555	1,093,337	20,736	1,213	646	15,250	—	10,491
Edinburgh	466,770	439,010	9,127	509	285	7,168	1	4,222
Aberdeen	182,714	169,803	3,643	239	106	2,644	—	1,833
Dundee	177,333	177,179	3,586	291	101	2,578	—	1,583
Large Burghs								
Paisley	93,704	88,384	1,715	61	27	1,301	—	887
Greenock	76,299	79,012	1,571	62	49	1,078	—	680
Motherwell and Wishaw	68,137	65,611	1,162	40	33	554	—	659
Kirkcaldy	49,037	44,745	1,418	34	40	678	—	474
Coatbridge	47,538	43,513	570	16	11	431	—	403
Dunfermline	44,710	35,058	1,298	40	42	521	—	446
Clydebank	44,625	47,033	326	7	6	363	—	329
Ayr	43,011	38,905	726	25	3	629	—	429
Kilmarnock	42,120	38,681	988	38	19	538	1	356
Perth	40,466	35,060	1,079	60	32	664	—	465
Hamilton	40,173	38,112	957	23	21	386	—	421
Falkirk	37,528	36,566	1,121	30	41	555	—	376
Airdrie	30,661	27,442	728	21	16	278	—	236
Inverness	28,115	23,550	1,028	72	37	606	—	428
Stirling	26,960	24,547	998	52	32	570	—	262
Dumfries...	26,320	23,031	1,479	103	48	498	—	299
Rutherglen	24,225	25,182	113	3	2	240	—	293
Dumbarton	23,703	21,764	910	20	17	327	—	173
Port Glasgow	21,612	19,826	294	9	6	187	—	137
Arbroath	19,503	17,701	377	13	8	252	—	166

* Adjusted for alterations of boundary.

TABLE 8.—Birth-rate among Married and Unmarried Women in Scotland in 1951

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Unmarried Women and Widows aged 15-44	Total	Legitimate	Illegitimate	Total per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
SCOTLAND ...	**1,130,200**	**650,800**	**479,400**	**90,639**	**86,047**	**4,592**	**80·2**	**132·2**	**9·6**
COUNTIES OF CITIES	445,300	250,600	194,700	33,614	31,778	1,836	75·5	126·8	9·4
LARGE BURGHS ...	188,500	113,100	75,400	15,407	14,755	652	81·7	130·5	8·6
COUNTIES (excluding Counties of Cities & Large Burghs) ...	496,400	287,200	209,300	41,618	39,514	2,104	83·8	137·6	10·1
SMALL BURGHS ...	182,900	104,300	78,700	14,324	13,682	642	78·3	131·2	8·2
LANDWARD ...	313,500	182,900	130,600	27,294	25,832	1,462	87·1	141·2	11·2
ABERDEEN COUNTY									
Aberdeen C. of C.	43,900	25,000	18,800	3,028	2,866	162	69·0	114·5	8·6
Remainder of Co.	29,000	17,000	12,100	2,698	2,486	212	92·9	146·5	17·6
ANGUS COUNTY—									
Dundee C. of C.	42,000	23,500	18,400	3,142	2,932	210	74·9	124·6	11·4
Arbroath Burgh...	4,200	2,300	1,900	388	368	20	92·4	159·9	10·5
Remainder of Co.	16,200	8,800	7,400	1,238	1,162	76	76·3	132·4	10·2
ARGYLL COUNTY ...	12,300	6,100	6,200	978	920	58	79·7	152·0	9·3
AYR COUNTY—									
Ayr Burgh ...	10,200	5,800	4,400	687	657	30	67·2	112·8	6·8
Kilmarnock Burgh	10,200	6,000	4,200	736	701	35	72·3	116·5	8·4
Remainder of Co.	52,300	30,700	21,600	4,177	3,994	183	79·8	129·9	8·5
BANFF COUNTY ...	9,900	5,800	4,100	886	811	75	89·3	138·8	18·4
BERWICK COUNTY ...	5,300	3,100	2,200	362	339	23	68·5	110·0	10·4
BUTE COUNTY ...	3,900	1,900	2,000	238	217	21	60·6	111·5	10·6
CAITHNESS COUNTY	4,300	2,400	2,000	416	399	17	96·2	169·5	8·6
CLACKMANNAN CO.	8,500	5,000	3,500	756	726	30	88·5	145·1	8·5
DUMFRIES COUNTY—									
Dumfries Burgh...	6,400	3,600	2,800	473	444	29	74·0	122·8	10·5
Remainder of Co.	12,200	7,100	5,100	995	922	73	81·6	130·3	14·3
DUNBARTON CO.—									
Clydebank Burgh	10,200	6,400	3,700	1,013	989	24	99·7	154·3	6·4
Dumbarton Burgh	5,000	3,000	2,000	457	448	9	91·3	147·8	4·6
Remainder of Co.	21,100	11,500	9,700	1,763	1,700	63	83·5	148·2	6·5
EAST LOTHIAN CO.	11,300	6,700	4,600	875	834	41	77·7	125·1	8·9
FIFE COUNTY—									
Dunfermline Burgh	10,700	6,600	4,100	746	710	36	69·6	107·8	8·7
Kirkcaldy Burgh	11,400	6,800	4,600	923	896	27	81·3	131·7	5·9
Remainder of Co.	45,900	29,000	16,900	4,020	3,861	159	87·5	132·9	9·4
INVERNESS COUNTY—									
Inverness Burgh	6,500	3,400	3,000	489	447	42	75·7	130·1	13·9
Remainder of Co.	10,000	5,000	5,000	1,009	924	85	100·7	185·1	16·9

TABLE 8.—*continued*

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Unmarried Women and Widows aged 15-44	Total	Legitimate	Illegitimate	Total per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
KINCARDINE CO.—	5,500	3,100	2,400	475	446	29	86·5	143·0	12·2
KINROSS COUNTY ...	1,500	900	700	113	108	5	73·2	126·3	7·3
KIRKCUDBRIGHT CO.	6,400	3,600	2,800	516	479	37	80·4	132·3	13·2
LANARK COUNTY—									
Glasgow C. of C.	253,000	142,000	111,000	20,091	19,029	1,062	79·4	134·1	9·6
Airdrie Burgh ...	6,800	4,300	2,500	648	625	23	94·6	144·9	9·1
Coatbridge Burgh	10,000	6,500	3,500	1,095	1,061	34	109·7	163·1	9·8
Hamilton Burgh	8,800	5,600	3,200	821	792	29	92·8	140·6	9·0
Motherwell and Wishaw Burgh	14,800	9,500	5,300	1,183	1,136	47	80·1	119·5	8·9
Rutherglen Burgh	5,600	3,100	2,400	382	373	9	68·8	120·1	3·7
Remainder of Co.	67,200	41,500	25,700	5,962	5,713	249	88·7	137·6	9·7
MIDLOTHIAN CO.—									
Edinburgh C. of C.	106,500	60,000	46,500	7,353	6,951	402	69·0	115·8	8·7
Remainder of Co.	21,100	13,200	7,900	1,929	1,848	81	91·3	139·9	10·2
MORAY COUNTY ...	9,900	5,600	4,300	901	840	61	90·7	150·2	14·0
NAIRN COUNTY ...	1,700	900	900	148	135	13	84·7	151·3	15·2
ORKNEY COUNTY ...	4,000	2,200	1,800	363	348	15	90·3	158·7	8·2
PEEBLES COUNTY ...	3,400	1,800	1,600	234	227	7	68·7	123·7	4·5
PERTH COUNTY—									
Perth Burgh ...	9,500	5,200	4,300	673	621	52	70·5	118·6	12·1
Remainder of Co.	18,100	9,600	8,500	1,271	1,190	81	70·2	124·3	9·5
RENFREW COUNTY—									
Greenock Burgh	16,600	10,300	6,300	1,560	1,491	69	93·9	144·3	11·0
Paisley Burgh ...	22,300	12,600	9,700	1,600	1,533	67	71·8	121·9	6·9
Port Glasgow ...	4,600	2,900	1,700	495	474	21	107·1	164·0	12·1
Remainder of Co.	30,700	16,500	14,200	2,148	2,070	78	69·9	125·3	5·5
ROSS AND CROMARTY CO.	11,200	5,300	5,900	1,010	957	53	90·3	182·1	8·9
ROXBURGH COUNTY	10,200	5,400	4,800	677	647	30	66·3	120·0	6·2
SELKIRK COUNTY ...	4,900	2,700	2,300	332	316	16	67·5	118·6	7·1
STIRLING COUNTY—									
Falkirk Burgh ...	8,500	5,300	3,200	596	572	24	69·8	107·0	7·5
Stirling Burgh ...	6,200	3,600	2,600	442	417	25	71·5	115·0	9·8
Remainder of Co.	26,400	16,100	10,300	2,312	2,220	92	87·5	138·1	8·9
SUTHERLAND COUNTY	2,500	1,200	1,300	232	222	10	94·2	184·8	7·9
WEST LOTHIAN CO.	18,500	12,000	6,500	1,696	1,650	46	91·5	137·3	7·1
WIGTOWN COUNTY	6,700	3,800	2,900	583	511	72	86·7	133·8	24·8
ZETLAND COUNTY ...	3,900	1,800	2,100	305	292	13	78·8	163·0	6·3

TABLE 9.—Births by Single Age of Mother, Sex and Legitimacy, 1951

Ages	All Births	Males	Females	Legitimate			Illegitimate		
				Total	Males	Females	Total	Males	Females
12	1	1	—	—	—	—	1	1	—
13	1	—	1	—	—	—	1	—	1
14	7	3	4	—	—	—	7	3	4
15	17	11	6	—	—	—	17	11	6
16	100	45	55	43	23	20	57	22	35
17	408	214	194	284	154	130	124	60	64
18	1,039	528	511	838	425	413	201	103	98
19	2,123	1,081	1,042	1,854	933	921	269	148	121
Under 20	3,696	1,883	1,813	3,019	1,535	1,484	677	348	329
20	3,478	1,823	1,655	3,163	1,657	1,506	315	166	149
21	4,578	2,374	2,204	4,300	2,245	2,055	278	129	149
22	5,097	2,605	2,492	4,779	2,444	2,335	318	161	157
23	5,673	2,884	2,789	5,410	2,754	2,656	263	130	133
24	5,849	3,077	2,772	5,592	2,939	2,653	257	138	119
20–24	24,675	12,763	11,912	23,244	12,039	11,205	1,431	724	707
25	6,058	3,121	2,937	5,830	3,000	2,830	228	121	107
26	5,788	2,968	2,820	5,581	2,854	2,727	207	114	93
27	5,647	2,887	2,760	5,423	2,782	2,641	224	105	119
28	5,427	2,775	2,652	5,218	2,678	2,540	209	97	112
29	5,457	2,804	2,653	5,250	2,690	2,560	207	114	93
25–29	28,377	14,555	13,822	27,302	14,004	13,298	1,075	551	524
30	5,313	2,733	2,580	5,134	2,641	2,493	179	92	87
31	4,626	2,381	2,245	4,454	2,295	2,159	172	86	86
32	3,332	1,707	1,625	3,213	1,648	1,565	119	59	60
33	2,880	1,508	1,372	2,744	1,436	1,308	136	72	64
34	2,888	1,490	1,398	2,761	1,420	1,341	127	70	57
30–34	19,039	9,819	9,220	18,306	9,440	8,866	733	379	354
35	2,815	1,485	1,330	2,691	1,425	1,266	124	60	64
36	2,751	1,437	1,314	2,622	1,375	1,247	129	62	67
37	2,251	1,226	1,025	2,159	1,180	979	92	46	46
38	1,839	907	932	1,754	870	884	85	37	48
39	1,585	819	766	1,515	782	733	70	37	33
35–39	11,241	5,874	5,367	10,741	5,632	5,109	500	242	258
40	1,216	609	607	1,166	589	577	50	20	30
41	821	397	424	784	376	408	37	21	16
42	612	324	288	586	312	274	26	12	14
43	366	178	188	353	172	181	13	6	7
44	214	108	106	209	107	102	5	1	4
40–44	3,229	1,616	1,613	3,098	1,556	1,542	131	60	71
45	117	67	50	111	63	48	6	4	2
46	57	21	36	54	18	36	3	3	—
47	28	14	14	26	13	13	2	1	1
48	8	4	4	8	4	4	—	—	—
49	1	—	1	1	—	1	—	—	—
45–49	211	106	105	200	98	102	11	8	3
50–54*	1	1	—	1	1	—	—	—	—
Not stated	170	82	88	136	66	70	34	16	18
Total	90,639	46,699	43,940	86,047	44,371	41,676	4,592	2,328	2,264

Age 51*

TABLE 10.—Births by Age of Mother and Duration of Marriage, 1951

Duration of Marriage (Years)	Age of Mother																	
	All Ages	Under 16	16	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Under one year	12,658	—	43	272	644	1,179	1,549	1,585	1,334	1,200	965	2,597	893	320	59	—	—	18
1	13,004	—	—	12	169	475	1,005	1,385	1,885	1,334	1,188	3,768	1,208	477	86	1	—	11
2	9,061	—	—	—	25	163	419	768	529	1,091	1,052	3,386	1,123	402	84	9	—	10
3	8,412	—	—	—	—	37	159	386	623	865	907	3,548	1,313	444	112	5	—	13
4	7,309	—	—	—	—	—	31	131	292	501	719	3,545	1,505	483	88	2	—	12
5	6,182	—	—	—	—	—	—	45	90	303	427	3,201	1,454	544	104	8	—	6
6	4,447	—	—	—	—	—	—	—	26	89	219	2,367	1,246	419	69	5	—	7
7	3,439	—	—	—	—	—	—	—	—	27	86	1,665	1,220	361	68	5	—	7
8	3,373	—	—	—	—	—	—	—	—	—	29	1,364	1,391	483	96	3	—	7
9	3,445	—	—	—	—	—	—	—	—	—	—	1,043	1,631	653	105	3	—	10
10–14	10,346	—	—	—	—	—	—	—	—	—	—	818	4,999	3,764	717	26	1	21
15–19	3,400	—	—	—	—	—	—	—	—	—	—	—	323	2,183	844	42	—	8
20–24	912	—	—	—	—	—	—	—	—	—	—	—	—	208	640	62	—	2
25 and over	55	—	—	—	—	—	—	—	—	—	—	—	—	—	26	29	—	—
Not stated	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
All Legitimate Births	86,047	—	43	284	838	1,854	3,163	4,300	4,779	5,410	5,592	27,302	18,306	10,741	3,098	200	1	136
Male ...	44,371	—	23	154	425	933	1,657	2,245	2,444	2,754	2,939	14,004	9,440	5,632	1,556	98	1	66
Female ...	41,676	—	20	130	413	921	1,506	2,055	2,335	2,656	2,653	13,298	8,866	5,109	1,542	102	—	70
Illegitimate Births	4,592	26	57	124	201	269	315	278	318	263	257	1,075	733	500	131	11	—	34
Male ...	2,328	15	22	60	103	148	166	129	161	130	138	551	379	242	60	8	—	16
Female ...	2,264	11	35	64	98	121	149	149	157	133	119	524	354	258	71	3	—	18
All Births ...	90,639	26	100	408	1,039	2,123	3,478	4,578	5,097	5,673	5,849	28,377	19,039	11,241	3,229	211	1	170
Male ...	46,699	15	45	214	528	1,081	1,823	2,374	2,605	2,884	3,077	14,555	9,819	5,874	1,616	106	1	82
Female ...	43,940	11	55	194	511	1,042	1,655	2,204	2,492	2,789	2,772	13,822	9,220	5,367	1,613	105	—	88

TABLE 11.—Fertility by Age of Mother, Scotland, 1951

	Age of Mother									
	All Ages	15–19*	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Births, 1951:—										
Total	90,639	3,696*	24,675	28,377	19,039	11,241	3,229	211	1	170
Legitimate	86,047	3,019	23,244	27,302	18,306	10,741	3,098	200	1	136
Illegitimate	4,592	677*	1,431	1,075	733	500	131	11	—	34
Rates per annum per 1,000 females:—										
All Births	68·9†	19·6	129·3	148·2	108·9	59·7	16·6	1·1	—	—
Legitimate Births ... ... (per 1,000 married females)	109·9†	507·1	317·0	206·3	128·2	72·2	21·1	1·5	—	—
Illegitimate Births ... ... (per 1,000 unmarried females, including widowed and divorced)	8·6†	3·7	12·2	18·3	23·0	12·7	2·8	0·2	—	—

† Rates in this column are calculated on the appropriate population of women aged 15-49.

* 1 aged 12, 1 aged 13 and 7 aged 14.

TABLE 12.—Interval between Present Marriage and Birth of First Child, Scotland, 1951

Duration of Marriage	Age of Mother																
	All Ages	16	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Months.																	
Under One	141	2	7	12	14	15	11	10	10	6	35	12	6	1	—	—	—
1	184	1	9	25	21	19	12	16	14	12	39	12	3	1	—	—	—
2	327	7	22	34	36	41	34	20	25	31	47	18	7	5	—	—	—
Under 3	*652*	*10*	*38*	*71*	*71*	*75*	*57*	*46*	*49*	*49*	*121*	*42*	*16*	*7*	—	—	—
3	541	7	29	44	58	73	75	62	33	22	77	43	14	4	—	—	—
4	815	7	35	82	108	118	109	76	61	37	111	43	25	3	—	—	—
5	1,270	8	53	101	159	200	178	143	105	67	181	48	25	2	—	—	—
3–5	*2,626*	*22*	*117*	*227*	*325*	*391*	*362*	*281*	*199*	*126*	*369*	*134*	*64*	*9*	—	—	—
6	1,522	5	37	123	218	217	214	171	124	100	216	68	23	6	—	—	—
7	1,307	3	40	80	153	185	183	130	117	80	215	92	27	2	—	—	—
8	786	1	10	45	87	121	84	73	82	65	147	51	16	4	—	—	—
6–8	*3,615*	*9*	*87*	*248*	*458*	*523*	*481*	*374*	*323*	*245*	*578*	*211*	*66*	*12*	—	—	—
9	1,434	—	10	26	81	156	175	171	167	147	347	114	35	5	—	—	—
10	2,218	—	11	45	137	219	282	202	245	233	602	174	60	7	—	—	—
11	1,841	2	5	26	95	174	206	241	201	146	501	175	54	15	—	—	—
9–11	*5,493*	*2*	*26*	*97*	*313*	*549*	*663*	*614*	*613*	*526*	*1,450*	*463*	*149*	*27*	—	—	*1*
12–14	3,905	—	6	61	147	356	431	498	390	349	1,129	357	158	23	—	—	—
15–17	2,489	—	2	24	82	168	248	284	295	225	802	249	91	19	—	—	—
18–20	1,818	—	1	13	37	103	187	188	203	181	601	219	72	13	—	—	—
21–23	1,603	—	—	6	23	50	115	244	163	186	556	176	70	14	—	—	—
Years.																	
Under One	12,386	43	268	643	1,167	1,538	1,563	1,315	1,184	946	2,518	850	295	55	—	—	1
1	9,815	—	9	104	289	677	981	1,214	1,051	941	3,088	1,001	391	69	—	—	—
2	3,446	—	—	3	27	66	204	173	379	421	1,462	477	183	44	7	—	—
3	1,887	—	—	—	1	17	46	93	132	195	929	310	120	39	5	—	—
4	1,057	—	—	—	—	2	6	19	45	82	555	236	89	23	—	—	—
5	666	—	—	—	—	—	2	8	21	31	328	183	80	11	2	—	—
6	351	—	—	—	—	—	—	1	5	9	167	105	51	12	1	—	—
7	250	—	—	—	—	—	—	—	—	5	99	104	36	6	—	—	—
8	234	—	—	—	—	—	—	—	—	1	67	108	51	7	—	—	—
9	197	—	—	—	—	—	—	—	—	—	39	104	42	11	1	—	—
10–14	440	—	—	—	—	—	—	—	—	—	10	194	210	25	1	—	—
15–19	87	—	—	—	—	—	—	—	—	—	—	4	60	22	1	—	—
20 and over	17	—	—	—	—	—	—	—	—	—	—	—	5	12	—	—	—
Not stated	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Total	30,834	43	277	750	1,484	2,300	2,802	2,823	2,817	2,631	9,262	3,676	1,613	336	18	—	2

TABLE 13.—Legitimate Births by Age of Mother and Number of Previous Children, 1951

Number of Previous Children (including Still-born and Dead)	Age of Mother																
	All Ages	16	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
By All Husbands.																	
None	30,137	43	277	750	1,484	2,300	2,798	2,815	2,808	2,612	9,092	3,426	1,434	281	15	—	2
1	24,749	—	7	84	330	723	1,152	1,418	1,727	1,842	9,347	5,429	2,217	452	21	—	—
2	14,165	—	—	4	38	127	299	442	660	791	5,092	4,103	2,135	458	16	—	—
3	7,310	—	—	—	1	13	45	87	174	268	2,314	2,366	1,581	435	25	1	—
4	3,861	—	—	—	1	—	6	16	38	64	889	1,388	1,123	314	22	—	—
5	2,271	—	—	—	—	—	—	1	2	14	391	775	788	282	18	—	—
6	1,305	—	—	—	—	—	—	—	1	1	119	403	522	240	19	—	—
7	801	—	—	—	—	—	—	—	—	—	39	210	346	193	13	—	—
8	561	—	—	—	—	—	—	—	—	—	15	117	261	158	10	—	—
9	294	—	—	—	—	—	—	—	—	—	3	54	128	96	13	—	—
10–14	441	—	—	—	—	—	—	—	—	—	1	35	199	180	26	—	—
15–19	18	—	—	—	—	—	—	—	—	—	—	—	7	9	2	—	—
20 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	134	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
Total	86,047	43	284	838	1,854	3,163	4,300	4,779	5,410	5,592	27,302	18,306	10,741	3,098	200	1	136
By Present Husband.																	
None	30,834	43	277	750	1,484	2,300	2,802	2,823	2,817	2,631	9,262	3,676	1,613	336	18	—	2
1	24,795	—	7	84	330	723	1,148	1,417	1,723	1,839	9,334	5,442	2,251	476	21	—	—
2	13,952	—	—	4	38	127	299	436	656	782	5,019	4,020	2,104	451	16	—	—
3	7,129	—	—	—	1	13	45	86	174	261	2,270	2,293	1,539	420	26	1	—
4	3,725	—	—	—	1	—	6	16	37	64	866	1,330	1,080	304	21	—	—
5	2,175	—	—	—	—	—	—	1	2	14	377	752	745	267	17	—	—
6	1,259	—	—	—	—	—	—	—	1	1	117	389	509	223	19	—	—
7	774	—	—	—	—	—	—	—	—	—	39	202	330	190	13	—	—
8	547	—	—	—	—	—	—	—	—	—	14	116	253	154	10	—	—
9	279	—	—	—	—	—	—	—	—	—	4	52	120	92	11	—	—
10–14	428	—	—	—	—	—	—	—	—	—	—	34	192	176	26	—	—
15–19	16	—	—	—	—	—	—	—	—	—	—	—	5	9	2	—	—
20 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	134	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
Total	86,047	43	284	838	1,854	3,163	4,300	4,779	5,410	5,592	27,302	18,306	10,741	3,098	200	1	136

TABLE 14.—Legitimate Births by Duration of Marriage and Number of Previous Children, Scotland, 1951

Number of Previous Children (Including Still-born and Dead)	Total Births	Duration of Present Marriage—Years															Total Children (Including Present Birth)
		Under 1 year	1	2	3	4	5	6	7	8	9	10–14	15–19	20–24	25 and over	Not Stated	
By all Husbands—None	30,137	12,071	9,583	3,370	1,845	1,041	659	345	249	233	197	440	86	17	–	1	30,137
1	24,749	327	2,998	4,774	4,500	3,480	2,627	1,646	1 070	906	805	1,483	122	11	–	–	49,498
2	14,165	135	312	735	1,701	2.047	1,833	1,442	1,055	1,024	1,078	2,436	338	29	–	–	42,495
3	7,310	51	58	120	260	571	798	677	636	650	694	2,208	505	77	5	–	29,240
4	3,861	23	18	28	58	109	190	231	302	333	378	1,561	543	86	1	–	19,305
5	2,271	18	12	17	21	28	46	74	91	149	182	1,023	514	91	5	–	13,626
6	1,305	8	5	3	6	12	9	16	17	48	61	591	408	117	4	–	9,135
7	801	5	1	2	4	4	8	3	6	12	30	292	311	115	8	–	6,408
8	561	1	1	2	1	3	4	–	3	7	7	190	237	101	4	–	5,049
9	294	2	1	–	1	1	–	4	3	2	3	58	143	72	4	–	2,940
10	180	–	2	–	1	1	1	1	–	1	–	29	78	60	6	–	1,980
11	129	–	1	–	–	–	1	–	–	1	–	9	59	56	2	–	1,548
12	73	–	–	–	–	–	–	–	–	–	–	3	23	41	6	–	949
13	35	–	–	–	–	–	–	–	–		–	1	14	14	6	–	490
14	24	–	1	–	–	–	–	–	–	–	–	1	8	11	3	–	360
15 and over	*18	–	–	–	1	–	–	1	–	–		–	3	12	1	–	305
Not stated	134	17	11	10	13	12	6	7	7	7	10	21	8	2	–	3	134
Total	86,047	12,658	13,004	9,061	8,412	7,309	6,182	4,447	3,439	3,373	3,445	10,346	3,400	912	55	4	213,599
Total Number of Children (Including Present Birth)	213,599	13,699	17,031	15,910	17,537	17,315	16,022	12,480	10,385	10,821	11,569	42,768	20,310	7,212	536	4	—
By Present Husband—None	30,834	12,386	9,815	3,446	1,887	1,057	666	351	250	234	197	440	87	17	–	1	30,834
1	24,795	198	2,939	4,833	4,558	3,549	2,656	1,655	1,075	907	807	1,486	121	11	–	–	49,590
2	13,952	36	209	695	1,688	2,044	1,833	1,459	1,059	1,030	1,084	2,447	339	29	–	–	41,856
3	7,129	10	20	61	228	541	812	669	644	652	694	2,211	505	77	5	–	28,516
4	3,725	3	6	15	32	85	176	227	295	326	378	1,551	543	87	1	–	18,625
5	2,175	5	2	–	4	16	29	66	91	150	179	1,022	516	90	5	–	13,050
6	1,259	–	–	–	1	3	2	12	16	50	60	588	405	118	4	–	8,813
7	774	2	1	1	–	1	1	1	1	9	29	294	311	115	8	–	6,192
8	547	1	–	–	1	1	1	–	1	7	5	189	237	100	4	–	4,923
9	279	–	–	–	–	–	–	–	–	1	2	57	143	72	4	–	2,790
10	175	–	1	–	–	–	–	–	–	–	–	28	79	60	7	–	1,925
11	123	–	–	–	–	–	–	–	–	–	–	7	58	56	2	–	1,476
12	73	–	–	–	–	–	–		–	–	–	3	23	41	6	–	949
13	34	–	–	–	–	–	–		–	–	–	1	14	14	5	–	476
14	23	–	–	–	–	–	–	–	–	–	–	1	8	11	3	–	345
15 and over	†16	–	–	–	–	–	–	–	–	–	–	–	3	12	1	–	273
Not stated	134	17	11	10	13	12	6	7	7	7	10	21	8	2	–	3	134
Total	86,047	12,658	13,004	9,061	8,412	7,309	6,182	4,447	3,439	3,373	3,445	10,346	3,400	912	55	4	210,767
Total Children by Present Husband (including Present Birth)	210,767	13,017	16,472	15,534	17,192	17,022	15,816	12,344	10,310	10,778	11,530	42,704	20,302	7,209	533	4	—
Average Number of Children to Present Husband	2·45	1·03	1·27	1·71	2·04	2·33	2·56	2·78	3·00	3·20	3·35	4·13	5·97	7·90	9·69	—	—

Note.—The above numbers indicate that in some cases children born before marriage have been included by informant.

* Duration of Present Marriage

3 years = 1 with 15 Previous Children
6 years = 1 with 15 Previous Children
15-19 years = 2 with 15 Previous Children, and 1 with 18 Previous Children
20-24 years = 6 with 15 Previous Children, 2 with 16 Previous Children

† Duration of Present Marriage

15-19 years = 2 with 15 Previous Children and 1 with 18 Previous Children
20-24 years = 6 with 15 Previous Children, 2 with 16 Previous

TABLE 15.—Multiple Confinements by Age of Mother,

	Age of Mother																
	All Ages	Under 17	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Twin Births	1,181	—	2	5	5	19	50	43	64	80	376	315	186	33	2	—	1
Legitimate.—																	
Both males ...	365	—	1	—	—	7	11	12	18	31	125	102	44	13	1	—	—
One male, one female	416	—	—	2	3	3	19	16	17	17	139	110	78	10	1	—	1
Both females ...	346	—	1	2	1	8	16	11	26	29	100	94	48	10	—	—	—
Total ...	1,127	—	2	4	4	18	46	39	61	77	364	306	170	33	2	—	1
Illegitimate.—																	
Both males ...	13	—	—	—	—	1	1	1	—	1	2	1	6	—	—	—	—
One male, one female	27	—	—	—	1	—	1	3	1	2	8	5	6	—	—	—	—
Both females ...	14	—	—	1	—	—	2	—	2	—	2	3	4	—	—	—	—
Total ...	54	—	—	1	1	1	4	4	3	3	12	9	16	—	—	—	—
Triplet Births	15	—	—	—	—	1	—	1	2	—	4	3	4	—	—	—	—
Legitimate.—																	
Three males ...	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Two males, one female	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Two females, one male	4	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—
Three females ...	7	—	—	—	—	1	—	1	2	—	2	1	—	—	—	—	—
Total ...	15	—	—	—	—	1	—	1	2	—	4	3	4	—	—	—	—
Illegitimate.—	—																
All mothers ...	89,428	126	406	1,034	2,118	3,457	4,528	5,052	5,605	5,769	27,993	18,718	11,047	3,196	209	1	169
Mothers of twin children	1,181	—	2	5	5	19	50	43	64	80	376	315	186	33	2	—	1
Mothers of twin children per 100 mothers ...	1·32	—	0·49	0·48	0·24	0·55	1·10	0·85	1·14	1·39	1·34	1·68	1·68	1·03	0·96	—	—

TABLE 16.—Deaths, by Age-groups, of Women who had been married, and number returned at time of death as having had no Children, Scotland, 1951

Conjugal Condition at Date of Death	Age of Women											
	All Ages	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50–59	60–69	70 and over	Not stated
All women.*—												
Married	9,607	7	74	218	237	329	451	604	1,857	2,690	3,140	—
Widowed	13,790	—	—	3	13	18	28	81	552	2,143	10,952	—
Divorced	93	—	—	5	5	5	5	4	16	22	31	—
Women stated to have had no children.—												
Married	1,556	5	29	62	45	55	68	117	319	376	480	—
Widowed	1,931	—	—	2	3	—	8	8	84	299	1,527	—
Divorced	26	—	—	1	1	—	2	1	6	5	10	—
No statement as to children.—												
Married	89	—	1	—	—	—	2	3	11	24	48	—
Widowed	189	—	—	—	—	—	—	1	5	21	162	—
Divorced	2	—	—	—	1	—	—	—	—	1	—	—
Not stated	1	—	—	—	—	—	—	—	—	—	1	—
Percentage of women* in each group stated to have had no children.—												
Married	16·2	71·4	39·2	28·4	19·0	16·7	15·1	19·4	17·2	14·0	15·3	—
Widowed	14·0	—	—	66·7	23·1	—	28·6	9·9	15·2	14·0	13·9	—
Divorced†	28·0	—	—	—	—	—	—	—	—	—	—	—

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.

† Numbers in age columns too small for the calculation of significant rates.

TABLE 17.—Deaths of Women who had been married, by duration of marriage, and number returned at time of death as having had no Children, Scotland, 1951

Duration of Marriage (Years)	Deaths of Women* who had been Married				Number who had had no Children				No Statement as to Children					Percentage of Women* in each Group who had had no Children			
	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Not stated	Total	Married	Widowed	Divorced†
Under 1	117	62	55	—	66	39	27	—	—	—	—	—	—	56·4	62·9	49·1	—
1	126	61	65	—	58	29	29	—	—	—	—	—	—	46·0	47·5	44·6	—
2	159	70	88	1	66	37	28	1	—	—	—	—	—	41·5	52·9	31·8	—
3	146	72	72	2	53	30	23	—	—	—	—	—	—	36·3	41·7	31·9	—
4	183	82	97	4	63	33	28	2	—	—	—	—	—	34·4	40·2	28·9	—
5	206	89	115	2	67	29	38	—	—	—	—	—	—	32·5	32·6	33·0	—
6	208	80	123	5	62	24	36	2	—	—	—	—	—	29·8	30·0	29·3	—
7	198	74	120	4	58	24	34	—	—	—	—	—	—	29·3	32·4	28·3	—
8	225	82	136	7	76	32	42	2	—	—	—	—	—	33·8	39·0	30·9	—
9	256	109	141	6	77	29	45	3	1	—	1	—	—	30·1	26·6	31·9	—
10–14	1,334	519	804	11	371	156	210	5	—	—	—	—	—	27·8	30·1	26·1	—
15–19	1,522	578	936	8	343	149	193	1	1	—	1	—	—	22·5	25·8	20·6	—
20–29	4,093	1,558	2,514	21	736	320	414	2	—	—	—	—	—	18·0	20·5	16·5	—
30–39	5,614	2,330	3,275	9	699	336	360	3	2	—	2	—	—	12·5	14·4	11·0	—
40–49	5,685	2,418	3,264	3	446	208	238	—	2	1	1	—	—	7·8	8·6	7·3	—
50–59	2,864	1,277	1,587	—	146	64	82	—	—	—	—	—	—	5·1	5·0	5·2	—
60–69	307	122	185	—	16	10	6	—	—	—	—	—	—	5·2	8·2	3·2	—
70 and over	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Stated	245	23	212	10	110	7	98	5	275	88	184	2	1	44·9	30·4	46·2	—
Total ...	23,490	9,607	13,790	93	3,513	1,556	1,931	26	281	89	189	2	1	15·0	16·2	14·0	28·0

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.
† Individual numbers too small for the calculation of significant rates.

TABLE 18.—Number of Still-births and Neo-natal Deaths in Counties of Cities, Large Burghs and Counties of Scotland, 1951

Counties of Cities, Large Burghs, and Counties	Living Births	Still-births		Neo-natal Deaths	Rate per 1,000 Total Births		
		Total	Illegitimate		Still-births	Neo-natal Deaths	Combined Rates
SCOTLAND	**90,639**	**2,479**	**178**	**2,019**	**26·6**	**21·7**	**48·3**
Counties of Cities ...	33,614	931	67	779	27·0	22·6	49·5
Large Burghs	15,407	436	41	337	27·5	21·3	48·8
Counties (ex. Counties of Cities and Large Burghs)	41,618	1,112	70	903	26·0	21·1	47·2
Small Burghs	14,324	367	23	312	25·0	21·2	46·2
Landward	27,294	745	47	591	26·6	21·1	47·6
Northern Division ...	16,859	406	40	341	23·5	19·8	43·3
East Central Division ...	24,790	673	45	511	26·4	20·1	46·5
West Central Division ...	44,818	1,290	84	1,072	28·0	23·2	51·2
Southern Division ...	4,172	110	9	95	25·7	22·2	47·9
Aberdeen County ...	5,726	136	11	111	23	19	42
Aberdeen County of City	3,028	66	5	55	21	18	39
Remainder of County ...	2,698	70	6	56	25	20	46
Angus County	4,768	121	10	103	25	21	46
Dundee County of City...	3,142	82	6	80	25	25	50
Arbroath Burgh... ...	388	9	3	3	23	8	30
Remainder of County ...	1,238	30	1	20	24	16	39
Argyll County ...	978	35	3	29	35	29	63
Ayr County	5,600	127	5	113	22	20	42
Ayr Burgh	687	15	1	5	21	7	28
Kilmarnock Burgh ...	736	23	1	20	30	26	57
Remainder of County ...	4,177	89	3	88	21	21	41
Banff County	886	16	1	21	18	23	41
Berwick County ...	362	10	—	10	27	27	54
Bute County	238	5	1	10	21	41	62
Caithness County ...	416	11	2	9	26	21	47
Clackmannan County ...	756	21	3	15	27	19	46
Dumfries County ...	1,468	35	3	33	23	22	45
Dumfries Burgh ...	473	16	3	10	33	20	53
Remainder of County ...	995	19	—	23	19	23	41
Dunbarton County ...	3,233	88	6	56	26	17	43
Clydebank Burgh ...	1,013	30	1	11	29	11	39
Dumbarton Burgh ...	457	14	—	6	30	13	42
Remainder of County ...	1,763	44	5	39	24	22	46
East Lothian County ...	875	19	1	17	21	19	40
Fife County	5,689	146	13	135	25	23	48
Dunfermline Burgh ...	746	24	4	17	31	22	53
Kirkcaldy Burgh ...	923	22	2	23	23	24	48
Remainder of County ...	4,020	100	7	95	24	23	47

TABLE 18.—*continued*

Counties of Cities, Large Burghs, and Counties	Living Births	Still-births		Neo-natal Deaths	Rate per 1,000 Total Births		
		Total	Illegitimate		Still-births	Neo-natal Deaths	Combined Rates
Inverness County ...	1,498	39	6	34	25	22	47
Inverness Burgh ...	489	16	4	12	32	24	55
Remainder of County ...	1009	23	2	22	22	21	44
Kincardine County ...	475	7	—	7	15	15	29
Kinross County	113	4	—	4	34	34	68
Kirkcudbright County...	516	19	2	7	36	13	49
Lanark County	30,182	904	61	758	29	24	53
Glasgow County of City	20,091	579	43	521	28	25	53
Airdrie Burgh	648	16	2	23	24	35	59
Coatbridge Burgh ...	1,095	33	1	26	29	23	52
Hamilton Burgh ...	821	30	2	17	35	20	55
Motherwell and Wishaw Burgh ...	1,183	36	5	30	30	25	54
Rutherglen Burgh ...	382	15	—	9	38	23	60
Remainder of County ...	5,962	195	8	132	32	21	53
Midlothian County ...	9,282	267	17	157	28	16	44
Edinburgh County of City	7,353	204	13	123	27	16	43
Remainder of County ...	1,929	63	4	34	32	17	49
Moray County	901	27	2	20	29	22	51
Nairn County	148	5	—	2	33	13	46
Orkney County	363	10	1	5	27	13	40
Peebles County	234	4	—	5	17	21	38
Perth County	1,944	39	5	34	20	17	37
Perth Burgh	673	12	2	6	18	9	26
Remainder of County ...	1,271	27	3	28	21	22	42
Renfrew County ...	5,803	171	12	145	29	24	53
Greenock Burgh ...	1,560	44	4	35	27	22	49
Paisley Burgh	1,600	52	5	45	31	27	59
Port Glasgow Burgh ...	495	15	—	13	29	25	55
Remainder of County ...	2,148	60	3	52	27	24	51
Ross and Cromarty Co. ...	1,010	23	3	21	22	20	43
Roxburgh County ...	677	19	2	7	27	10	37
Selkirk County	332	11	—	11	32	32	64
Stirling County	3,350	93	4	80	27	23	50
Falkirk Burgh	596	9	1	18	15	30	45
Stirling Burgh	442	5	—	8	11	18	29
Remainder of County ...	2,312	79	3	54	33	23	56
Sutherland County ...	232	2	1	7	9	30	38
West Lothian County ...	1,696	45	1	27	26	16	41
Wigtown County ...	583	12	2	22	20	37	57
Zetland County	305	8	—	4	26	13	38

TABLE 19.—Still-births by Age of Mother and Number of Previous Children, 1951

Number of Previous Children (Present or any Previous Husband)	Age of Mother										
	All Ages	Rate per 1,000 Births	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
None	837	27	57	300	253	142	62	23	—	—	—
1	443	18	7	89	153	120	58	13	3	—	—
2	327	23	—	40	107	84	71	22	3	—	—
3	229	30	—	8	51	73	66	29	2	—	—
4	145	36	—	1	27	43	48	25	1	—	—
5	98	41	—	2	10	30	39	17	—	—	—
6	84	60	—	—	6	18	38	21	1	—	—
7	48	56	—	—	—	9	17	19	3	—	—
8	24	41	—	—	1	2	12	8	1	—	—
9	21	67	—	—	—	3	9	7	2	—	—
10 and over	39	78	—	—	—	1	11	24	3	—	—
Not stated	6	—	—	—	—	—	—	—	—	—	6
All Legitimate Still-births	2,301	26·0	64	440	608	525	431	208	19	—	6
All Illegitimate Still-births	178	37·3	23	46	39	23	31	12	1	—	3
All Still-births	2,479	26·6	87	486	647	548	462	220	20	—	9
Still-births per 1,000 Total Births (including Still-births)—											
Legitimate	26·0	—	21	19	22	28	39	63	87	—	—
Illegitimate	37·3	—	33	32	36	30	60	83	83	—	—
All Births	26·6	—	23	19	22	28	40	64	87	—	—

NOTE.—This table refers *exclusively* to those cases in which at least one child was still-born

	Living Births		Still-births		Age of Mother									
	Male	Female	Male	Female	All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
Twin Births	1	—	1	—	30	1	6	8	9	4	1	—	—	1
	1	—	—	1	9	—	—	4	1	3	1	—	—	—
	—	1	1	—	19	1	2	2	6	6	1	—	—	1
	—	1	—	1	25	—	6	7	7	4	1	—	—	—
	—	—	2	—	6	—	1	1	1	3	—	—	—	—
	—	—	1	1	4	—	—	1	3	—	—	—	—	—
	—	—	—	2	12	—	1	2	6	3	—	—	—	—
Triplet Births ...	1	1	1	—	1	—	1	—	—	—	—	—	—	—
	1	1	—	1	1	—	1	—	—	—	—	—	—	—
	—	2	—	1	1	—	—	—	—	1	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Twin Confinements					105	2	16	25	33	23	4	—	—	2
Triplet Confinements					3	—	2	—	—	1	—	—	—	—
ALL MULTIPLE CONFINEMENTS ... ... (Number of Multiple Confinements in which at least one child was still-born)					108	2	18	25	33	24	4	—	—	2
CHILDREN BORN—														
Living born—														
Male					41	1	8	12	10	7	2	—	—	1
Female					48	1	10	9	13	12	2	—	—	1
Still-born—														
Male					66	2	11	13	20	16	2	—	—	2
Female					64	—	9	16	23	14	2	—	—	—
TOTAL—Both Sexes					219	4	38	50	66	49	8	—	—	4

TABLE 21.—Still-births, 1951—Causes, with Age of Mother

International Nos. (Y30-Y39)	Causes of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	ALL CAUSES	B.S.	**2,479**	**87**	**486**	**647**	**548**	**462**	**220**	**20**	–	**9**
		M.	**1,292**	**41**	**242**	**346**	**284**	**249**	**113**	**11**	–	**6**
		F.	**1,186**	**46**	**244**	**300**	**264**	**213**	**107**	**9**	–	**3**
		N.S.	**1**	–	–	**1**	–	–	–	–	–	–
	Chronic Diseases in Mother ...	M.	**45**	–	**8**	**7**	**7**	**14**	**9**	–	–	–
		F.	**19**	–	**1**	**1**	**2**	**11**	**3**	**1**	–	–
30.0	Syphilis	M.	5	–	1	–	1	2	1	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
30.1	Tuberculosis	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	2	–	–	–	–
30.2	Diabetes	M.	5	–	–	1	1	2	1	–	–	–
		F.	2	–	1	–	1	–	–	–	–	–
30.3	Chronic disease of circulatory system	M.	19	–	3	4	2	5	5	–	–	–
		F.	9	–	–	–	1	6	1	1	–	–
30.4	Chronic disease of genito-urinary system	M.	5	–	1	–	1	1	2	–	–	–
		F.	4	–	–	–	–	2	2	—	–	–
30.5	Other chronic disease	M.	11	–	3	2	2	4	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
	Acute Disease in Mother ...	M.	**11**	**1**	**2**	**3**	–	**2**	**1**	**1**	–	**1**
		F.	**4**	–	**1**	**2**	–	**1**	–	–	–	–
31.1	Influenza	M.	2	–	–	2	–	–	–	–	–	–
		F.	3	–	–	2	–	1	–	–	–	–
31.2	Pneumonia	M.	4	–	1	–	–	1	1	–	–	1
		F.	–	–	–	–	–	–	–	–	–	–
31.3	Other acute respiratory disease ...	M.	2	–	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition ...	M.	3	1	–	1	–	1	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
	Diseases and Conditions of Pregnancy and Childbirth	M.	**143**	**7**	**28**	**36**	**29**	**29**	**12**	**2**	–	–
		F.	**113**	**6**	**27**	**21**	**26**	**23**	**9**	**1**	–	–
32.1	Ectopic gestation	M.	1	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
32.3*a*	Eclampsia	M.	118	6	22	30	24	23	11	2	–	–
		F.	94	5	24	18	18	21	8	–	–	–
32.3*b*	Nephritic toxæmia	M.	7	–	1	3	2	1	–	–	–	–
		F.	5	–	–	1	2	1	1	–	–	–
32.3*c*	Toxæmia not stated	M.	10	–	5	1	1	2	1	–	–	–
		F.	8	–	1	2	4	–	–	1	–	–
32.4*a*	Acute yellow atrophy of liver ...	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum ...	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	1	–	–	–	–
32.5*a*	Pyelitis	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	2	–	–	–	–	–	–	–
32.5*b*	Infection	M.	6	1	–	1	1	3	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
33	Absorption of toxic substance from mother	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	M.	**203**	**9**	**30**	**47**	**50**	**46**	**19**	**1**	–	**1**
		F.	**141**	**5**	**35**	**30**	**30**	**32**	**6**	**3**	–	–
34.0*a*	Abnormality of bones of pelvis with Immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the Internationa l List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 21.—*continued*

International Nos. (Y30-Y39)	Causes of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	Difficult Labour—continued											
34.0*b*	Abnormality of bones of pelvis without Immaturity	M.	3	–	–	1	1	1	–	–	–	–
		F.	2	–	–	–	–	2	–	–	–	–
34.1*a*	Disproportion with Immaturity ...	M.	9	–	3	–	3	3	–	–	–	–
		F.	5	–	4	–	1	–	–	–	–	–
34.1*b*	Disproportion without Immaturity	M.	29	1	5	2	11	8	1	1	–	–
		F.	16	–	2	5	2	7	–	–	–	–
34.2*a*	Malposition of fœtus, with Immaturity	M.	10	1	2	3	1	1	2	–	–	–
		F.	3	1	1	1	–	–	–	–	–	–
34.2*b*	Malposition of fœtus, without Immaturity	M.	79	3	11	23	19	16	6	–	–	1
		F.	53	1	10	12	15	12	2	1	–	–
34.3*a*	Abnormality of forces of labour, with Immaturity	M.	2	–	–	1	–	1	–	–	–	–
		F.	2	–	1	1	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without Immaturity	M.	36	2	3	7	7	9	8	–	–	–
		F.	31	2	8	7	5	5	3	1	–	–
34.4*a*	Operative delivery, with Immaturity	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without Immaturity	M.	13	–	3	4	2	4	–	–	–	–
		F.	10	1	3	3	2	1	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis, with Immaturity ...	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis, without Immaturity	M.	5	1	1	2	–	1	–	–	–	–
		F.	5	–	1	–	–	3	1	–	–	–
34.6*a*	Difficult labour without mention of condition, but with Immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	3	1	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without Immaturity	M.	16	1	2	3	6	2	2	–	–	–
		F.	10	–	5	1	2	1	–	1	–	–
	Other Causes in Mother ...	M.	**12**	**1**	**4**	**3**	**2**	**1**	**1**	–	–	–
		F.	**16**	–	**6**	**3**	**1**	**2**	**2**	**2**	–	–
35.0	Fall	M.	3	–	–	1	–	1	1	–	–	–
		F.	4	–	3	–	–	–	–	1	–	–
32.0, 35.1	Other accident or violence ...	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–
35.2	Over-exertion	M.	1	–	1	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	M.	7	1	2	2	2	–	–	–	–	–
		F.	10	–	2	3	1	2	1	1	–	–
	Placental and Cord Conditions	M.	**409**	**9**	**69**	**116**	**89**	**76**	**44**	**5**		**1**
		F.	**314**	**9**	**51**	**82**	**69**	**62**	**40**	**1**	–	–
36.0*a*	Prolapse of cord	M.	65	2	9	16	13	17	8	–	–	–
		F.	45	1	7	16	10	6	4	1	–	–
36.0*b*	Torsion of cord	M.	62	–	12	20	12	8	9	1	–	–
		F.	46	3	11	10	7	9	6	–	–	–
36.1, 36.3	Placenta prævia	M.	38	2	5	11	8	7	4	–	–	1
		F.	34	–	3	8	8	10	5	–	–	–
32.2 36.2, 36.4	Accidental Hæmorrhage	M.	169	4	25	53	42	29	14	2	–	–
		F.	117	3	22	28	25	21	18	–	–	–
36.5	Placental Infarct	M.	47	1	10	10	10	8	7	1	–	–
		F.	43	2	5	12	10	9	5	–	–	–
36.6	Others of placenta and cord ...	M.	28	–	8	6	4	7	2	1	–	–
		F.	29	–	3	8	9	7	2	–	–	–

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 21.—*continued*

International Nos. (Y30-Y39)	Causes of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	Birth Injury	M.	**62**	**2**	**9**	**23**	**17**	**6**	**3**	**2**	–	–
		F.	**42**	**1**	**6**	**11**	**11**	**8**	**5**	–	–	–
37*a*	Birth injury with Immaturity ...	M.	4	–	–	2	1	–	1	–	–	–
		F.	3	1	–	–	1	–	1	–	–	–
37*b*	Birth injury without Immaturity	M.	58	2	9	21	16	6	2	2	–	–
		F.	39	–	6	11	10	8	4	–	–	–
	Congenital Malformation of Fœtus	M.	**167**	**4**	**46**	**38**	**39**	**32**	**6**	–	–	**2**
		F.	**309**	**18**	**67**	**82**	**76**	**38**	**27**	–	–	**1**
38.0	Anencephalus	M.	61	2	16	12	17	11	3	–	–	–
		F.	181	13	42	52	36	21	16	–	–	1
38.1	Hydrocephalus	M.	71	1	19	14	16	18	2	–	–	1
		F.	66	5	10	16	22	8	5	–	–	–
38.2	Spina bifida	M.	10	–	2	5	1	1	1	–	–	–
		F.	22	–	4	5	11	2	–	–	–	–
38.3	Other malformations of the central nervous system	M.	6	–	2	2	2	–	–	–	–	–
		F.	7	–	4	2	–	1	–	–	–	–
38.4	Malformation of the cardiovascular system	M.	3	1	–	1	1	–	–	–	–	–
		F.	2	–	2	–	–	–	–	–	–	–
38.5	Malformation of other specified system	M.	8	–	4	2	1	1	–	–	–	–
		F.	11	–	2	4	3	2	–	–	–	–
38.6	Monster	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	1	1	–	–	
38.7	Other and unspecified malformations	M.	8	–	3	2	1	1	–	–	–	1
		F.	18	–	3	3	4	3	5	–	–	–
	Diseases of Fœtus and Ill-defined Causes	M.	**240**	**8**	**46**	**73**	**51**	**43**	**18**	–	–	**1**
		F.	**228**	**7**	**50**	**68**	**49**	**36**	**15**	**1**	–	**2**
		N.S.	**1**	–	–	**1**	–	–	–	–	–	–
39.2	Erythroblastosis (Rhesus factor)	M.	38	2	5	10	8	11	2	–	–	–
		F.	38	–	3	13	10	9	3	–	–	–
39.0 39.1, 39.3	Other diseases of fœtus	M.	2	–	–	1	–	1	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
39.4	Maceration	M.	42	1	6	15	9	6	5	–	–	–
		F.	48	1	13	12	6	12	4	–	–	–
		N.S.	1	–	–	1	–	–	–	–	–	–
39.5*a*	Premature Birth (cause not stated)	M.	16	–	5	2	5	4	–	–	–	–
		F.	25	2	10	7	3	1	2	–	–	–
39.5*b*	Debility	M.	11	–	6	1	2	1	1	–	–	–
		F.	4	–	1	1	1	1	–	–	–	–
39.5*c*	Asphyxia	M.	38	1	8	17	8	3	1	–	–	–
		F.	45	–	8	16	9	8	3	–	–	1
39.5*d*	Other ill-defined	M.	46	4	7	12	9	8	6	–	–	–
		F.	40	2	6	13	13	3	2	1	–	–
39.6	Cause unknown	M.	47	–	9	15	10	9	3	–	–	1
		F.	27	2	8	6	7	2	1	–	–	1

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 22.—Still-births, 1951—Cause, by Order of Birth, including Children by any Previous Husband

Inter-ational Nos. (30-Y39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)											Not stated	Illegitimate Births
			None	1	2	3	4	5	6	7	8	9	10 and over		
	ALL CAUSES	**2,301**	**837**	**443**	**327**	**229**	**145**	**98**	**84**	**48**	**24**	**21**	**39**	**6**	**178**
	Chronic Disease in Mother ...	**62**	**22**	**10**	**6**	**8**	**4**	**3**	**4**	**1**	**1**	**–**	**3**	**–**	**2**
30.0	Syphilis	5	1	1	–	3	–	–	–	–	–	–	–	–	1
30.1	Tuberculosis	2	1	–	–	–	–	1	–	–	–	–	–	–	–
30.2	Diabetes	7	2	3	–	1	–	–	–	–	1	–	–	–	–
30.3	Chronic disease of circulatory system...	27	10	4	4	3	2	–	1	1	–	–	2	–	1
30.4	Chronic disease of genito-urinary system...	9	4	–	–	1	2	–	1	–	–	–	1	–	–
30.5	Other chronic disease	12	4	2	2	–	–	2	2	–	–	–	–	–	–
	Acute Disease in Mother ...	**14**	**4**	**2**	**2**	**3**	**–**	**–**	**–**	**–**	**–**	**–**	**2**	**1**	**1**
31.1	Influenza	4	–	1	2	1	–	–	–	–	–	–	–	–	1
31.2	Pneumonia	4	1	–	–	2	–	–	–	–	–	–	–	1	–
31.3	Other acute respiratory disease ...	2	1	–	–	–	–	–	–	–	–	–	1	–	–
1.0, 31.4	Other acute disease or condition	4	2	1	–	–	–	–	–	–	–	–	1	–	–
	Diseases and Conditions of Pregnancy and Childbirth	**239**	**125**	**30**	**28**	**20**	**11**	**6**	**8**	**4**	**3**	**2**	**2**	**–**	**17**
32.1	Ectopic gestation	2	–	–	2	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia...	199	109	26	20	15	9	5	7	3	2	2	1	–	13
32.3*b*	Nephritic toxæmia	11	4	1	1	3	1	–	1	–	–	–	–	–	1
32.3*c*	Toxæmia not stated	17	8	2	3	1	1	–	–	1	–	–	1	–	1
32.4*a*	Acute yellow atrophy of liver ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum ...	1	–	–	1	–	–	–	–	–	–	–	–	–	1
32.5*a*	Pyelitis	2	1	1	–	–	–	–	–	–	–	–	–	–	–
32.5*b*	Infection	6	2	–	1	1	–	1	–	–	1	–	–	–	1
33	Absorption of toxic substance from mother	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	**308**	**96**	**65**	**42**	**28**	**27**	**15**	**17**	**7**	**6**	**3**	**1**	**1**	**36**
34.0*a*	Abnormality of bones of pelvis with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without Immaturity ...	5	1	–	1	2	–	–	1	–	–	–	–	–	–
34.1*a*	Disproportion, with Immaturity	10	4	2	2	1	–	–	1	–	–	–	–	–	4
34.1*b*	Disproportion, without Immaturity	43	15	8	5	6	5	2	1	1	–	–	–	–	2
34.2*a*	Malposition of fœtus, with Immaturity	12	4	4	3	–	–	–	–	1	–	–	–	–	1
34.2*b*	Malposition of fœtus, without Immaturity	123	36	30	14	12	12	9	5	–	2	1	1	1	9
34.3*a*	Abnormality of forces of labour, with Immaturity	2	–	–	1	–	–	–	1	–	–	–	–	–	2
34.3*b*	Abnormality of forces of labour, without Immaturity ...	55	15	10	7	5	4	3	5	4	1	1	–	–	12
34.4*a*	Operative delivery, with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	1
34.4*b*	Operative delivery, without Immaturity	23	10	7	3	–	2	–	–	–	1	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis, with Immaturity ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Note.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

J

TABLE 22.—*continued*

International Nos. Y30-Y39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)											Not stated	Illegitimate Births
			None	1	2	3	4	5	6	7	8	9	10 and over		
	Difficult Labour—continued														
34.5*b*	Abnormality of organs or tissues of pelvis, without Immaturity	8	3	1	–	–	1	–	1	1	1	–	–	–	2
34.6*a*	Difficult labour without mention of condition, but with Immaturity	4	1	–	1	–	–	1	1	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without Immaturity	23	7	3	5	2	3	–	1	–	1	1	–	–	3
	Other Causes in Mother ...	**24**	**6**	**6**	**5**	**3**	**1**	–	–	**1**	**1**	–	**1**	–	**4**
35.0	Fall	6	2	–	2	–	–	–	–	–	1	–	1	–	1
32.0, 35.1	Other accident or violence ...	2	1	–	1	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	1	1	–	–	–	–	–	–	–	–	–	–	–	1
35.3	Other and ill-defined causes in mother	15	2	6	2	3	1	–	–	1	–	–	–	–	2
	Placental and Cord Conditions	**685**	**233**	**126**	**102**	**68**	**56**	**35**	**25**	**10**	**4**	**8**	**17**	**1**	**38**
36.0*a*	Prolapse of cord	106	41	17	12	13	10	3	3	2	–	2	3	–	4
36.0*b*	Torsion of cord	99	51	10	11	6	6	8	2	2	–	–	3	–	9
36.1, 36.3	Placenta prævia	68	9	12	12	11	9	4	3	–	1	2	4	1	4
32.2, 36.2, 36.4	Accidental hæmorrhage ...	269	79	55	42	32	19	17	10	6	1	3	5	–	17
36.5	Placental infarct	88	31	22	14	4	8	3	3	–	–	1	2	–	[illegible]
36.6	Others of placenta and cord ...	55	22	10	11	2	4	–	4	–	2	–	–	–	[illegible]
	Birth Injury	**99**	**45**	**19**	**12**	**7**	**4**	**4**	**4**	**1**	**2**	**1**	–	–	[illegible]
37*a*	Birth injury, with Immaturity ...	6	3	1	–	–	2	–	–	–	–	–	–	–	
37*b*	Birth injury, without Immaturity	93	42	18	12	7	2	4	4	1	2	1	–	–	
	Congenital Malformation of Fœtus	**444**	**170**	**87**	**67**	**42**	**21**	**18**	**17**	**10**	**3**	**3**	**3**	**3**	**3**
38.0	Anencephalus	229	96	46	26	19	10	13	7	6	3	1	1	1	1
38.1	Hydrocephalus	126	41	25	28	13	5	1	7	2	–	1	2	1	1
38.2	Spina bifida	30	11	2	5	4	5	1	2	–	–	–	–	–	
38.3	Other malformations of the central nervous system ...	13	6	2	2	1	1	1	–	–	–	–	–	–	
38.4	Malformation of the cardiovascular system	5	2	2	–	–	–	–	–	1	–	–	–	–	
38.5	Malformation of other specified system...	18	6	8	2	1	–	–	1	–	–	–	–	–	
38.6	Monster	1	–	–	–	–	–	–	–	1	–	–	–	–	
38.7	Other and unspecified malformations	22	8	2	4	4	–	2	–	–	–	1	–	1	
	Diseases of Fœtus and Ill-defined Causes	**426**	**136**	**98**	**63**	**50**	**21**	**17**	**9**	**14**	**4**	**4**	**10**	–	[illegible]
39.2	Erythroblastosis (Rhesus factor)	73	6	22	11	13	6	5	2	6	1	–	1	–	
39.0, 39.1, 39.3	Other diseases of fœtus	3	1	1	1	–	–	–	–	–	–	–	–	–	
39.4	Maceration	84	30	16	14	10	3	2	1	3	–	2	3	–	
39.5*a*	Premature birth (cause not stated)	33	9	6	9	1	3	3	–	–	1	–	1	–	
39.5*b*	Debility	12	5	4	1	1	–	1	–	–	–	–	–	–	
39.5*c*	Asphyxia	76	32	19	10	8	3	–	–	1	–	–	3	–	
39.5*d*	Other ill-defined	80	28	13	9	14	4	3	3	3	1	1	1	–	
39.6	Cause unknown	65	25	17	8	3	2	3	3	1	1	1	1	–	

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 23.—Still-births, 1951—Cause by Month of Registration

Inter-ational Nos. (30-Y39)	Cause of Death	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	ALL CAUSES	**2,479**	**228**	**208**	**222**	**243**	**200**	**219**	**191**	**206**	**175**	**192**	**180**	**215**
	Legitimate	2,301	211	191	209	221	185	200	176	194	167	178	169	200
	Illegitimate	178	17	17	13	22	15	19	15	12	8	14	11	15
	Rates per 1,000 total births ...	27	27	28	26	29	23	28	24	27	25	26	27	29
	Chronic Disease in Mother ...	**64**	**8**	**9**	**7**	**5**	**4**	**6**	**3**	**5**	**1**	**5**	**6**	**5**
0.0	Syphilis	6	–	–	–	1	2	2	–	–	–	–	–	1
0.1	Tuberculosis	2	–	1	–	–	–	–	–	–	–	1	–	–
0.2	Diabetes	7	–	2	–	–	–	–	–	2	–	–	1	2
0.3	Chronic disease of circulatory system	28	4	6	5	–	–	4	–	1	1	2	3	2
0.4	Chronic disease of genito-urinary system	9	2	–	–	2	1	–	2	1	–	–	1	–
0.5	Other chronic disease	12	2	–	2	2	1	–	1	1	–	2	1	–
	Acute Disease in Mother	**15**	**3**	**2**	**2**	**–**	**1**	**3**	**–**	**2**	**1**	**–**	**–**	**1**
1.1	Influenza	5	1	1	–	–	–	1	–	–	1	–	–	1
1.2	Pneumonia	4	1	–	2	–	–	1	–	–	–	–	–	–
1.3	Other acute respiratory disease ...	2	–	1	–	–	1	–	–	–	–	–	–	–
.0, 31.4	Other acute disease or condition ...	4	1	–	–	–	–	1	–	2	–	–	–	–
	Diseases and Conditions of Pregnancy and Childbirth ...	**256**	**22**	**24**	**30**	**30**	**20**	**28**	**22**	**17**	**19**	**13**	**10**	**21**
2.1	Ectopic gestation	2	–	–	–	–	1	1	–	–	–	–	–	–
2.3*a*	Eclampsia	212	19	23	27	24	15	24	16	12	13	12	6	21
2.3*b*	Nephritic toxæmia	12	1	–	–	2	1	1	4	1	–	–	2	–
2.3*c*	Toxæmia not stated	18	2	1	2	3	2	1	1	3	2	–	1	–
2.4*a*	Acute yellow atrophy of liver ...	–	–	–	–	–	–	–	–	–	–	–	–	–
2.4*b*	Hyperemesis gravidarum	2	–	–	–	–	–	–	–	–	1	–	1	–
2.5*a*	Pyelitis	2	–	–	–	–	–	1	–	1	–	–	–	–
2.5*b*	Infection	7	–	–	1	1	1	–	–	–	3	1	–	–
3	Absorption of toxic substance from mother	1	–	–	–	–	–	–	1	–	–	–	–	–
	Difficult Labour	**344**	**27**	**32**	**26**	**48**	**33**	**33**	**23**	**31**	**19**	**35**	**18**	**19**
34.0*a*	Abnormality of bones of pelvis with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without Immaturity	5	–	1	1	–	–	–	–	1	–	1	1	–
34.1*a*	Disproportion with Immaturity ...	14	3	5	–	3	–	–	1	1	1	–	–	–
34.1*b*	Disproportion without Immaturity ...	45	4	3	2	13	5	5	3	3	2	2	–	3
34.2*a*	Malposition of fœtus, with Immaturity	13	2	1	–	1	1	1	2	1	–	2	–	2
34.2*b*	Malposition of fœtus, without Immaturity	132	13	13	18	14	14	14	4	10	4	14	9	5
34.3*a*	Abnormality of forces of labour, with Immaturity	4	1	–	2	–	–	–	–	–	–	–	–	1
34.3*b*	Abnormality of forces of labour, without Immaturity	67	1	4	1	10	6	8	7	4	6	11	4	5
34.4*a*	Operative delivery, with Immaturity	1	–	–	–	–	–	–	–	–	1	–	–	–
34.4*b*	Operative delivery, without Immaturity	23	–	2	1	1	5	1	4	6	2	–	–	1
34.5*a*	Abnormality of organs or tissues of pelvis with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis without Immaturity ...	10	2	–	–	2	2	–	–	3	1	–	–	–
34.6*a*	Difficult labour without mention of condition, but with Immaturity ...	4	–	–	1	1	–	–	–	–	–	–	2	–
34.6*b*	Difficult labour without mention of condition and without Immaturity	26	1	3	–	3	–	4	2	2	2	5	2	2

TABLE 23.—*continued*

International Nos. (Y30-Y39)	Cause of Death	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	D
	Other Causes in Mother	**28**	**6**	**2**	**2**	**3**	**2**	**2**	**8**	**–**	**2**	**–**	**–**	
35.0	Fall	7	2	–	1	–	–	–	4	–	–	–	–	
32.0, 35.1	Other accident or violence	2	1	–	–	–	–	–	1	–	–	–	–	
35.2	Over-exertion	2	–	1	–	–	–	–	1	–	–	–	–	
35.3	Other and ill-defined causes in mother	17	3	1	1	3	2	2	2	–	2	–	–	
	Placental and Cord Conditions ...	**723**	**55**	**50**	**58**	**67**	**56**	**62**	**67**	**59**	**57**	**56**	**65**	
36.0*a*	Prolapse of cord	110	8	7	14	12	10	4	14	5	5	12	9	
36.0*b*	Torsion of cord	108	7	5	7	8	10	10	13	13	9	12	8	
36.1, 36.3	Placenta prævia	72	13	7	6	4	7	8	2	6	4	2	7	
32.2, 36.2, 36.4	Accidental hæmorrhage	286	21	16	16	30	21	26	27	26	26	19	26	
36.5	Placental infarct	90	4	10	8	7	4	11	6	8	9	5	8	
36.6	Others of placenta and cord	57	2	5	7	6	4	3	5	1	4	6	7	
	Birth Injury	**104**	**9**	**12**	**11**	**10**	**10**	**9**	**11**	**4**	**10**	**8**	**4**	
37*a*	Birth injury with Immaturity ...	7	3	2	1	–	–	–	–	–	–	–	1	
37*b*	Birth injury without Immaturity ...	97	6	10	10	10	10	9	11	4	10	8	3	
	Congenital Malformation of Fœtus	**476**	**50**	**35**	**38**	**40**	**36**	**35**	**35**	**37**	**36**	**38**	**42**	
38.0	Anencephalus	242	23	14	19	20	13	14	15	21	20	23	24	
38.1	Hydrocephalus	137	19	13	12	13	11	14	11	10	4	9	9	
38.2	Spina bifida	32	4	2	5	2	1	–	3	–	9	3	2	
38.3	Other malformations of the central nervous system	13	1	–	1	1	4	1	2	–	–	–	1	
38.4	Malformation of the cardiovascular system	5	–	–	–	–	1	1	–	–	–	1	2	
38.5	Malformation of other specified system	19	2	2	1	2	4	1	1	3	1	1	–	
38.6	Monster...	2	–	1	–	–	–	1	–	–	–	–	–	
38.7	Other and unspecified malformations	26	1	3	–	2	2	3	3	3	2	1	4	
	Diseases of Fœtus and Ill-defined Causes	**469**	**48**	**42**	**48**	**40**	**38**	**41**	**22**	**51**	**30**	**37**	**35**	
39.2	Erythroblastosis (Rhesus factor) ...	76	7	8	7	5	9	5	4	11	6	4	4	
39.0, 39.1, 39.3	Other diseases of fœtus	3	–	–	–	–	1	–	–	1	1	–	–	
39.4	Maceration	91	7	8	13	6	8	7	5	10	9	4	6	
39.5*a*	Premature birth (cause not stated) ...	41	6	1	4	6	2	4	1	4	2	3	6	
39.5*b*	Debility	15	3	2	4	1	–	2	–	–	–	2	1	
39.5*c*	Asphyxia	83	12	9	3	5	8	8	5	9	1	7	7	
39.5*d*	Other ill-defined	86	5	9	7	4	4	4	5	10	7	13	10	
39.6	Cause unknown	74	8	5	10	13	6	11	2	6	4	4	1	

Note.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicate letter (*a*, *b*, *c*, etc.) apply to the Scottish List only.

International Nos. (Y30-Y39)		Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dunb'ton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
	ALL CAUSES...	**2,479**	**66**	**70**	**82**	**9**	**30**	**35**	**15**	**23**	**89**	**16**	**10**	**5**	**11**	**21**	**16**	**19**	**30**	**14**	**44**	**19**	**24**	**22**	**100**	**16**	**23**	**7**	**4**	**19**
	Chronic Disease in Mother Total	**64**	**2**	–	**5**	–	**1**	–	**2**	–	–	–	–	–	–	–	–	**1**	**1**	**1**	**2**	–	**2**	–	**4**	–	**3**	–	–	–
30.0	Syphilis	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
30.1	Tuberculosis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	7	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
30.3	Chronic disease of circulatory system	28	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	2	–	–	–
30.4	Chronic disease of genito-urinary system	9	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
30.5	Other chronic disease	12	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
	Acute Disease in Mother Total	**15**	–	**2**	–	–	–	–	–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	**1**	–	**1**	–	–	–
31.1	Influenza	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
31.2	Pneumonia	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.3	Other acute respiratory disease ...	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition ...	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases and conditions of Pregnancy and Childbirth Total	**256**	**7**	**7**	**5**	**1**	**5**	**5**	**1**	**3**	**9**	**4**	–	–	**1**	**2**	**4**	**1**	–	–	**5**	**1**	**5**	**1**	**10**	–	**1**	**1**	–	–
32.1	Ectopic gestation	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
32.3*a*	Eclampsia	212	7	6	5	1	3	5	1	2	7	2	–	–	1	2	4	1	–	–	3	1	5	1	8	–	1	1	–	–
32.3*b*	Nephritic toxæmia	12	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*c*	Toxæmia not stated	18	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–
32.4*a*	Acute yellow atrophy of liver ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*b*	Infection	7	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Absorption of toxic substance from mother	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour Total	**344**	**15**	**15**	**10**	**3**	**2**	**2**	**1**	**4**	**11**	**2**	–	**2**	**2**	**4**	**2**	**2**	**5**	**2**	**5**	**5**	**2**	**6**	**10**	**4**	**3**	–	–	**3**
34.0*a*	Abnormality of bones of pelvis with immaturity...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity ...	5	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.1*a*	Disproportion with immaturity ...	14	–	3	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
34.1*b*	Disproportion without immaturity ...	45	1	1	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	1	2	1	–	–	–	–
34.2*a*	Malposition of fœtus, with immaturity	13	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.2*b*	Malposition of fœtus, without immaturity...	132	4	6	3	–	2	1	–	2	5	–	–	–	1	1	2	–	3	–	1	4	–	2	5	1	–	–	–	2
34.3*a*	Abnormality of forces of labour, with immaturity...	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	67	5	1	4	1	–	–	–	–	4	–	–	1	–	2	–	2	–	2	3	1	1	2	–	–	1	–	–	–
34.4*a*	Operative delivery, with immaturity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	23	2	3	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis without immaturity ...	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 24.—Causes of Still-births in the Public Health Districts of Scotland (Both Sexes), 1951—*continued*

International Nos. (Y30-Y39)		Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
	ALL CAUSES...	**579**	**16**	**33**	**30**	**36**	**15**	**195**	**204**	**63**	**27**	**5**	**10**	**4**	**12**	**27**	**44**	**52**	**15**	**60**	**23**	**19**	**11**	**9**	**5**	**79**	**2**	**45**	**12**	**8**
	Chronic Disease in Mother Total	**16**	–	**1**	**1**	**3**	–	**6**	**1**	–	–	–	**1**	–	–	**2**	**2**	**1**	–	**1**	**1**	–	–	**1**	–	**2**	–	–	–	**1**
30.0	Syphilis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
30.1	Tuberculosis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.3	Chronic disease of circulatory system	8	–	1	–	–	–	5	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	1	–	1	–	–	–	1
30.4	Chronic disease of genito-urinary system	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
30.5	Other chronic disease	2	–	–	1	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Acute Disease in Mother Total	**3**	–	–	**1**	–	–	**2**	**1**	–	–	–	–	–	–	**1**	–	–	–	**1**	–	–	–	–	–	**1**	–	–	–	–
31.1	Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.2	Pneumonia	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
31.3	Other acute respiratory disease ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
31.0, 31.4	Other acute disease or condition ...	–	–	–	1	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases and conditions of Pregnancy and Childbirth Total	**76**	**1**	**5**	**3**	**6**	**2**	**23**	**20**	**6**	**3**	–	–	–	–	**4**	**4**	**6**	–	**2**	**1**	**1**	**2**	–	**1**	**9**	–	**2**	–	–
32.1	Ectopic gestation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	61	1	5	3	5	2	21	17	4	1	–	–	–	–	3	3	5	–	–	–	1	2	–	1	8	–	2	–	–
32.3*b*	Nephritic toxæmia	3	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	1	–	–	–	–
32.3*c*	Toxæmia not stated	6	–	–	–	1	–	–	–	1	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
32.4*a*	Acute yellow atrophy of liver ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*b*	Infection	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Absorption of toxic substance from mother	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour Total	**68**	**4**	**6**	**5**	**6**	**3**	**29**	**19**	**11**	**4**	–	–	–	**1**	**3**	**9**	**7**	**4**	**14**	**1**	**5**	**1**	**2**	**1**	**7**	–	**9**	**3**	–
34.0*a*	Abnormality of bones of pelvis with immaturity...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity ...	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
34.1*a*	Disproportion with immaturity ...	3	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
34.1*b*	Disproportion without immaturity ...	12	–	2	1	1	–	4	2	2	1	–	–	–	–	–	1	1	2	2	–	–	–	–	–	2	–	2	–	–
34.2*a*	Malposition of fœtus, with immaturity	2	–	–	–	–	–	3	1	–	2	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
34.2*b*	Malposition of fœtus, without immaturity...	24	4	1	1	2	1	12	8	5	1	–	–	–	–	1	2	3	2	7	1	2	–	1	1	3	–	4	1	–
34.3*a*	Abnormality of forces of labour, with immaturity...	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	10	–	–	2	1	2	3	4	4	–	–	–	–	–	–	2	1	–	2	–	2	–	–	–	1	–	1	2	–
34.4*a*	Operative delivery, with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	5	–	–	–	–	–	3	1	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of																													

International Nos. (Y30-Y39)		Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dumb'ton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcudbright
	Difficult Labour—*continued*																													
34.6*a*	Difficult labour without mention of condition, but with immaturity ...	4	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	26	1	1	1	–	–	–	1	2	–	–	–	1	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–	–
	Other Causes in Mother Total	**28**	**2**	**1**	**1**	**1**	**1**	**3**	–	–	–	–	–	–	**1**	–	–	–	–	**1**	–	–	–	–	–	–	**1**	**1**	–	–
35.0	Fall	7	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
32.0, 35.1	Other accident or violence	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	17	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Placental & Cord Conditions Total	**723**	**23**	**23**	**21**	**2**	**10**	**13**	**7**	**5**	**36**	**5**	**2**	**1**	**4**	**8**	**5**	**5**	**9**	**5**	**10**	**3**	**6**	**8**	**28**	**2**	**8**	**4**	–	**6**
36.0*a*	Prolapse of cord	110	4	4	6	1	1	5	–	–	4	1	–	1	1	1	–	2	1	1	–	–	1	1	3	1	2	–	–	–
36.0*b*	Torsion of cord	108	2	4	2	–	2	1	–	1	4	1	–	–	1	2	1	2	2	1	1	1	–	1	5	–	1	2	–	1
36.1, 36.3	Placenta prævia	72	1	4	1	–	1	2	1	–	3	–	1	–	1	–	1	–	1	–	–	–	–	2	5	–	2	–	–	2
32.2, 36.2, 36.4	Accidental hæmorrhage	286	12	6	4	1	3	3	2	1	19	3	1	–	1	4	1	–	4	3	7	2	3	2	8	–	2	2	–	2
36.5	Placental infarct	90	3	5	6	–	2	1	3	2	4	–	–	–	–	1	–	–	1	–	1	–	2	–	1	–	–	–	–	–
36.6	Others of placenta and cord	57	1	–	2	–	1	1	1	1	2	–	–	–	–	–	2	1	–	–	1	–	–	2	6	1	1	–	–	1
	Birth Injury Total	**104**	**1**	**3**	**8**	–	**1**	**1**	–	–	**2**	–	–	–	**1**	–	–	**2**	**4**	–	–	**1**	–	–	**3**	–	–	–	**1**	**1**
37*a*	Birth injury with immaturity ...	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
37*b*	Birth injury without immaturity ...	97	1	3	8	–	1	1	–	–	2	–	–	–	–	–	–	2	3	–	–	1	–	–	2	–	–	–	1	1
	Congenital Malformation of Fœtus Total	**476**	**10**	**4**	**15**	**2**	**7**	**1**	**2**	**5**	**19**	**3**	**3**	**1**	**2**	**4**	**2**	**4**	**7**	**4**	**9**	**6**	**4**	**3**	**24**	**6**	**4**	**1**	**2**	**7**
38.0	Anencephalus	242	8	2	8	–	4	–	2	2	11	1	1	–	1	1	1	3	2	3	4	1	1	–	11	2	1	–	1	2
38.1	Hydrocephalus	137	1	–	4	1	2	1	–	1	6	1	2	1	–	1	1	–	5	–	4	1	3	1	9	2	3	1	1	3
38.2	Spina bifida	32	1	1	2	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	3	–	2	1	–	–	–	–	1
38.3	Other malformations of the central nervous system	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
38.4	Malformation of the cardiovascular system	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38.5	Malformation of other specified system	19	–	–	1	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	1
38.6	Monster...	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	26	–	1	–	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	2	2	–	–	–	–
	Diseases of Fœtus and Ill-Defined Causes Total	**469**	**6**	**15**	**17**	–	**3**	**10**	**2**	**6**	**11**	**2**	**5**	**1**	–	**3**	**3**	**4**	**4**	**1**	**13**	**3**	**5**	**4**	**20**	**4**	**2**	–	**1**	**2**
39.2	Erythroblastosis (Rhesus factor) ...	76	1	3	3	–	1	1	–	1	–	–	1	–	–	–	2	1	–	1	2	–	3	–	5	–	–	–	–	1
39.0, 39.1, 39.3	Other diseases of fœtus	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
39.4	Maceration	91	–	4	8		1	2	–	3	3	–	–	–	–	–	–	2	–	–	2	1	1	1	4	2	1	–	–	–
39.5*a*	Premature birth (cause not stated) ...	41	–	1	–	–	–	–	2	–	1	–	2	–	–	1	–	–	–	–	1	–	–	–	1	1	1	–	–	–
39.5*b*	Debility	15	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	4	–	–	1	–	–	–	–	–	–
39.5*c*	Asphyxia	83	4	3	3	–	1	1	–	–	3	2	–	–	–	2	–	–	–	–	–	–	–	1	2	–	–	–	–	–
39.5*d*	Other ill-defined	86	1	1	1	–	–	2	–	1	2	–	–	–	–	–	1	1	3	–	1	1	1	–	4	–	–	–	–	1
39.6	Cause unknown	74	–	2	2	–	–	3	–	1	2	–	1	–	–	–	–	–	1	–	3	–	–	1	4	1	–	–	1	–

TABLE 24.—Causes of Still-births in the Public Health Districts of Scotland (Both Sexes), 1951—*continued*

International Nos. (Y30-Y39)		Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
	Difficult Labour—*continued*																													
34.6*a*	Difficult labour without mention of condition, but with immaturity ...	1	–	1	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	5	–	1	1	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	1	–	1	–	2	–	–
	Other Causes in Mother Total	**3**	**1**	–	**1**	**1**	–	**2**	**1**	–	**3**	–	–	–	–	–	–	–	–	**2**	–	–	–	–	–	**1**	–	–	–	–
35.0	Fall	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
32.0, 35.1	Other accident or violence	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	3	1	–	1	–	–	2	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Placental & Cord Conditions Total	**151**	**4**	**5**	**12**	**8**	**1**	**67**	**58**	**16**	**7**	**3**	**5**	**3**	**4**	**8**	**6**	**16**	**5**	**19**	**12**	**6**	**2**	**5**	**2**	**20**	–	**10**	**6**	**3**
36.0*a*	Prolapse of cord	23	–	–	4	3	–	6	8	3	1	1	–	–	–	2	4	1	–	2	4	1	–	–	2	2	–	–	2	–
36.0*b*	Torsion of cord	18	2	2	2	2	–	10	7	2	2	–	–	2	–	1	–	3	–	6	1	2	1	1	–	2	–	3	1	–
36.1, 36.3	Placenta prævia	9	1	–	2	2	–	9	7	1	–	–	1	–	1	–	–	2	–	3	–	1	–	1	–	4	–	–	–	–
32.2, 36.2, 36.4	Accidental hæmorrhage	73	1	1	2	1	1	26	26	9	2	1	–	1	2	2	1	9	5	3	3	1	–	2	–	10	–	6	1	1
36.5	Placental infarct	19	–	–	1	–	–	13	4	–	–	–	1	–	1	1	1	1	–	4	4	1	1	1	–	1	–	1	1	2
36.6	Others of placenta and cord	9	–	2	1	–	–	3	6	1	2	1	3	–	–	2	–	–	–	1	–	–	–	–	–	1	–	–	1	–
	Birth Injury Total	**26**	–	**1**	–	–	**1**	**6**	**18**	**6**	**2**	–	–	–	–	**1**	**3**	**1**	–	**1**	–	**1**	**1**	–	–	**5**	–	**1**	**1**	–
37*a*	Birth injury with immaturity ...	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37*b*	Birth injury without immaturity ...	26	–	–	–	–	1	4	17	6	2	–	–	–	–	1	3	1	–	1	–	1	1	–	–	5	–	1	1	–
	Congenital Malformation of Fœtus Total	**111**	**4**	**7**	**4**	**6**	**2**	**39**	**42**	**12**	**4**	–	**4**	–	**4**	**4**	**5**	**11**	**5**	**7**	**4**	**2**	**4**	–	**1**	**20**	**1**	**11**	**1**	–
38.0	Anencephalus	64	3	5	2	6	1	22	18	5	3	–	2	–	3	1	1	5	1	3	2	1	1	–	1	11	–	7	1	–
38.1	Hydrocephalus	29	–	1	2	–	1	10	12	2	–	–	1	–	–	2	3	2	2	2	1	1	3	–	–	6	1	1	–	–
38.2	Spina bifida	7	–	–	–	–	–	4	–	1	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	1	–	1	–	–
38.3	Other malformations of the central nervous system	4	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
38.4	Malformation of the cardiovascular system	1	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38.5	Malformation of other specified system	1	–	1	–	–	–	1	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
38.6	Monster...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
38.7	Other and unspecified malformations	5	1	–	–	–	–	1	3	2	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–
	Diseases of Fœtus and Ill-Defined Causes Total	**125**	**2**	**8**	**3**	**6**	**6**	**21**	**44**	**12**	**4**	**2**	–	**1**	**3**	**4**	**15**	**10**	**1**	**13**	**4**	**4**	**1**	**1**	–	**14**	**1**	**12**	**1**	**4**
39.2	Erythroblastosis (Rhesus factor) ...	17	–	–	1	–	–	3	9	1	–	2	–	–	–	1	4	2	1	–	–	–	–	1	–	4	–	4	–	–
39.0, 39.1, 39.3	Other diseases of fœtus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–	–	–	–	–
39.4	Maceration	23	–	1	–	–	–	5	8	1	3	–	–	–	–	–	1	–	–	2	–	1	–	–	–	4	1	4	–	2
39.5*a*	Premature birth (cause not stated) ...	13	1	1	–	2	–	1	5	1	–	–	–	1	–	–	1	2	–	–	–	1	–	–	–	1	–	–	–	–
39.5*b*	Debility	–	1	1	–	2	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.5*c*	Asphyxia	28	–	2	–	–	1	3	9	5	–	–	–	–	–	2	3	–	–	2	–	2	–	–	–	1	–	1	–	2
39.5*d*	Other ill-defined	29	–	–	1	1	3	4	8	2	–	–	–	–	–	1	3	4	–	4	–	–	1	–	–	3	–	1	–	–
39.6	Cause unknown	15	–	3	1	1	1	3	5	1	1	–	–	–	3	–	3	2	–	5	4	–	–	–	–	1	–	2	1	–

TABLE 25.—Legitimate Still-births by Cause and Social Classification, 1951

International Nos. (Y30-Y39)	Cause of Death	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	ALL CAUSES	**2,301**	**42**	**228**	**1,211**	**461**	**359**	—
	Chronic Disease in Mother	**62**	**1**	**5**	**28**	**10**	**18**	—
30.0	Syphilis	5	—	—	3	1	1	—
30.1	Tuberculosis	2	—	—	1	—	1	—
30.2	Diabetes	7	—	—	3	2	2	—
30.3	Chronic disease of circulatory system ...	27	1	2	11	3	10	—
30.4	Chronic disease of genito-urinary system	9	—	2	5	1	1	—
30.5	Other chronic disease	12	—	1	5	3	3	—
	Acute Disease in Mother	**14**	—	**1**	**8**	**3**	**2**	—
31.1	Influenza	4	—	—	2	1	1	—
31.2	Pneumonia	4	—	—	3	1	—	—
31.3	Other acute respiratory disease ...	2	—	1	—	—	1	—
31.0, 31.4	Other acute disease or condition ...	4	—	—	3	1	—	—
	Diseases and Conditions of Pregnancy and Childbirth ...	**239**	**4**	**23**	**136**	**44**	**32**	—
32.1	Ectopic gestation	2	—	—	—	1	1	—
32.3*a*	Eclampsia...	199	4	20	109	37	29	—
32.3*b*	Nephritic toxæmia	11	—	1	8	2	—	—
32.3*c*	Toxæmia not stated	17	—	1	13	1	2	—
32.4*a*	Acute yellow atrophy of liver	—	—	—	—	—	—	—
32.4*b*	Hyperemesis gravidarum	1	—	—	1	—	—	—
32.5*a*	Pyelitis	2	—	—	1	1	—	—
32.5*b*	Infection	6	—	1	3	2	—	—
33	Absorption of toxic substance from mother	1	—	—	1	—	—	—
	Difficult Labour	**308**	**7**	**32**	**157**	**59**	**53**	—
34.0*a*	Abnormality of bones of pelvis with Immaturity	—	—	—	—	—	—	—
34.0*b*	Abnormality of bones of pelvis without Immaturity	5	—	—	2	2	1	—
34.1*a*	Disproportion with Immaturity ...	10	—	1	7	—	2	—
34.1*b*	Disproportion without Immaturity ...	43	1	4	23	8	7	—
34.2*a*	Malposition of fœtus, with Immaturity	12	1	1	5	4	1	—
34.2*b*	Malposition of fœtus, without Immaturity	123	4	16	57	25	21	—
34.3*a*	Abnormality of forces of labour, with Immaturity	2	—	—	2	—	—	—
34.3*b*	Abnormality of forces of labour, without Immaturity	55	1	6	29	9	10	—
34.4*a*	Operative delivery, with Immaturity ...	—	—	—	—	—	—	—
34.4*b*	Operative delivery, without Immaturity	23	—	3	9	6	5	—
34.5*a*	Abnormality of organs or tissues of pelvis with Immaturity	—	—	—	—	—	—	—
34.5*b*	Abnormality of organs or tissues of pelvis without Immaturity	8	—	—	5	1	2	—
34.6*a*	Difficult labour without mention of condition, but with Immaturity ...	4	—	—	3	—	1	—
34.6*b*	Difficult labour without mention of condition, and without Immaturity ...	23	—	1	15	4	3	—

TABLE 25.—*continued*

International Nos. (Y30-Y39)	Cause of Death	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	Other Causes in Mother	**24**	—	**6**	**10**	**4**	**4**	—
35.0	Fall	6	—	1	3	—	2	—
32.0, 35.1	Other accident or violence	2	—	1	1	—	—	—
35.2	Over exertion	1	—	—	1	—	—	—
35.3	Other and ill-defined causes in mother	15	—	4	5	4	2	—
	Placental and Cord Conditions	**685**	**18**	**68**	**358**	**147**	**94**	—
36.0*a*	Prolapse of cord	106	5	9	52	22	18	—
36.0*b*	Torsion of cord	99	3	12	47	22	15	—
36.1, 36.3	Placenta prævia	68	2	6	39	15	6	—
32.2, 36.2, 36.4	Accidental hæmorrhage	269	6	20	141	65	37	—
36.5	Placental infarct	88	—	13	52	14	9	—
36.6	Others of placenta and cord	55	2	8	27	9	9	—
	Birth Injury	**99**	**3**	**13**	**44**	**27**	**12**	—
37*a*	Birth injury with Immaturity	6	1	—	3	—	2	—
37*b*	Birth injury without Immaturity ...	93	2	13	41	27	10	—
	Congenital Malformation of Fœtus...	**444**	**4**	**39**	**243**	**91**	**67**	—
38.0	Anencephalus	229	1	21	117	51	39	—
38.1	Hydrocephalus	126	2	10	76	21	17	—
38.2	Spina bifida	30	—	3	15	7	5	—
38.3	Other malformations of the central nervous system	13	—	—	7	3	3	—
38.4	Malformation of the cardiovascular system...	5	—	—	2	2	1	—
38.5	Malformation of other specified system	18	1	3	12	2	—	—
38.6	Monster	1	—	—	—	1	—	—
38.7	Other and unspecified malformations ...	22	—	2	14	4	2	—
	Diseases of Fœtus and Ill-defined Causes	**426**	**5**	**41**	**227**	**76**	**77**	—
39.2	Erythroblastosis (Rhesus factor) ...	73	1	5	41	17	9	—
39.0, 39.1, 39.3	Other diseases of fœtus	3	—	—	2	1	—	—
39.4	Maceration	84	1	13	47	11	12	—
39.5*a*	Premature birth (cause not stated) ...	33	1	—	17	4	11	—
39.5*b*	Debility	12	1	—	6	3	2	—
39.5*c*	Asphyxia	76	—	9	39	12	16	—
39.5*d*	Other ill-defined	80	—	6	38	17	19	—
39.6	Cause unknown	65	1	8	37	11	8	—

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letter (*a*, *b*, *c*, etc.) apply to the Scottish List only

TABLE 26.—Deaths of Legitimate Children under one year from Selected Causes by Social Classification, 1951

Cause of Death	All Classes	Social Class I	Social Class II	Social Class III	Social Class IV	Social Class V	Social Class not stated
Tuberculous meningitis ...	7	—	—	6	—	—	1
Abdominal tuberculosis ...	1	—	—	1	—	—	—
Other tuberculous diseases	10	—	—	3	5	1	1
Syphilis	3	—	—	1	1	1	—
Diphtheria	—	—	—	—	—	—	—
Whooping-cough ...	67	—	2	37	14	12	2
Meningococcal infections	12	—	2	5	3	1	1
Measles	9	—	—	5	2	1	1
Meningitis (not meningococcal or tuberculous)...	24	—	—	15	6	2	1
Pneumonia (excluding pneumonia of newborn)	352	1	14	184	80	60	13
Bronchitis...	48	—	2	27	5	12	2
Other respiratory diseases	42	—	2	25	4	10	1
Diarrhœa (excluding diarrhœa of newborn)	175	2	2	84	34	48	5
Other digestive diseases ...	31	—	2	21	4	3	1
Congenital malformations	437	8	46	216	76	74	17
Birth injuries	285	10	25	168	36	44	2
Asphyxia and atelectasis	304	7	20	170	52	45	10
Pneumonia of newborn...	153	3	10	80	29	26	5
Diarrhœa of newborn ...	33	1	3	16	9	4	—
Other infantile diseases ...	821	15	59	428	146	151	22
Convulsions	72	—	3	30	19	18	2
All other causes	108	2	12	57	17	17	3
Accidental mechanical suffocation, etc.	143	1	7	73	21	32	9
Other violence	7	—	—	4	1	2	—
Total—Both Sexes	3,144	50	211	1,656	564	564	99

TABLE 27.—Legitimate Still-births by Social Classification, Age of Mother and Number of Previous Children, Scotland, 1951

No. of Previous Children	Total	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class I										
None	18	—	3	5	8	2	—	—	—	—
1	9	—	—	3	2	4	—	—	—	—
2	11	—	—	3	2	5	1	—	—	—
3	2	—	—	—	—	2	—	—	—	—
4	—	—	—	—	—	—	—	—	—	—
5	2	—	—	—	1	1	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total	42	—	3	11	13	14	1	—	—	—
Illegitimate	—	—	—	—	—	—	—	—	—	—
Social Class II										
None	103	2	22	29	28	16	6	—	—	—
1	50	—	5	5	22	15	2	1	—	—
2	40	—	1	8	9	12	8	2	—	—
3	14	—	—	1	6	3	3	1	—	—
4	9	—	—	1	—	4	4	—	—	—
5	7	—	—	—	1	5	1	—	—	—
6	2	—	—	—	—	1	1	—	—	—
7	2	—	—	—	—	—	2	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	1	—	—	—	—	—	1	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total	228	2	28	44	66	56	27	5	—	—
Illegitimate	3	—	1	—	2	—	—	—	—	—
Social Class III										
None	478	32	177	147	78	32	12	—	—	—
1	229	3	45	88	60	22	9	2	—	—
2	167	—	21	57	43	38	8	—	—	—
3	125	—	3	33	39	34	15	1	—	—
4	73	—	—	12	20	25	15	1	—	—
5	47	—	—	4	14	20	9	—	—	—
6	38	—	—	4	5	20	9	—	—	—
7	21	—	—	—	4	7	8	2	—	—
8	6	—	—	—	—	3	2	1	—	—
9	7	—	—	—	1	2	3	1	—	—
10 and over	15	—	—	—	—	9	4	2	—	—
Not stated	5	—	—	—	—	—	—	—	—	5
Total	1,211	35	246	345	264	212	94	10	—	5
Illegitimate	40	10	11	9	4	4	2	—	—	—
Social Class IV										
None	138	14	59	42	15	7	1	—	—	—
1	92	3	23	33	19	13	1	—	—	—
2	62	—	9	23	17	10	2	1	—	—
3	44	—	2	8	12	16	6	—	—	—
4	34	—	1	10	8	13	2	—	—	—
5	28	—	2	4	9	9	4	—	—	—
6	22	—	—	1	7	7	6	1	—	—
7	14	—	—	—	2	7	4	1	—	—
8	10	—	—	1	2	3	4	—	—	—
9	8	—	—	—	2	3	2	1	—	—
10 and over	8	—	—	—	—	2	6	—	—	—
Not stated	1	—	—	—	—	—	—	—	—	1
Total	461	17	96	122	93	90	38	4	—	1
Illegitimate	62	9	26	13	5	6	2	—	—	1
Social Class V										
None	100	9	39	30	13	5	4	—	—	—
1	63	1	16	24	17	4	1	—	—	—
2	47	—	9	16	13	6	3	—	—	—
3	44	—	3	9	16	11	5	—	—	—
4	29	—	—	4	15	6	4	—	—	—
5	14	—	—	2	5	4	3	—	—	—
6	22	—	—	1	6	10	5	—	—	—
7	11	—	—	—	3	3	5	—	—	—
8	8	—	—	—	—	6	2	—	—	—
9	6	—	—	—	—	4	2	—	—	—
10 and over	15	—	—	—	1	—	14	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total	359	10	67	86	89	59	48	—	—	—
Illegitimate	14	2	6	3	—	2	1	—	—	—
Social Class not stated										
None	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	—
2	—	—	—	—	—	—	—	—	—	—
3	—	—	—	—	—	—	—	—	—	—
4	—	—	—	—	—	—	—	—	—	—
5	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—
Illegitimate	59	2	2	14	12	19	7	1	—	2

No. of Previous Children	Total	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class I										
None	1,130	9	288	519	234	67	13	—	—	—
1	989	—	87	349	370	151	30	2	—	—
2	485	—	14	103	209	135	23	1	—	—
3	141	—	1	17	54	50	18	1	—	—
4	42	—	1	3	18	18	2	—	—	—
5	15	—	—	—	3	8	4	—	—	—
6	6	—	—	—	4	1	1	—	—	—
7	3	—	—	—	1	2	—	—	—	—
8	2	—	—	—	—	1	1	—	—	—
9	1	—	—	—	—	1	—	—	—	—
10 and over	3	—	—	—	—	2	—	1	—	—
Not stated	3	—	—	—	—	—	—	—	—	3
Total	2,820	9	391	991	893	436	92	5	—	3
Illegitimate	3	1	1	—	—	1	—	—	—	—
Social Class II										
None	3,690	106	1,029	1,470	695	323	62	4	—	1
1	3,121	15	380	1,175	973	469	108	1	—	—
2	1,604	2	107	431	541	414	106	3	—	—
3	676	—	16	138	216	221	79	6	—	—
4	292	—	3	37	97	111	41	3	—	—
5	148	—	—	12	45	66	22	3	—	—
6	86	—	—	9	15	37	22	3	—	—
7	55	—	—	2	13	24	13	3	—	—
8	30	—	—	2	7	14	7	—	—	—
9	12	—	—	1	2	5	3	1	—	—
10 and over	18	—	—	—	1	3	11	3	—	—
Not stated	22	—	—	—	—	—	—	—	—	22
Total	9,754	123	1,535	3,277	2,605	1,687	474	30	—	23
Illegitimate	85	12	31	18	19	5	—	—	—	—
Social Class III										
None	17,475	1,466	8,114	5,231	1,802	709	147	6	—	—
1	13,916	196	3,853	5,484	3,000	1,156	214	13	—	—
2	7,711	16	1,205	2,908	2,298	1,054	221	8	—	1
3	3,903	1	282	1,278	1,291	819	219	12	1	—
4	1,967	—	64	441	702	601	147	12	—	—
5	1,093	—	9	186	383	379	131	5	—	—
6	602	—	—	57	198	238	103	6	—	—
7	362	—	—	21	88	157	90	6	—	—
8	238	—	—	8	45	119	60	6	—	—
9	119	—	—	1	21	58	33	6	—	—
10 and over	192	—	—	—	15	86	79	12	—	—
Not stated	53	—	—	—	—	—	—	—	—	53
Total	47,631	1,679	13,527	15,615	9,843	5,376	1,444	92	1	54
Illegitimate	967	252	413	175	78	37	9	—	—	3

No. of Previous Children	Total	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class IV										
None	4,605	519	2,244	1,193	401	220	25	3	—	—
1	4,005	124	1,442	1,415	678	287	58	1	—	—
2	2,537	14	552	935	644	331	58	3	—	—
3	1,441	—	158	491	449	272	70	1	—	—
4	844	1	27	223	325	202	61	5	—	—
5	554	—	5	109	185	176	73	6	—	—
6	339	—	1	30	102	135	65	6	—	—
7	199	—	—	9	50	90	47	3	—	—
8	166	—	—	3	41	72	48	2	—	—
9	75	—	—	1	15	28	28	3	—	—
10 and over	116	—	—	—	10	49	50	7	—	—
Not stated	40	—	—	—	—	—	—	—	—	40
Total	14,921	658	4,429	4,409	2,900	1,862	583	40	—	40
Illegitimate	1,378	275	514	286	164	104	23	2	—	10
Social Class V										
None	3,235	453	1,656	679	295	116	34	2	—	—
1	2,717	87	1,100	924	408	152	42	4	—	—
2	1,826	10	441	715	408	200	51	1	—	—
3	1,147	—	130	390	356	218	48	5	—	—
4	716	—	29	185	246	191	63	2	—	—
5	461	—	3	84	159	159	52	4	—	—
6	272	—	1	23	84	111	49	4	—	—
7	182	—	—	7	58	73	43	1	—	—
8	125	—	—	2	24	55	42	2	—	—
9	87	—	—	—	16	36	32	3	—	—
10 and over	130	—	—	1	9	67	48	5	—	—
Not stated	16	—	—	—	—	—	—	—	—	16
Total	10,914	550	3,360	3,010	2,063	1,378	504	33	—	16
Illegitimate	309	59	145	61	25	14	3	1	—	1
Social Class not stated										
None	2	—	2	—	—	—	—	—	—	—
1	1	—	—	—	—	1	—	—	—	—
2	2	—	—	—	2	—	—	—	—	—
3	2	—	—	—	—	1	1	—	—	—
4	—	—	—	—	—	—	—	—	—	—
5	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total	7	—	2	—	2	2	1	—	—	—
Illegitimate	1,850	78	327	535	447	339	96	8	—	20

TABLE 29.—Deaths in Scotland from Selected Causes of Children aged under One Year, 1951

Cause of Death		Total (All Ages)	Illegitimate only	Age: Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days –2 mths.	3–5 months	6–8 months	9–11 months
Tuberculous meningitis ...	M.	5	–	–	–	–	–	–	–	1	1	3
	F.	2	–	–	–	–	–	–	–	–	1	1
Abdominal tuberculosis ...	M.	1	–	–	–	–	–	–	–	1	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–
Other tuberculous diseases ...	M.	3	–	–	–	–	–	–	1	1	1	–
	F.	7	–	–	–	–	–	–	1	1	2	3
Syphilis	M.	3	–	1	–	–	–	–	2	–	–	–
	F.	1	1	–	–	–	–	–	–	1	–	–
Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	M.	43	3	–	–	–	–	–	11	14	9	9
	F.	31	4	–	–	–	1	–	5	7	8	10
Meningococcal infections ...	M.	6	1	–	–	–	–	–	1	1	2	2
	F.	8	1	–	–	–	–	1	1	1	2	3
Measles	M.	2	–	–	–	–	–	–	–	–	1	1
	F.	7	–	–	–	–	–	–	–	2	3	2
Meningitis, not meningococcal or tuberculous	M.	15	2	–	–	1	–	1	5	3	4	1
	F.	11	–	–	–	–	–	–	5	3	2	1
Pneumonia (excluding pneumonia of newborn) ...	M.	221	22	–	–	–	–	–	82	96	22	21
	F.	168	15	–	–	–	–	–	53	75	26	14
Bronchitis	M.	31	1	–	1	1	–	–	11	11	3	4
	F.	20	2	–	–	–	–	–	8	4	3	5
Other respiratory diseases ...	M.	28	6	–	–	2	1	5	7	9	2	2
	F.	22	2	1	–	1	1	2	6	8	2	1
Diarrhœa (excluding diarrhœa of newborn)	M.	114	7	–	–	–	–	–	53	40	16	5
	F.	74	6	–	–	–	–	–	31	28	12	3
Other digestive diseases ...	M.	22	2	2	3	2	1	–	7	2	2	3
	F.	11	–	4	–	–	1	1	–	–	1	4
Congenital malformations ...	M.	261	10	43	77	27	18	10	43	23	12	8
	F.	203	17	32	50	23	12	5	41	20	15	5
Birth injuries	M.	193	11	83	85	14	3	2	3	2	1	–
	F.	111	8	45	57	6	–	2	–	1	–	–
Asphyxia and atelectasis ...	M.	184	9	97	71	7	3	–	3	2	–	1
	F.	140	11	69	54	9	3	1	3	–	–	1
Pneumonia of newborn ...	M.	98	9	3	41	23	8	19	4	–	–	–
	F.	68	4	6	29	20	8	4	1	–	–	–
Diarrhœa of newborn	M.	22	1	–	1	2	6	13	–	–	–	–
	F.	12	–	–	–	2	5	5	–	–	–	–
Other infantile diseases ...	M.	510	35	242	191	23	12	11	24	7	–	–
	F.	383	37	187	136	21	8	5	16	7	2	1
Convulsions	M.	42	3	–	2	–	–	1	14	15	8	2
	F.	34	1	–	1	–	3	–	14	12	4	–
All other causes	M.	71	4	3	3	5	1	1	19	20	11	8
	F.	45	4	3	3	2	4	1	10	8	6	8
Accidental mechanical suffocation, etc.	M.	86	–	1	1	–	–	3	33	39	5	4
	F.	59	2	–	–	–	2	–	27	22	6	2
Other violence	M.	8	3	3	–	–	–	–	1	1	1	2
	F.	5	3	2	1	–	–	–	–	1	1	–
Total—Both Sexes		3,391	–	827	807	191	101	93	546	489	197	140
Males		1,969	–	478	476	107	53	66	324	288	101	76
Females		1,422	–	349	331	84	48	27	222	201	96	64
Illegitimate only—Both Sexes ...		–	*247*	*60*	*56*	*17*	*2*	*10*	*50*	*33*	*10*	*9*
Males		–	*129*	*25*	*35*	*10*	–	*8*	*24*	*18*	*4*	*5*
Females ...		–	*118*	*35*	*21*	*7*	*2*	*2*	*26*	*15*	*6*	*4*

TABLE 30.—Month of Registration of Children aged under one year dying from Selected Causes in Scotland in 1951

Cause of Death	Total	Month of Registration of Death											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Tuberculous meningitis ...	7	–	–	–	–	1	1	–	1	1	2	1	–
Abdominal tuberculosis ...	1	–	1	–	–	–	–	–	–	–	–	–	–
Other tuberculous diseases	10	1	1	1	–	–	–	2	1	1	1	2	–
Syphilis	4	1	–	–	–	1	–	–	–	–	1	–	1
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough ...	74	18	7	13	5	6	2	7	4	1	2	5	4
Meningococcal infections	14	2	2	4	1	–	–	1	1	2	–	–	1
Measles	9	1	2	1	4	1	–	–	–	–	–	–	–
Meningitis (not meningococcal or tuberculous)	26	3	3	4	4	–	1	1	2	5	1	1	1
Pneumonia (excluding pneumonia of newborn) ...	389	65	52	48	39	26	17	25	13	19	23	26	36
Bronchitis...	51	15	8	7	3	1	1	3	2	–	4	3	4
Other respiratory diseases	50	24	4	6	1	1	–	1	1	3	3	4	2
Diarrhœa (excluding diarrhœa of newborn)	188	16	19	20	16	14	23	15	12	10	17	14	12
Other digestive diseases ...	33	2	1	5	3	–	2	3	6	1	2	5	3
Congenital malformations	464	49	31	42	45	40	29	34	42	33	41	42	36
Birth injuries	304	34	24	39	32	25	21	25	30	21	17	21	15
Asphyxia and atelectasis	324	31	23	34	30	30	19	25	31	17	24	28	32
Pneumonia of newborn ...	166	19	21	15	13	18	20	17	9	11	10	5	8
Diarrhœa of newborn ...	34	2	5	2	5	3	1	2	3	2	1	1	7
Other infantile diseases ...	893	97	75	84	97	72	77	72	69	57	64	48	81
Convulsions	76	13	4	7	6	10	6	3	3	4	4	8	8
All other causes	116	10	13	11	9	4	14	4	11	6	17	8	9
Accidental mechanical suffocation, etc. ...	145	16	13	15	21	18	8	8	5	5	8	14	14
Other violence	13	1	–	1	–	1	2	2	–	3	1	1	1
Total ...	3,391	420	309	359	334	272	244	250	246	202	243	237	275
Illegitimate ...	*247*	*32*	*24*	*28*	*23*	*24*	*20*	*16*	*13*	*17*	*15*	*16*	*19*

TABLE 31. Births, Deaths under one year by Age-Periods, and Death-Rates per 1,000 Births in Scotland, 1951.

	Number of Births (Living Children)	Numbers: Under 1 yr. Total	Under 1 yr. Illegitimate	1-27 days	Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days-2 months	3-5 months	6-8 months	9-11 months	Rates: Under 1 yr. Total	Under 1 yr.* Illegitimate	1-27 days	Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	28 days-2 months	3-5 months	6-8 months	9-11 months
SCOTLAND	**90,639**	**3,391**	—	**2,019**	**827**	**807**	**191**	**101**	**93**	**546**	**489**	**197**	**140**	**37·4**	—	**22·3**	**9·1**	**8·9**	**2·1**	**1·1**	**1·0**	**6·0**	**5·4**	**2·2**	**1·5**
Counties of Cities	33,614	1,329	—	779	304	324	79	40	32	244	183	73	50	39·5	—	23·2	9·0	9·6	2·4	1·2	1·0	7·3	5·4	2·2	1·5
Large Burghs	15,407	581	—	337	133	143	32	18	11	86	107	25	26	37·7	—	21·9	8·6	9·3	2·1	1·2	0·7	5·6	6·9	1·6	1·7
Counties (*ex* Co. of C. and L. B.) ...	41,618	1,481	—	903	390	340	80	43	50	216	199	99	64	35·6	—	21·7	9·4	8·2	1·9	1·0	1·2	5·2	4·8	2·4	1·5
LEGITIMATE BIRTHS																									
Scotland	86,047	3,144	—	1,874	767	751	174	99	83	496	456	187	131	36·5	—	21·8	8·9	8·7	2·0	1·2	1·0	5·8	5·3	2·2	1·5
Counties of Cities	31,778	1,223	—	716	280	298	73	38	27	222	168	70	47	38·5	—	22·5	8·8	9·4	2·3	1·2	0·8	7·0	5·3	2·2	1·5
Large Burghs	14,755	551	—	324	127	138	30	18	11	78	101	24	24	37·3	—	22·0	8·6	9·4	2·0	1·2	0·7	5·3	6·8	1·6	1·6
Counties (*ex* Co. of C. and L. B.)	39,514	1,370	—	834	360	315	71	43	45	196	187	93	60	34·7	—	21·1	9·1	8·0	1·8	1·1	1·1	5·0	4·7	2·4	1·5
ILLEGITIMATE BIRTHS																									
Scotland	*4,592*	—	*247*	*145*	*60*	*56*	*17*	*2*	*10*	*50*	*33*	*10*	*9*	—	*53·8*	*31·6*	*13·1*	*12·2*	*3·7*	*0·4*	*2·2*	*10·9*	*7·2*	*2·2*	*2·0*
Counties of Cities	*1,836*	—	*106*	*63*	*24*	*26*	*6*	*2*	*5*	*22*	*15*	*3*	*3*	—	*57·7*	*34·3*	*13·1*	*14·2*	*3·3*	*1·1*	*2·7*	*12·0*	*8·2*	*1·6*	*1·6*
Large Burghs	*652*	—	*30*	*13*	*6*	*5*	*2*	—	—	*8*	*6*	*1*	*2*	—	*46·0*	*19·9*	*9·2*	*7·7*	*3·1*	—	—	*12·3*	*9·2*	*1·5*	*3·1*
Counties (ex Co. of C. and L. B.) ...	*2,104*	—	*111*	*69*	*30*	*25*	*9*	—	*5*	*20*	*12*	*6*	*4*	—	*52·8*	*32·8*	*14·3*	*11·9*	*4·3*	—	*2·4*	*9·5*	*5·7*	*2·9*	*1·9*
ABERDEEN COUNTY	5,726	164	*20*	111	50	41	7	3	10	20	18	12	3	28·6	53·5	19·4	8·7	7·2	1·2	0·5	1·7	3·5	3·1	2·1	0·5
Aberdeen County of City	3,028	82	*6*	55	24	21	4	1	5	7	13	5	2	27·1	*37·0*	18·2	7·9	6·9	1·3	0·3	1·7	2·3	4·3	1·7	0·7
Remainder of County	2,698	82	*14*	56	26	20	3	2	5	13	5	7	1	30·4	*66·0*	20·8	9·6	7·4	1·1	0·7	1·9	4·8	1·9	2·6	0·4
ANGUS COUNTY	4,768	171	*20*	103	36	45	13	4	5	25	23	19	1	35·9	*65·4*	21·6	7·6	9·4	2·7	0·8	1·0	5·2	4·8	4·0	0·2
Dundee County of City	3,142	128	*15*	80	27	36	9	3	5	19	15	13	1	40·7	*71·4*	25·5	8·6	11·5	2·9	1·0	1·6	6·0	4·8	4·1	0·3
Arbroath Burgh	388	9	—	3	1	2	—	—	—	1	2	3	—	23·2	—	7·7	2·6	5·2	—	—	—	2·6	5·2	7·7	—
Remainder of County	1,238	34	*5*	20	8	7	4	1	—	5	6	3	—	27·5	*65·8*	16·2	6·5	5·7	3·2	0·8	—	4·0	4·8	2·4	—
ARGYLL COUNTY	978	41	—	29	10	12	2	3	2	6	4	1	1	41·9	—	29·7	10·2	12·3	2·0	3·1	2·0	6·1	4·1	1·0	1·0
AYR COUNTY	5,600	207	*15*	113	47	47	10	5	4	25	34	17	18	37·0	*60·5*	20·2	8·4	8·4	1·8	0·9	0·7	4·5	6·1	3·0	3·2
Ayr Burgh	687	19	*2*	5	1	3	1	—	—	4	7	1	2	27·7	*66·7*	7·3	1·5	4·4	1·5	—	—	5·8	10·2	1·5	2·9
Kilmarnock Burgh	736	34	*2*	20	9	9	1	—	1	5	3	1	5	46·2	*57·1*	27·2	12·2	12·2	1·4	—	1·4	6·8	4·1	1·4	6·8
Remainder of County	4,177	154	*11*	88	37	35	8	5	3	16	24	15	11	36·9	*60·1*	21·1	8·9	8·4	1·9	1·2	0·7	3·8	5·7	3·6	2·6
BANFF COUNTY	886	30	*3*	21	12	3	4	—	2	4	3	2	—	33·9	*40·0*	23·7	13·5	3·4	4·5	—	2·3	4·5	3·4	2·3	—
BERWICK COUNTY	362	20	—	10	5	3	2	—	—	5	2	2	1	55·2	—	27·6	13·8	8·3	5·5	—	—	13·8	5·5	5·5	2·8
BUTE COUNTY	238	17	*2*	10	5	4	1	—	—	3	4	—	—	71·4	*95·2*	42·0	21·0	16·8	4·2	—	—	12·6	16·8	—	—
CAITHNESS COUNTY	416	15	—	9	3	4	2	—	—	4	1	—	1	36·1	—	21·6	7·2	9·6	4·8	—	—	9·6	2·4	—	2·4
CLACKMANNAN COUNTY	756	29	—	15	4	7	—	1	3	7	5	2	—	38·4	—	19·8	5·3	9·3	—	1·3	4·0	9·3	6·6	2·6	—
DUMFRIES COUNTY	1,468	63	*5*	33	17	11	3	2	—	12	13	3	2	42·9	*49·0*	22·5	11·6	7·5	2·0	1·4	—	8·2	8·9	2·0	1·4
Dumfries Burgh	473	18	*2*	10	5	3	2	–	—	6	2	—	—	38·1	*69·0*	21·1	10·6	6·3	4·2	—	—	12·7	4·2	—	—
Remainder of County	995	45	*3*	23	12	8	1	2	—	6	11	3	2	45·2	*41·1*	23·1	12·1	8·0	1·0	2·0	—	6·0	11·1	3·0	2·0
DUNBARTON COUNTY	3,233	99	*5*	56	22	24	7	1	2	13	20	5	5	30·6	*52·1*	17·3	6·8	7·4	2·2	0·3	0·6	4·0	6·2	1·5	1·5
Clydebank Burgh	1,013	20	—	11	5	5	1	—	—	—	7	1	1	19·7	—	10·9	4·9	4·9	1·0	—	—	—	0·9	1·0	1·0
Dumbarton Burgh...	457	10	—	6	1	3	1	—	1	2	2	—	—	21·9	—	13·1	2·2	6·6	2·2	—	2·2	4·4	4·4	—	—
Remainder of County	1,763	69	*5*	39	16	16	5	1	1	11	11	4	4	39·1	*79·4*	22·1	9·1	9·1	2·8	0·6	0·6	6·2	6·2	2·3	2·3
EAST LOTHIAN COUNTY	875	35		17	3	10	1	2	1	8	7	1	2												

* Under 1 yr. Illegitimate

Remainder of County	4,020	155	8	95	43	34	9	6	3	21	26	7	6	38·6	50·3	23·6	10·7	8·5	2·2	1·5	0·7	5·2	6·5	1·7	1·5
INVERNESS COUNTY	1,498	47	5	34	13	13	4	2	2	5	5	—	3	31·4	39·4	22·7	8·7	8·7	2·7	1·3	1·3	3·3	3·3	—	2·0
Inverness Burgh	489	19	1	12	2	6	3	—	1	2	3	—	2	38·9	23·8	24·5	4·1	12·3	6·1	—	2·0	4·1	6·1	—	4·1
Remainder of County	1,009	28	4	22	11	7	1	2	1	3	2	—	1	27·8	47·1	21·8	10·9	6·9	1·0	2·0	1·0	3·0	2·0	—	1·0
KINCARDINE COUNTY	475	10	1	7	2	3	1	—	1	2	1	—	—	21·1	34·5	14·7	4·2	6·3	2·1	—	2·1	4·2	2·1	—	—
KINROSS COUNTY	113	5	—	4	2	1	—	—	1	—	1	—	—	44·2	—	35·4	17·7	8·8	—	—	8·8	—	8·8	—	—
KIRKCUDBRIGHT COUNTY	516	15	1	7	3	2	1	—	1	3	1	1	3	29·1	27·0	13·6	5·8	3·9	1·9	—	1·9	5·8	1·9	1·9	5·8
LANARK COUNTY	30,182	1,347	94	758	305	317	65	39	32	259	201	73	56	44·6	64·7	25·1	10·1	10·5	2·2	1·3	1·1	8·6	6·7	2·4	1·9
Glasgow Co. of C.	20,091	923	69	521	202	217	52	30	20	186	133	46	37	45·9	65·0	25·9	10·1	10·8	2·6	1·5	1·0	9·3	6·6	2·3	1·8
Airdrie Burgh	648	35	1	23	7	12	1	1	2	5	6	1	—	54·0	43·5	35·5	10·8	18·5	1·5	1·5	3·1	7·7	9·3	1·5	—
Coatbridge Burgh	1,095	59	5	26	11	10	4	1	—	13	10	4	6	53·9	147·1	23·7	10·0	9·1	3·7	0·9	—	11·9	9·1	3·7	5·5
Hamilton Burgh	821	35	1	17	8	8	—	1	—	10	7	1	—	42·6	34·5	20·7	9·7	9·7	—	1·2	—	12·2	8·5	1·2	—
Motherwell and Wishaw Burgh ...	1,183	48	2	30	16	10	1	2	1	8	9	1	—	40·6	42·6	25·4	13·5	8·5	0·8	1·7	0·8	6·8	7·6	0·8	—
Rutherglen Burgh	382	10	1	9	4	4	1	—	—	1	—	—	—	26·2	111·1	23·6	10·5	10·5	2·6	—	—	2·6	—	—	—
Remainder of County	5,962	237	15	132	57	56	6	4	9	36	36	20	13	39·8	60·2	22·1	9·6	9·4	1·0	0·7	1·5	6·0	6·0	3·4	2·2
MIDLOTHIAN COUNTY	9,282	243	19	157	66	60	19	6	6	37	27	10	12	26·2	39·3	16·9	7·1	6·5	2·0	0·6	0·6	4·0	2·9	1·1	1·3
Edinburgh Co. of C.	7,353	196	16	123	51	50	14	6	2	32	22	9	10	26·7	39·8	16·7	6·9	6·8	1·9	0·8	0·3	4·4	3·0	1·2	1·4
Remainder of County	1,929	47	3	34	15	10	5	—	4	5	5	1	2	24·4	37·0	17·6	7·8	5·2	2·6	—	2·1	2·6	2·6	0·5	1·0
MORAY COUNTY	901	31	2	20	8	10	2	—	—	3	6	1	1	34·4	32·8	22·2	8·9	11·1	2·2	—	—	3·3	6·7	1·1	1·1
NAIRN COUNTY	148	3	—	2	1	1	—	—	—	1	—	—	—	20·3	—	13·5	6·8	6·8	—	—	—	6·8	—	—	—
ORKNEY COUNTY	363	8	—	5	1	2	2	—	—	1	1	1	—	22·0	—	13·8	2·8	5·5	5·5	—	—	2·8	2·8	2·8	—
PEEBLES COUNTY	234	7	—	5	4	1	—	—	—	1	—	1	—	29·9	—	21·4	17·1	4·3	—	—	—	4·3	—	4·3	—
PERTH COUNTY	1,944	57	8	34	10	16	4	—	4	10	5	6	2	29·3	60·2	17·5	5·1	8·2	2·1	—	2·1	5·1	2·6	3·1	1·0
Perth Burgh	673	15	1	6	1	4	1	—	—	3	1	3	2	22·3	19·2	8·9	1·5	5·9	1·5	—	—	4·5	1·5	4·5	3·0
Remainder of County	1,271	42	7	28	9	12	3	—	4	7	4	3	—	33·0	86·4	22·0	7·1	9·4	2·4	—	3·1	5·5	3·1	2·4	—
RENFREW COUNTY	5,803	232	11	145	69	49	14	10	3	28	39	10	10	40·0	46·8	25·0	11·9	8·4	2·4	1·7	0·5	4·8	6·7	1·7	1·7
Greenock Burgh	1,560	56	3	35	9	16	4	5	1	9	8	2	2	35·9	43·5	22·4	5·8	10·3	2·6	3·2	0·6	5·8	5·1	1·3	1·3
Paisley Burgh	1,600	72	5	45	20	18	4	1	2	6	16	3	2	45·0	74·6	28·1	12·5	11·3	2·5	0·6	1·3	3·8	10·0	1·9	1·3
Port Glasgow Burgh	495	22	—	13	9	2	1	1	—	5	4	—	—	44·4	—	26·3	18·2	4·0	2·0	2·0	—	10·1	8·1	—	—
Remainder of County	2,148	82	3	52	31	13	5	3	—	8	11	5	6	38·2	38·5	24·2	14·4	6·1	2·3	1·4	—	3·7	5·1	2·3	2·8
ROSS AND CROMARTY COUNTY ...	1,010	31	2	21	12	6	1	1	1	3	6	1	—	30·7	37·7	20·8	11·9	5·9	1·0	1·0	1·0	3·0	5·9	1·0	—
ROXBURGH COUNTY	677	15	2	7	3	2	1	—	1	5	2	—	1	22·2	66·7	10·3	4·4	3·0	1·5	—	1·5	7·4	3·0	—	1·5
SELKIRK COUNTY	332	16	1	11	7	2	1	—	1	3	1	—	1	48·2	62·5	33·1	21·1	6·0	3·0	—	3·0	9·0	3·0	—	3·0
STIRLING COUNTY	3,350	119	9	80	30	32	7	9	2	15	11	7	6	35·5	63·8	23·9	9·0	9·6	2·1	2·7	0·6	4·5	3·3	2·1	1·8
Falkirk Burgh	596	25	2	18	8	8	—	2	—	1	2	2	2	41·9	83·3	30·2	13·4	13·4	—	3·4	—	1·7	3·4	3·4	3·4
Stirling Burgh	442	17	1	8	2	4	1	1	—	2	6	—	1	38·5	40·0	18·1	4·5	9·0	2·3	2·3	—	4·5	13·6	—	2·3
Remainder of County	2,312	77	6	54	20	20	6	6	2	12	3	5	3	33·3	65·2	23·4	8·7	8·7	2·6	2·6	0·9	5·2	1·3	2·2	1·3
SUTHERLAND COUNTY	232	9	2	7	4	3	—	—	—	—	—	1	1	38·8	200·0	30·2	17·2	12·9	—	—	—	—	—	4·3	4·3
WEST LOTHIAN COUNTY	1,696	56	1	27	12	12	1	1	1	9	8	9	3	33·0	21·7	15·9	7·1	7·1	0·6	0·6	0·6	5·3	4·7	5·3	1·8
WIGTOWN COUNTY	583	30	7	22	4	11	2	2	3	4	2	2	—	51·5	97·2	37·7	6·9	18·9	3·4	3·4	5·1	6·9	3·4	3·4	—
ZETLAND COUNTY	305	6	—	4	—	3	—	1	—	1	—	1	—	19·7	—	13·1	—	9·8	—	3·3	—	3·3	—	3·3	—

Note.—Some of the above rates are based on very few observations and are therefore of limited value.

*—Per 1,000 illegitimate births.

TABLE 32.—Deaths in Scotland of Children aged under One Year by Selected Age-groups, 1951

Age	Total	Males	Females
Under 1 day	827	478	349
1 day	323	180	143
2 days	191	125	66
3 ,,	114	66	48
4 ,,	76	48	28
5 ,,	51	27	24
6 ,,	52	30	22
7–13 ,,	191	107	84
14–20 ,,	101	53	48
21–27 ,,	93	66	27
28 days–2 months	287	172	115
2 ,,	259	152	107
3 ,,	213	120	93
4 ,,	158	94	64
5 ,,	118	74	44
6 ,,	86	43	43
7 ,,	66	39	27
8 ,,	45	19	26
9 ,,	65	35	30
10 ,,	38	22	16
11 ,,	37	19	18
Total	3,391	1,969	1,422

TABLE 33.—Ages at Death in 1951

Age Groups	Number of Deaths					
	Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs but including Small Burghs and Landward	Small Burghs	Landward
Under 1 –	3,391	1,329	581	1,481	492	989
1– –	664	253	127	284	92	192
5– –	309	110	44	155	57	98
10– –	200	75	46	79	21	58
15– –	895	364	165	366	92	274
25– –	1,432	554	256	622	181	441
35– –	2,426	994	411	1,021	401	620
45– –	5,444	2,340	942	2,162	848	1,314
55– –	9,942	4,309	1,545	4,088	1,612	2,476
65– –	17,282	6,770	2,760	7,752	2,995	4,757
75– –	18,197	6,559	2,700	8,938	3,453	5,485
85 and over	5,596	1,807	693	3,096	1,146	1,950
Not stated	—	—	—	—	—	—
All Ages	65,778	25,464	10,270	30,044	11,390	18,654

TABLE 34.—Deaths, Male and Female, at each year of ag

MALES

Ages	Total	Single	Married	Widowed	Divorced	Not Stated	Ages	Total	Single	Married	Widowed	Divorced	Not Stated
0 ...	1,969	1,969	–	–	–	–	50 ...	337	67	251	15	4	–
1 ...	135	135	–	–	–	–	51 ...	368	57	284	23	3	1
2 ...	93	93	–	–	–	–	52 ...	389	57	308	22	1	1
3 ...	69	69	–	–	–	–	53 ...	393	62	298	28	5	–
4 ...	61	61	–	–	–	–	54 ...	435	55	359	21	–	–
5 ...	49	49	–	–	–	–	55 ...	414	56	327	28	2	1
6 ...	37	37	–	–	–	–	56 ...	450	79	340	26	4	1
7 ...	37	37	–	–	–	–	57 ...	492	67	383	38	4	–
8 ...	35	35	–	–	–	–	58 ...	511	74	374	63	–	–
9 ...	29	29	–	–	–	–	59 ...	576	84	424	65	3	–
10 ...	18	18	–	–	–	–	60 ...	570	92	422	54	2	–
11 ...	21	21	–	–	–	–	61 ...	580	68	437	70	4	1
12 ...	16	16	–	–	–	–	62 ...	657	99	487	69	1	1
13 ...	24	24	–	–	–	–	63 ...	689	95	495	95	4	–
14 ...	22	22	–	–	–	–	64 ...	731	101	522	103	5	–
15 ...	29	29	–	–	–	–	65 ...	711	103	485	120	3	–
16 ...	41	41	–	–	–	–	66 ...	823	138	541	142	2	–
17 ...	42	42	–	–	–	–	67 ...	793	117	515	158	2	1
18 ...	37	37	–	–	–	–	68 ...	826	144	494	181	5	2
19 ...	51	49	2	–	–	–	69 ...	861	136	529	194	1	1
20 ...	35	34	1	–	–	–	70 ...	835	129	498	204	1	3
21 ...	58	55	3	–	–	–	71 ...	941	145	543	249	2	2
22 ...	48	40	8	–	–	–	72 ...	988	126	560	300	1	1
23 ...	53	45	7	1	–	–	73 ...	1,027	146	554	324	3	–
24 ...	50	44	6	–	–	–	74 ...	987	132	498	353	2	2
25 ...	63	46	17	–	–	–	75 ...	1,076	157	506	409	–	4
26 ...	78	52	26	–	–	–	76 ...	1,058	135	511	408	3	1
27 ...	69	41	28	–	–	–	77 ...	991	151	447	391	–	2
28 ...	72	43	28	1	–	–	78 ...	966	138	398	427	1	2
29 ...	71	31	39	–	1	–	79 ...	891	118	350	421	–	2
30 ...	87	41	46	–	–	–	80 ...	808	86	322	398	1	1
31 ...	91	32	58	1	–	–	81 ...	754	81	263	410	–	–
32 ...	52	22	30	–	–	–	82 ...	663	71	236	355	–	1
33 ...	63	23	39	1	–	–	83 ...	640	67	191	382	–	–
34 ...	82	26	52	3	1	–	84 ...	547	52	163	331	–	1
35 ...	75	31	41	2	1	–	85 ...	404	35	103	266	–	–
36 ...	100	34	62	3	1	–	86 ...	372	30	99	243	–	–
37 ...	89	36	51	1	1	–	87 ...	298	31	78	188	1	–
38 ...	110	25	77	6	2	–	88 ...	236	20	55	161	–	–
39 ...	123	23	94	6	–	–	89 ...	186	24	39	123	–	–
40 ...	102	20	77	3	2	–	90 ...	132	13	20	99	–	–
41 ...	151	35	107	7	2	–	91 ...	105	13	18	74	–	–
42 ...	181	45	131	4	1	–	92 ...	72	7	8	57	–	–
43 ...	167	35	126	5	1	–	93 ...	58	2	8	48	–	–
44 ...	192	38	147	5	2	–	94 ...	29	2	3	24	–	–
45 ...	218	50	162	3	3	–	95 ...	23	4	1	18	–	–
46 ...	224	45	172	6	1	–	96 ...	11	1	3	7	–	–
47 ...	272	49	209	13	1	–	97 ...	9	1	8	–	–	–
48 ...	289	48	228	10	1	2	98 ...	8	1	1	6	–	–
49 ...	306	60	233	12	1	–	99 ...	5	1	–	4	–	–
							100 and over	4	–	–	4	–	–
							Not stated	–	–	–	–	–	–
							All males	33,116	7,632	17,066	8,292	92	34

FEMALES

Ages	Total	Single	Married	Widowed	Divorced	Not Stated	Ages	Total	Single	Married	Widowed	Divorced	Not Stated
0 ...	1,422	1,422	–	–	–	–	50 ...	225	54	152	18	1	–
1 ...	141	141	–	–	–	–	51 ...	257	65	168	24	–	–
2 ...	72	72	–	–	–	–	52 ...	249	37	164	47	1	–
3 ...	56	56	–	–	–	–	53 ...	256	55	154	47	–	–
4 ...	37	37	–	–	–	–	54 ...	320	70	187	59	4	–
5 ...	32	32	–	–	–	–	55 ...	310	68	196	40	6	–
6 ...	31	31	–	–	–	–	56 ...	329	74	196	58	1	–
7 ...	20	20	–	–	–	–	57 ...	351	74	207	70	–	–
8 ...	21	21	–	–	–	–	58 ...	387	83	220	83	1	–
9 ...	18	18	–	–	–	–	59 ...	414	78	223	111	2	–
10 ...	15	15	–	–	–	–	60 ...	405	89	220	95	1	–
11 ...	21	21	–	–	–	–	61 ...	438	84	241	110	3	–
12 ...	19	19	–	–	–	–	62 ...	508	87	262	157	2	–
13 ...	27	27	–	–	–	–	63 ...	550	112	260	177	1	–
14 ...	17	17	–	–	–	–	64 ...	580	129	246	202	3	–
15 ...	27	27	–	–	–	–	65 ...	688	133	311	242	2	–
16 ...	28	28	–	–	–	–	66 ...	729	143	340	245	1	–
17 ...	36	33	3	–	–	–	67 ...	706	154	270	279	3	–
18 ...	44	41	3	–	–	–	68 ...	747	180	266	297	4	–
19 ...	42	41	1	–	–	–	69 ...	795	134	298	360	3	–
20 ...	43	36	7	–	–	–	70 ...	833	164	290	377	2	–
21 ...	48	42	6	–	–	–	71 ...	907	179	275	450	3	–
22 ...	65	47	18	–	–	–	72 ...	977	199	315	461	2	–
23 ...	60	37	23	–	–	–	73 ...	1,041	214	298	526	3	–
24 ...	58	37	21	–	–	–	74 ...	1,067	222	291	552	1	1
25 ...	68	33	35	–	–	–	75 ...	1,127	232	281	614	–	–
26 ...	78	33	45	–	–	–	76 ...	1,140	241	242	656	1	–
27 ...	61	17	43	–	1	–	77 ...	1,064	226	216	621	1	–
28 ...	60	16	40	2	2	–	78 ...	1,032	208	203	619	2	–
29 ...	76	18	55	1	2	–	79 ...	992	225	141	624	2	–
30 ...	71	27	39	5	–	–	80 ...	984	206	139	636	3	–
31 ...	87	31	52	1	3	–	81 ...	1,010	230	118	659	3	–
32 ...	69	19	48	1	1	–	82 ...	885	187	101	597	–	–
33 ...	74	13	56	4	1	–	83 ...	805	210	64	531	–	–
34 ...	60	15	42	2	1	–	84 ...	763	173	46	543	1	–
35 ...	78	23	51	3	1	–	85 ...	702	158	61	482	1	–
36 ...	100	24	73	2	1	–	86 ...	594	133	28	432	1	–
37 ...	93	22	67	4	–	–	87 ...	513	112	26	374	1	–
38 ...	99	28	65	5	1	–	88 ...	403	97	14	290	2	–
39 ...	106	27	73	4	2	–	89 ...	383	78	10	293	2	–
40 ...	107	28	77	–	2	–	90 ...	277	60	5	212	–	–
41 ...	129	30	93	5	1	–	91 ...	215	56	9	150	–	–
42 ...	139	38	97	4	–	–	92 ...	161	37	8	116	–	–
43 ...	136	42	88	5	1	–	93 ...	117	32	3	82	–	–
44 ...	149	36	98	14	1	–	94 ...	99	14	4	81	–	–
45 ...	153	33	109	9	2	–	95 ...	63	18	–	45	–	–
46 ...	154	33	101	20	–	–	96 ...	53	14	–	39	–	–
47 ...	178	48	114	16	–	–	97 ...	32	9	–	23	–	–
48 ...	193	49	123	20	1	–	98 ...	13	3	–	10	–	–
49 ...	228	49	161	17	1	–	99 ...	6	–	–	6	–	–
							100 and over	14	1	–	13	–	–
							Not stated	–	–	–	–	–	–
							All females	32,662	8,891	9,696	13,979	95	1

TABLE 35.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1951

International Nos. Detailed List	International Nos. Abbreviated List	Causes of Death	Sex	Numbers Aged: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	Not Stated	Death-rate per 100,000 at Ages: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
001-008	B1	Tuberculosis of respiratory system	M.	1106	3	16	5	8	90	166	182	231	240	132	30	3	–	45	6	8	2	4	26	47	51	73	111	86	50	45
			F.	780	6	17	6	5	192	225	140	67	69	38	13	2	–	29	14	9	3	3	51	61	37	19	25	19	15	17
010-019	B2	Tuberculosis, other forms	M.	150	6	35	21	5	20	15	11	11	9	13	4	–	–	6	13	18	10	3	6	4	3	3	4	8	7	–
			F.	143	3	40	14	8	23	13	16	11	9	5	1	–	–	5	7	21	7	4	6	4	4	3	3	3	1	–
020-029	B3	Syphilis and its sequelæ ...	M.	100	3	–	–	1	–	1	7	10	27	38	13	–	–	4	6	–	–	1	–	0	2	3	13	25	22	–
			F.	49	1	–	–	–	1	–	2	8	14	16	5	2	–	2	2	–	–	–	0	–	1	2	5	8	6	17
040	B4	Typhoid fever	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	0	–	–	–	–	–	–	–	–	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	B6	Dysentery, all forms ...	M.	9	2	1	–	–	–	1	–	–	1	1	3	–	–	0	4	1	–	–	–	0	–	–	0	1	5	–
			F.	6	1	–	–	–	–	–	–	–	1	3	1	–	–	0	2	–	–	–	–	–	–	–	0	2	1	–
050-051	B7	Scarlet fever and streptococcal sore throat ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	0	–	1	–	–	–	–	–	–	–	–	–	–
055	B8	Diphtheria	M.	3	–	1	2	–	–	–	–	–	–	–	–	–	–	0	–	1	1	–	–	–	–	–	–	–	–	–
			F.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	0	–	1	–	–	–	–	–	–	–	–	–	–
056	B9	Whooping-cough ...	M.	50	43	5	1	–	–	–	–	–	–	–	1	–	–	2	93	3	0	–	–	–	–	–	–	–	2	–
			F.	48	31	16	1	–	–	–	–	–	–	–	–	–	–	2	71	9	1	–	–	–	–	–	–	–	–	–
057	B10	Meningococcal infections	M.	23	6	13	1	–	1	–	–	1	–	1	–	–	–	1	13	7	0	–	0	–	–	0	–	1	–	–
			F.	21	8	9	1	–	–	1	–	1	–	1	–	–	–	1	18	5	1	–	–	0	–	0	–	1	–	–
080	B12	Acute poliomyelitis ...	M.	11	–	1	2	1	2	3	2	–	–	–	–	–	–	0	–	1	1	1	1	1	1	–	–	–	–	–
			F.	13	–	1	–	3	3	3	2	–	1	–	–	–	–	0	–	1	–	2	1	1	1	–	0	–	–	–
085	B14	Measles	M.	8	2	4	–	–	–	–	–	–	1	–	1	–	–	0	4	2	–	–	–	–	–	–	0	–	2	–
			F.	17	7	8	–	1	–	–	–	–	–	–	1	–	–	1	16	4	–	1	–	–	–	–	–	–	1	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	83	6	3	1	1	2	5	10	19	15	11	8	2	–	3	13	2	0	1	1	1	3	6	7	7	13	30
			F.	96	5	8	3	2	3	4	10	11	21	10	15	4	–	4	11	4	2	1	1	1	3	3	8	5	17	35
140-205	B18	Malignant neoplasms ...	M.	4925	1	16	18	11	42	99	243	714	1141	1536	1000	104	–	201	2	8	9	6	12	28	68	225	530	1001	1678	1553
			F.	4915	1	17	7	6	28	89	312	673	1059	1493	1037	193	–	184	2	9	4	3	7	24	81	191	388	757	1195	1667
210-239	B19	Benign and unspecified neoplasms	M.	63	–	1	1	–	3	3	6	10	12	17	7	3	–	3	–	1	0	–	1	1	2	3	6	11	12	45
			F.	106	–	3	1	1	4	7	10	23	15	22	18	2	–	4	–	2	1	1	1	2	3	7	5	11	21	17
260	B20	Diabetes mellitus... ...	M.	169	–	–	–	–	–	5	9	22	28	54	47	4	–	7	–	–	–	–	–	1	3	7	13	35	79	60
			F.	390	1	–	–	2	8	8	9	31	78	177	70	6	–	15	2	–	–	1	2	2	2	9	29	90	81	52
290-293	B21	Anæmias	M.	116	–	1	1	–	2	–	3	7	16	33	44	9	–	5	–	1	0	–	1	–	1	2	7	22	74	134
			F.	229	1	1	1	–	2	1	6	13	23	87	73	21	–	9	2	1	1	–	1	0	2	4	8	44	84	181
240-254, 270-289, 294-299	B46.1	Other general diseases ...	M.	262	8	6	1	1	13	11	30	53	68	49	21	1	–	11	17	3	0	1	4	3	8	17	32	32	35	15
			F.	352	3	8	1	3	6	21	32	59	85	90	41	3	–	13	7	4	1	2	2	6	8	17	31	46	47	26
330-334	B22	Vascular lesions affecting central nervous system	M.	3863	5	3	1	1	10	23	38	207	575	1325	1410	265	–	158	11	2	0	1	3	7	11	65	267	863	2366	3956
			F.	5259	1	–	3	1	8	10	76	265	760	1698	1917	520	–	197	2	–	2	1	2	3	20	75	279	861	2208	4492
340	B23	Non-meningococcal menin-	M.	31	15	7	–	1	2	1	2	2	1	–	–	–	–	1	32	4	–	1	1	0	1	1	0	–	–	–

300-320, 341-368	B24	system	F.	636	12	12	5	14	19	26	48	77	92	162	136	33	–	24	27	6	3	7	5	7	13	22	34	82	157	285
400-402	B24	Rheumatic fever	M.	21	1	1	–	2	4	2	6	3	1	1	–	–	–	1	2	1	–	1	1	1	2	1	0	1	–	–
			F.	28	–	–	–	6	3	6	5	4	3	–	1	–	–	1	–	–	–	3	1	2	1	1	1	–	1	–
410-416	B25	Chronic rheumatic heart disease	M.	332	–	–	4	3	19	30	54	51	72	52	41	6	–	14	–	–	2	2	6	8	15	16	33	34	69	90
			F.	568	–	–	1	3	21	52	88	106	111	103	72	11	–	21	–	–	1	2	6	14	23	30	41	52	83	95
420-422	B26	Arteriosclerotic and degenerative heart disease	M.	9478	–	1	–	–	12	40	206	834	1661	2925	3006	793	–	388	–	1	–	–	4	11	57	263	772	1906	5044	11839
			F.	8969	–	–	1	3	8	24	62	265	919	2561	3609	1517	–	336	–	–	1	2	2	7	16	75	337	1298	4157	13106
430-434	B27	Other diseases of heart ...	M.	609	–	1	–	1	3	11	15	43	116	200	178	41	–	25	–	1	–	1	1	3	4	14	54	130	299	612
			F.	715	2	–	–	1	9	9	20	41	103	218	244	68	–	27	5	–	–	1	2	2	5	12	38	111	281	587
440-443	B28	Hypertension with heart disease	M.	368	–	–	–	–	1	3	6	21	78	130	116	13	–	15	–	–	–	–	0	1	2	7	36	85	195	194
			F.	463	–	–	–	–	–	–	7	27	74	175	153	27	–	17	–	–	–	–	–	–	2	8	27	89	176	233
444-447	B29	Hypertension without heart disease	M.	322	–	–	–	–	–	4	7	36	55	95	107	18	–	13	–	–	–	–	–	1	2	11	26	62	180	269
			F.	326	–	–	–	–	–	6	15	25	55	100	104	21	–	12	–	–	–	–	–	2	4	7	20	51	120	181
450-468	B46.3	Other circulatory disease	M.	618	2	–	–	–	3	3	13	17	81	135	277	87	–	25	4	–	–	–	1	1	4	5	38	88	465	1299
			F.	601	–	–	1	1	4	9	20	26	46	116	228	150	–	23	–	–	1	1	1	2	5	7	17	59	263	1296
480-483	B30	Influenza	M.	431	15	3	1	–	2	5	13	28	75	107	142	40	–	18	32	2	0	–	1	1	4	9	35	70	238	597
			F.	527	12	6	1	2	5	5	11	24	41	124	208	88	–	20	27	3	1	1	1	1	3	7	15	63	240	760
490-493	B31	Pneumonia	M.	1148	221	38	4	1	4	14	23	70	158	275	293	47	–	47	478	19	2	1	1	4	6	22	73	179	492	702
			F.	1149	168	43	6	3	12	14	27	66	96	263	306	145	–	43	384	23	3	2	3	4	7	19	35	133	353	1253
500-502	B32	Bronchitis...	M.	1513	31	8	1	–	2	11	31	171	372	435	367	84	–	62	67	4	0	–	1	3	9	54	173	283	616	1254
			F.	975	20	6	1	1	1	2	15	51	107	255	376	140	–	37	46	3	1	1	0	1	4	14	39	129	433	1210
470-475, 510-527	B46.4	Other respiratory diseases	M.	430	13	5	3	–	1	7	20	55	130	110	66	20	–	18	28	3	1	–	0	2	6	17	60	72	111	299
			F.	227	10	6	–	–	6	7	12	18	35	47	54	32	–	9	23	3	–	–	2	2	3	5	13	24	62	276
540, 541	B33	Ulcer of stomach and duodenum	M.	486	–	–	–	–	3	12	55	98	113	125	76	4	–	20	–	–	–	–	1	3	15	31	52	81	128	60
			F.	133	–	–	–	–	1	1	14	16	20	39	36	6	–	5	–	–	–	–	0	0	4	5	7	20	41	52
550-553	B34	Appendicitis	M.	64	–	10	3	1	2	–	9	8	6	13	11	1	–	3	–	5	1	1	1	–	3	3	3	8	18	15
			F.	54	–	5	4	2	7	2	5	7	10	6	4	2	–	2	–	3	2	1	2	1	1	2	4	3	5	17
560, 561, 570	B35	Intestinal obstruction and hernia	M.	203	17	2	2	1	–	4	5	23	33	56	52	8	–	8	37	1	1	1	–	1	1	7	15	36	84	119
			F.	191	8	–	3	–	–	6	2	21	33	54	47	17	–	7	18	–	2	–	–	2	1	6	12	27	54	147
543	B36.1	Gastritis and duodenitis ...	M.	13	3	–	1	–	–	–	1	–	2	4	2	–	–	1	6	–	0	–	–	–	0	–	1	3	3	–
			F.	21	1	2	–	1	1	–	–	1	1	3	6	5	–	1	2	1	–	1	0	–	–	0	0	2	7	43
571, 572	B36.2	Diarrhœa (except of new-born)	M.	207	114	11	3	–	6	2	5	6	17	21	18	4	–	8	247	6	1	–	2	1	1	2	8	14	30	60
			F.	231	74	7	1	3	2	12	5	16	18	46	35	12	–	9	169	4	1	2	1	3	1	5	7	23	40	104
581	B37	Cirrhosis of liver ...	M.	95	–	–	–	1	1	3	8	20	24	28	9	1	–	4	–	–	–	1	0	1	2	6	11	18	15	15
			F.	74	–	–	–	2	–	1	5	13	22	20	10	1	–	3	–	–	–	1	–	0	1	4	8	10	12	9
580, 582-586	B46.5	Other diseases of liver ...	M.	92	–	2	2	–	–	–	3	9	21	35	15	5	–	4	–	1	1	–	–	–	1	3	10	23	25	75
			F.	210	–	–	2	–	3	2	5	23	48	55	59	13	–	8	–	–	1	–	1	1	1	7	18	28	68	112
530-539, 542, 544, 545, 573-578, 587	B46.6	Other digestive diseases ...	M.	107	2	2	–	1	3	5	7	18	21	29	17	2	–	4	4	1	–	1	1	1	2	6	10	19	29	30
			F.	118	2	1	1	2	3	3	10	18	22	27	24	5	–	4	5	1	1	1	1	1	3	5	8	14	28	43
590-594	B38	Nephritis and nephrosis ...	M.	298	4	3	5	1	11	17	27	44	50	66	61	9	–	12	9	2	2	1	3	5	8	14	23	43	102	134
			F.	352	1	4	3	8	14	20	24	43	68	98	51	18	–	13	2	2	2	4	4	5	6	12	25	50	59	156

Note.—* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 35.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1951—*continued*

International Nos. Detailed List	Abbreviated List	Causes of Death	Sex	Numbers Aged: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	Not Stated	Death-rate per 100,000 at Ages: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
610	B39	Hyperplasia of prostate ...	M.	425	–	–	–	–	–	–	–	–	21	130	213	61	–	17	–	–	–	–	–	–	–	–	10	85	357	911
600-609, 611-637	B46.7	Other diseases of genito-urinary system... ...	M.	193	1	3	–	–	1	1	5	14	22	59	63	24	–	8	2	2	–	–	0	0	1	4	10	38	106	358
			F.	183	1	–	–	1	2	11	18	28	32	40	38	12	–	7	2	–	–	1	1	3	5	8	12	20	44	104
640, 641, 651, 681, 682, 684	B40.0	Puerperal sepsis including post-abortive sepsis ...	F.	28	–	–	–	–	3	22	2	1	–	–	–	–	–	1	–	–	–	–	1	6	1	0	–	–	–	–
642-650, 652-680, 683, 685-689	B40.1	Other puerperal causes ...	F.	71	–	–	–	–	9	40	21	1	–	–	–	–	–	3	–	–	–	–	2	11	5	0	–	–	–	–
690-749	B46.8	Diseases of skin and organs of locomotion	M.	89	3	2	–	1	7	2	3	13	16	21	19	2	–	4	6	1	–	1	2	1	1	4	7	14	32	30
			F.	157	3	–	3	–	1	2	6	12	20	44	49	17	–	6	7	–	2	–	0	1	2	3	7	22	56	147
750-759	B41	Congenital malformations	M.	332	261	30	5	6	3	5	10	9	2	1	–	–	–	14	565	15	2	3	1	1	3	3	1	1	–	–
			F.	270	203	25	10	4	5	2	7	8	3	1	1	1	–	10	464	13	5	2	1	1	2	2	1	1	1	9
760-762	B42	Birth injuries, post-natal asphyxia and atelectasis	M.	377	377	–	–	–	–	–	–	–	–	–	–	–	–	15	816	–	–	–	–	–	–	–	–	–	–	–
			F.	251	251	–	–	–	–	–	–	–	–	–	–	–	–	9	573	–	–	–	–	–	–	–	–	–	–	–
763	B43.1	Pneumonia of newborn ...	M.	98	98	–	–	–	–	–	–	–	–	–	–	–	–	4	212	–	–	–	–	–	–	–	–	–	–	–
			F.	68	68	–	–	–	–	–	–	–	–	–	–	–	–	3	155	–	–	–	–	–	–	–	–	–	–	–
764	B43.2	Diarrhœa of newborn ...	M.	22	22	–	–	–	–	–	–	–	–	–	–	–	–	1	48	–	–	–	–	–	–	–	–	–	–	–
			F.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	0	27	–	–	–	–	–	–	–	–	–	–	–
765-768	B43.3	Other infections of the newborn	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	0	11	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	0	9	–	–	–	–	–	–	–	–	–	–	–
769-776	B44	Other diseases peculiar to early infancy	M.	505	505	–	–	–	–	–	–	–	–	–	–	–	–	21	1093	–	–	–	–	–	–	–	–	–	–	–
			F.	379	379	–	–	–	–	–	–	–	–	–	–	–	–	14	866	–	–	–	–	–	–	–	–	–	–	–
794	B45.0	Senility	M.	488	–	–	–	–	–	–	–	–	–	36	258	194	–	20	–	–	–	–	–	–	–	–	–	23	433	2896
			F.	804	–	–	–	–	–	–	–	–	1	49	383	371	–	30	–	–	–	–	–	–	–	–	0	25	441	3205
780-793, 795	B45.1	Causes ill-defined and unknown	M.	656	67	14	–	–	4	4	19	86	108	175	143	36	–	27	145	7	–	–	1	1	5	27	50	114	240	537
			F.	415	47	9	–	–	1	3	8	29	60	96	123	39	–	16	107	5	–	–	0	1	2	8	22	49	142	337
E963, E970-979	BE49	Suicide	M.	177	–	–	–	–	6	14	26	49	44	29	9	–	–	7	–	–	–	–	2	4	7	15	20	19	15	–
			F.	99	–	–	–	–	4	8	22	25	24	13	3	–	–	4	–	–	–	–	1	2	6	7	9	7	3	–
E810-835	BE47	Motor vehicle accidents ...	M.	386	–	42	51	21	56	51	27	31	34	45	24	4	–	16	–	22	25	11	16	14	8	10	16	29	40	60
			F.	130	–	18	27	6	13	4	9	8	13	17	12	3	–	5	–	10	14	3	3	1	2	2	5	9	14	26
E840-845	BE48.0	Other road transport accidents	M.	38	–	4	4	3	2	6	2	2	5	7	2	1	–	2	–	2	2	2	1	2	1	1	2	5	3	15
			F.	11	–	1	–	–	1	–	–	–	–	3	5	1	–	0	–	1	–	–	0	–	–	–	–	2	6	9
E800-802, E850-962, E964-965, E980-999	BE48.1	Other violence (BE 50) ...	M.	986	94	48	32	21	74	105	98	115	118	120	121	40	–	40	203	25	16	11	22	30	27	36	55	78	203	597
			F.	757	64	28	13	3	12	21	25	50	58	113	233	137	–	28	146	15	7	2	3	6	7	14	21	57	268	1184
		All Causes	M.	33116	1969	358	187	101	444	728	1290	3231	5670	8792	8394	1952	–	1355	4260	184	92	52	130	206	360	1020	2634	5730	14085	29143
			F.	32662	1422	306	122	99	451	704	1136	2213	4272	8490	9802	3645	–	1224	3248	164	62	52	119	192	296	628	1566	4304	11292	31490
		Both Sexes		65778	3391	664	309	200	895	1432	2426	5444	9942	17282	18196	5597	–	1286	3768	174	77	52	124	199	327	814	2037	4928	12429	30630

Note.—Numbers in brackets after titles indicate headings in International Abbreviated List which are merged under the respective Scottish headings.

International Nos.		Causes of Death	Numbers						Death-rate per 100,000 of population					
Detailed List	Abbreviated List		Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Landward	Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Landward
001-008	B1	Tuberculosis of respiratory system ...	1,886	915	355	616	218	398	37	48	43	26	26	26
010-019	B2	Tuberculosis, other forms	293	125	55	113	35	78	6	7	7	5	4	5
020-029	B3	Syphilis and its sequelæ	149	69	21	59	24	35	3	4	3	2	3	2
040	B4	Typhoid fever	1	—	—	1	1	—	0	—	—	0	0	—
045-048	B6	Dysentery, all forms	15	9	1	5	—	5	0	0	0	0	—	0
050-051	B7	Scarlet fever and streptococcal sore throat...	1	1	—	—	—	—	0	0	—	—	—	—
055	B8	Diphtheria	5	4	—	1	—	1	0	0	—	0	—	0
056	B9	Whooping-cough	98	37	12	49	16	33	2	2	1	2	2	2
057	B10	Meningococcal infections	44	23	7	14	2	12	1	1	1	1	0	1
080	B12	Acute poliomyelitis	24	6	5	13	7	6	0	0	1	1	1	0
085	B14	Measles	25	7	5	13	2	11	0	0	1	1	0	1
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	179	61	28	90	30	60	4	3	3	4	4	4
140-205	B18	Malignant neoplasms	9,840	4,145	1,459	4,236	1,680	2,556	192	216	175	179	204	166
210-239	B19	Benign and unspecified neoplasms ...	169	77	20	72	32	40	3	4	2	3	4	3
260	B20	Diabetes mellitus	559	187	96	276	103	173	11	10	12	12	12	11
290-293	B21	Anæmias	345	129	65	151	56	95	7	7	8	6	7	6
240-254, 270-289, 294-299	B46.1	Other general diseases	614	195	109	310	128	182	12	10	13	13	16	12
330-334	B22	Vascular lesions affecting central nervous system	9,122	3,321	1,425	4,376	1,696	2,680	178	173	171	185	206	174
340	B23	Non-meningococcal meningitis	59	25	7	27	8	19	1	1	1	1	1	1
300-326, 341-398	B46.2	Other diseases of nervous system	1,167	444	182	541	197	344	23	23	22	23	24	22
400-402	B24	Rheumatic fever	49	19	8	22	9	13	1	1	1	1	1	1
410-416	B25	Chronic rheumatic heart disease	900	413	146	341	131	210	18	22	18	14	16	14
420-422	B26	Arteriosclerotic and degenerative heart disease	18,447	6,757	2,874	8,816	3,502	5,314	361	352	346	373	425	345
430-434	B27	Other diseases of heart	1,324	457	229	638	240	398	26	24	28	27	29	26
440-443	B28	Hypertension with heart disease	831	332	119	380	145	235	16	17	14	16	18	15
444-447	B29	Hypertension without heart disease ...	648	256	87	305	113	192	13	13	10	13	14	12
450-468	B46.3	Other circulatory disease	1,219	445	154	620	221	399	24	23	19	26	27	26
480-483	B30	Influenza	958	299	156	503	175	328	19	16	19	21	21	21
490-493	B31	Pneumonia	2,297	1,075	334	888	324	564	45	56	40	38	39	37
500-502	B32	Bronchitis	2,488	1,226	423	839	308	531	49	64	51	36	37	35
470-475, 510-527	B46.4	Other respiratory diseases	657	246	103	308	103	205	13	13	12	13	12	13

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis. † Including Small Burghs and Landward.

TABLE 36.—Deaths and Death-Rates from Selected Causes in Scotland, 1951—*continued*

International Nos.		Causes of Death	Numbers						Death-rate per 100,000 of Population					
Detailed List	Abbreviated List		Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Landward	Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Landward
540, 541	B33	Ulcer of stomach and duodenum	619	251	90	278	121	157	12	13	11	12	15	10
550-553	B34	Appendicitis	118	41	19	58	17	41	2	2	2	2	2	3
560, 561, 570	B35	Intestinal obstruction and hernia	394	150	68	176	48	128	8	8	8	7	6	8
543	B36.1	Gastritis and duodenitis	34	5	5	24	9	15	1	0	1	1	1	1
571, 572	B36.2	Diarrhœa (except of newborn)	438	171	83	184	64	120	9	9	10	8	8	8
581	B37	Cirrhosis of liver	169	77	25	67	34	33	3	4	3	3	4	2
580, 582-586	B46.5	Other diseases of liver	302	105	36	161	63	98	6	5	4	7	8	6
530-539, 542, 544, 545, 573-578, 587	B46.6	Other digestive diseases	225	92	35	98	35	63	4	5	4	4	4	4
590-594	B38	Nephritis and nephrosis	650	218	99	333	122	211	13	11	12	14	15	14
610	B39	Hyperplasia of prostate	425	147	66	212	78	134	8	8	8	9	9	9
600-609, 611-637	B46.7	Other diseases of genito-urinary system ...	376	155	40	181	75	106	7	8	5	8	9	7
640, 641, 651, 681, 682, 684	B40.0	Puerperal sepsis including post-abortive sepsis	28	13	3	12	7	5	1	1	0	1	1	0
642-650, 652-680, 683, 685-689	B40.1	Other puerperal causes	71	23	13	35	8	27	1	1	2	1	1	2
690-749	B46.8	Diseases of skin and organs of locomotion ...	246	92	34	120	45	75	5	5	4	5	5	5
750-759	B41	Congenital malformations	602	241	93	268	84	184	12	13	11	11	10	12
760-762	B42	Birth injuries, post-natal asphyxia and atelectasis	628	282	96	250	95	155	12	15	12	11	12	10
763	B43.1	Pneumonia of newborn	166	85	15	66	18	48	3	4	2	3	2	3
764	B43.2	Diarrhœa of newborn	34	10	8	16	4	12	1	1	1	1	0	1
765-768	B43.3	Other infections of the newborn	9	4	1	4	3	1	0	0	0	0	0	0
769-776	B44	Other diseases peculiar to early infancy ...	884	279	179	426	144	282	17	15	22	18	17	18
794	B45.0	Senility	1,292	271	218	803	281	522	25	14	26	34	34	34
780-793, 795	B45.1	Causes ill-defined and unknown	1,071	436	191	444	139	305	21	23	23	19	17	20
E963, E970-979	BE49	Suicide	276	144	28	104	42	62	5	8	3	4	5	4
E810-835	BE47	Motor vehicle accidents	516	179	79	258	62	196	10	9	9	11	8	13
E840-845	BE48.0	Other road transport accidents	49	21	4	24	7	17	1	1	0	1	1	1
E800-802, E850-962, E964-965, E980-999	BE48.1	Other violence (BE50)	1,743	667	257	819	279	540	34	35	31	35	34	35
		All Causes	65,778	25,464	10,270	30,044	11,390	18,654	1,286	1,327	1,235	1,272	1,382	1,212

TABLE 37.—Deaths from Selected Causes and in Age-groups in Scotland, 1950-1951

International Nos. Abbreviated List	Causes of Death	1951	1950					
B1	Tuberculosis of respiratory system	1,886	2,439	—	—	—	—	—
B2	Tuberculosis, other forms	293	336	—	—	—	—	—
B3	Syphilis and its sequelæ	149	170	—	—	—	—	—
B4	Typhoid fever	1	—	—	—	—	—	—
B6	Dysentery, all forms	15	14	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat ...	1	4	—	—	—	—	—
B8	Diphtheria	5	3	—	—	—	—	—
B9	Whooping-cough	98	61	—	—	—	—	—
B10	Meningococcal infections	44	35	—	—	—	—	—
B12	Acute poliomyelitis	24	64	—	—	—	—	—
B14	Measles	25	38	—	—	—	—	—
B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	179	175	—	—	—	—	—
B18	Malignant neoplasms	9,840	10,029	—	—	—	—	—
B19	Benign and unspecified neoplasms	169	221	—	—	—	—	—
B20	Diabetes mellitus	559	565	—	—	—	—	—
B21	Anæmias	345	357	—	—	—	—	—
B46.1	Other general diseases	614	569	—	—	—	—	—
B22	Vascular lesions affecting central nervous system	9,122	8,732	—	—	—	—	—
B23	Non-meningococcal meningitis	59	58	—	—	—	—	—
B46.2	Other diseases of nervous system	1,167	1,120	—	—	—	—	—
B24	Rheumatic fever	49	57	—	—	—	—	—
B25	Chronic rheumatic heart disease	900	942	—	—	—	—	—
B26	Arteriosclerotic and degenerative heart disease	18,447	17,662	—	—	—	—	—
B27	Other diseases of heart	1,324	1,249	—	—	—	—	—
B28	Hypertension with heart disease	831	450	—	—	—	—	—
B29	Hypertension without heart disease	648	539	—	—	—	—	—
B46.3	Other circulatory disease	1,219	1,257	—	—	—	—	—
B30	Influenza	958	386	—	—	—	—	—
B31	Pneumonia	2,297	2,117	—	—	—	—	—
B32	Bronchitis	2,488	2,259	—	—	—	—	—
B46.4	Other respiratory diseases	657	632	—	—	—	—	—
B33	Ulcer of stomach and duodenum	619	629	—	—	—	—	—
B34	Appendicitis	118	154	—	—	—	—	—
B35	Intestinal obstruction and hernia	394	370	—	—	—	—	—
B36.1	Gastritis and duodenitis	34	36	—	—	—	—	—
B36.2	Diarrhœa (except of newborn)	438	477	—	—	—	—	—
B37	Cirrhosis of liver	169	163	—	—	—	—	—
B46.5	Other diseases of liver	302	271	—	—	—	—	—
B46.6	Other digestive diseases	225	172	—	—	—	—	—
B38	Nephritis and nephrosis	650	699	—	—	—	—	—
B39	Hyperplasia of prostate	425	509	—	—	—	—	—
B46.7	Other diseases of genito-urinary system... ...	376	339	—	—	—	—	—
B40.0	Puerperal sepsis including post-abortive sepsis	28	23	—	—	—	—	—
B40.1	Other puerperal causes	71	83	—	—	—	—	—
B46.8	Diseases of skin and organs of locomotion ...	246	240	—	—	—	—	—
B41	Congenital malformations	602	613	—	—	—	—	—
B42	Birth injuries, post-natal asphyxia and atelectasis	628	647	—	—	—	—	—
B43.1	Pneumonia of newborn	166	146	—	—	—	—	—
B43.2	Diarrhœa of newborn	34	35	—	—	—	—	—
B43.3	Other infections of the newborn	9	14	—	—	—	—	—
B44	Other diseases peculiar to early infancy... ...	884	958	—	—	—	—	—
B45.0	Senility	1,292	1,283	—	—	—	—	—
B45.1	Causes ill-defined and unknown	1,071	997	—	—	—	—	—
BE49	Suicide	276	269	—	—	—	—	—
BE47	Motor vehicle accidents	516	489	—	—	—	—	—
BE48.0	Other road transport accidents	49	41	—	—	—	—	—
BE48.1	Other violence (BE 50)	1,743	1,799	—	—	—	—	—
	All Causes	65,778	63,996	—	—	—	—	—
	Ages at Death							
	Under 1	3,391	3,569	—	—	—	—	—
	1– 4	664	694	—	—	—	—	—
	5—9	309	279	—	—	—	—	—
	10–14	200	207	—	—	—	—	—
	15–24	895	1,148	—	—	—	—	—
	25–34	1,432	1,574	—	—	—	—	—
	35–44	2,426	2,569	—	—	—	—	—
	45–54	5,444	5,350	—	—	—	—	—
	55–64	9,942	9,891	—	—	—	—	—
	65–74	17,282	16,547	—	—	—	—	—
	75–84	18,197	17,014	—	—	—	—	—
	85 and over	5,596	5,152	—	—	—	—	—
	Not stated	—	2	—	—	—	—	—
	All Ages ...	65,778	63,996	—	—	—	—	—

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 38.—Death-rates from Selected Causes and in Age-Groups in Scotland, 1950-1951

International Nos. Abbreviated List	Causes of Death	1951	1950					
		Death-rate per 100,000 of population						
B1	Tuberculosis of respiratory system	37	47	—	—	—	—	—
B2	Tuberculosis, other forms	6	7	—	—	—	—	—
B3	Syphilis and its sequelæ	3	3	—	—	—	—	—
B4	Typhoid fever	0	—	—	—	—	—	—
B6	Dysentery, all forms	0	0	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat ...	0	0	—	—	—	—	—
B8	Diphtheria	0	0	—	—	—	—	—
B9	Whooping-cough	2	1	—	—	—	—	—
B10	Meningococcal infections	1	1	—	—	—	—	—
B12	Acute poliomyelitis	0	1	—	—	—	—	—
B14	Measles	0	1	—	—	—	—	—
B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	4	3	—	—	—	—	—
B18	Malignant neoplasms	192	194	—	—	—	—	—
B19	Benign and unspecified neoplasms	3	4	—	—	—	—	—
B20	Diabetes mellitus	11	11	—	—	—	—	—
B21	Anæmias	7	7	—	—	—	—	—
B46.1	Other general diseases	12	11	—	—	—	—	—
B22	Vascular lesions affecting central nervous system	178	169	—	—	—	—	—
B23	Non-meningococcal meningitis	1	1	—	—	—	—	—
B46.2	Other diseases of nervous system	23	22	—	—	—	—	—
B24	Rheumatic fever	1	1	—	—	—	—	—
B25	Chronic rheumatic heart disease	18	18	—	—	—	—	—
B26	Arteriosclerotic and degenerative heart disease	361	341	—	—	—	—	—
B27	Other diseases of heart	26	24	—	—	—	—	—
B28	Hypertension with heart disease	16	9	—	—	—	—	—
B29	Hypertension without heart disease	13	10	—	—	—	—	—
B46.3	Other circulatory disease	24	24	—	—	—	—	—
B30	Influenza	19	7	—	—	—	—	—
B31	Pneumonia	45	41	—	—	—	—	—
B32	Bronchitis	49	44	—	—	—	—	—
B46.4	Other respiratory diseases	13	12	—	—	—	—	—
B33	Ulcer of stomach and duodenum	12	12	—	—	—	—	—
B34	Appendicitis	2	3	—	—	—	—	—
B35	Intestinal obstruction and hernia	8	7	—	—	—	—	—
B36.1	Gastritis and duodenitis	1	1	—	—	—	—	—
B36.2	Diarrhœa (except of newborn)	9	9	—	—	—	—	—
B37	Cirrhosis of liver	3	3	—	—	—	—	—
B46.5	Other diseases of liver	6	5	—	—	—	—	—
B46.6	Other digestive diseases	4	3	—	—	—	—	—
B38	Nephritis and nephrosis	13	14	—	—	—	—	—
B39	Hyperplasia of prostate	8	10	—	—	—	—	—
B46.7	Other diseases of genito-urinary system... ...	7	7	—	—	—	—	—
B40.0	Puerperal sepsis including post-abortive sepsis	1	0	—	—	—	—	—
B40.1	Other puerperal causes	1	2	—	—	—	—	—
B46.8	Diseases of skin and organs of locomotion ...	5	5	—	—	—	—	—
B41	Congenital malformations	12	12	—	—	—	—	—
B42	Birth injuries, post-natal asphyxia and atelectasis	12	13	—	—	—	—	—
B43.1	Pneumonia of newborn	3	3	—	—	—	—	—
B43.2	Diarrhœa of newborn	1	1	—	—	—	—	—
B43.3	Other infections of the newborn	0	0	—	—	—	—	—
B44	Other diseases peculiar to early infancy... ...	17	19	—	—	—	—	—
B45.0	Senility	25	25	—	—	—	—	—
B45.1	Causes ill-defined and unknown	21	19	—	—	—	—	—
BE49	Suicide	5	5	—	—	—	—	—
BE47	Motor vehicle accidents	10	9	—	—	—	—	—
BE48.0	Other road transport accidents	1	1	—	—	—	—	—
BE48.1	Other violence (BE 50)	34	35	—	—	—	—	—
	All Causes	1,286	1,237	—	—	—	—	—
	Ages at Death	Death-rate per 1,000 of age-group population						
	Under 1	37·7	39·0	—	—	—	—	—
	1– 4	1·7	1·8	—	—	—	—	—
	5—9	0·8	0·7	—	—	—	—	—
	10–14	0·5	0·5	—	—	—	—	—
	15–24	1·2	1·5	—	—	—	—	—
	25–34	2·0	2·2	—	—	—	—	—
	35–44	3·3	3·4	—	—	—	—	—
	45–54	8·1	8·1	—	—	—	—	—
	55–64	20·4	19·8	—	—	—	—	—
	65–74	49·3	48·5	—	—	—	—	—
	75–84	124·3	110·3	—	—	—	—	—
	85 and over	306·2	227·2	—	—	—	—	—
	Not stated	—	—	—	—	—	—	—
	All Ages ...	12·86	12·37	—	—	—	—	—

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 39.—Deaths in Scotland from Principal Epidemic and certain other Diseases, 1855-1951. Quinquennial Averages

Year	Number of Deaths from													
	Typhoid Fever	Typhus Fever	Small-pox	Measles	Scarlet Fever	Whooping-cough	Diphtheria	Tuberculosis		Cancer	Bronchitis *	Pneumonia *	All Diarrhœal Diseases †	Violence
								All Forms	Respiratory					
1855-60	2,573		995	1,223	2,766	2,035	1,226	10,140	7,194	953	3,538	2,104	2,976	2,034
1861-65	3,633		992	1,377	2,423	2,193	2,549	11,171	7,914	1,207	5,768	2,071	2,604	2,216
1866-70	1,346	1,799	99	1,206	3,427	2,064	1,587	11,983	8,472	1,348	7,095	2,284	3,212	2,273
1871-75	1,406	779	1,268	1,311	591	2,015	2,090	12,262	8,535	1,569	8,680	3,072	3,202	2,756
1876-80	1,341	276	20	1,166	1,873	2,347	1,733	12,213	8,338	1,792	8,762	3,135	3,061	2,686
1881-85	1,029	162	17	1,359	1,340	2,273	1,680	11,099	7,998	2,058	7,916	4,075	2,766	2,725
1886-90	765	91	10	1,628	882	2,425	1,623	10,192	7,436	2,441	7,509	4,270	2,734	2,628
1891-95	761	57	51	2,110	811	2,151	1,513	9,935	7,169	2,831	7,600	5,229	3,215	2,842
1896-1900	716	39	14	1,857	756	2,206	921	10,149	7,151	3,351	6,238	5,656	3,825	3,128
1901-05	521	25	118	1,470	403	2,222	770	9,790	6,618	3,845	5,570	6,578	3,166	3,084
1906-10	322	14	2	1,647	399	1,841	839	9,464	6,079	4,663	5,017	6,717	2,697	2,941
1911-15	207	8	5	1,583	649	1,951	857	8,011	5,214	5,207	5,046	6,132	2,502	3,105
1916-20	109	10	31	1,264	287	1,330	734	7,073	4,781	5,574	4,999	8,545	1,820	3,014
1921	87	4	24	269	270	1,478	611	5,737	3,970	5,962	4,135	5,393	1,991	2,702
1922	65	7	–	2,695	247	1,408	536	5,818	4,061	6,133	5,730	8,265	1,244	2,444
1923	67	1	–	1,118	352	989	492	5,790	3,996	6,376	3,635	4,840	1,159	2,469
1924	34	–	–	1,592	410	1,625	442	5,653	3,887	6,498	4,843	7,691	1,147	2,599
1925	52	4	–	512	404	1,737	505	5,390	3,734	6,675	4,191	5,821	1,168	2,817
1921-25	*61*	*3*	*5*	*1,237*	*337*	*1,447*	*517*	*5,678*	*3,930*	*6,329*	*4,507*	*6,402*	*1,342*	*2,606*
1926	39	3	–	928	343	506	490	4,861	3,384	6,640	3,771	5,844	1,084	2,657
1927	41	2	–	660	200	850	485	4,868	3,466	6,919	4,231	6,642	976	2,957
1928	29	–	–	1,005	140	1,072	488	4,722	3,318	6,901	3,585	6,098	1,016	2,914
1929	18	–	–	149	109	901	471	4,580	3,288	7,108	5,344	8,778	959	2,994
1930	24	1	2	792	127	628	460	4,286	3,024	7,120	3,869	5,958	854	3,060
1926-30	*30*	*1*	*0*	*707*	*184*	*791*	*479*	*4,663*	*3,296*	*6,938*	*4,160*	*6,664*	*978*	*2,916*
1931	20	1	–	641	161	957	356	4,205	3,004	7,158	3,879	5,417	885	2,730
1932	24	–	–	892	250	459	368	4,123	2,991	7,458	3,645	6,163	1,129	2,811
1933	17	–	–	36	310	762	356	3,910	2,930	7,520	3,629	5,435	1,067	2,836
1934	16	1	–	1,014	345	383	583	3,702	2,794	7,561	2,804	4,749	847	2,823
1935	31	–	–	141	199	567	513	3,646	2,812	7,793	3,239	5,222	875	2,705
1931-35	*22*	*0*	–	*545*	*253*	*626*	*435*	*3,917*	*2,906*	*7,498*	*3,439*	*5,397*	*961*	*2,781*
1936	27	–	–	610	172	411	387	3,665	2,753	7,909	3,411	5,093	1,209	2,826
1937	11	–	–	119	123	717	426	3,663	2,791	7,810	3,650	6,131	1,038	3,020
1938	23	–	–	549	98	219	430	3,432	2,581	8,072	2,494	4,002	960	2,878
1939	19	–	–	15	47	397	395	3,526	2,717	8,045	2,775	3,275	1,005	3,412
1940	14	–	–	262	35	197	676	4,003	3,037	8,260	4,693	4,832	926	4,251
1936-40	*19*	–	–	*311*	*95*	*388*	*463*	*3,658*	*2,776*	*8,019*	*3,405*	*4,667*	*1,028*	*3,277*
1941	7	–	–	103	26	720	517	4,175	3,117	8,436	3,246	3,822	1,118	6,627
1942	20	–	25	144	24	92	290	3,998	3,043	8,557	2,489	2,889	1,058	4,405
1943	14	–	–	88	22	305	231	3,959	2,976	8,659	2,900	3,594	873	4,191
1944	4	–	–	46	18	179	183	3,936	2,978	8,742	2,311	2,745	1,278	3,593
1945	6	–	–	89	15	120	126	3,803	2,932	9,045	2,450	2,233	1,058	2,944
1941-45	*10*	–	*5*	*94*	*21*	*283*	*269*	*3,974*	*3,009*	*8,688*	*2,679*	*3,057*	*1,077*	*4,352*
1946	8	–	–	85	5	103	91	3,984	3,231	8,873	2,711	3,011	807	2,686
1947	5	–	–	57	8	223	45	4,095	3,390	9,069	2,563	2,874	1,281	2,636
1948	1	–	–	74	7	63	31	3,901	3,415	9,361	1,939	2,174	748	2,610
1949	–	–	–	22	5	96	14	3,484	3,084	9,587	2,344	2,570	528	2,572
1950	–	1	6	38	4	61	3	2,775	2,439	10,029	2,342	2,415	401	2,598
1946-50 §	*3*	*0*	*1*	*55*	*5*	*109*	*37*	*3,649*	*3,111*	*9,323*	*2,402*	*2,609*	*756*	*2,620*
1951	1	–	–	25	1	98	5	2,179	1,886	9,840	2,711	2,814	354	2,584

* Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given. For 1941 and subsequent years those from Bronchitis include "Influenza with other respiratory complications" (481*a*. page 190)

† Including Dysentery but excluding ulcerative colitis. From 1950 and subsequent years it excludes "Chronic enteritis"

§Deaths from 1950 are classified to the Sixth Revision but the averages for 1946-50 are calculated on the Fifth Revision.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years

TABLE 40.—Death-rate per 100,000 of Population in Scotland from the Principal Epidemic and certain other Diseases, 1855-1951. Quinquennial Averages

Year	Typhoid Fever	Typhus Fever	Small-pox	Measles	Scarlet Fever	Whooping-cough	Diphtheria	Tuberculosis: All Forms	Tuberculosis: Respiratory	Cancer	Bronchitis *	Pneumonia *	All Diarrhœal Diseases †	Violence
1855-60	92		36	44	98	72	43	360	255	34	125	75	106	72
1861-65	122		33	46	81	73	85	375	266	40	194	70	88	74
1866-70	43	57	3	38	109	66	51	382	270	43	226	73	102	72
1871-75	42	23	38	39	106	60	62	365	254	47	258	91	95	82
1876-80	38	8	0	33	52	66	49	343	234	50	246	88	86	76
1881-85	27	4	0	36	36	61	45	296	213	55	211	109	74	73
1886-90	20	2	0	41	23	62	41	261	190	62	192	109	70	67
1891-95	19	1	1	51	20	53	37	243	175	69	186	128	79	70
1896-1900	17	1	0	43	18	51	22	235	166	78	145	131	89	73
1901-05	11	0	3	32	9	49	17	218	148	86	124	146	71	69
1906-10	7	0	0	35	9	40	18	204	131	100	108	144	58	63
1911-15	5	0	0	33	13	41	18	169	110	110	106	129	53	65
1916-20	2	0	1	26	6	28	15	147	99	116	104	177	38	63
1921	2	0	0	6	6	30	13	118	81	122	85	110	41	55
1922	1	0	–	55	5	29	11	119	83	125	117	169	25	50
1923	1	0	–	23	7	20	10	118	82	130	74	99	24	51
1924	1	–	–	33	8	33	9	116	80	134	100	158	24	53
1925	1	0	–	11	8	36	10	111	77	137	86	120	24	58
1921-25	*1*	*0*	*0*	*26*	*7*	*30*	*11*	*117*	*81*	*130*	*92*	*131*	*28*	*53*
1926	1	0	–	19	7	10	10	100	70	137	78	120	22	55
1927	1	0	–	14	4	18	10	100	71	143	87	137	20	61
1928	1	–	–	21	3	22	10	97	68	142	74	126	21	60
1929	0	–	–	3	2	19	10	95	68	147	111	182	20	62
1930	0	0	0	16	3	13	10	89	63	147	80	123	18	63
1926-30	*1*	*0*	–	*15*	*4*	*16*	*10*	*96*	*68*	*143*	*86*	*137*	*20*	*60*
1931	0	0	–	13	3	20	7	87	62	148	80	112	18	56
1932	0	–	–	18	5	9	8	84	61	153	75	126	23	58
1933	0	–	–	1	6	16	7	80	60	153	74	111	22	58
1934	0	0	–	21	7	8	12	75	57	153	57	96	17	57
1935	1	–	–	3	4	11	10	74	57	157	65	105	18	55
1931-35	*0*	*0*	–	*11*	*5*	*13*	*9*	*80*	*59*	*153*	*70*	*110*	*20*	*57*
1936	1	–	–	12	3	8	8	74	55	159	69	103	24	57
1937	0	–	–	2	2	14	9	74	56	157	73	123	21	61
1938	0	–	–	11	2	4	9	69	52	162	50	80	19	58
1939	0	–	–	0	1	8	8	70	54	161	55	65	20	68
‡1940	0	–	–	5	1	4	14	82	62	170	97	99	19	77
1936-40	*0*	–	–	*6*	*2*	*8*	*10*	*74*	*56*	*162*	*69*	*94*	*21*	*64*
‡1941	0	–	–	2	1	15	11	85	63	174	67	79	23	115
‡1942	0	–	1	3	1	2	6	82	62	179	52	60	22	69
‡1943	0	–	–	2	0	7	5	83	62	185	62	76	19	67
‡1944	0	–	–	1	0	4	4	82	62	186	50	59	27	57
‡1945	0	–	–	2	0	3	3	79	60	192	52	47	23	53
1941-45	*0*	–	*0*	*2*	*0*	*6*	*6*	*82*	*62*	*183*	*57*	*64*	*23*	*72*
‡1946	0	–	–	2	0	2	2	79	64	180	55	61	16	51
1947	0	–	–	1	0	4	1	80	66	176	50	56	25	51
1948	0	–	–	1	0	1	1	75	66	181	38	42	14	50
1949	0	–	–	0	0	2	0	67	60	185	45	50	10	50
1950	–	0	0	1	0	1	0	54	47	194	45	47	8	50
1946-50	*0*	*0*	*0*	*1*	*0*	*2*	*1*	*71*	*61*	*182*	*47*	*51*	*15*	*50*
1951	0	–	–	0	0	2	0	43	37	192	53	55	7	51

*, †, §. See footnotes, Table 39. ‡ Civilians only

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years

TABLE 41.—Deaths from Poison in Scotland in 1951

Accidental Poisoning

International No. Detailed List		M.	F.	Total
870	Morphine and other opium derivatives—			
	Heroin	1	–	1
871	Barbituric Acid and derivatives—			
	Amylobarbitone ("Amytal") ...	1	–	1
	Amylobarbitone sodium ("Sodium Amytal")... ...	1	1	2
	Barbitone	–	1	1
	Barbitone Sodium ("Medinal")	–	1	1
	Butobarbitone (Soneryl) ...	–	1	1
	Cyclobarbitone	1	–	1
	Phenobarbitone	1	3	4
	"Seconal"	1	1	2
	Theobromine and "Luminal" ("Theominal")	–	1	1
	Barbiturate, unspecified ...	3	5	8
872	Aspirin and Salicylates—			
	Aspirin	2	–	2
873	Bromides—			
	Potassium bromide	1	–	1
874	Analgesic and soporific drugs—			
	Amidone Hydrochlor ("Physeptone")	1	–	1
	Carbromal	–	1	1
	Chloral Hydrat...	2	–	2
	Narcotic, unspecified	1	1	2
	Carried forward ...	16	16	32

International No. Detailed List		M.	F.	Total
	Brought forward	16	16	32
876	Strychnine	3	–	3
880	Alcohol—			
	Alcohol	–	1	1
	Methyl alcohol	1	–	1
883	Corrosive Aromatics, Acids and caustic alkalis—			
	Acid Hydrochlor (Spirit of Salt)	–	1	1
	Ammonia	–	1	1
	Caustic Soda	–	1	1
	Creosote	–	1	1
	Cresol disinfectants (Lysol) ...	4	4	8
	Potassium Cyanide	1	–	1
888	Other and unspecified solid and liquid substances—			
	"Anthisan" (antihistaminic) ...	1	–	1
	Iodine	–	1	1
	Quinine Citrate	–	1	1
	Unspecified	1	1	2
890	Utility (illuminating) gas ...	86	80	166
892	Other Carbon monoxide gas—			
	Carbon monoxide	5	–	5
	Total	118	108	226

Suicidal and Self-inflicted Poisoning

		M.	F.	Total
970	Analgesic and soporific substances—			
	Amylobarbitone Sodium ("Sodium Amytal")... ...	2	2	4
	Butobarbitone ("Soneryl") ...	1	–	1
	Phenobarbitone ("Luminal")...	2	–	2
	Barbiturate, unspecified ...	3	1	4
	Morphine	1	1	2
	Opium	–	1	1
	Narcotic, unspecified	–	1	1
	Carried forward ...	9	6	15

		M.	F.	Total
	Brought forward	9	6	15
971	Other solid and liquid substances—			
	Carbolic Acid	–	1	1
	Lysol	2	2	4
	Hydrocyanic Acid	1	–	1
	Potassium Cyanide	–	1	1
	Phosphorus	1	–	1
	Carbitol	–	3	3
972	Gases in domestic use	65	53	118
973	Other gases—			
	Carbon monoxide	6	2	8
	Total ...	84	68	152

Deaths under Anæsthetics (Secondary Cause)

Name of Anæsthetic	M.	F.	Total
Chloroform	1	–	1
Chloroform and ether	1	–	1
Ether	1	1	2
Ether and ethyl chloride	–	1	1
Ether and nitrous oxide	6	5	11
Ether, nitrous oxide and "pentothal"	2	–	2
Ether, nitrous oxide and curare ...	1	–	1
Ether, nitrous oxide, sodium "pentothal" and curarine...	–	1	1
Ether, "pentothal" and cyclopropane	2	–	2
Ether, cyclopropane, curare and thiopentone	–	1	1
Nitrous oxide	–	1	1
Nitrous oxide and cyclopropane ...	2	3	5
Nitrous oxide and "pentothal" ...	–	1	1
Nitrous oxide and trichlorethylene ...	5	2	7
Nitrous oxide, "pentothal" and trichlorethylene	3	–	3
Nitrous oxide, sodium "pentothal", trichlorethylene	–	1	1
Nitrous oxide, trichlorethylene and paraldehyde	–	1	1
Nitrous oxide, cyclopropane and amytal sodium	1	–	1
Nitrous oxide, "pentothal" and curare	–	1	1
Nitrous oxide, curare and pethidine	–	1	1
Nitrous oxide and sodium thiopentone	–	1	1
Nitrous oxide, thiopentone and "Flaxedil"	–	1	1
Nitrous oxide, thiopentone and tubercurine (curare)	1	–	1
"Pentothal" (including sodium "pentothal")	2	4	6
Carried forward ...	28	26	54

Name of Anæsthetic	M.	F.	Total
Brought forward	28	26	54
"Pentothal" and amethocaine ...	1	–	1
"Pentothal" and curare	2	–	2
"Pentothal" and cyclopropane ...	3	1	4
"Pentothal", curare and cyclopropane	3	–	3
"Pentothal", curare, cyclopropane and pethidine	1	–	1
"Pentothal", cyclopropane and "Flaxedil"	–	1	1
"Pentothal", cyclopropane and thiopentone	–	1	1
"Pentothal", cyclopropane, tubarine	–	1	1
"Pentothal" and "Flaxedil" ...	1	–	1
"Pentothal" and decamethonium iodide	1	–	1
Cyclopropane	1	–	1
Cyclopropane, "Flaxedil" and thiopentone	1	–	1
Cyclopropane, thiopentone and tubocurarine chloride	1	–	1
Cyclopropane, thiopentone sodium and curare	1	–	1
Procaine (including "Novocaine" and and "Planocaine")...	2	1	3
Procaine and nupercaine	1	–	1
Trichlorethylene	1	1	2
Trichlorethylene and curare ...	–	1	1
Pethidine	1	–	1
Thiopentone	3	–	3
Thiopentone and "Flaxedil" ...	1	–	1
Amethocaine ("Decicain")	1	–	1
"Xylocaine"	–	1	1
Spinal anæsthetic	1	–	1
Anæsthetic not stated	2	3	5
Total ...	57	37	94

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	ALL CAUSES—Both Sexes		**65778**	**3391**	**276**	**165**	**125**	**98**	**309**	**200**	**377**	**518**	**696**	**736**	**973**	**1453**	**2215**	**3229**	**4234**	**5708**	**7679**	**9603**	**10337**	**7859**	**5597**	–
	Total Males		**33116**	**1969**	**135**	**93**	**69**	**61**	**187**	**101**	**200**	**244**	**353**	**375**	**497**	**793**	**1309**	**1922**	**2443**	**3227**	**4014**	**4778**	**4982**	**3412**	**1952**	–
	Total Females		**32662**	**1422**	**141**	**72**	**56**	**37**	**122**	**99**	**177**	**274**	**343**	**361**	**476**	**660**	**906**	**1307**	**1791**	**2481**	**3665**	**4825**	**5355**	**4447**	**3645**	–
	I. INFECTIVE AND PARASITIC DISEASES	Total M.	**1544**	**71**	**32**	**26**	**14**	**7**	**33**	**16**	**43**	**72**	**93**	**98**	**99**	**113**	**143**	**129**	**146**	**147**	**128**	**68**	**48**	**13**	**5**	–
		Total F.	**1176**	**62**	**49**	**29**	**13**	**11**	**25**	**19**	**71**	**151**	**146**	**100**	**86**	**84**	**50**	**48**	**66**	**49**	**32**	**41**	**27**	**9**	**8**	–
	TUBERCULOSIS (001-019)	Total M.	*1256*	*9*	*20*	*21*	*6*	*4*	*26*	*13*	*39*	*71*	*89*	*92*	*93*	*100*	*128*	*114*	*128*	*121*	*98*	*47*	*29*	*5*	*3*	–
		Total F.	*923*	*9*	*27*	*17*	*6*	*7*	*20*	*13*	*69*	*146*	*144*	*94*	*78*	*78*	*41*	*37*	*42*	*36*	*23*	*20*	*10*	*4*	*2*	–
	Respiratory Tuberculosis (001-008)	Total M.	1106	3	9	4	1	2	5	8	27	63	85	81	85	97	120	111	124	116	90	42	26	4	3	–
		Total F.	780	6	11	4	2	–	6	5	53	139	134	91	69	71	35	32	38	31	22	16	9	4	2	–
001	Respiratory with occupational disease of lung	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	3	3	2	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
002	Pulmonary	M.	1086	3	8	4	1	2	5	8	26	63	85	81	85	96	120	110	119	113	85	40	25	4	3	–
		F.	778	6	11	4	2	–	6	5	52	139	134	91	69	71	35	32	38	30	22	16	9	4	2	–
003	Pleural	M.	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
004	Primary complex with symptoms ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
005	Tracheobronchial glandular with symptoms	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
007	Other respiratory	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008	Unspecified site	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Tuberculosis—other forms (010-019)	Total M.	150	6	11	17	5	2	21	5	12	8	4	11	8	3	8	3	4	5	8	5	3	1	–	–
		Total F.	143	3	16	13	4	7	14	8	16	7	10	3	9	7	6	5	4	5	1	4	1	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
010	Meninges and central nervous system	M.	78	5	9	17	5	2	20	4	5	3	1	3	1	–	–	–	2	–	1	–	–	–	–	–
		F.	83	2	16	13	4	6	10	6	13	3	4	1	2	1	–	2	–	–	–	–	–	–	–	–
011	Intestines, peritoneum and mesenteric glands	M.	12	1	–	–	–	–	1	1	1	–	–	–	1	2	2	1	–	–	2	–	–	–	–	–
		F.	16	–	–	–	–	–	–	–	2	–	2	–	4	1	2	–	1	2	–	2	–	–	–	–
	Bones and Joints, active or unspecified—																									
012.0	Vertebral column	M.	20	–	–	–	–	–	–	–	–	2	1	5	4	–	1	–	–	2	–	3	1	1	–	–
		F.	12	–	–	–	–	–	–	1	1	1	2	–	–	1	1	3	1	–	1	–	–	–	–	–
012.3	Other bones and joints (012. 1 & 2) ...	M.	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–
	Late effects of Bones and Joints—																									
013.0	Vertebral column	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
013.3	Other bones and joints (013. 1 & 2) ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
014	Skin and subcutaneous cellular tissue	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
015	Lymphatic system	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
016	Genito-urinary system	M.	13	–	–	–	–	–	–	–	3	1	1	2	–	1	1	1	1	1	1	–	–	–	–	–
		F.	7	–	–	–	–	–	–	1	–	1	–	–	1	2	1	–	–	1	–	–	–	–	–	–
017	Adrenal glands	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
018	Other organs	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
019	Disseminated tuberculosis	M.	14	–	2	–	–	–	–	–	2	1	1	1	2	–	1	–	1	–	2	–	1	–	–	–
		F.	17	1	–	–	–	1	4	–	–	2	1	1	2	1	1	–	1	2	–	–	–	–	–	–
	Syphilis and its sequelæ (020-029)— ...	M.	100	3	–	–	–	–	–	1	–	–	1	–	2	5	4	6	10	17	22	16	9	4	–	–
		F.	49	1	–	–	–	–	–	–	–	1	–	–	2	–	4	4	10	4	4	12	4	1	2	–
020	Congenital syphilis	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
021	Early syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
022	Aneurysm of aorta	M.	41	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	3	7	9	12	5	2	–	–
		F.	29	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	3	3	3	9	4	1	2	–
023	Other cardiovascular syphilis ...	M.	18	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	4	4	4	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Syphilis and its sequelæ (020-029)—*continued*																									
024	Tabes dorsalis	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	4	1	1	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–
025	General paralysis of insane	M.	19	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	3	3	3	1	3	–	–	–
		F.	9	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	4	1	–	1	–	–	–	–
026	Other syphilis of central nervous system	M.	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	2	2	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
027	Other forms of late syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
028	Latent syphilis...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
029	Syphilis unqualified	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Gonococcal infection and other venereal diseases (030-039)—																									
030	Acute or unspecified gonorrhœa ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
031	Chronic gonococcal infection of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
032	Gonococcal infection of joint ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Gonococcal infection of eye	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Gonococcal infection of other sites ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
035	Late effects of gonococcal infection ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
036	Chancroid	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
037	Lymphogranuloma venereum ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Granuloma inguinale venereal ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
039	Other and unspecified venereal diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Infectious Diseases commonly arising in intestinal tract (040-049)—																									
040	Typhoid fever	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041	Paratyphoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
042	Other salmonella infections	M.	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–
043	Cholera	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	Brucellosis (undulant fever)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045	Bacillary dysentery	M.	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	2	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
046	Amœbiasis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
047	Other protozoal dysentery	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
048	Unspecified forms of dysentery ...	M.	4	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
049	Food poisoning (infection and intoxication)	M.	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Bacterial Diseases (050-064)—																									
050	Scarlet fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	Streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
052	Erysipelas	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Other Bacterial Diseases (050-064)—*continued*																									
053	Septicæmia and pyæmia	M.	19	1	1	1	–	–	1	1	–	1	–	1	–	1	4	–	–	2	1	1	2	1	–	–
		F.	14	2	2	3	–	–	–	–	–	1	–	–	–	2	–	1	1	1	–	–	1	–	–	–
054	Bacterial toxæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Diphtheria	M.	3	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	Whooping-cough	M.	50	43	3	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	48	31	10	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	Meningococcal infections	M.	23	6	5	1	4	3	1	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
		F.	21	8	7	2	–	–	1	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
058	Plague	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
059	Tularæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–
060	Leprosy	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	Tetanus	M.	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–
		F.	5	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
062	Anthrax	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
063	Gas gangrene	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
064	Other bacterial diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Spirochætal diseases, except syphilis (070-074)—																									
070	Vincent's infection	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
071	Relapsing fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
072	Leptospirosis icterohæmorrhagica (Weil's disease)	M.	9	–	–	–	–	–	–	–	–	–	–	2	–	2	1	1	2	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
073	Yaws	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
074	Other spirochætal and leptospirochætal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases attributable to viruses (080-096)																									
080	Acute poliomyelitis	M.	11	–	–	–	1	–	2	1	2	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–
		F.	13	–	–	1	–	–	–	3	1	2	1	2	2	–	–	–	1	–	–	–	–	–	–	–
081	Late effects of acute poliomyelitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
082	Acute infectious encephalitis ...	M.	5	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–
		F.	9	1	–	1	–	1	–	–	–	–	–	1	–	–	1	2	2	–	–	–	–	–	–	–
083	Late effects of acute infectious encephalitis	M.	17	–	–	–	–	–	–	–	–	–	–	–	–	2	3	5	3	–	2	2	–	–	–	–
		F.	29	–	–	–	–	–	–	–	–	–	–	–	3	2	3	4	7	3	1	4	1	1	–	–
084	Smallpox	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	Measles	M.	8	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
		F.	17	7	3	3	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
086	Rubella (German measles)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
087	Chickenpox	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
088	Herpes Zoster	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–
		F.	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	4	2	4	–
089	Mumps	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090	Dengue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
091	Yellow fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Diseases attributable to Viruses (080-096)—*continued*																									
092	Infectious hepatitis	M.	9	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	1	1	–	–	1	–	–
		F.	14	–	–	–	1	–	2	–	1	1	1	2	–	–	–	–	1	1	–	1	2	1	–	–
093	Glandular fever (infectious mononucleosis)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
094	Rabies	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
095	Trachoma	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
096	Other diseases attributable to viruses	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Typhus and other rickettsial diseases (100-108)—																									
100	Louse-borne epidemic typhus ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
101	Flea-borne endemic typhus (murine)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
102	Brill's disease, not specified as louse- or flea-borne typhus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
104	Tick-borne typhus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
105	Mite-borne typhus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
106	Wolhynian fever (trench fever) ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Typhus, unspecified	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108	Other rickettsial diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Malaria (110-117)—																									
110	Vivax malaria (benign tertian) ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
111	Malariæ malaria (quartan)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
112	Falciparum malaria (malignant tertian)	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113	Ovale malaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114	Mixed malarial infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
115	Blackwater fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116	Other and unspecified forms of malaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117	Recurrent induced malaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other infective and parasitic diseases (120-138)—																									
120	Leishmaniasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
121	Trypanosomiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122	Other protozoal diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
123	Schistosomiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124	Other trematode infestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
125	Hydatid disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Other infective and parasitic diseases (120-138)—*continued*																									
126	Other cestode infestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
127	Filariasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
128	Trichiniasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	Ankylostomiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
130	Infestation with worms of other, mixed and unspecified type ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
131	Dermatophytosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
132	Actinomycosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
133	Coccidioidomycosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
134	Other fungus infections	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
135	Scabies	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
136	Pediculosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Other arthropod infestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
138	Other infective and parasitic diseases	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	II. NEOPLASMS	TOTAL M.	**4988**	**1**	**4**	**1**	**6**	**6**	**19**	**11**	**24**	**21**	**52**	**50**	**99**	**150**	**291**	**433**	**526**	**627**	**774**	**779**	**682**	**325**	**107**	–
		TOTAL F.	**5021**	**1**	**2**	**3**	**11**	**4**	**8**	**7**	**13**	**19**	**33**	**63**	**113**	**209**	**312**	**384**	**476**	**598**	**706**	**809**	**653**	**402**	**195**	–
	MALIGNANT NEOPLASMS (140-205)	M.	*4925*	*1*	*4*	–	*6*	*6*	*18*	*11*	*23*	*19*	*51*	*48*	*99*	*144*	*285*	*429*	*522*	*619*	*767*	*769*	*678*	*322*	*104*	–
		TOTAL F.	*4915*	*1*	*2*	*3*	*9*	*3*	*7*	*6*	*10*	*18*	*32*	*57*	*112*	*200*	*299*	*374*	*469*	*590*	*697*	*796*	*644*	*393*	*193*	–
	Malignant neoplasm of buccal cavity and pharynx (140-148)—																									
140	Lip	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	3	–	2	2	2	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–
141	Tongue	M.	47	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	2	9	12	11	7	2	–
		F.	18	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	2	3	4	4	–	–
142	Salivary gland	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	–	–	2	–	1	1	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	–	1	–	–
143	Floor of mouth	M.	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	7	5	4	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	1	1	–
144.*a*	Palate upper alveoli	M.	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	6	4	1	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	1	–
144.*b*	Cheek internal	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
145	Oral mesopharynx	M.	16	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–	4	5	1	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
146	Nasopharynx	M.	6	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–
147	Hypopharynx	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	1	–
		F.	5	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	1	–	–	–	–	–
148.*a*	Pharynx	M.	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	6	4	4	–	–
		F.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	4	1	–	–	–
148.*b*	Throat	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	2	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Malignant neoplasm of digestive organs and peritoneum (150-159)—																									
150	Œsophagus	M.	176	–	–	–	–	–	–	–	–	–	1	1	4	4	1	9	18	22	32	36	31	14	3	–
		F.	121	–	–	–	–	–	–	–	–	–	–	–	2	1	4	8	4	17	13	19	26	19	8	–
151	Stomach	M.	910	–	–	–	–	–	1	–	–	1	1	6	8	27	55	77	82	116	148	180	126	63	19	–
		F.	881	–	–	–	–	–	–	–	–	1	1	6	15	19	23	40	53	109	152	174	167	81	40	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	II. NEOPLASMS—*continued*																									
	Malignant neoplasm of digestive organs and peritoneum (150-159)—*continued*																									
152.*a*	Duodenum	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
152.*b*	Small intestine...	M.	20	–	–	–	–	–	–	–	–	1	1	–	1	2	2	2	2	2	3	4	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	1	–	–	–
153.*a*	Large intestine	M.	457	–	–	–	–	–	–	–	–	–	6	4	6	6	11	24	30	43	74	95	101	43	14	–
		F.	603	–	–	–	–	–	–	–	–	–	1	3	6	13	36	34	50	54	81	100	105	78	42	–
153.*b*	Undefined intestine	M.	103	–	–	–	–	–	–	–	–	1	2	–	–	1	3	6	8	8	17	18	27	9	3	–
		F.	149	–	–	–	–	–	–	–	–	–	–	2	2	2	6	10	5	14	18	37	26	17	10	–
154	Rectum	M.	348	–	–	–	–	–	–	–	–	1	3	2	9	7	16	15	32	40	68	59	60	26	10	–
		F.	237	–	–	–	–	–	–	–	–	1	1	1	2	3	10	21	22	29	36	54	29	20	8	–
	Biliary passages and liver stated to be primary—																									
155.*a*	Liver	M.	84	–	–	–	–	–	–	–	–	1	1	–	3	1	1	12	13	9	14	9	11	6	3	–
		F.	79	–	–	–	–	–	–	–	–	1	2	2	–	–	3	6	7	4	14	14	14	9	3	–
155.*b*	Gall bladder	M.	17	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	1	5	4	1	1	–
		F.	70	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	8	10	14	18	6	8	1	–
155.*c*	Bile ducts	M.	14	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	2	3	1	2	–	–
		F.	24	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	9	5	5	1	–	–	–
156	Liver, secondary and unspecified ...	M.	19	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	4	4	2	5	–	–
		F.	24	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	4	3	6	3	2	1	1	–
157	Pancreas	M.	178	–	–	–	–	–	–	–	–	–	1	1	1	5	8	7	13	22	31	35	36	14	4	–
		F.	156	–	–	–	–	–	–	–	–	–	–	1	–	1	9	11	12	21	31	28	15	17	10	–
158	Peritoneum	M.	20	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	3	3	2	3	1	1	–	–
		F.	25	–	–	–	–	–	–	–	–	–	2	–	–	1	1	2	4	2	1	8	3	1	–	–
159	Unspecified digestive organs	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Malignant neoplasm of respiratory system (160-165)—																									
160	Nose, nasal cavities, middle ear, and accessory sinuses	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	–	1	3	1	2	1	–	–
		F.	12	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	1	4	1	1	–
161	Larynx	M.	55	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	6	9	7	12	10	3	1	–
		F.	15	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	–	3	2	1	2	–	1	–
	Trachea, bronchus, lung specified as primary—																									
162.*a*	Trachea...	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
162.*b*	Bronchus	M.	678	–	–	–	–	–	–	–	–	–	3	2	14	31	78	112	122	120	98	55	34	8	1	–
		F.	154	–	–	–	–	–	–	–	–	–	1	4	3	7	10	12	27	26	25	18	11	9	1	–
162.*c*	Lung	M.	420	–	–	–	–	–	–	–	–	–	2	3	8	17	40	62	63	72	70	49	23	10	1	–
		F.	112	–	–	–	–	–	–	–	–	–	–	2	2	2	5	6	17	14	23	20	15	4	2	–
162.*d*	Pleura	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Lung and bronchus, unspecified as primary or secondary—																									
163.*a*	Trachea...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163.*b*	Bronchus	M.	23	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	7	5	2	3	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–
163.*c*	Lung	M.	24	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	3	9	4	1	–	1	1	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	–	–	–	–
163.*d*	Pleura	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164	Mediastinum	M.	21	–	–	–	–	–	–	–	1	–	–	–	–	1	6	1	3	1	2	–	4	2	–	–
		F.	11	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	1	–	1	4	1	–
165	Thoracic organs secondary	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Malignant neoplasm of breast and genito-urinary organs (170-181)—																									
170	Breast	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	2	–	–
		F.	800	–	–	–	–	–	–	–	–	1	3	4	27	62	81	79	82	90	102	110	87	53	19	–
171	Cervix uteri	F.	187	–	–	–	–	–	–	–	–	–	–	6	10	22	19	36	24	23	16	12	10	5	4	–
172	Corpus uteri	F.	26	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	7	3	4	3	1	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	II. NEOPLASMS—*continued*																									
	Malignant neoplasm of breast and genito-urinary organs (170-181)—*continued*																									
173	Uterus, other parts including chorion-epithelioma	F.	11	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–	2	–	1	–	1	1	–	–
174	Uterus, unspecified	F.	228	–	–	–	–	–	–	–	–	–	2	2	8	11	22	15	21	36	37	33	26	10	5	–
175	Ovary, Fallopian tube, broad ligament	F.	215	–	–	–	–	–	–	–	1	–	1	4	8	16	27	17	38	24	30	18	19	5	7	–
176	Other and unspecified female genital organs	F.	55	–	–	–	–	–	–	–	–	–	–	2	–	1	1	3	6	5	10	14	6	5	2	–
177	Prostate	M.	314	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	14	19	51	68	97	36	21	–
178	Testis	M.	23	–	–	–	–	–	–	–	3	1	7	3	3	1	2	–	–	1	–	–	–	2	–	–
179.*a*	Penis	M.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	2	5	–	–
179.*b*	Scrotum	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	1	–
179.*c*	Other male genital organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180	Kidney	M.	82	–	1	–	–	2	–	–	–	–	1	1	2	2	8	12	9	12	16	5	8	3	–	–
		F.	58	1	–	–	3	1	1	–	–	1	–	1	–	3	5	2	8	5	8	8	7	4	–	–
181.*a*	Bladder	M.	149	–	–	–	–	–	–	–	–	–	2	–	1	2	4	10	16	20	28	23	26	12	5	–
		F.	65	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	9	8	20	7	9	3	–
181.*b*	Other urinary organs	M.	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–
	Malignant neoplasm of other and unspecified sites (190-199)—																									
190	Melanoma of skin	M.	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	2	1	1	–	–
		F.	10	–	–	–	–	–	–	–	–	–	–	–	3	–	–	4	1	2	–	–	–	–	–	–
191.*a*	Skin of face	M.	26	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	4	4	2	5	6	–
		F.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	2	5	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
191.b	Anus	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	1	–	–
191.c	Skin, other parts	M.	18	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	4	1	3	4	3	–	–
		F.	28	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	1	2	8	6	3	3	–
192	Eye	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	1	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	3	–	–	–
193.a	Brain	M.	81	1	–	–	1	1	4	1	2	–	3	5	7	7	11	9	14	12	2	–	1	–	–	–
		F.	44	–	–	1	–	1	–	–	1	1	2	4	5	5	7	5	5	3	3	–	1	–	–	–
193.b	Spinal cord	M.	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–
193.c	Other parts of nervous system ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
194	Thyroid gland	M.	13	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	5	3	–	1	–	–
		F.	42	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	7	6	4	10	3	4	1	–
195	Other endocrine glands	M.	8	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	–	–	1	–	1	–	–
		F.	5	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–
196.a	Jaw	M.	26	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	2	3	8	5	2	1	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	1	–
196.b	Spine	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	4	1	2	1	–	–
		F.	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2	2	4	2	1	–	–
196.c	Other bones	M.	46	–	–	–	–	–	3	3	–	3	1	2	2	4	2	6	3	3	4	1	4	3	2	–
		F.	33	–	–	–	–	–	1	–	1	2	2	1	1	–	1	6	2	2	5	4	4	–	1	–
197	Connective tissue	M.	8	–	–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	2	–	2	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	–	1	–	–	–	2	–
198	Lymph nodes, secondary and unspecified	M.	9	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	2	1	1	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	1	1	–
199.a	Other sites	M.	42	–	1	–	–	–	–	–	1	–	–	–	1	3	2	4	3	3	9	7	5	3	–	–
		F.	54	–	–	–	–	–	1	–	–	–	–	1	2	2	2	5	6	7	5	6	8	6	3	–
199.b	Unspecified	M.	9	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	3	3	–	1	–	–	–
		F.	11	–	–	–	–	–	–	–	–	1	–	–	–	1	1	3	–	–	4	–	1	–	–	–
	Neoplasms of lymphatic and hæmatopoietic tissues (200-205)—																									
200	Lymphosarcoma and reticulosarcoma	M.	41	–	–	–	–	–	–	3	1	2	4	3	3	3	4	4	3	2	1	2	6	–	–	–
		F.	28	–	–	–	–	–	1	–	–	–	–	–	–	3	–	2	6	6	4	2	2	1	1	–
201	Hodgkin's disease	M.	47	–	–	–	–	–	–	2	4	1	2	5	7	3	3	8	3	5	1	2	1	–	–	–
		F.	40	–	–	–	–	–	–	–	2	1	4	3	4	5	3	2	4	2	2	4	1	2	1	–
202	Other forms of lymphoma (reticulosis)	M.	17	–	1	–	–	1	–	–	–	–	–	1	–	1	2	1	1	5	2	1	1	–	–	–
		F.	10	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	2	1	3	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	II. NEOPLASMS—*continued*																									
	Neoplasms of lymphatic and hæmatopoietic tissues (200-205)—*continued*																									
203	Multiple myeloma (plasmocytoma) ...	M.	24	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	6	2	4	4	–	1	–	–
		F.	17	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	3	5	2	1	–	1	–	–
204.0	Lymphatic leukæmia	M.	47	–	1	–	3	2	3	1	4	1	1	1	4	–	–	3	4	4	7	6	2	–	–	–
		F.	36	–	1	1	4	1	1	3	–	2	–	1	–	4	–	1	1	7	1	4	1	2	1	–
204.1	Myeloid leukæmia	M.	24	–	–	–	–	–	1	–	1	1	4	2	1	2	–	3	1	1	5	–	–	2	–	–
		F.	34	–	–	–	1	–	2	1	–	1	3	1	–	3	2	5	4	4	2	3	2	–	–	–
204.4	Other and unspecified (204.2 & 3) ...	M.	38	–	–	–	2	–	4	1	4	4	1	1	3	1	2	2	2	4	–	6	–	1	–	–
		F.	41	–	1	1	1	–	–	1	5	2	2	–	2	3	3	3	4	2	4	5	2	–	–	–
205	Mycosis fungoides	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Benign neoplasm (210-229)—																									
210	Buccal cavity and pharynx	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211	Other parts of digestive system ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
212	Respiratory system	M.	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–
		F.	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
213	Breast	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
214	Uterine fibromyoma	F.	8	–	–	–	–	–	–	–	–	–	–	1	–	2	3	1	–	1	–	–	–	–	–	–
215	Other uterus	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
216	Ovary	F.	21	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	–	4	2	5	2	2	–	–
217	Other female genital organs	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
218	Male genital organs	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
219.a	Bladder	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	1	2	3	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–
219.b	Kidney and other urinary organs ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
220	Melanoma of skin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
221	Pilonidal cyst	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
222	Other skin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
223	Brain and other parts of nervous system	M.	9	–	–	–	–	–	1	–	–	2	–	–	–	–	1	1	1	1	2	–	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–	1	1	–	1	4	4	2	–	1	–	–	–	–	–
224	Endocrine glands	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	1	–	–	2	1	–	–	–
225	Bone and cartilage	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
226	Lipoma	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
227	Other muscular and connective tissue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
228	Hæmangioma and lymphangioma ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
229	Other and unspecified organs and tissues	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Neoplasm of unspecified nature (230-239)—																									
230	Digestive organs	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	1	2	1	–
231	Respiratory organs	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	1	1	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
232	Breast	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
233	Uterus	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
234	Ovary	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
235	Other female genital organs unspecified	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	II. NEOPLASMS—*continued*																									
	Neoplasm of unspecified nature (230-239)—*continued*																									
236.*a*	Bladder	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
236.*b*	Other genito-urinary organs ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
237	Brain and other parts of nervous system	M.	17	–	–	1	–	–	–	–	1	–	1	–	–	2	4	3	3	2	–	–	–	–	–	–
		F.	23	–	–	–	1	1	1	1	2	–	–	2	–	4	3	1	1	3	2	1	–	–	–	–
238	Skin and musculoskeletal system ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
239	Other and unspecified organs ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES																									
	TOTAL	M.	**411**	**7**	**3**	**1**	**1**	–	**1**	**1**	**6**	**6**	**4**	**11**	**16**	**18**	**32**	**40**	**45**	**46**	**54**	**48**	**38**	**28**	**5**	–
		F.	**705**	**4**	**4**	**2**	**1**	–	**1**	**4**	**4**	**10**	**11**	**16**	**14**	**23**	**32**	**55**	**61**	**88**	**132**	**126**	**76**	**33**	**8**	–
	Allergic disorders (240-245)—																									
240	Hay fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
241	Asthma	M.	185	–	1	–	–	–	–	1	4	4	3	6	7	11	21	20	28	21	28	14	11	4	1	–
		F.	185	–	–	1	–	–	1	1	–	2	6	9	7	9	16	26	14	27	22	23	13	7	1	–
242	Angioneurotic œdema...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
243	Urticaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
244	Allergic eczema	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
245	Other allergic disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Diseases of thyroid gland (250-254)—																									
250	Simple goitre	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
251	Non-toxic nodular goitre	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
252	Thyrotoxicosis with or without goitre	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–	–	–
		F.	31	–	–	–	–	–	–	–	–	–	–	1	2	2	–	4	5	5	7	3	1	1	–	–
253	Myxœdema and cretinism	M.	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	1	–	–
		F.	36	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	3	7	6	6	9	1	1	–
254	Other diseases of thyroid gland ...	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Diabetes mellitus (260)—																									
260	Diabetes mellitus	M.	169	–	–	–	–	–	–	–	–	–	1	4	4	5	7	15	8	20	23	31	25	22	4	–
		F.	390	1	–	–	–	–	–	2	4	4	3	5	1	8	12	19	35	43	89	88	49	21	6	–
	Diseases of other endocrine glands (270-277)—																									
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
271	Diseases of parathyroid gland ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
272	Diseases of pituitary gland	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
		F.	12	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	6	2	–	–	–	–	–
273	Diseases of thymus gland	M.	8	5	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	4	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
274	Diseases of adrenal glands	M.	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	9	1	–	1	–	–	–	–	–	1	–	1	2	1	–	1	–	–	–	1	–	–	–	–
275	Ovarian dysfunction	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
276	Testicular dysfunction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
277	Polyglandular dysfunction and other diseases of endocrine glands ...	M.	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES—*continued*																									
	Avitaminoses and other metabolic diseases (280-289)—																									
280	Beriberi...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
281	Pellagra	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
282	Scurvy	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
283	Active rickets	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
284	Late effects of rickets	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
285	Osteomalacia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
286	Other avitaminoses and nutritional deficiency states	M.	16	1	2	–	–	–	–	–	–	1	–	–	2	–	–	3	1	–	2	2	1	1	–	–
		F.	17	–	3	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	2	3	3	1	–	–
287	Obesity, not specified as of endocrine origin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
288	Gout	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
289	Other metabolic diseases	M.	8	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	4	–	–	1	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	2	–	–	–	1	2	–	1	–	2	–	–	–	–	–
	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS																									
	TOTAL	M.	**136**	**1**	**2**	–	–	–	**1**	–	**2**	**1**	–	**1**	**5**	**3**	**6**	**4**	**7**	**14**	**11**	**23**	**35**	**11**	**9**	–
		F.	**266**	**1**	–	**2**	–	–	**1**	**1**	–	**2**	**1**	**2**	**5**	**5**	**7**	**9**	**19**	**18**	**37**	**59**	**54**	**21**	**22**	–
290.*a*	Pernicious anæmia	M.	70	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	5	8	16	22	9	7	–
		F.	156	–	–	–	–	–	–	–	–	–	–	–	–	2	3	5	5	10	23	36	38	17	17	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
290.b	Sub-acute combined degeneration without mention of pernicious anæmia	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–
291	Iron deficiency anæmias (hypochromic anæmias)	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	–	–
		F.	12	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	4	2	1	–	–
292	Other anæmias of specified type ...	M.	24	–	1	–	–	–	1	–	1	–	–	–	1	1	2	2	4	4	1	3	3	–	–	–
		F.	31	1	–	1	–	–	–	–	–	1	–	–	2	–	1	–	2	2	6	6	6	1	2	–
293	Anæmia of unspecified type	M.	11	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	1	–	5	1	1	–
		F.	26	–	–	–	–	–	1	–	–	1	–	1	1	–	1	2	1	–	2	7	5	2	2	–
294	Polycythæmia	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–
295	Hæmophilia	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
296	Purpura and other hæmorrhagic conditions	M.	6	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	–	–
		F.	11	–	–	1	–	–	–	1	–	–	1	–	1	1	–	–	–	2	2	1	–	–	1	–
297	Agranulocytosis	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	–	1	–	–	–	–	–
298	Diseases of spleen	M.	9	–	–	–	–	–	–	–	–	–	–	1	3	2	1	1	–	1	–	–	–	–	–	–
		F.	15	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	6	2	2	2	1	–	–	–
299	Other diseases of blood and blood-forming organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS																									
	TOTAL	M.	**61**	**2**	**1**	–	–	–	**3**	–	**2**	**2**	**2**	**1**	–	–	**5**	**7**	**4**	**2**	**7**	**6**	**7**	**5**	**5**	–
		F.	**93**	**2**	–	**1**	**1**	–	**1**	**1**	–	–	**1**	**1**	**2**	**2**	**2**	**5**	**3**	**9**	**12**	**13**	**11**	**16**	**10**	–
	Psychoses (300-309)—																									
300	Schizophrenic disorders (dementia præcox)	M.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	1	–	–	–	–
301	Manic-depressive reaction	M.	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	1	–	–
		F.	11	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	2	2	2	–	–	–	–
302	Involutional melancholia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
303	Paranoia and paranoid states ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
304	Senile psychosis	M.	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	5	4	5	–
		F.	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	8	11	16	10	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS— *continued*																									
	Psychoses (300-309)—*continued*																									
305	Presenile psychosis	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	–	–	–	–
306	Psychosis with cerebral arteriosclerosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
307	Alcoholic psychosis	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
308	Psychosis of other demonstrable etiology	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
309	Other and unspecified psychoses ...	M.	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	4	2	–	–	–	–	–
	Psychoneurotic disorders (310-318)—																									
310	Anxiety reaction without mention of somatic symptoms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
311	Hysterical reaction without mention of anxiety reaction	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
312	Phobic reaction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
313	Obsessive-compulsive reaction ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
314	Neurotic-depressive reaction ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
318	Psychoneurotic disorders, other, mixed, and unspecified types	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Disorders of character, behaviour and intelligence (320-326)—																									
320	Pathological personality	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
321	Immature personality...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
322	Alcoholism	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	1	3	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
323	Other drug addiction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
324	Primary childhood behaviour disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
325	Mental deficiency	M.	10	2	1	–	–	–	3	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
		F.	7	2	–	1	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
326	Other and unspecified disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS																									
	TOTAL	M.	**4364**	**31**	**13**	**3**	**6**	**2**	**9**	**9**	**14**	**21**	**29**	**26**	**33**	**50**	**101**	**166**	**242**	**408**	**588**	**841**	**933**	**563**	**276**	–
		F.	**5830**	**22**	**8**	**2**	**1**	**1**	**8**	**15**	**18**	**12**	**16**	**20**	**36**	**87**	**115**	**221**	**331**	**511**	**774**	**1063**	**1198**	**828**	**543**	–
	Vascular lesions affecting central nervous system (330-334)—																									
330	Subarachnoid hæmorrhage	M.	72	–	1	–	–	–	1	–	–	4	5	2	2	5	10	11	11	8	6	2	3	1	–	–
		F.	93	–	–	–	–	–	–	–	2	1	–	2	3	9	9	12	6	13	12	7	10	4	3	–
331	Cerebral hæmorrhage	M.	1856	5	1	–	–	1	–	–	3	3	5	8	8	15	41	94	123	211	268	379	397	191	103	–
		F.	2661	1	–	–	–	–	1	1	1	3	2	4	8	40	63	125	197	279	407	508	496	343	182	–
332	Cerebral embolism and thrombosis ...	M.	1708	–	–	–	–	–	–	1	–	–	1	2	2	6	18	26	72	135	235	357	409	304	140	–
		F.	2278	–	–	–	–	–	1	–	1	–	1	–	5	10	10	42	94	148	266	430	576	398	296	–
333	Spasm of cerebral arteries	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS—*continued*																									
	Vascular lesions affecting central nervous system (330-334)—*continued*																									
334	Other and ill-defined vascular lesions affecting central nervous system	M.	226	–	–	–	–	–	–	–	–	–	–	–	–	–	1	6	6	9	33	45	69	35	22	–
		F.	227	–	–	–	–	–	1	–	–	–	–	1	–	1	2	2	11	12	27	41	46	44	39	–
	Inflammatory diseases of central nervous system (340-345)—																									
340	Meningitis, except meningococcal and tuberculous	M.	31	15	4	–	3	–	–	1	1	1	–	1	1	1	1	1	–	1	–	–	–	–	–	–
		F.	28	11	2	–	–	–	1	1	–	3	–	2	2	1	–	1	1	1	2	–	–	–	–	–
341	Phlebitis and thrombophlebitis of intracranial venous sinuses ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	7	2	1	–	–	1	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
342	Intracranial and intraspinal abscess	M.	12	–	–	–	–	–	1	–	2	1	3	1	1	1	1	–	1	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	2	2	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M.	27	1	3	–	2	–	2	2	–	1	1	–	2	1	1	3	1	4	2	1	–	–	–	–
		F.	20	1	1	1	–	–	–	1	1	1	1	–	1	2	1	2	2	1	1	1	2	–	–	–
344	Late effects of intracranial abscess or pyogenic infection	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
345	Multiple sclerosis	M.	68	–	–	–	–	–	–	–	–	2	2	6	8	7	10	6	8	8	5	4	1	1	–	–
		F.	106	–	–	–	–	–	–	–	1	–	3	4	7	18	16	23	7	17	5	4	1	–	–	–
	Other diseases of central nervous system (350-357)—																									
350	Paralysis agitans	M.	80	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	5	8	11	22	20	7	–	–
		F.	101	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	17	18	21	27	8	1	–
351	Cerebral spastic infantile paralysis ...	M.	11	3	3	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	1	1	–	–	–	–
		F.	12	1	1	–	–	–	1	3	2	–	1	–	–	–	–	–	–	–	1	1	–	1	–	–
(a)	(b		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
352	Other cerebral paralysis	M.	93	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	9	10	20	20	16	8	–
		F.	137	–	–	–	–	–	–	–	–	–	–	1	1	–	4	3	5	13	18	34	29	18	11	–
353	Epilepsy	M.	73	1	–	2	–	1	3	3	7	6	11	4	4	8	6	3	1	3	4	3	3	–	–	–
		F.	55	1	3	1	–	–	3	3	5	3	7	4	6	1	4	3	1	3	2	2	3	–	–	–
354	Migraine	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
355	Other diseases of brain	M.	36	–	–	–	–	–	–	2	–	–	–	–	–	–	2	2	1	8	3	5	4	6	3	–
		F.	42	–	–	–	–	–	–	–	–	1	–	1	–	–	1	3	1	–	6	7	4	8	10	–
356	Motor neurone disease and muscular atrophy	M.	38	–	–	–	–	–	–	–	1	–	–	1	3	3	5	2	5	2	8	2	5	1	–	–
		F.	22	–	–	–	–	–	–	2	–	–	–	–	1	–	2	–	2	5	4	3	–	3	–	–
357	Other diseases of spinal cord	M.	6	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	1	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	2	–	1	–	–
	Diseases of nerves and peripheral ganglia (360-369)—																									
360	Facial paralysis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
361	Trigeminal neuralgia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
362	Brachial neuritis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
363	Sciatica	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
364	Polyneuritis and polyradiculitis ...	M.	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–
365	Erythrœdema polyneuritica	M.	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
366	Other and unspecified forms of neuralgia and neuritis	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
367	Other diseases of cranial nerves	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
368	Other diseases of peripheral nerves except autonomic	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
369	Diseases of peripheral autonomic nervous system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS—*continued*																									
	Inflammatory diseases of eye (370-379)—																									
370	Conjunctivitis and ophthalmia ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
371	Blepharitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
372	Hordeolum (stye)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
373	Iritis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
374	Keratitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
375	Choroiditis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
376	Other inflammation of uveal tract	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
377	Inflammation of optic nerve and retina	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
378	Inflammation of lachrymal glands and ducts	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
379	Other inflammatory diseases of eye ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases and conditions of eye (380-389)—																									
380	Refractive errors	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
381	Corneal ulcer	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
382	Corneal opacity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
383	Pterygium	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
384	Strabismus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
385	Cataract	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
386	Detachment of retina	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
387	Glaucoma	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
388	Other diseases of eye	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
389	Blindness	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases of ear and mastoid process (390-398)—																									
390	Otitis externa	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
391	Otitis media without mention of mastoiditis	M.	7	2	–	–	1	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–
		F.	13	5	–	–	1	–	–	1	2	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
392	Otitis media with mastoiditis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
393	Mastoiditis without mention of otitis media	M.	4	–	–	1	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
394	Other inflammatory diseases of ear	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
395	Ménière's disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
396	Other diseases of ear and mastoid process	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
397	Deaf mutism	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
398	Other deafness	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VII. DISEASES OF THE CIRCULATORY SYSTEM																									
	TOTAL	M.	**11748**	**3**	–	**2**	**1**	–	**4**	**6**	**13**	**29**	**36**	**57**	**94**	**213**	**366**	**639**	**862**	**1202**	**1545**	**1993**	**2128**	**1597**	**958**	–
		F.	**11670**	**2**	–	–	–	–	**3**	**14**	**20**	**25**	**47**	**59**	**93**	**124**	**192**	**302**	**521**	**790**	**1361**	**1912**	**2340**	**2071**	**1794**	–
	Rheumatic fever (400-402)—																									
400	Without mention of heart involvement	M.	3	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
401	With heart involvement	M.	15	1	–	–	1	–	–	1	–	4	2	–	2	1	1	1	–	–	–	1	–	–	–	–
		F.	24	–	–	–	–	–	–	6	1	2	1	4	2	2	3	–	1	1	–	–	1	–	–	–
402	Chorea	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
	HEART DISEASE (410-443) TOTAL	M.	*10787*	–	–	*2*	–	–	*4*	*4*	*12*	*23*	*32*	*52*	*81*	*200*	*342*	*607*	*807*	*1120*	*1458*	*1849*	*1927*	*1414*	*853*	–
		F.	*10715*	*2*	–	–	–	–	*2*	*7*	*16*	*22*	*38*	*47*	*81*	*96*	*169*	*270*	*481*	*726*	*1261*	*1796*	*2159*	*1919*	*1623*	–
	Chronic rheumatic heart disease (410-416)—																									
410	Mitral valve	M.	241	–	–	–	–	–	1	1	3	7	12	10	16	20	17	21	26	22	20	22	21	16	6	–
		F.	443	–	–	–	–	–	1	2	6	6	19	24	35	35	36	44	53	39	47	33	34	20	9	–
411	Aortic valve specified as rheumatic	M.	10	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	4	1	–	1	1	–	–
		F.	9	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	2	–	3	2	–	–	–
412	Tricuspid valve	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
413	Pulmonary valve specified as rheumatic	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
414	Other endocarditis specified as rheumatic	M.	35	–	–	–	–	–	–	1	1	4	1	1	4	4	2	3	4	5	5	–	–	–	–	–
		F.	40	–	–	–	–	–	–	1	1	2	2	1	4	2	8	4	4	1	1	5	2	1	1	–
415	Other myocarditis specified as rheumatic	M.	7	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	2	–	–	1	–	–	–
		F.	25	–	–	–	–	–	–	–	1	–	–	–	–	–	–	4	1	1	3	5	6	3	1	–
416	Other heart disease specified as rheumatic	M.	39	–	–	–	–	–	3	1	2	1	2	2	3	7	3	3	5	2	2	2	1	–	–	–
		F.	51	–	–	–	–	–	–	–	2	2	3	3	4	7	4	6	6	4	3	3	4	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Arteriosclerotic and degenerative heart disease (420-422)—																									
420.0	Arteriosclerotic heart disease ...	M.	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	5	2	9	3	3	–	–
		F.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	5	1	3	2	2	–
420.1	Coronary thrombosis (420.2)	M.	4775	–	–	–	–	–	–	–	–	1	4	24	41	132	245	442	552	726	778	807	605	289	129	–
		F.	2646	–	–	–	–	–	–	–	1	–	–	4	14	17	55	81	195	321	500	544	486	289	139	–
421	Chronic endocarditis not specified as rheumatic	M.	290	–	–	–	–	–	–	–	3	3	3	2	6	8	16	18	27	33	48	47	42	22	12	–
		F.	343	–	–	–	–	–	–	2	3	1	6	4	4	8	13	24	27	31	55	58	57	38	12	–
422.0	Fatty degeneration of heart	M.	16	–	–	–	–	–	–	–	–	2	–	–	–	–	2	1	2	1	4	2	1	1	–	–
		F.	34	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	2	8	6	4	2	2	–	–
422.1	Myocardial degeneration with arteriosclerosis	M.	2100	–	–	–	–	–	–	–	–	–	–	1	1	3	2	14	30	65	198	368	537	515	366	–
		F.	2889	–	–	–	–	–	–	–	–	–	–	1	–	1	2	7	28	79	169	394	683	765	760	–
422.2	Other myocardial degeneration ...	M.	2271	–	–	1	–	–	–	–	2	1	3	3	4	11	30	61	79	140	251	411	532	456	286	–
		F.	3043	–	–	–	–	–	1	1	1	2	3	6	9	8	24	49	79	149	297	528	659	623	604	–
	Other diseases of heart (430-434)—																									
430	Acute and subacute endocarditis ...	M.	23	–	–	–	–	–	–	1	–	1	5	3	2	–	2	2	3	2	–	1	1	–	–	–
		F.	23	1	–	–	–	–	–	1	–	4	1	1	2	5	–	1	3	2	1	1	–	–	–	–
431	Acute myocarditis not specified as rheumatic	M.	82	–	–	1	–	–	–	–	1	–	1	1	2	–	5	2	8	11	11	14	7	11	7	–
		F.	79	1	–	–	–	–	–	–	–	1	–	–	–	1	1	1	7	7	16	11	20	5	8	–
432	Acute pericarditis specified as non-rheumatic	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Functional disease of heart	M.	159	–	–	–	–	–	–	–	–	–	–	–	–	4	1	3	9	13	25	35	37	24	8	–
		F.	288	–	–	–	–	–	–	–	1	–	–	1	3	3	9	13	11	20	41	56	54	51	25	–
434	Other and unspecified diseases of heart	M.	343	–	–	–	–	–	–	–	–	1	–	1	1	6	11	17	27	41	53	61	57	41	26	–
		F.	325	–	–	–	–	–	–	–	–	3	4	2	2	4	4	12	25	28	41	51	56	58	35	–
	Hypertensive disease (440-447)—																									
440	Essential benign hypertension with heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
441	Essential malignant hypertension with heart disease	M.	7	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	2	1	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	1	1	1	–	–	–	–
442	Hypertensive heart disease with arteriolar nephrosclerosis ...	M.	23	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	3	2	3	7	4	1	–
		F.	31	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	2	8	8	5	3	–
443	Other and unspecified hypertensive heart disease	M.	338	–	–	–	–	–	–	–	–	1	1	–	1	4	4	13	31	42	57	67	74	31	12	–
		F.	424	–	–	–	–	–	–	–	–	–	–	–	1	4	9	15	36	32	73	90	83	57	24	–
444	Essential benign hypertension without mention of heart	M.	128	–	–	–	–	–	–	–	–	–	–	1	–	1	1	13	10	13	21	24	28	13	3	–
		F.	130	–	–	–	–	–	–	–	–	–	1	–	1	4	1	5	9	20	15	28	25	17	4	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VII. DISEASES OF THE CIRCULATORY SYSTEM—*continued*																									
	Hypertensive Disease (440-447)—*continued*																									
445	Essential malignant hypertension without mention of heart ...	M.	25	–	–	–	–	–	–	–	–	–	–	2	2	1	5	5	4	3	3	–	–	–	–	–
		F.	21	–	–	–	–	–	–	–	–	–	1	1	3	3	2	5	3	–	2	1	–	–	–	–
446	Hypertension with arteriolar nephrosclerosis without mention of heart	M.	104	–	–	–	–	–	–	–	–	–	1	–	2	–	4	7	5	7	15	13	17	24	9	–
		F.	90	–	–	–	–	–	–	–	–	–	2	1	1	3	4	6	6	3	17	5	20	11	11	–
447	Other hypertensive disease without mention of heart	M.	65	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	6	7	6	13	13	12	6	–
		F.	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	10	16	16	24	7	6	–
	Diseases of arteries (450-456)—																									
450	General arteriosclerosis	M.	427	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	9	19	22	73	116	115	68	–
		F.	397	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	9	29	43	87	93	132	–
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	2	–	–	–
		F.	9	–	–	–	–	–	–	1	–	1	–	–	–	2	–	2	2	–	–	1	–	–	–	–
452	Other aneurysm, except of heart and aorta	M.	8	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	3	–	2	–	–	–	–
		F.	6	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–	1	1	–	–	–	–
453	Peripheral vascular disease	M.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	5	–	2	3	1	1	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	2	1	–	–
454	Arterial embolism and thrombosis	M.	16	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	2	1	2	2	–	–
		F.	19	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	2	1	3	1	3	3	–
455	Gangrene of unspecified cause ...	M.	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	8	10	11	–
		F.	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	6	5	9	12	–
456	Other diseases of arteries	M.	7	–	–	–	–	–	–	–	1	2	–	–	1	2	–	–	–	1	–	–	–	–	–	–
		F.	15	–	–	–	–	–	–	–	3	–	1	2	1	2	1	–	1	1	3	–	–	–	–	–
	Diseases of veins and other diseases of circulatory system (460-468)—																									
460	Varicose veins of lower extremities ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
461	Hæmorrhoids	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
462	Varicose veins of other specified sites	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	1	–	1	–	–	–
463	Phlebitis and thrombophlebitis of lower extremities	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	–	1	1	–	–	–
464	Phlebitis and thrombophlebitis of other sites	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	–	–
		F.	14	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	2	–	2	1	2	–	–
465	Pulmonary embolism and infarction	M.	59	–	–	–	–	–	–	–	–	–	–	1	2	2	6	1	10	8	9	8	7	2	3	–
		F.	58	–	–	–	–	–	–	–	–	–	1	1	–	5	4	4	5	6	9	6	11	4	2	–
466	Other venous embolism and thrombosis	M.	18	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	3	2	1	1	2	1	3	–
		F.	22	–	–	–	–	–	–	–	–	–	1	1	1	1	3	–	–	3	4	2	1	4	1	–
467	Other diseases of circulatory system	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
468	Certain diseases of lymph nodes and lymph channels	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	VIII. DISEASES OF THE RESPIRATORY SYSTEM	TOTAL M.	**3522**	**280**	**29**	**12**	**5**	**8**	**9**	**1**	**7**	**2**	**15**	**22**	**28**	**59**	**119**	**205**	**300**	**435**	**436**	**491**	**494**	**374**	**191**	–
		TOTAL F.	**2878**	**210**	**38**	**13**	**7**	**3**	**8**	**6**	**13**	**11**	**10**	**18**	**30**	**35**	**60**	**99**	**122**	**157**	**302**	**387**	**466**	**478**	**405**	–
	Acute upper respiratory infections (470-475)—																									
470	Acute nasopharyngitis (common cold)	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
471	Acute sinusitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
472	Acute pharyngitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
473	Acute tonsillitis	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–
474	Acute laryngitis and tracheitis ...	M.	3	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
475	Acute upper respiratory infection of multiple or unspecified sites ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VIII. DISEASES OF THE RESPIRATORY SYSTEM—*continued*																									
	Influenza (480-483)— TOTAL	M.	431	15	2	1	–	–	1	–	1	1	2	3	3	10	12	16	35	40	40	67	76	66	40	–
		F.	527	12	2	3	1	–	1	2	–	5	2	3	6	5	10	14	23	18	56	68	106	102	88	–
480	With pneumonia	M.	153	10	2	–	–	–	–	–	1	1	1	2	1	3	4	5	9	17	18	27	26	15	11	–
		F.	198	6	1	1	1	–	–	1	–	4	2	2	2	4	4	7	5	7	24	31	40	36	20	–
481.*a*	With other respiratory complications	M.	108	–	–	1	–	–	–	–	–	–	–	–	–	3	3	4	14	13	8	16	15	21	10	–
		F.	115	2	1	–	–	–	–	–	–	–	–	1	3	–	3	4	6	4	16	16	20	18	21	–
481.*b*	Unqualified	M.	166	5	–	–	–	–	1	–	–	–	–	1	2	4	5	7	12	10	14	24	34	29	18	–
		F.	206	4	–	2	–	–	–	1	–	1	–	–	1	1	3	2	12	7	12	20	45	48	47	–
482	With digestive manifestations, but without respiratory symptoms	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–
		F.	8	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	4	1	1	–	–	–
483	With nervous manifestations, but without digestive or respiratory symptoms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Pneumonia (490-493)— TOTAL	M.	1148	221	21	9	4	4	4	1	4	–	4	10	6	17	28	42	62	96	113	162	167	126	47	–
		F.	1149	168	29	8	4	2	6	3	8	4	5	9	15	12	25	41	37	59	110	153	154	152	145	–
490	Lobar	M.	208	11	2	2	–	1	1	–	2	–	–	1	4	5	10	14	15	27	26	35	21	21	10	–
		F.	195	15	3	1	1	–	1	1	3	–	1	1	3	3	7	10	10	15	28	33	24	14	21	–
491	Broncho	M.	814	190	18	7	3	2	3	1	2	–	4	7	2	10	16	23	38	50	77	106	133	91	31	–
		F.	845	139	25	6	3	1	5	2	4	3	2	7	12	7	15	25	24	38	70	105	120	123	109	–
492	Primary atypical	M.	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	2	–	–
493	Other and unspecified	M.	122	20	1	–	1	–	–	–	–	–	–	2	–	2	2	5	9	18	10	20	13	13	6	–
		F.	102	14	1	1	–	1	–	–	1	1	2	1	–	1	3	6	3	5	12	13	9	13	15	–
	Bronchitis (500-502)— TOTAL	M.	1513	31	4	1	–	3	1	–	1	1	4	7	12	19	60	111	140	232	228	207	209	158	84	–
		F.	975	20	5	1	–	–	1	1	1	–	–	2	5	10	18	33	47	60	111	144	189	187	140	–
500	Acute	M.	178	30	4	1	–	1	–	–	–	–	1	–	1	–	2	7	5	9	23	21	34	16	23	–
		F.	255	19	3	1	–	–	1	1	1	–	–	–	–	4	1	5	3	11	21	32	47	49	56	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
501.*a*	Bronchitis, unqualified	M.	110	1	–	–	–	1	1	–	1	–	1	–	–	1	4	5	3	9	13	10	18	26	16	–
		F.	110	1	2	–	–	–	–	–	–	–	–	1	1	–	1	2	4	5	11	12	16	26	28	–
501.*b*	With heart disease	M.	153	–	–	–	–	–	–	–	–	–	–	–	–	1	6	6	21	18	22	25	24	19	11	–
		F.	130	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	5	9	9	21	30	32	19	–
502.*a*	Chronic bronchitis	M.	598	–	–	–	–	1	–	–	–	1	1	4	9	13	33	52	65	115	84	77	75	51	17	–
		F.	234	–	–	–	–	–	–	–	–	–	–	1	1	2	9	14	19	22	34	28	53	36	15	–
502.*b*	Chronic bronchitis with heart disease	M.	474	–	–	–	–	–	–	–	–	–	1	3	2	4	15	41	46	81	86	74	58	46	17	–
		F.	246	–	–	–	–	–	–	–	–	–	–	–	3	2	6	10	16	13	36	51	43	44	22	–
	Other diseases of respiratory system (510-527)—																									
510	Hypertrophy of tonsils and adenoids	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
511	Peritonsillar abscess (quinsy) ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
512	Chronic pharyngitis and naso-pharyngitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
513	Chronic sinusitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
514	Deflected nasal septum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
515	Nasal polyp	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
516	Chronic laryngitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
517	Other diseases of upper respiratory tract	M.	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
518	Empyema	M.	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	2	1	–	–	–
		F.	5	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
519	Pleurisy	M.	19	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	2	2	4	3	3	–
		F.	15	–	–	–	1	–	–	–	–	–	–	–	1	1	2	4	–	1	2	2	–	–	1	–
520	Spontaneous pneumothorax	M.	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
521	Abscess of lung	M.	13	1	–	–	–	–	–	–	–	–	1	1	–	1	2	3	1	3	–	–	–	–	–	–
		F.	7	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–
522	Pulmonary congestion and hypostasis	M.	70	1	1	–	1	–	–	–	1	–	1	–	–	–	–	1	4	3	4	7	15	16	15	–
		F.	80	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	6	11	6	26	26	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VIII. DISEASES OF THE RESPIRATORY SYSTEM—*continued*																									
	Other diseases of respiratory system—*continued*																									
523	Pneumoconiosis due to silica and silicates (occupational)	M.	106	–	–	–	–	–	–	–	–	–	–	–	–	1	3	14	16	24	23	17	8	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
525	Other chronic interstitial pneumonia	M.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	5	2	2	1	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	2	–	–
526	Bronchiectasis	M.	95	1	–	1	–	–	1	–	–	–	3	1	3	9	6	8	22	15	9	9	5	2	–	–
		F.	52	–	1	–	–	–	–	–	2	–	1	3	2	5	4	3	3	6	9	3	6	2	2	–
527	Other diseases of lung and pleural cavity	M.	78	4	–	–	–	–	–	–	–	–	–	–	1	1	4	5	13	11	13	15	8	2	1	–
		F.	42	2	1	–	–	–	–	–	1	–	–	1	1	2	1	4	6	8	4	3	4	3	1	–
	IX. DISEASES OF THE DIGESTIVE SYSTEM																									
	Total	M.	**1267**	**136**	**7**	**7**	**8**	**5**	**11**	**4**	**8**	**7**	**7**	**19**	**34**	**59**	**79**	**103**	**109**	**128**	**172**	**139**	**131**	**69**	**25**	–
		F.	**1032**	**85**	**7**	**3**	**4**	**1**	**11**	**10**	**9**	**8**	**13**	**14**	**23**	**23**	**49**	**66**	**76**	**98**	**125**	**125**	**126**	**95**	**61**	–
	Diseases of buccal cavity and œsophagus (530-539)—																									
530	Dental caries	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531	Abscesses of supporting structures of teeth	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
532	Other inflammatory diseases of supporting structures of teeth	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
533	Disorders of occlusion, eruption and tooth development	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
534	Toothache from unspecified cause ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
535	Other diseases of teeth and supporting structures	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
536	Stomatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
537	Diseases of salivary glands	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	–	2	–	–
538	Other diseases of buccal cavity ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
539	Diseases of œsophagus	M.	9	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	2	1	1	2	1	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	–
	Diseases of stomach and duodenum (540-545)—																									
540	Ulcer of stomach	M.	220	–	–	–	–	–	–	–	2	–	1	4	10	10	12	25	20	22	51	20	25	16	2	–
		F.	82	–	–	–	–	–	–	–	–	–	–	–	–	5	6	6	4	8	10	18	14	7	4	–
541	Ulcer of duodenum	M.	266	–	–	–	–	–	–	–	–	1	2	5	14	21	31	30	32	39	26	28	24	11	2	–
		F.	51	–	–	–	–	–	–	–	1	–	1	–	6	3	2	2	5	3	5	6	10	5	2	–
542	Gastrojejunal ulcer	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
543	Gastritis and duodenitis	M.	13	3	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	2	2	–	2	–	–
		F.	21	1	1	1	–	–	–	1	–	1	–	–	–	–	–	1	1	–	1	2	1	5	5	–
544	Disorders of function of stomach ...	M.	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
		F.	4	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
545	Other diseases of stomach and duodenum	M.	25	1	–	–	–	–	–	–	–	–	–	–	–	2	4	1	4	2	2	4	5	–	–	–
		F.	12	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	2	2	1	1	–	–
	Appendicitis (550-553)—																									
550	Acute appendicitis	M.	61	–	–	3	5	1	3	1	1	1	–	–	3	5	2	6	4	2	6	7	7	3	1	–
		F.	48	–	1	1	3	–	4	2	3	2	1	1	1	3	3	4	5	3	3	3	2	1	2	–
551	Appendicitis unqualified	M.	3	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
		F.	5	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–
552	Other appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
553	Other diseases of appendix	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	IX. DISEASES OF THE DIGESTIVE SYSTEM—*continued*																									
	Hernia of abdominal cavity (560-561)—																									
560	Without mention of obstruction ...	M.	37	6	–	–	–	–	1	–	–	–	–	1	–	1	2	2	5	3	3	3	5	5	–	–
		F.	25	4	–	–	–	–	–	–	–	–	–	1	1	–	1	–	3	3	5	2	3	1	1	–
561	With obstruction	M.	59	2	–	–	–	–	–	–	–	–	–	1	–	1	–	3	3	5	13	8	15	5	3	–
		F.	63	–	–	–	–	–	2	–	–	–	–	–	–	1	3	6	5	9	7	13	6	6	5	–
	Other diseases of intestines and peritoneum (570-578)—																									
570	Intestinal obstruction, without mention of hernia	M.	107	9	–	1	1	–	1	1	–	–	1	1	1	2	8	8	8	9	17	12	13	9	5	–
		F.	103	4	–	–	–	–	1	–	–	–	3	2	–	–	7	4	5	8	12	15	20	11	11	–
	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and over—																									
571.0	Between 4 weeks and 2 years ...	M.	119	114	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	79	74	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571.1	Over 2 years	M.	41	–	–	1	1	4	3	–	2	2	–	–	–	–	–	1	2	4	3	3	7	4	4	–
		F.	66	–	–	1	1	–	1	3	–	–	–	1	–	–	2	4	2	5	12	9	11	8	6	–
572	Chronic enteritis and ulcerative colitis	M.	47	–	–	–	–	–	–	–	1	1	2	–	2	3	1	4	8	3	10	5	4	3	–	–
		F.	86	–	–	–	–	–	–	–	1	1	5	6	4	1	4	6	4	7	16	9	9	7	6	–
573	Functional disorders of intestines ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–
574	Anal fissure and fistula	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
575	Abscess of anal and rectal regions ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
576	Peritonitis	M.	25	–	–	–	1	–	–	–	–	1	1	1	–	2	3	2	–	3	–	5	5	–	1	–
		F.	21	–	–	–	–	–	–	2	2	–	–	–	–	2	3	–	4	1	2	–	3	1	1	–
577	Peritoneal adhesion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
578	Other diseases of intestines and peritoneum	M.	14	–	–	–	–	–	–	–	–	1	–	1	1	1	2	1	–	1	4	1	–	1	–	–
		F.	20	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	2	2	2	3	2	2	1	–
	Diseases of liver, gall-bladder, and pancreas (580-587)—																									
580	Acute and subacute yellow atrophy of liver	M.	15	–	1	–	–	–	2	–	–	–	–	–	1	1	1	1	1	2	2	–	–	2	1	–
		F.	17	–	–	–	–	–	2	–	–	2	1	1	–	–	1	3	1	2	2	1	1	–	–	–
581	Cirrhosis of liver	M.	95	–	–	–	–	–	–	1	1	–	–	3	1	7	8	12	9	15	10	18	5	4	1	–
		F.	74	–	–	–	–	–	–	2	–	–	–	1	2	3	8	5	12	10	12	8	8	2	1	–
582	Suppurative hepatitis and liver abscess	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
583	Other diseases of liver	M.	6	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	1	2	–	1	–	–	–
584	Cholelithiasis	M.	22	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	3	4	6	3	–	–	–
		F.	62	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	6	6	15	11	10	7	2	–
585	Cholecystitis without mention of calculi	M.	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	5	9	4	5	1	3	–
		F.	97	–	–	–	–	–	–	–	1	–	–	–	1	1	2	8	5	16	8	9	15	21	10	–
586	Other diseases of gall-bladder and biliary ducts	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	2	3	1	1	–
		F.	21	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	6	4	3	2	1	1	–
587	Diseases of pancreas	M.	19	–	–	1	–	–	–	–	–	–	–	1	–	–	1	1	4	2	4	4	–	1	–	–
		F.	34	1	–	–	–	–	1	–	–	–	–	–	–	1	3	8	6	3	2	5	2	2	–	–
	X. DISEASES OF THE GENITO-URINARY SYSTEM	TOTAL M.	**916**	**5**	–	**1**	**2**	**3**	**5**	**1**	**5**	**7**	**11**	**7**	**14**	**18**	**27**	**31**	**40**	**53**	**100**	**155**	**181**	**156**	**94**	–
		TOTAL F.	**535**	**2**	–	**2**	**2**	–	**3**	**9**	**6**	**10**	**13**	**18**	**24**	**18**	**31**	**40**	**38**	**62**	**62**	**76**	**56**	**33**	**30**	–
	Nephritis and nephrosis (590-594)—																									
590	Acute nephritis	M.	24	3	–	–	–	1	1	–	–	1	3	3	–	1	3	1	2	1	–	2	–	2	–	–
		F.	27	1	–	1	1	–	1	3	2	1	–	1	4	–	–	–	2	1	5	4	–	–	–	–
591	Nephritis with œdema, including nephrosis	M.	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
		F.	10	–	–	1	–	–	1	–	–	–	–	1	–	–	–	1	–	3	2	1	–	–	–	–
592	Chronic nephritis	M.	240	–	–	–	–	1	3	1	3	6	7	3	11	13	16	22	19	21	30	23	33	20	8	–
		F.	281	–	–	–	1	–	1	5	3	7	9	8	10	7	19	19	22	33	31	48	30	14	14	–
593	Nephritis not specified as acute or chronic	M.	27	–	–	–	1	–	–	–	1	–	1	–	1	1	1	–	4	1	4	6	2	3	1	–
		F.	32	–	–	–	–	–	–	–	–	1	–	1	1	–	3	1	–	7	4	3	4	3	4	–
594	Other renal sclerosis	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: 1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	X. DISEASES OF THE GENITO-URINARY SYSTEM—*continued*																									
	Other diseases of urinary system (600-609)—																									
600	Infections of kidney	M.	51	–	–	–	1	–	–	–	–	–	–	–	1	1	5	4	2	4	6	8	8	7	4	–
		F.	75	1	–	–	–	–	–	–	–	1	2	3	2	6	5	4	6	5	8	8	12	8	4	–
601	Hydronephrosis	M.	8	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	1	3	1	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	–	–	–	1	–
602	Calculi of kidney and ureter	M.	24	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	3	1	5	2	8	1	–	–
		F.	30	–	–	–	–	–	–	1	–	–	–	1	3	1	1	6	4	3	1	3	3	1	2	–
603	Other diseases of kidney and ureter ...	M.	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
604	Calculi of other parts of urinary system	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605	Cystitis	M.	31	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	2	5	4	7	8	–
		F.	21	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	3	3	5	5	–
606	Other diseases of bladder	M.	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	5	2	8	–
		F.	7	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	2	1	1	–	–
607	Urethritis (non-venereal)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
608	Stricture of urethra	M.	10	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	2	2	1	2	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
609	Other diseases of urethra	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Diseases of male genital organs (610-617)—																									
610	Hyperplasia of prostate	M.	425	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	15	39	91	107	106	61	–
611	Prostatitis	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	4	2	–
612	Other diseases of prostate	M.	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	6	6	1	1	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
613	Hydrocele	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
614	Orchitis and epididymitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
615	Redundant prepuce and phimosis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
616	Sterility, male	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
617	Other diseases of male genital organs	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	Diseases of breast, ovary, Fallopian tube and parametrium (620-626)—																									
620	Chronic cystic disease of breast ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
621	Other diseases of breast	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
622	Acute salpingitis and oöphoritis ...	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
623	Chronic salpingitis and oöphoritis ...	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
624	Salpingitis and oöphoritis, unqualified	F.	4	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–
625	Other diseases of ovary and Fallopian tube	F.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
626	Diseases of parametrium and pelvic peritoneum	F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	–	–	–
	Diseases of uterus and other female genital organs (630-637)—																									
630	Infective disease of uterus, vagina and vulva	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
631	Uterovaginal prolapse	F.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	2	1	1	1	–	–
632	Malposition of uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
633	Other diseases of uterus	F.	7	–	–	–	–	–	–	–	1	–	–	–	–	3	–	1	–	–	1	1	–	–	–	–
634	Disorders of menstruation	F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
635	Menopausal symptoms	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
636	Sterility, female	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
637	Other diseases of female genital organs	F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos Detailed Long List	Causes of Death		All Ages	Ages																						
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM Total	F.	**99**	–	–	–	–	–	–	–	**2**	**10**	**35**	**27**	**14**	**9**	**2**	–	–	–	–	–	–	–	–	–
	Complications of pregnancy (640-649)—																									
640	Pyelitis and pyelonephritis of pregnancy	F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
641	Other infections of genito-urinary tract during pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642.2	Eclampsia (3)	F.	7	–	–	–	–	–	–	–	2	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–
642.4	Hyperemesis gravidarum	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642.5	Other toxæmias of pregnancy (642.0 & .1)	F.	4	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–
643	Placenta prævia	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
644	Other hæmorrhage of pregnancy ...	F.	5	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–
645	Ectopic pregnancy	F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
646	Anæmia of pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
647	Pregnancy with malposition of fœtus in uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
648	Other complications arising from pregnancy	F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
649	Pregnancy associated with other conditions	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Abortion (650-652)—																									
650	Without mention of sepsis or toxæmia	F.	6	–	–	–	–	–	–	–	–	–	2	3	–	1	–	–	–	–	–	–	–	–	–	–
651	With sepsis	F.	11	–	–	–	–	–	–	–	–	2	4	4	1	–	–	–	–	–	–	–	–	–	–	–
652	With toxæmia, without mention of sepsis	F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Delivery without complication (660)—																									
660	Delivery without complication ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Delivery with specified complication (670-678)—																									
670.*a*	Placenta prævia	F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
670.*b*	Other hæmorrhage of pregnancy ...	F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
671	Retained placenta	F.	7	–	–	–	–	–	–	–	–	–	1	3	2	1	–	–	–	–	–	–	–	–	–	–
672	Other postpartum hæmorrhage ...	F.	5	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–
673	Abnormality of bony pelvis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
674	Disproportion or malposition of fœtus	F.	4	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
675	Prolonged labour of other origin ...	F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
676	Laceration of perineum, without mention of other laceration ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
677	Other trauma	F.	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
678	Other complications of childbirth ...	F.	9	–	–	–	–	–	–	–	–	2	2	2	1	2	–	–	–	–	–	–	–	–	–	–
	Complications of the puerperium (680-689)—																									
680	Puerperal urinary infection without other sepsis	F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
681	Sepsis of childbirth and the puerperium	F.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
682	Puerperal phlebitis and thrombosis	F.	5	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–
683	Pyrexia of unknown origin during the puerperium	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
684	Puerperal pulmonary embolism ...	F.	8	–	–	–	–	–	–	–	–	1	2	3	1	–	1	–	–	–	–	–	–	–	–	–
685	Puerperal eclampsia	F.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
686	Other forms of puerperal toxæmia ...	F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
687	Cerebral hæmorrhage in the puerperium	F.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
688	Other and unspecified complications of the puerperium	F.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
689	Mastitis and other disorders of lactation	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE Total	M.	**34**	**3**	–	–	–	–	–	–	**2**	**1**	–	–	–	**1**	**2**	**3**	**1**	**7**	**3**	**3**	**6**	–	**2**	–
		F.	**36**	**2**	–	–	–	–	–	–	**1**	–	**1**	**1**	**1**	**1**	–	**4**	–	**5**	**2**	**9**	**5**	**2**	**2**	–
	Infections of skin and subcutaneous tissue (690-698)—																									
690	Boil and carbuncle	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
691	Cellulitis of finger and toe	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
692	Other cellulitis and abscess without mention of lymphangitis ...	M.	12	1	–	–	–	–	–	–	1	–	–	–	–	1	1	2	–	5	–	–	1	–	–	–
		F.	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	4	–	–	–	–
693	Other cellulitis and abscess with lymphangitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
694	Acute lymphadenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
695	Impetigo	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
696	Infectious warts	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
697	Molluscum contagiosum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
698	Other local infections of skin and subcutaneous tissue	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases of skin and subcutaneous tissue (700-716)—																									
700	Seborrhœic dermatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
701	Eczema	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
702	Occupational dermatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
703	Other dermatitis	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
704	Pemphigus	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	3	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	1	–
705	Erythematous conditions	M.	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	2	–	–	–	–
706	Psoriasis and similar disorders ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
707	Lichen planus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
708	Pruritus and related conditions ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
709	Corns and callosities	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
710	Other hypertrophic and atrophic conditions of skin	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
711	Other dermatoses	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
712	Diseases of nail	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
713	Diseases of hair and hair follicles ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
714	Diseases of sweat and sebaceous glands	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
715	Chronic ulcer of skin	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–
		F.	8	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	2	–	–	2	1	1	–
716	Other diseases of skin	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																									
	TOTAL	M.	**55**	–	–	**2**	–	–	–	**1**	**4**	–	**1**	**1**	–	**2**	**2**	**6**	**4**	**4**	**4**	**11**	**7**	**6**	–	–
		F.	**121**	**1**	–	–	–	–	**3**	–	–	–	–	–	**1**	**3**	**2**	**6**	**7**	**8**	**12**	**21**	**22**	**20**	**15**	–
	Arthritis and rheumatism except rheumatic fever (720-727)—																									
720	Acute arthritis due to pyogenic organisms	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT—*continued*																									
	Arthritis and rheumatism except rheumatic fever—continued																									
721	Acute non-pyogenic arthritis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
722	Rheumatoid arthritis and allied conditions	M.	10	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	2	3	–	–
		F.	60	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	6	7	4	10	15	8	5	–
723	Osteo-arthritis (arthrosis) and allied conditions	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–
		F.	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	9	4	–
724	Other specified forms of arthritis ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
725	Arthritis, unspecified	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–
726	Muscular rheumatism	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
727	Rheumatism, unspecified	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	2	–
	Osteomyelitis and other diseases of bone and joint (730-738)—																									
730	Osteomyelitis and periostitis ...	M.	5	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–
		F.	7	1	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	–
731	Osteitis deformans	M.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	6	3	1	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	2	–	–	–
732	Osteochondrosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
733	Other diseases of bone	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
(a)	(b)		(e)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
734	Internal derangement of knee joint ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
735	Displacement of intervertebral disc ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
736	Affection of sacro-iliac joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
737	Ankylosis of joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
738	Other diseases of joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Other diseases of musculoskeletal system (740-749)—																									
740	Bunion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
741	Synovitis, bursitis and tenosynovitis without mention of occupational origin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
742	Synovitis, bursitis, and tenosynovitis of occupational origin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
743	Infective myositis and other inflammatory diseases of tendon and fascia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
744	Other diseases of muscle, tendon and fascia	M.	11	–	–	1	–	–	–	1	3	–	–	–	–	–	1	3	–	1	–	1	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	1	–	–	–
745	Curvature of spine	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
746	Flat foot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
747	Hallux valgus and varus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
748	Clubfoot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
749	Other deformities	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	XIV. CONGENITAL MALFORMATIONS Total	M.	**332**	**261**	**13**	**9**	**5**	**3**	**5**	**6**	**3**	–	**2**	**3**	**4**	**6**	**4**	**5**	**1**	**1**	**1**	–	–	–	–	–
		F.	**270**	**203**	**14**	**4**	**2**	**5**	**10**	**4**	**3**	**2**	**2**	–	**3**	**4**	**2**	**6**	–	**3**	**1**	–	**1**	–	**1**	–
750	Monstrosity	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
751	Spina bifida and meningocele ...	M.	52	47	3	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	60	57	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
752	Congenital hydrocephalus	M.	37	30	1	–	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	32	25	4	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
753	Other congenital malformations of nervous system and sense organs	M.	12	8	1	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
754	Congenital malformations of circulatory system	M.	115	85	5	6	2	–	2	3	2	–	2	1	1	3	1	1	–	–	1	–	–	–	–	–
		F.	89	63	3	1	1	2	6	4	2	1	2	–	1	–	–	2	–	–	–	–	1	–	–	–
755	Cleft palate and harelip	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
756.0	Congenital pyloric stenosis	M.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
756.2	Other congenital malformations of digestive system (756.1)	M.	53	46	3	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	34	31	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
757	Congenital malformations of genito-urinary system	M.	29	15	–	1	–	–	–	1	–	–	–	–	2	3	2	4	–	1	–	–	–	–	–	–
		F.	21	3	1	1	–	–	–	–	1	1	–	–	2	2	2	4	–	3	1	–	–	–	–	–
758	Congenital malformations of bone and joint	M.	3	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	5	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
759	Other and unspecified congenital malformations, not elsewhere classified	M.	15	12	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
		F.	15	13	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	XV. CERTAIN DISEASES OF EARLY INFANCY Total	M.	**1007**	**1007**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	**714**	**714**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Birth injuries, asphyxia and infections of newborn (760-769)—	M.	533	533	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	352	352	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760	Intracranial and spinal injury at birth	M.	139	139	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
761	Other birth injury	M.	54	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
762	Post-natal asphyxia and atelectasis ...	M.	184	184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	140	140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	Pneumonia of newborn	M.	98	98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	Diarrhœa of newborn	M.	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765	Ophthalmia neonatorum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
766	Pemphigus neonatorum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
767	Umbilical sepsis	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
768	Other sepsis of newborn	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769	Neonatal disorders arising from maternal toxæmia	M.	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases peculiar to early infancy (770-776)—																									
770	Hæmolytic disease of newborn (Erythroblastosis)	M.	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
771	Hæmorrhagic disease of newborn ...	M.	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
772	Nutritional maladjustment	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773.*a*	Congenital debility without immaturity	M.	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773.*b*	Congenital debility with immaturity	M.	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773.*c*	Other ill-defined diseases peculiar to early infancy	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	XV. CERTAIN DISEASES OF EARLY INFANCY—*continued*																									
	Other diseases peculiar to early infancy (770-776)—*continued*																									
774	Immaturity with mention of any other subsidiary condition ...	M.	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
775	Immaturity subsidiary to some other cause	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
776	Immaturity, unqualified	M.	313	313	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	256	256	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS Total	M.	**1144**	**67**	**11**	**–**	**1**	**2**	**–**	**–**	**–**	**4**	**–**	**4**	**9**	**10**	**34**	**52**	**48**	**60**	**85**	**126**	**195**	**206**	**230**	**–**
		F.	**1219**	**47**	**7**	**1**	**–**	**1**	**–**	**–**	**–**	**1**	**2**	**1**	**4**	**4**	**13**	**16**	**21**	**40**	**47**	**98**	**199**	**307**	**410**	**–**
	Symptoms referable to systems or organs (780-789)—																									
	Certain symptoms referable to nervous system and special senses:—																									
780.*a*	Convulsions under 5	M.	52	42	8	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	41	34	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780.*b*	Other certain symptoms referable to nervous system and special senses	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
781	Other symptoms referable to nervous system and special senses ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cardiovascular and lymphatic systems—																									
782.4	Heart failure	M.	320	5	1	–	–	1	–	–	–	2	–	3	4	2	19	33	26	36	50	59	45	26	8	–
		F.	216	2	1	–	–	–	–	–	–	1	1	1	2	3	5	11	9	26	26	33	44	33	18	–
782.5	Syncope	M.	36	4	–	–	–	–	–	–	–	–	–	–	1	1	4	6	3	4	6	4	–	2	1	–
		F.	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	4	1	6	5	5	–
782.0-3, 6-9	Other symptoms of cardiovascular and lymphatic systems ...	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
783	Respiratory system	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
784	Upper gastro-intestinal tract... ...	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	2	3	–	2	1	–
		F.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	2	2	–
785	Abdomen and lower gastro-intestinal system	M.	12	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	1	1	1	–
		F.	8	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1	2	–
786	Genito-urinary system	M.	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	6	6	1	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
787	Limbs and back	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
788	Other general symptoms	M.	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
789	Abnormal urinary constituents of unspecified cause	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	2	–	–
	Senility and ill-defined diseases (790-795)—																									
790	Nervousness and debility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
791	Headache	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
792	Uræmia unqualified	M.	62	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	4	8	15	13	15	–
		F.	27	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	1	2	7	1	5	6	–
793	Observation, without need for further medical care	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	Senility without mention of psychosis	M.	488	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	30	109	149	194	–
		F.	804	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	7	42	134	249	371	–
795.0-1	Other ill-defined	M.	96	8	1	–	–	–	–	–	–	2	–	1	4	4	4	8	11	13	8	17	9	2	4	–
		F.	56	7	1	–	–	–	–	–	–	–	–	–	1	–	2	1	7	5	5	8	9	8	2	–
795.2-5	Unknown or unspecified	M.	27	3	–	–	–	–	–	–	–	–	–	–	–	1	4	1	1	1	3	2	5	3	3	–
		F.	20	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	2	2	4	2	3	–
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)																									
	TOTAL	M.	**1587**	**94**	**20**	**29**	**20**	**25**	**87**	**45**	**67**	**71**	**101**	**75**	**62**	**91**	**98**	**99**	**108**	**93**	**106**	**95**	**97**	**59**	**45**	–
		F.	**997**	**64**	**12**	**10**	**14**	**11**	**40**	**9**	**17**	**13**	**12**	**21**	**27**	**29**	**37**	**46**	**50**	**45**	**60**	**86**	**121**	**132**	**141**	–
	Railway accidents (E800-E802)—																									
E800	Railroad employee	M.	21	–	–	–	–	–	–	–	–	–	4	–	–	4	5	2	4	–	1	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VOLENCE (EXTERNAL CAUSE)—*continued*																									
	Railway accidents (E800-E802)—*continued*																									
E801	Passenger	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E802	Other and unspecified person ...	M.	38	–	–	2	–	–	1	4	1	2	3	2	1	4	4	1	4	–	2	5	–	–	2	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
	Motor vehicle traffic accidents (E810-E825)—																									
E810	Collision with railway train	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E811	Collision with street car	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E812	Pedestrian	M.	211	–	5	12	14	10	44	15	7	4	5	5	4	5	2	10	6	9	15	15	13	7	4	–
		F.	91	–	2	6	5	3	22	4	3	3	1	2	5	–	3	2	1	7	6	3	9	2	2	–
E813	Pedal cyclist	M.	26	–	–	–	–	–	4	6	4	–	1	1	2	–	–	1	3	3	1	–	–	–	–	–
		F.	8	–	–	–	–	–	2	2	1	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
E814	Rider or passenger of motor cycle in collision with non-motor vehicle or object	M.	9	–	–	–	–	–	–	–	1	2	1	1	–	1	–	1	–	1	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E815	Rider or passenger of motor cycle in collision with other motor vehicle	M.	35	–	–	–	–	–	–	–	5	8	10	2	3	1	1	2	1	1	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E816	Two or more motor vehicles	M.	27	–	–	–	–	–	–	–	–	1	2	4	1	2	2	2	4	1	5	2	1	–	–	–
		F.	12	–	–	–	–	–	–	–	–	1	–	–	2	–	2	1	–	1	1	2	1	–	1	–
E817	Occupant of motor vehicle in collision with pedestrian or pedal cycle	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E818	Collision with animal or animal-drawn vehicle	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E819	Collision with fixed or unspecified object	M.	9	–	–	–	–	–	–	–	1	–	–	2	1	–	1	2	–	2	–	–	–	–	–	–
		F.	3	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
E820	While boarding and alighting ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
E821	Rider of motor cycle not involving collision	M.	20	–	–	–	–	–	–	–	5	5	4	2	2	–	1	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E822	Overturning in roadway	M.	7	–	–	–	–	–	–	–	1	2	1	2	–	–	–	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E823	Running off roadway	M.	5	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E824	Other non-collision motor vehicle traffic accident	M.	12	–	–	–	1	–	1	–	3	2	–	2	–	1	–	–	–	1	–	1	–	–	–	–
		F.	4	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E825	Unspecified nature	M.	15	–	–	–	–	–	–	–	1	4	1	1	–	–	2	2	1	1	1	1	–	–	–	–
		F.	4	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Motor vehicle non-traffic accidents (E830-E835)—																									
E830	Pedestrian	M.	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E831	Pedal cyclist	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E832	Rider or passenger of motor cycle ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E833	Two or more motor vehicles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E834	While boarding and alighting ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
E835	Other and unspecified nature ...	M.	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other road vehicle accidents (E840-E845)—																									
E840	Street car accident to pedestrian ...	M.	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	3	1	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	1	–
E841	Other street car accident except collision with motor vehicle	M.	3	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
E842	Accident to pedestrian caused by pedal cycle	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: −1	1−	2−	3−	4−	5−	10−	15−	20−	25−	30−	35−	40−	45−	50−	55−	60−	65−	70−	75−	80−	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Other road vehicle accidents (E840-E845)—*continued*																									
E843	Accident to rider of pedal cycle not involving collision with a motor vehicle	M.	12	–	–	–	–	–	1	1	–	–	2	2	–	1	1	–	–	3	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E844	Accident to pedestrian caused by other non-motor road vehicle ...	M.	5	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E845	Other non-motor road vehicle accidents	M.	11	–	–	–	–	2	–	2	2	–	–	–	–	1	1	–	–	1	–	1	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Water transport accidents (E850-E858)—																									
E850	Submersion of occupant of small boat	M.	3	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E851	Other water transport injury by submersion	M.	8	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	4	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E852	Fall on stairs and ladders in water transport	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E853	Other falls from one level to another in water transport...	M.	9	–	–	–	–	–	–	–	1	–	1	1	2	1	–	1	–	2	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E854	Falls on same level in water transport	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E855	Unspecified falls in water transport ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E856	Machinery accident in water transport	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E857	Other specified accidents in water transport	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E858	Water transport accident of unspecified cause	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aircraft accidents (E860-E866)—																									
E860	Accident to personnel in military aircraft	M.	30	–	–	–	–	–	–	–	2	9	13	6	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E861	Injury to occupant by accident to commercial "transport" aircraft	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E862	Other injury in commercial "transport" aircraft	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E863	Injury to occupant by accident to other aircraft	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E864	Aircraft accident at airfield to person not in aircraft	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E865	Aircraft accident elsewhere to person not in aircraft	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E866	Other and unspecified aircraft accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Accidental poisoning by solid and liquid substances (E870-E888)—																									
E870	Morphine and other opium derivatives	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E871	Barbituric acid and derivatives ...	M.	8	–	–	–	–	–	–	–	1	1	1	–	1	1	1	–	–	1	1	–	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	2	–	1	1	3	2	1	2	–	–	1	–	1	–	–
E872	Aspirin and salicylates	M.	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E873	Bromides	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E874	Other analgesic and soporific drugs ...	M.	4	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
E875	Sulphonamides	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E876	Strychnine	M.	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E877	Belladonna, hyoscine and atropine ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Accidental poisoning by solid and liquid substances (E870—E888)—*continued*																									
E878	Other and unspecified drugs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E879	Noxious foodstuffs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E880	Alcohol	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E881	Petroleum products	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E882	Industrial solvents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E883	Corrosive aromatics, acids and caustic alkalis	M.	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	2	–	1	–	1	–
E884	Mercury and its compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E885	Lead and its compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E886	Arsenic, and antimony, and their compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E887	Fluorides	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E888	Other and unspecified solid and liquid substances	M.	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Accidental poisoning by gases and vapours (E890-E895)—																									
E890	Utility (illuminating) gas	M.	86	–	–	–	1	–	1	–	–	2	3	2	9	7	8	7	9	9	7	9	6	5	1	–
		F.	80	–	–	–	–	–	–	–	2	2	2	1	3	2	4	7	9	6	9	12	4	11	6	–
E891	Motor vehicle exhaust gas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E892	Other carbon-monoxide gas	M.	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E893	Cyanide gas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E894	Other specified gases and vapours ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E895	Unspecified gases and vapours ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Accidental falls (E900-E904)—																									
E900	On stairs	M.	26	–	–	–	–	–	1	–	–	–	–	–	–	3	2	1	2	–	5	4	5	3	–	–
		F.	22	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	1	1	4	4	7	1	–
E901	From ladders	M.	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
E902	From one level to another	M.	77	1	–	2	–	1	5	4	4	3	9	8	3	7	4	4	7	6	3	–	4	2	–	–
		F.	20	–	–	–	–	1	1	–	–	–	–	3	1	1	–	2	3	–	1	1	2	1	3	–
E903	On same level	M.	18	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	5	3	6	–
		F.	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	5	3	7	–
E904	Unspecified falls	M.	133	–	–	–	1	–	2	–	–	1	–	–	–	–	–	5	3	5	6	16	37	30	27	–
		F.	345	–	1	–	–	–	1	1	–	–	–	–	–	–	–	3	3	8	12	33	75	95	113	–
	Other accidents (E910-E936)—																									
E910	Blow from falling object	M.	52	–	–	–	1	1	–	3	1	4	5	4	7	7	3	6	6	3	1	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E911	Caused by vehicle	M.	11	–	–	–	–	–	–	–	2	1	1	–	–	1	1	1	2	–	2	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E912	Caused by machinery...	M.	27	–	–	–	–	–	–	1	2	–	3	–	–	3	7	2	1	–	2	4	2	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E913	Caused by cutting and piercing instruments	M.	4	–	–	–	–	–	1	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E914	Caused by electrical current	M.	8	–	1	–	–	–	–	–	2	–	1	2	–	2	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Other accidents (E910-E936)—*continued*																									
E915	Caused by explosion of pressure vessel	M.	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E916	Caused by fire and explosion of combustible material	M.	7	–	1	1	–	1	–	–	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–
		F.	11	–	–	–	1	–	1	–	–	–	–	–	–	–	1	1	1	–	–	2	2	1	1	–
E917	Caused by hot substance, corrosive liquid, and steam	M.	36	1	3	1	1	1	2	–	2	2	1	–	–	–	–	–	2	1	5	2	5	5	2	–
		F.	67	–	4	4	4	4	4	–	–	–	2	1	1	3	2	1	2	1	5	8	9	8	4	–
E918	Caused by radiation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E919	Caused by firearm	M.	27	–	–	–	–	–	–	–	5	2	4	2	3	4	2	1	1	1	2	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
E920	Foreign body entering eye and adnexa	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	64	50	2	–	–	1	–	–	–	–	2	–	–	–	–	–	5	1	2	1	–	–	–	–
		F.	35	31	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	1	–	–	–	–
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M.	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
E923	Foreign body entering other orifice ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E924	Accidental mechanical suffocation in bed and cradle	M.	23	22	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	26	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
E925	Accidental mechanical suffocation in other and unspecified circumstances	M.	26	12	–	–	–	–	2	–	2	–	2	1	1	–	1	–	–	1	3	1	–	–	–	–
		F.	7	4	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E926	Lack of care of infants under 1 year of age	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E927	Accidents caused by bites and stings of venomous animals and insects	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E928	Other accidents caused by animals ...	M.	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E929	Accidental drowning and submersion	M.	138	–	5	6	–	6	15	9	3	3	4	5	5	7	15	12	8	8	11	9	6	–	1	–
		F.	66	–	2	–	2	–	3	2	2	1	2	3	1	6	10	6	5	8	6	4	–	2	1	–
E930	High and low air pressure	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E931	Excessive heat and insolation ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E932	Excessive cold	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E933	Hunger, thirst and exposure ...	M.	3	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E934	Cataclysm	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E935	Lightning	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E936	Other and unspecified accidents ...	M.	20	–	–	1	–	–	2	–	1	2	1	–	1	4	1	1	–	2	–	2	1	–	1	–
		F.	3	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Complications due to non-therapeutic medical and surgical procedures (E940-E946)—																									
E940	Generalized vaccinia following vaccination	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E941	Post-vaccinal encephalitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E942	Other complications of smallpox vaccination...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E943	Post-immunization jaundice and hepatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E944	Other complications of prophylactic inoculation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E945	Complications of anæsthesia for non-therapeutic purpose	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Complications due to nontherapeutic medical and surgical procedures (E940-E946)—*continued*																									
E946	Other complications due to non-therapeutic medical and surgical procedures	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Therapeutic misadventure and late complications of therapeutic procedures (E950-E959)—																									
E950	In surgical treatment	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E951	In infusion or transfusion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E952	In local applications	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E953	In administration of drugs or biologicals	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E954	In anæsthesia	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E955	Other and unspecified therapeutic misadventure	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E956	Late complication of surgical operation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E957	Late complication of amputation stump	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E958	Late complication of irradiation ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E959	Late complications of other forms of treatment	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Late effects of injury and poisoning (E960-E965)—																									
E960	Motor vehicle accident	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E961	Accidental poisoning	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E962	Other accidental injury	M.	9	–	–	–	–	–	–	–	1	1	–	2	1	2	–	1	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
E963	Self-inflicted injury	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E964	Injury purposely inflicted by another person (not in war)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E965	Injuries due to war operations ...	M.	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	5	3	1	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Suicide and self-inflicted injury (E970-E979)—																									
E970	Poisoning by analgesic and soporific substances	M.	9	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	3	–	–	–	1	–	–
		F.	6	–	–	–	–	–	–	–	1	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–
E971	Poisoning by other solid and liquid substances	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	1	1	–	–	1	–	–	–
E972	Poisoning by gases in domestic use ...	M.	65	–	–	–	–	–	–	–	–	1	–	2	3	9	8	14	7	9	8	3	–	1	–	–
		F.	53	–	–	–	–	–	–	–	1	–	1	1	7	8	6	7	7	4	6	4	1	–	–	–
E973	Poisoning by other gases	M.	6	–	–	–	–	–	–	–	–	–	–	2	1	2	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E974	Injury by hanging and strangulation	M.	35	–	–	–	–	–	–	–	–	2	3	2	1	2	5	1	4	4	7	1	3	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	4	1	2	–	–	–	–	–
E975	Injury by submersion (drowning) ...	M.	13	–	–	–	–	–	–	–	–	–	1	–	2	–	2	–	3	2	2	1	–	–	–	–
		F.	15	–	–	–	–	–	–	–	–	1	1	1	2	1	2	2	3	1	1	–	–	–	–	–
E976	Injury by firearms and explosives ...	M.	17	–	–	–	–	–	–	–	–	2	2	–	1	1	2	2	4	–	1	1	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E977	Injury by cutting and piercing instruments	M.	16	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	2	2	2	3	2	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–
E978	Injury by jumping from high place ...	M.	10	–	–	–	–	–	–	–	–	1	1	1	–	1	–	2	2	1	–	–	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
E979	Injury by other and unspecified means	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1951 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages																						
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)—																									
E980	Non-accidental poisoning by another person	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E981	Assault by firearm and explosive ...	M.	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E982	Assault by cutting and piercing instruments	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E983	Assault by other means	M.	7	3	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–
		F.	7	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	1	–	–	–	–
E984	Injury by intervention of police ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E985	Execution	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Injury resulting from operations of war (E990-E999)—																									
E990	Gas and chemicals	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E991	Gunshot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E992	Grenade and land-mine	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E993	Bomb	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E994	Marine mine, depth charge, and torpedo	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E995	Explosion of artillery shell	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E996	Explosion of undetermined origin ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E997	Aircraft destruction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E998	Other and unspecified means ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E999	Occurring after cessation of hostilities	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 43.—Causes of Death by Months—Scotland, 1951

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
		ALL CAUSES—Both Sexes ...	**65778**	**9916**	**6337**	**6176**	**5567**	**5188**	**4687**	**4480**	**4449**	**4174**	**4792**	**4765**	**5247**
		All Tuberculosis (001-019) TOTAL	2179	285	215	225	183	169	153	176	151	140	175	151	156
001-008	1	Respiratory system	1886	259	194	193	159	147	128	147	119	112	149	132	147
010	2	Meninges and central nervous system	161	17	13	18	12	9	14	16	17	17	16	10	2
011	3	Intestines, peritoneum and mesenteric glands	28	1	1	5	3	2	2	4	1	6	1	2	–
012, 013	4	Bones and joints	42	4	4	6	3	5	2	3	5	1	3	4	2
014-019	5	All other forms	62	4	3	3	6	6	7	6	9	4	6	3	5
		Syphilis (020-029) TOTAL	149	22	17	11	10	14	10	11	13	7	10	12	12
020	6	Congenital syphilis	4	1	–	–	–	1	–	–	–	–	1	–	1
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	15	4	1	3	–	1	1	–	1	1	1	1	1
025	9	General paralysis of insane ...	28	3	4	1	1	4	–	3	3	2	1	4	2
022-023, 026-029	10	All other syphilis	102	14	12	7	9	8	9	8	9	4	7	7	8
030-035	11	Gonococcal infection	–	–	–	–	–	–	–	–	–	–	–	–	–
040	12	Typhoid fever	1	–	–	1	–	–	–	–	–	–	–	–	–
041, 042	13	Paratyphoid fever and other salmonella infections	9	–	–	–	–	–	2	–	–	3	4	–	–
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever) ...	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	16	Dysentery, all forms	15	1	1	3	2	2	2	1	1	1	1	–	–
050	17	Scarlet fever	1	–	–	–	–	–	–	–	–	–	1	–	–
051	18	Streptococcal sore throat ...	–	–	–	–	–	–	–	–	–	–	–	–	–
052	19	Erysipelas	5	2	1	–	–	–	–	–	–	–	–	1	1
053	20	Septicæmia and pyæmia	33	8	3	2	4	4	–	2	1	–	5	4	–
055	21	Diphtheria	5	–	–	1	–	1	–	–	–	1	–	1	1
056	22	Whooping-cough	98	25	9	18	7	9	3	10	4	2	2	5	4
057	23	Meningococcal infections	44	11	4	8	3	1	1	3	1	5	1	2	4
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	9	–	1	–	1	1	1	1	3	–	1	–	–
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	24	–	2	–	1	1	2	4	1	3	3	3	4
082	29	Acute infectious encephalitis ...	14	1	–	–	3	1	–	2	1	3	2	–	1
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	47	6	7	7	8	3	3	1	2	–	5	3	2
084	31	Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–
085	32	Measles	25	1	2	5	7	6	1	1	–	–	–	1	1
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	–
092	34	Infectious hepatitis	23	5	1	3	2	1	2	1	2	2	2	1	1
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	1	–	–	–	–	–	–	–	–	–	–	–	1
123	38	Schistosomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–
125	39	Hydatid disease	–	–	–	–	–	–	–	–	–	–	–	–	–
127	40	Filariasis	–	–	–	–	–	–	–	–	–	–	–	–	–
129	41	Ankylostomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–
124, 126, 128, 130	42	Other diseases due to helminths ...	–	–	–	–	–	–	–	–	–	–	–	–	–
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	38	4	1	3	1	4	1	2	5	4	2	6	5
		Malignant neoplasms (140-205) TOTAL	9840	967	770	815	806	839	786	777	796	766	854	790	874
140-148	44	Buccal cavity and pharynx ...	244	21	20	28	23	25	17	18	19	13	18	16	26
150	45	Œsophagus	297	23	26	28	24	24	25	18	24	26	27	28	24
151	46	Stomach...	1791	180	142	140	164	155	158	128	136	144	171	131	142
152, 153	47	Intestine (except rectum) ...	1343	136	99	111	114	109	111	109	114	95	107	104	134
154	48	Rectum	585	75	48	50	52	52	39	47	37	43	45	45	52
161	49	Larynx	70	9	7	6	4	5	7	7	4	6	4	3	8
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	1427	132	99	127	110	126	111	109	115	113	127	120	138
170	51	Breast	806	89	64	70	53	78	60	61	64	65	64	69	69
171	52	Cervix uteri	187	9	17	15	11	12	13	15	18	20	21	20	16
172-174	53	Uterus other and unspecified parts of uterus	265	19	24	21	21	17	25	24	21	21	21	22	29
177	54	Prostate	314	29	21	25	23	27	20	30	32	22	32	25	28
190-191	55	Skin	113	13	7	13	13	12	7	9	6	11	5	10	7

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
		Malignant neoplasms (140-205) —*continued*													
96, 197	56	Bone and connective tissue ...	158	17	11	10	14	15	7	15	12	16	15	10	16
55-160, 64, 165, 75, 176, 78-181, 92-195, 98, 199	57	Other and unspecified sites ...	1794	165	156	138	145	143	147	141	157	142	162	157	141
204	58	Leukæmia and aleukæmia ...	220	24	11	16	10	17	22	27	16	15	21	20	21
00-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system ...	226	26	18	17	25	22	17	19	21	14	14	10	23
10-239	60	Benign neoplasms and neoplasms of unspecified nature	169	18	14	9	16	8	13	14	9	17	11	21	19
50, 251	61	Non-toxic goitre	5	2	–	–	–	–	1	–	–	1	1	–	–
252	62	Thyrotoxicosis with or without goitre	36	7	2	2	8	1	–	4	3	1	3	2	3
260	63	Diabetes mellitus	559	76	59	49	37	58	45	43	42	31	44	32	43
80-286	64	Avitaminosis and other deficiency states	36	7	4	3	5	3	1	1	4	2	3	–	3
290	65*a*	Pernicious and other hyperchromic anæmias	234	25	24	27	17	24	20	16	20	20	17	9	15
91-293	65*b*	Other anæmias	111	11	6	8	14	6	9	14	12	10	7	8	6
40-245, 53, 254, 70-277, 87-289, 94-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	537	110	50	41	38	36	32	26	35	35	38	55	41
00-309	67	Psychoses	119	21	13	9	12	10	10	10	11	7	3	8	5
10-324, 326	68	Psychoneuroses and disorders of personality	18	2	2	4	–	1	1	–	2	1	1	2	2
325	69	Mental deficiency	17	–	–	1	3	1	–	2	1	3	4	1	1
330	70*a*	Subarachnoid hæmorrhage ...	165	22	16	16	20	10	8	12	12	15	9	13	12
331	70*b*	Cerebral hæmorrhage	4517	523	414	423	421	373	345	329	338	317	337	325	372
332	70*c*	Cerebral embolism and thrombosis	3986	508	384	371	341	310	291	279	276	256	324	326	320
33, 334	70*d*	Other vascular lesions affecting central nervous system ...	454	63	37	52	32	27	37	30	38	23	34	41	40
340	71	Non-meningococcal meningitis ...	59	8	5	6	8	4	2	3	2	8	2	4	7
345	72	Multiple sclerosis	174	21	14	19	23	14	18	12	9	8	10	13	13
353	73	Epilepsy	128	11	11	12	11	11	9	15	11	4	16	9	8
70-379	74	Inflammatory diseases of eye ...	–	–	–	–	–	–	–	–	–	–	–	–	–
385	75	Cataract	5	–	–	–	1	1	–	–	–	1	2	–	–
387	76	Glaucoma	1	–	–	–	–	–	–	–	1	–	–	–	–
91-393	77	Otitis media and mastoiditis ...	25	4	–	–	1	1	4	1	–	4	4	5	1
350	78*a*	Paralysis agitans	181	33	22	26	13	16	8	13	8	11	11	11	9
41-344, 51, 352, 54-369, 80-384, 86, 388-90, 394-398	78*b*	All other diseases of the nervous system and sense organs ...	499	61	49	56	35	44	45	43	37	36	33	22	38
00-402	79	Rheumatic fever	49	5	4	2	5	3	3	3	6	2	5	6	5
		Heart disease (410-443) Total	21502	3156	2110	2096	1856	1693	1550	1395	1407	1320	1589	1581	1749
10-416	80	Chronic rheumatic heart disease	900	120	101	96	73	62	56	58	52	69	64	76	73
420	81*a*	Arteriosclerotic heart disease (including coronary disease) ...	7461	836	655	719	641	607	537	515	564	496	638	593	660
421	81*b*	Chronic endocarditis not specified as rheumatic	633	107	50	57	54	48	57	47	31	43	50	48	41
422.0	81*c*	Fatty degeneration of heart ...	50	11	5	3	3	2	8	2	1	3	3	2	7
422.1	81*d*	Myocardial degeneration with arteriosclerosis	4989	796	519	469	445	403	361	310	320	271	331	352	412
422.2	81*e*	Other myocardial degeneration	5314	973	592	530	463	412	354	307	291	287	347	368	390
30-432	82*a*	Acute non-rheumatic heart disease	209	42	20	20	15	20	15	15	13	10	11	11	17
33-434	82*b*	Other and unspecified diseases of heart	1115	178	105	121	96	75	102	75	69	81	74	70	69
40-443	83	Hypertension with heart disease	831	93	63	81	66	64	60	66	66	60	71	61	80
44-447	84	Hypertension without mention of heart	648	83	46	64	50	61	50	36	55	39	45	59	60
450	85*a*	General arteriosclerosis	824	107	83	86	75	59	53	52	60	57	59	59	74
51-456	85*b*	Other diseases of arteries ...	184	27	14	14	17	20	14	14	14	12	8	15	15
60-468	86	Other diseases of circulatory system	211	31	22	25	19	17	16	13	14	14	14	14	12
70-475	87	Acute upper respiratory infections	24	2	2	3	1	2	2	1	1	2	1	5	2

Note.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
480-483	88	Influenza	958	676	181	43	12	8	2	5	4	5	7	8	7
490	89	Lobar pneumonia	403	109	41	42	36	27	19	21	10	15	18	28	37
491	90	Bronchopneumonia	1659	440	200	156	136	121	72	78	62	82	84	101	127
492, 493	91	Primary atypical, other and unspecified pneumonia	235	51	27	15	24	18	10	13	9	16	15	17	20
		Bronchitis (500-502) Total	2488	838	331	298	197	136	86	77	70	75	90	144	146
500	92	Acute	433	178	57	56	37	16	6	11	8	5	11	27	21
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	1003	299	146	115	77	63	27	31	31	34	47	71	62
501*a*, 502*a*	93*b*	Chronic and unqualified—otherwise defined	1052	361	128	127	83	57	53	35	31	36	32	46	63
510	94	Hypertrophy of tonsils and adenoids	2	1	–	–	–	–	–	1	–	–	–	–	–
518, 521	95	Empyema and abscess of lung ...	34	6	1	3	1	4	1	4	1	1	5	3	4
519	96	Pleurisy	34	7	1	5	1	3	1	2	2	1	4	3	4
511-517, 520, 522-527	97	All other respiratory diseases ...	563	119	65	49	42	38	34	33	33	32	33	39	46
530-535	98	Diseases of teeth and supporting structures	5	–	–	2	1	2	–	–	–	–	–	–	–
540	99	Ulcer of stomach	302	45	38	27	28	15	30	19	21	16	19	16	28
541	100	Ulcer of duodenum	317	43	34	32	20	28	22	20	21	14	32	21	30
543	101	Gastritis and duodenitis	34	6	–	5	1	5	–	2	3	3	4	1	4
550-553	102	Appendicitis	118	22	11	9	5	6	11	6	13	9	6	8	12
560, 561, 570	103	Intestinal obstruction and hernia	394	31	33	47	37	27	29	31	33	28	32	31	35
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	198	18	21	20	17	14	23	15	12	10	18	15	15
571.1	104*b*	Gastro-enteritis over 2 years ...	107	14	17	10	6	9	6	10	6	13	10	3	3
572	104*c*	Chronic enteritis and ulcerative colitis	133	13	9	2	15	13	12	11	14	8	13	8	15
581	105	Cirrhosis of liver	169	24	14	19	16	9	12	12	15	13	11	15	9
584, 585	106	Cholelithiasis and cholecystitis ...	213	17	22	12	14	12	26	22	20	14	18	22	14
580, 582, 583, 586	107*a*	Other diseases of liver	89	7	7	5	5	13	8	9	6	4	8	12	5
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	220	21	19	14	17	22	18	12	17	20	20	19	21
590	108	Acute nephritis	51	7	3	7	2	5	3	3	3	5	4	6	3
591-594	109	Chronic, other and unspecified nephritis	599	76	55	51	64	44	43	45	40	48	45	41	47
600	110	Infections of kidney	126	9	8	10	9	9	13	17	10	11	11	13	6
602, 604	111	Calculi of urinary system ...	59	13	5	7	7	6	4	2	1	4	4	4	2
610	112	Hyperplasia of prostate	425	46	39	42	46	30	30	26	42	24	46	26	28
620, 621	113	Diseases of breast	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	83	12	4	9	8	4	11	3	5	4	7	8	8
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	108	19	12	14	4	8	10	9	6	4	4	5	13
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	17	2	1	4	3	–	–	2	–	2	–	–	[illegible]
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	17	–	3	4	4	1	1	–	–	–	–	2	[illegible]
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	8	–	2	–	1	1	1	1	–	1	–	1	[illegible]
671, 672	117*b*	Postpartum hæmorrhage ...	12	3	2	1	1	–	–	2	–	–	–	1	[illegible]
650	118	Abortion without mention of sepsis or toxæmia	6	–	–	1	–	–	1	–	1	–	–	1	[illegible]
651	119	Abortion with sepsis	11	2	–	1	1	–	1	1	2	2	–	1	[illegible]
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium...	28	2	3	1	3	2	5	1	2	3	3	2	[illegible]
690-698	121	Infections of skin and subcutaneous tissue	23	4	3	3	–	2	3	3	1	1	–	1	[illegible]
720-725	122	Arthritis and spondylitis	104	8	12	14	7	15	5	7	8	9	8	5	[illegible]

Note.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
26, 727	123	Muscular rheumatism and rheumatism unspecified...	9	3	1	–	1	–	1	1	–	1	1	–	–
730	124	Osteomyelitis and periostitis ...	12	2	1	–	1	1	–	–	–	2	1	3	1
17, 745-749	125	Ankylosis and acquired musculoskeletal deformities	4	1	1	–	–	–	1	–	–	–	1	–	–
00-716, 31-736, 38-744	126	All other diseases of skin and musculoskeletal system ...	94	10	7	9	8	12	9	10	9	4	5	7	4
		Congenital malformations and certain diseases of early infancy (750-776) TOTAL	2323	244	192	227	232	200	176	183	202	148	170	157	192
751	127	Spina bifida and meningocele ...	112	10	7	14	11	9	7	12	8	7	7	11	9
754	128	Congenital malformations of circulatory system	204	22	16	21	16	13	16	17	14	14	23	15	17
50, 752, 53, 755-759	129	All other congenital malformations	286	29	21	18	28	30	15	13	38	19	24	28	23
30, 761	130	Birth injuries	304	34	24	39	32	25	21	25	30	21	17	21	15
762	131	Post-natal asphyxia and atelectasis	324	31	23	34	30	30	19	25	31	17	24	28	32
763	132*a*	Pneumonia of newborn ...	166	19	21	15	13	18	20	17	9	11	10	5	8
764	132*b*	Diarrhœa of newborn	34	2	5	2	5	3	1	2	3	2	1	1	7
35-768	132*c*	Other infections of newborn ...	9	–	1	1	–	2	2	1	–	–	1	–	1
770	133	Hæmolytic disease of newborn	74	10	6	8	10	5	6	4	5	1	7	5	7
39, 771 772	134	All other defined diseases of early infancy	89	13	8	10	12	4	6	7	8	5	3	4	9
73-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified ...	721	74	60	65	75	61	63	60	56	51	53	39	64
794	136	Senility without mention of psychosis	1292	219	144	128	98	110	101	80	70	70	78	87	107
30-793 795	137	Ill-defined and unknown causes ...	1071	179	102	88	91	92	74	74	68	66	80	61	96
		"E" code alternative classification of accidents, poisonings and violence (external causes) *Violence* (800-999) TOTAL	2584	265	224	214	228	246	218	234	198	192	174	193	198
810-E835	138	Motor vehicle accidents ...	516	37	39	41	42	44	37	52	56	39	38	47	44
E840-E845	139*a*	Other road transport accidents	49	–	4	3	4	5	6	3	9	3	3	6	3
800-E802 850-E866	139*b*	Other transport accidents ...	122	6	11	5	19	11	10	21	8	6	8	9	8
870-E895	140	Accidental poisoning	226	31	20	27	19	18	14	14	15	18	17	17	16
900-E904	141	Accidental falls	667	83	61	47	57	54	70	59	43	57	34	51	51
E912	142	Accident caused by machinery	27	2	4	2	2	3	4	2	1	–	1	4	2
E916	143	Accident caused by fire and explosion of combustible material	18	5	–	–	1	–	–	3	–	1	–	2	6
917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	103	16	11	12	8	14	7	1	4	3	5	8	14
E919	145	Accident caused by firearm ...	30	3	3	–	1	4	3	4	2	8	1	1	–
E929	146	Accidental drowning and submersion	204	12	14	20	16	23	23	22	19	17	14	12	12
921-E925	147*a*	Accidental mechanical suffocation, etc.	186	21	18	19	25	24	10	10	8	5	14	16	16
910-E911, 913-E915, 920, 926-E928, 930-E962	147*b*	All other accidental causes ...	126	17	16	5	10	11	12	15	9	10	6	5	10
963, 970-E979	148	Suicide and self-inflicted injury	276	28	20	27	22	33	21	27	22	21	31	10	14
964, 980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	22	1	1	5	1	2	–	1	2	3	1	3	2
965, 990-E999	150	Injury resulting from operations of war	12	3	2	1	1	–	1	–	–	1	1	2	–

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44A.—Deaths in Scotland by Sex and Age Groups—1951

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		**65,778**	**3,391**	**664**	**309**	**200**	**895**	**1,432**	**2,426**	**5,444**	**9,942**	**17,282**	**23,793**	—
		Total Males		**33,116**	**1,969**	**358**	**187**	**101**	**444**	**728**	**1,290**	**3,231**	**5,670**	**8,792**	**10,346**	—
		Total Females		**32,662**	**1,422**	**306**	**122**	**99**	**451**	**704**	**1,136**	**2,213**	**4,272**	**8,490**	**13,447**	—
		All Tuberculosis (001-019)	TOTAL M.	1,256	9	51	26	13	110	181	193	242	249	145	37	—
			TOTAL F.	923	9	57	20	13	215	238	156	78	78	43	16	—
001-008	1	Respiratory system	M.	1,106	3	16	5	8	90	166	182	231	240	132	33	—
			F.	780	6	17	6	5	192	225	140	67	69	38	15	—
010	2	Meninges and central nervous system	M.	78	5	33	20	4	8	4	1	—	2	1	—	—
			F.	83	2	39	10	6	16	5	3	2	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	12	1	—	1	1	1	—	3	3	—	2	—	—
			F.	16	—	—	—	—	2	2	5	2	3	2	—	—
012, 013	4	Bones and joints	M.	25	—	—	—	—	3	6	4	2	3	4	3	—
			F.	17	—	—	—	1	2	4	1	5	2	1	1	—
014-019	5	All other forms	M.	35	—	2	—	—	8	5	3	6	4	6	1	—
			F.	27	1	1	4	1	3	2	7	2	4	2	—	—
		Syphilis (020-029)	TOTAL M.	100	3	—	—	1	—	1	7	10	27	38	13	—
			TOTAL F.	49	1	—	—	—	1	—	2	8	14	16	7	—
020	6	Congenital syphilis	M.	3	3	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	11	—	—	—	—	—	—	—	1	3	5	2	—
			F.	4	—	—	—	—	—	—	—	—	2	2	—	—
025	9	General paralysis of insane	M.	19	—	—	—	—	—	1	2	3	6	4	3	—
			F.	9	—	—	—	—	1	—	1	1	5	1	—	—
022, 023 026-029	10	All other syphilis	M.	67	—	—	—	1	—	—	5	6	18	29	8	—
			F.	35	—	—	—	—	—	—	1	7	7	13	7	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	5	1	—	—	—	—	—	—	—	2	2	—	—
			F.	4	—	—	—	—	—	—	1	—	1	1	1	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	9	2	1	—	—	—	1	—	—	1	1	3	—
			F.	6	1	—	—	—	—	—	—	—	1	3	1	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	4	—	—	—	—	—	—	—	—	1	1	2	—
053	20	Septicæmia and pyæmia	M.	19	1	2	1	1	1	1	1	4	2	2	3	—
			F.	14	2	5	—	—	1	—	2	1	2	—	1	—
055	21	Diphtheria	M.	3	—	1	2	—	—	—	—	—	—	—	—	—
			F.	2	—	2	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	M.	50	43	5	1	—	—	—	—	—	—	—	1	—
			F.	48	31	16	1	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	23	6	13	1	—	1	—	—	1	—	1	—	—
			F.	21	8	9	1	—	—	1	—	1	—	1	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	4	—	—	—	—	—	—	2	2	—	—	—	—
			F.	5	1	—	1	2	—	—	—	—	1	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	11	—	1	2	1	2	3	2	—	—	—	—	—
			F.	13	—	1	—	3	3	3	2	—	1	—	—	—
082	29	Acute infectious encephalitis	M.	5	2	—	—	—	—	1	—	—	1	—	1	—
			F.	9	1	2	—	—	—	1	—	3	2	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	17	—	—	—	—	—	—	2	8	3	4	—	—
			F.	30	—	—	—	—	—	—	6	7	10	5	2	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	8	2	4	—	—	—	—	—	—	1	—	1	—
			F.	17	7	8	—	1	—	—	—	—	—	—	1	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	9	—	—	—	—	—	1	1	2	3	1	1	—
			F.	14	—	1	2	—	2	3	—	—	2	1	3	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	22	2	1	—	—	—	2	4	3	3	2	5	—
			F.	16	1	—	—	—	—	—	1	—	2	2	10	—
		Malignant neoplasms (140-205)	TOTAL M.	4,925	1	16	18	11	42	99	243	714	1,141	1,536	1,104	—
			TOTAL F.	4,915	1	17	7	6	28	89	312	673	1,059	1,493	1,230	—
140-148	44	Buccal cavity and pharynx ...	M.	179	—	—	1	—	1	1	—	9	30	70	67	—
			F.	65	—	—	—	—	—	2	1	8	17	16	21	—
150	45	Œsophagus ...	M.	176	—	—	—	—	—	2	8	10	40	68	48	—
			F.	121	—	—	—	—	—	—	3	12	21	32	53	—
151	46	Stomach ...	M.	910	—	—	1	—	1	7	35	132	198	328	208	—
			F.	881	—	—	—	—	1	7	34	63	162	326	288	—
152, 153	47	Intestine, except rectum ...	M.	582	—	—	—	—	2	13	16	49	94	211	197	—
			F.	761	—	—	—	—	—	6	23	88	125	240	279	—
154	48	Rectum ...	M.	348	—	—	—	—	1	5	16	31	72	127	96	—
			F.	237	—	—	—	—	1	2	5	31	51	90	57	—
161	49	Larynx ...	M.	55	—	—	—	—	—	—	3	4	15	19	14	—
			F.	15	—	—	—	—	—	—	2	4	3	3	3	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	1,149	—	—	—	—	—	10	72	301	404	283	79	—
			F.	278	—	—	—	—	—	7	15	35	90	89	42	—
170	51	Breast ...	M.	6	—	—	—	—	—	—	—	1	1	2	2	—
			F.	800	—	—	—	—	1	7	89	160	172	212	159	—
171	52	Cervix uteri ...	F.	187	—	—	—	—	—	6	32	55	47	28	19	—
172-174	53	Other and unspecified parts of uterus ...	F.	265	—	—	—	—	1	8	21	41	69	78	47	—
177	54	Prostate ...	M.	314	—	—	—	—	—	—	2	6	33	119	154	—
190, 191	55	Skin ...	M.	55	—	—	—	—	1	1	—	4	9	16	24	—
			F.	58	—	—	—	—	—	—	3	8	8	16	23	—
196, 197	56	Bone and connective tissue ...	M.	94	—	—	4	3	3	5	6	15	15	23	20	—
			F.	64	—	—	1	—	3	4	4	11	12	18	11	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites ...	M.	819	1	6	4	1	10	29	55	116	187	229	181	—
			F.	975	1	6	2	1	7	24	51	134	230	308	211	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
204	58	Leukæmia and aleukæmia	M.	109	—	8	8	2	15	10	11	10	16	24	5	—
			F.	111	—	11	3	5	10	7	12	14	22	19	8	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	129	—	2	—	5	8	16	19	26	27	17	9	—
			F.	97	—	—	1	—	4	9	17	9	30	18	9	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	63	—	1	1	—	3	3	6	10	12	17	10	—
			F.	106	—	3	1	1	4	7	10	23	15	22	20	—
250, 251	61	Non-toxic goitre	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	4	—	—	—	—	—	—	—	—	1	1	2	—
252	62	Thyrotoxicosis with or without goitre	M.	5	—	—	—	—	—	—	1	2	1	1	—	—
			F.	31	—	—	—	—	—	1	4	4	10	10	2	—
260	63	Diabetes mellitus	M.	169	—	—	—	—	—	5	9	22	28	54	51	—
			F.	390	1	—	—	2	8	8	9	31	78	177	76	—
280-286	64	Avitaminosis and other deficiency states	M.	17	1	2	—	—	1	1	2	3	1	4	2	—
			F.	19	—	3	—	—	—	—	2	3	—	6	5	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	74	—	—	—	—	—	—	—	3	6	25	40	—
			F.	160	—	—	—	—	—	—	2	8	16	61	73	—
291-293	65*b*	Other anæmias	M.	42	—	1	1	—	2	—	3	4	10	8	13	—
			F.	69	1	1	1	—	2	1	4	5	7	26	21	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	239	7	4	1	1	12	10	26	48	66	44	20	—
			F.	298	3	5	1	3	6	20	26	52	74	73	35	—
300-309	67	Psychoses	M.	37	—	—	—	—	2	3	—	5	3	9	15	—
			F.	82	—	—	—	—	—	2	4	5	12	22	37	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	14	—	—	—	—	—	—	—	6	2	4	2	—
			F.	4	—	—	—	—	—	—	—	1	—	3	—	—
325	69	Mental deficiency	M.	10	2	1	3	—	2	—	—	1	1	—	—	—
			F.	7	2	2	1	1	—	—	—	1	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	72	—	1	1	—	4	7	7	21	19	8	4	—
			F.	93	—	—	—	—	3	2	12	21	19	19	17	—
331	70*b*	Cerebral hæmorrhage	M.	1,856	5	2	—	—	6	13	23	135	334	647	691	—
			F.	2,661	1	—	1	1	4	6	48	188	476	915	1,021	—
332	70*c*	Cerebral embolism and thrombosis	M.	1,708	—	—	—	1	—	3	8	44	207	592	853	—
			F.	2,278	—	—	1	—	1	1	15	52	242	696	1,270	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	227	—	—	—	—	—	—	—	7	15	78	127	—
			F.	227	—	—	1	—	—	1	1	4	23	68	129	—
340	71	Non-meningococcal meningitis	M.	31	15	7	—	1	2	1	2	2	1	—	—	—
			F.	28	11	2	1	1	3	2	3	1	2	2	—	—
345	72	Multiple sclerosis	M.	68	—	—	—	—	2	8	15	16	16	9	2	—
			F.	106	—	—	—	—	1	7	25	39	24	9	1	—
353	73	Epilepsy	M.	73	1	3	3	3	13	15	12	9	4	7	3	—
			F.	55	1	4	3	3	8	11	7	7	4	4	3	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	2	—	—	—	—	—	—	—	—	—	—	2	—
			F.	3	—	—	—	—	—	—	—	—	—	2	1	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
391-393	77	Otitis media and mastoiditis	M.	12	3	2	1	—	1	—	—	4	1	—	—	—
			F.	13	5	1	—	1	2	—	2	1	1	—	—	—
350	78*a*	Paralysis agitans	M.	80	—	—	—	—	—	—	1	6	13	33	27	—
			F.	101	—	—	—	—	—	—	—	6	20	39	36	—

TABLE 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	235	7	9	4	4	7	8	15	23	40	55	63	—
			F.	264	4	5	1	9	8	6	10	17	31	83	90	—
400-402	79	Rheumatic fever	M.	21	1	1	—	2	4	2	6	3	1	—	1	—
			F.	28	—	—	—	6	3	6	5	4	3	—	1	—
		Heart disease (410-443) TOTAL	M.	10,787	—	2	4	4	35	84	281	949	1,927	3,307	4,194	—
			F.	10,715	2	—	2	7	38	85	177	439	1,207	3,057	5,701	—
410-416	80	Chronic rheumatic heart disease	M.	332	—	—	4	3	19	30	54	51	72	52	47	—
			F.	568	—	—	1	3	21	52	88	106	111	103	83	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	4,801	—	—	—	—	1	28	173	690	1,284	1,596	1,029	—
			F.	2,660	—	—	—	—	1	4	31	137	516	1,050	921	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	290	—	—	—	—	6	5	14	34	60	95	76	—
			F.	343	—	—	—	2	4	10	12	37	58	113	107	—
422.0	81*c*	Fatty degeneration of heart	M.	16	—	—	—	—	2	—	—	3	3	6	2	—
			F.	34	—	—	—	—	—	—	1	9	10	10	4	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	2,100	—	—	—	—	—	1	4	16	95	566	1,418	—
			F.	2,889	—	—	—	—	—	1	1	9	107	563	2,208	—
422.2	81*e*	Other myocardial degeneration	M.	2,271	—	1	—	—	3	6	15	91	219	662	1,274	—
			F.	3,043	—	—	1	1	3	9	17	73	228	825	1,886	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	107	—	1	—	1	2	10	4	11	26	26	26	—
			F.	102	2	—	—	1	5	2	8	3	19	29	33	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	502	—	—	—	—	1	1	11	32	90	174	193	—
			F.	613	—	—	—	—	4	7	12	38	84	189	279	—
440-443	83	Hypertension with heart disease	M.	368	—	—	—	—	1	3	6	21	78	130	129	—
			F.	463	—	—	—	—	—	—	7	27	74	175	180	—
444-447	84	Hypertension without mention of heart disease	M.	322	—	—	—	—	—	4	7	36	55	95	125	—
			F.	326	—	—	—	—	—	6	15	25	55	100	125	—
450	85*a*	General arteriosclerosis	M.	427	—	—	—	—	—	—	3	2	28	95	299	—
			F.	397	—	—	—	—	—	—	1	2	10	72	312	—
451-456	85*b*	Other diseases of arteries	M.	92	—	—	—	—	3	1	3	5	25	15	40	—
			F.	92	—	—	1	1	4	3	8	8	13	18	36	—
460-468	86	Other diseases of circulatory system	M.	99	2	—	—	—	—	2	7	10	28	25	25	—
			F.	112	—	—	—	—	—	6	11	16	23	26	30	—
470-475	87	Acute upper respiratory infections	M.	11	5	2	1	—	—	—	1	—	—	1	1	—
			F.	13	2	2	—	—	1	1	—	—	—	1	6	—
480-483	88	Influenza	M.	431	15	3	1	—	2	5	13	28	75	107	182	—
			F.	527	12	6	1	2	5	5	11	24	41	124	296	—
490	89	Lobar pneumonia	M.	208	11	5	1	—	2	1	9	24	42	61	52	—
			F.	195	15	5	1	1	3	2	6	17	25	61	59	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	814	190	30	3	1	2	11	12	39	88	183	255	—
			F.	845	139	35	5	2	7	9	19	40	62	175	352	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	126	20	3	—	—	—	2	2	7	28	31	33	—
			F.	109	14	3	—	—	2	3	2	9	9	27	40	—
		Bronchitis (500-502) TOTAL	M.	1,513	31	8	1	—	2	11	31	171	372	435	451	—
			F.	975	20	6	1	1	1	2	15	51	107	255	516	—
500	92	Acute	M.	178	30	6	—	—	—	1	1	9	14	44	73	—
			F.	255	19	4	1	1	1	—	4	6	14	53	152	—
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	627	—	—	—	—	—	4	7	68	166	207	175	—
			F.	376	—	—	—	—	—	—	7	19	43	117	190	—
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	M.	708	1	2	1	—	2	6	23	94	192	184	203	—
			F.	344	1	2	—	—	—	2	4	26	50	85	174	—
510	94	Hypertrophy of tonsils and adenoids	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	22	1	—	—	—	—	2	2	7	7	2	1	—
			F.	12	5	—	—	—	1	1	—	—	3	2	—	—
519	96	Pleurisy	M.	19	—	—	—	—	—	—	1	1	3	4	10	—
			F.	15	—	1	—	—	—	—	2	6	1	4	1	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	377	7	3	1	—	1	5	16	47	120	103	74	—
			F.	186	3	2	—	—	4	5	10	12	31	40	79	—
530-535	98	Diseases of teeth and supporting structures	M.	2	—	—	—	—	1	1	—	—	—	—	—	—
			F.	3	—	—	—	—	1	1	—	1	—	—	—	—
540	99	Ulcer of stomach	M.	220	—	—	—	—	2	5	20	37	42	71	43	—
			F.	82	—	—	—	—	—	—	5	12	12	28	25	—
541	100	Ulcer of duodenum	M.	266	—	—	—	—	1	7	35	61	71	54	37	—
			F.	51	—	—	—	—	1	1	9	4	8	11	17	—
543	101	Gastritis and duodenitis	M.	13	3	—	1	—	—	—	1	—	2	4	2	—
			F.	21	1	2	—	1	1	—	—	1	1	3	11	—
550-553	102	Appendicitis	M.	64	—	10	3	1	2	—	9	8	6	13	12	—
			F.	54	—	5	4	2	7	2	5	7	10	6	6	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	203	17	2	2	1	—	4	5	23	33	56	60	—
			F.	191	8	—	3	—	—	6	2	21	33	54	64	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	119	114	5	—	—	—	—	—	—	—	—	—	—
			F.	79	74	5	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	41	—	6	3	—	4	—	—	1	6	6	15	—
			F.	66	—	2	1	3	—	1	—	6	7	21	25	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	47	—	—	—	—	2	2	5	5	11	15	7	—
			F.	86	—	—	—	—	2	11	5	10	11	25	22	—
581	105	Cirrhosis of liver	M.	95	—	—	—	1	1	3	8	20	24	28	10	—
			F.	74	—	—	—	2	—	1	5	13	22	20	11	—
584-585	106	Cholelithiasis and cholecystitis	M.	54	—	—	—	—	—	—	1	3	15	23	12	—
			F.	159	—	—	—	—	1	—	2	15	33	43	65	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	38	—	2	2	—	—	—	2	6	6	12	8	—
			F.	51	—	—	2	—	2	2	3	8	15	12	7	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	105	2	2	—	1	2	4	7	18	21	29	19	—
			F.	115	2	1	1	2	2	2	10	17	22	27	29	—
590	108	Acute nephritis	M.	24	3	1	1	—	1	6	1	4	3	2	2	—
			F.	27	1	2	1	3	3	1	4	—	3	9	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	274	1	2	4	1	10	11	26	40	47	64	68	—
			F.	325	—	2	2	5	11	19	20	43	65	89	69	—

TABLE 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
600	110	Infections of kidney	M.	51	—	1	—	—	—	—	2	9	6	14	19	—
			F.	75	1	—	—	—	1	5	8	9	11	16	24	—
602, 604	111	Calculi of urinary system	M.	29	—	1	—	—	—	—	1	4	4	8	11	—
			F.	30	—	—	—	1	—	1	4	7	7	4	6	—
610	112	Hyperplasia of prostate	M.	425	—	—	—	—	—	—	—	—	21	130	274	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	55	—	—	—	—	—	—	1	1	5	14	34	—
			F.	28	—	—	—	—	—	2	1	2	2	6	15	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	58	1	1	—	—	1	1	1	—	7	23	23	—
			F.	50	—	—	—	—	1	3	5	10	12	14	5	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	17	—	—	—	—	1	14	1	1	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	17	—	—	—	—	4	8	5	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	8	—	—	—	—	—	6	2	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	12	—	—	—	—	1	7	4	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	6	—	—	—	—	—	5	1	—	—	—	—	—
651	119	Abortion with sepsis	F.	11	—	—	—	—	2	8	1	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	28	—	—	—	—	4	14	9	1	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	14	2	—	—	—	1	—	1	3	5	—	2	—
			F.	9	1	—	—	—	—	—	—	3	—	5	—	—
720-725	122	Arthritis and spondylitis	M.	16	—	1	—	—	—	—	1	1	1	6	6	—
			F.	88	—	—	1	—	—	—	—	6	13	19	49	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	3	—	—	—	—	—	—	1	—	1	—	1	—
			F.	6	—	—	—	—	—	—	2	—	—	1	3	—
730	124	Osteomyelitis and periostitis	M.	5	—	—	—	—	1	2	—	1	1	—	—	—
			F.	7	1	—	2	—	—	—	1	—	—	1	2	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	3	—	—	—	—	—	—	—	2	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	48	1	1	—	1	5	—	—	6	7	15	12	—
			F.	46	1	—	—	—	1	2	3	3	7	17	12	—
		Congenital malformations and certain diseases of early infancy (750-776) TOTAL	M.	1,339	1,268	30	5	6	3	5	10	9	2	1	—	—
			F.	984	917	25	10	4	5	2	7	8	3	1	2	—
751	127	Spina bifida and meningocele	M.	52	47	3	1	—	—	—	1	—	—	—	—	—
			F.	60	57	2	1	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	115	85	13	2	3	2	3	4	2	—	1	—	—
			F.	89	63	7	6	4	3	2	1	2	—	—	1	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	165	129	14	2	3	1	2	5	7	2	—	—	—
			F.	121	83	16	3	—	2	—	6	6	3	1	1	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

760-761	130	Birth injuries	F.	111	111	—	—	—	—	—	—	—	—	—	—
762	131	Post-natal asphyxia and atelectasis	M.	184	184	—	—	—	—	—	—	—	—	—	—
			F.	140	140	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	98	98	—	—	—	—	—	—	—	—	—	—
			F.	68	68	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	22	22	—	—	—	—	—	—	—	—	—	—
			F.	12	12	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	5	5	—	—	—	—	—	—	—	—	—	—
			F.	4	4	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	46	46	—	—	—	—	—	—	—	—	—	—
			F.	28	28	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	58	58	—	—	—	—	—	—	—	—	—	—
			F.	31	31	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	401	401	—	—	—	—	—	—	—	—	—	—
			F.	320	320	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	488	—	—	—	—	—	—	—	—	—	36	452
			F.	804	—	—	—	—	—	—	—	—	1	49	754
780-793, 795	137	Ill-defined and unknown causes	M.	656	67	14	—	—	4	4	19	86	108	175	179
			F.	415	47	9	—	—	1	3	8	29	60	96	162
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)													
		Violence (E800-E999) TOTAL	M.	1,587	94	94	87	45	138	176	153	197	201	201	201	—
			F.	997	64	47	40	9	30	33	56	83	95	146	394	—
E810-E835	138	Motor vehicle accidents	M.	386	—	42	51	21	56	51	27	31	34	45	28	—
			F.	130	—	18	27	6	13	4	9	8	13	17	15	—
E840-E845	139*a*	Other road transport accidents	M.	38	—	4	4	3	2	6	2	2	5	7	3	—
			F.	11	—	1	—	—	1	—	—	—	—	3	6	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	119	—	2	1	4	17	33	14	16	18	12	2	—
			F.	3	—	—	—	—	—	—	1	—	2	—	—	—
E870-E895	140	Accidental poisoning	M.	118	1	6	1	—	7	8	19	20	23	20	13	—
			F.	108	—	1	—	—	6	5	11	17	19	25	24	—
E900-E904	141	Accidental falls	M.	257	1	4	8	4	10	17	13	17	24	37	122	—
			F.	410	—	2	4	1	—	3	2	6	17	58	317	—
E912	142	Accident caused by machinery	M.	27	—	—	—	1	2	3	3	9	1	6	2	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accidents caused by fire and explosion of combustible material	M.	7	—	3	—	—	1	1	1	—	—	1	—	—
			F.	11	—	1	1	—	—	—	—	2	1	2	4	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	36	1	6	2	—	4	1	—	—	3	7	12	—
			F.	67	—	16	4	—	—	3	4	3	3	13	21	—
E919	145	Accident caused by firearm	M.	27	—	—	—	—	7	6	7	3	2	2	—	—
			F.	3	—	—	—	—	1	2	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	138	—	17	15	9	6	9	12	27	16	20	7	—
			F.	66	—	4	3	2	3	5	7	16	13	10	3	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	116	86	4	2	—	2	5	1	1	7	7	1	—
			F.	70	59	1	—	—	1	2	—	3	—	4	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	117	2	5	3	3	18	19	25	19	15	6	2	—
			F.	9	3	2	—	—	—	1	—	2	—	—	1	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	177	—	—	—	—	6	14	26	49	44	29	9	—
			F.	99	—	—	—	—	4	8	22	25	24	13	3	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	12	3	1	—	—	—	3	2	2	1	—	—	—
			F.	10	2	1	1	—	1	—	—	1	3	1	—	—
E965, E990-E999	150	Injuries resulting from operations of war	M.	12	—	—	—	—	—	—	1	1	8	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44B.—Deaths in Aggregate of Counties of Cities in Scotland by Sex and Age Groups (Glasgow, Edinburgh, Aberdeen and Dundee)—1951

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: −1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		**25,464**	**1,329**	**253**	**110**	**75**	**364**	**554**	**994**	**2,340**	**4,309**	**6,770**	**8,366**	—
		Total Males		**12,943**	**754**	**139**	**79**	**37**	**186**	**271**	**522**	**1,432**	**2,509**	**3,520**	**3,494**	—
		Total Females		**12,521**	**575**	**114**	**31**	**38**	**178**	**283**	**472**	**908**	**1,800**	**3,250**	**4,872**	—
		All Tuberculosis (001-019)	Total M.	630	3	23	12	6	62	77	89	120	142	79	17	—
			Total F.	410	3	31	8	7	95	97	68	38	36	20	7	—
001-008	1	Respiratory system	M.	567	1	7	—	3	53	75	84	116	137	75	16	—
			F.	348	3	10	2	2	89	92	61	32	32	18	7	—
010	2	Meninges and central nervous system	M.	38	1	15	11	3	3	2	—	—	2	1	—	—
			F.	34	—	20	4	3	3	1	2	1	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	5	1	—	1	—	1	—	1	1	—	—	—	—
			F.	7	—	—	—	—	1	1	2	1	1	1	—	—
012, 013	4	Bones and joints	M.	8	—	—	—	—	2	—	3	—	1	1	1	—
			F.	10	—	—	—	1	2	2	1	3	1	—	—	—
014-019	5	All other forms	M.	12	—	1	—	—	3	—	1	3	2	2	—	—
			F.	11	—	1	2	1	—	1	2	1	2	1	—	—
		Syphilis (020-029)	Total M.	42	1	—	—	1	—	—	6	1	14	14	5	—
			Total F.	27	1	—	—	—	1	—	2	7	5	7	4	—
020	6	Congenital syphilis	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	3	—	—	—	—	—	—	—	—	2	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	6	—	—	—	—	—	—	1	—	2	1	2	—
			F.	7	—	—	—	—	1	—	1	1	3	1	—	—
022, 023 026-029	10	All other syphilis	M.	32	—	—	—	1	—	—	5	1	10	12	3	—
			F.	19	—	—	—	—	—	—	1	6	2	6	4	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	2	—	—	—	—	—	—	—	—	1	—	1	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	4	2	—	—	—	—	—	—	—	1	1	—	—
			F.	5	—	—	—	—	—	—	—	—	1	3	1	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
053	20	Septicæmia and pyæmia	M.	4	—	—	—	—	—	—	—	1	1	1	1	—
			F.	8	—	3	—	—	1	—	2	1	1	—	—	—
055	21	Diphtheria	M.	2	—	—	2	—	—	—	—	—	—	—	—	—
			F.	2	—	2	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	M.	19	17	2	—	—	—	—	—	—	—	—	—	—
			F.	18	11	7	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	14	5	7	1	—	—	—	—	—	—	1	—	—
			F.	9	2	5	—	—	—	—	—	1	—	1	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	2	—	—	—	—	—	2	—	—	—	—	—	—
			F.	4	—	—	—	1	1	2	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	4	—	1	—	—	—	1	—	1	1	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	6	—	—	—	—	—	—	1	4	1	—	—	—
			F.	17	—	—	—	—	—	—	3	5	4	3	2	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	4	1	3	—	—	—	—	—	—	—	—	—	—
			F.	3	1	1	—	1	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	4	—	1	—	—	—	—	—	—	1	—	2	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	8	2	—	—	—	—	1	2	—	1	1	1	—
			F.	4	—	—	—	—	—	—	—	—	2	—	2	—
		Malignant neoplasms (140-205)	Total M.	2,148	—	7	10	4	19	43	96	344	552	651	422	—
			Total F.	1,997	—	6	1	1	12	36	120	260	492	600	469	—
140-148	44	Buccal cavity and pharynx	M.	80	—	—	1	—	1	—	—	3	16	34	25	—
			F.	26	—	—	—	—	—	2	1	2	5	8	8	—
150	45	Œsophagus	M.	73	—	—	—	—	—	2	4	4	17	30	16	—
			F.	54	—	—	—	—	—	—	—	6	14	13	21	—
151	46	Stomach	M.	377	—	—	1	—	1	2	10	62	97	135	69	—
			F.	321	—	—	—	—	—	—	17	23	69	118	94	—
152, 153	47	Intestine, except rectum	M.	233	—	—	—	—	1	8	5	25	43	83	68	—
			F.	304	—	—	—	—	—	2	10	33	58	90	111	—
154	48	Rectum	M.	139	—	—	—	—	1	2	7	12	32	42	43	—
			F.	94	—	—	—	—	—	1	—	15	22	36	20	—
161	49	Larynx	M.	25	—	—	—	—	—	—	2	3	4	11	5	—
			F.	3	—	—	—	—	—	—	—	—	2	1	—	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	612	—	—	—	—	—	4	38	158	224	143	45	—
			F.	159	—	—	—	—	—	5	9	20	52	47	26	—
170	51	Breast	M.	3	—	—	—	—	—	—	—	1	1	1	—	—
			F.	305	—	—	—	—	1	3	26	56	75	88	56	—
171	52	Cervix uteri	F.	88	—	—	—	—	—	3	17	25	19	15	9	—
172-174	53	Other and unspecified parts of uterus	F.	110	—	—	—	—	1	5	6	18	37	25	18	—
177	54	Prostate	M.	124	—	—	—	—	—	—	—	5	12	50	57	—
190, 191	55	Skin	M.	20	—	—	—	—	—	1	—	1	3	7	8	—
			F.	25	—	—	—	—	—	—	3	1	3	7	11	—
196, 197	56	Bone and connective tissue	M.	36	—	—	2	1	2	—	2	8	9	6	6	—
			F.	27	—	—	—	—	1	—	1	6	8	9	2	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	327	—	3	2	1	5	11	18	47	78	92	70	—
			F.	404	—	2	1	1	4	10	21	51	103	125	86	—
204	58	Leukæmia and aleukæmia	M.	51	—	3	4	1	5	5	4	5	9	10	5	—
			F.	43	—	4	—	—	4	3	2	3	13	10	4	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	48	—	1	—	1	3	8	6	10	7	7	5	—
			F.	34	—	—	—	—	1	2	7	1	12	8	3	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	33	—	—	—	—	2	2	4	3	7	13	2	—
			F.	44	—	—	—	—	—	4	3	8	4	12	13	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	3	—	—	—	—	—	—	—	2	—	1	—	—
			F.	8	—	—	—	—	—	—	1	1	2	4	—	—
260	63	Diabetes mellitus	M.	60	—	—	—	—	—	2	4	8	9	21	16	—
			F.	127	—	—	—	—	3	3	1	12	27	56	25	—
280-286	64	Avitaminosis and other deficiency states	M.	9	—	1	—	—	1	1	1	—	—	4	1	—
			F.	13	—	3	—	—	—	—	1	2	—	4	3	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	24	—	—	—	—	—	—	—	1	4	9	10	—
			F.	57	—	—	—	—	—	—	1	2	8	23	23	—
291-293	65*b*	Other anæmias	M.	19	—	—	1	—	2	—	3	1	4	1	7	—
			F.	29	—	1	—	—	1	1	1	3	3	9	10	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	68	2	—	—	—	2	2	7	11	25	14	5	—
			F.	94	1	1	—	1	2	6	9	13	32	19	10	—
300-309	67	Psychoses	M.	18	—	—	—	—	1	1	—	3	1	6	6	—
			F.	26	—	—	—	—	—	—	1	3	2	7	13	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	11	—	—	—	—	—	—	—	4	1	4	2	—
			F.	3	—	—	—	—	—	—	—	1	—	2	—	—
325	69	Mental deficiency	M.	6	2	—	1	—	1	—	—	1	1	—	—	—
			F.	4	2	1	—	—	—	—	—	1	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	29	—	1	—	—	1	1	4	8	8	5	1	—
			F.	30	—	—	—	—	—	1	2	11	6	5	5	—
331	70*b*	Cerebral hæmorrhage	M.	603	2	—	—	—	1	4	10	43	123	222	198	—
			F.	883	1	—	1	—	1	2	14	72	165	291	336	—
332	70*c*	Cerebral embolism and thrombosis	M.	659	—	—	—	1	—	—	5	17	81	250	305	—
			F.	917	—	—	—	—	—	1	4	31	100	274	507	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	110	—	—	—	—	—	—	—	4	4	41	61	—
			F.	90	—	—	—	—	—	1	1	3	9	25	51	—
340	71	Non-meningococcal meningitis	M.	16	7	5	—	—	1	—	1	1	1	—	—	—
			F.	9	4	1	—	1	—	1	1	1	—	—	—	—
345	72	Multiple sclerosis	M.	29	—	—	—	—	2	4	6	8	7	1	1	—
			F.	42	—	—	—	—	1	3	12	17	7	1	1	—
353	73	Epilepsy	M.	26	1	1	1	2	4	5	3	3	1	4	1	—
			F.	26	1	2	1	2	2	5	3	4	3	—	3	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
391-393	77	Otitis media and mastoiditis	M.	5	3	1	—	—	—	—	—	1	—	—	—	—
			F.	7	4	—	—	—	1	—	1	—	1	—	—	—
350	78*a*	Paralysis agitans	M.	30	—	—	—	—	—	—	—	1	5	13	10	—
			F.	39	—	—	—	—	—	—	—	2	14	10	13	—

TABLE 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	73	3	3	2	2	1	2	5	11	10	18	16	—
			F.	98	2	2	—	4	3	2	3	6	12	34	30	—
400-402	79	Rheumatic fever	M.	6	—	—	—	1	2	—	—	2	1	—	—	—
			F.	13	—	—	—	3	2	2	2	2	1	—	1	—
		Heart disease (410-443) TOTAL	M.	3,940	—	—	1	—	18	37	116	399	790	1,218	1,361	—
			F.	4,019	1	—	1	4	19	33	95	184	475	1,138	2,069	—
410-416	80	Chronic rheumatic heart disease	M.	135	—	—	1	—	10	12	25	24	34	15	14	—
			F.	278	—	—	—	3	11	25	56	55	58	42	28	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	1,837	—	—	—	—	—	11	71	292	515	584	364	—
			F.	1,011	—	—	—	—	1	1	12	57	196	397	347	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	106	—	—	—	—	3	4	6	17	23	34	19	—
			F.	124	—	—	—	1	2	2	4	10	24	51	30	—
422.0	81*c*	Fatty degeneration of heart	M.	5	—	—	—	—	2	—	—	—	1	2	—	—
			F.	16	—	—	—	—	—	—	1	5	3	6	1	—
422.1	81*d*	Myocardial degeneration of heart	M.	703	—	—	—	—	—	—	1	10	44	198	450	—
			F.	1,049	—	—	—	—	—	—	1	2	43	182	821	—
422.2	81*e*	Other myocardial degeneration	M.	785	—	—	—	—	2	5	3	32	86	250	407	—
			F.	1,121	—	—	1	—	1	2	6	31	86	308	686	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	28	—	—	—	—	1	4	—	3	13	4	3	—
			F.	33	1	—	—	—	2	—	6	—	9	6	9	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	187	—	—	—	—	—	—	5	11	38	78	55	—
			F.	209	—	—	—	—	2	3	5	13	27	82	77	—
440-443	83	Hypertension with heart disease	M.	154	—	—	—	—	—	1	5	10	36	53	49	—
			F.	178	—	—	—	—	—	—	4	11	29	64	70	—
444-447	84	Hypertension without mention of heart disease	M.	133	—	—	—	—	—	—	1	18	16	44	54	—
			F.	123	—	—	—	—	—	2	7	5	26	40	43	—
450	85*a*	General arteriosclerosis	M.	150	—	—	—	—	—	—	2	2	15	33	98	—
			F.	134	—	—	—	—	—	—	—	—	3	28	103	—
451-456	85*b*	Other diseases of arteries	M.	33	—	—	—	—	—	—	2	3	10	6	12	—
			F.	40	—	—	1	—	2	—	4	4	4	11	14	—
460-468	86	Other diseases of circulatory system	M.	40	1	—	—	—	—	—	3	5	12	12	7	—
			F.	48	—	—	—	—	—	3	5	8	8	11	13	—
470-475	87	Acute upper respiratory infections	M.	5	2	2	—	—	—	—	—	—	—	—	1	—
			F.	4	1	—	—	—	1	—	—	—	—	—	2	—
480-483	88	Influenza	M.	131	3	—	—	—	2	—	5	15	28	36	42	—
			F.	168	6	4	—	1	3	2	3	7	21	42	79	—
490	89	Lobar pneumonia	M.	93	2	2	—	—	1	—	3	14	21	31	19	—
			F.	92	5	—	—	1	1	—	—	6	13	30	36	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	381	60	16	1	1	1	6	4	21	43	101	127	—
			F.	405	57	9	1	1	2	5	10	21	30	88	181	—
492, 493	91	Primary atypical, and other unspecified pneumonia	M.	57	6	1	—	—	—	—	1	5	19	14	11	—
			F.	47	8	1	—	—	1	1	—	5	3	16	12	—
		Bronchitis (500-502) TOTAL	M.	777	15	3	—	—	2	6	18	98	205	241	189	—
			F.	449	8	3	—	—	—	2	10	30	63	128	205	—
500	92	Acute	M.	68	15	2	—	—	—	—	1	6	6	16	22	—
			F.	106	8	2	—	—	—	—	2	4	10	20	60	—
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	319	—	—	—	—	—	3	5	29	89	115	78	—
			F.	180	—	—	—	—	—	—	6	9	26	57	82	—
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	M.	390	—	1	—	—	2	3	12	63	110	110	89	—
			F.	163	—	1	—	—	—	2	2	17	27	51	63	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	4	—	—	—	—	—	1	—	3	—	—	—	—
			F.	7	4	—	—	—	—	—	—	—	2	1	—	—
519	96	Pleurisy	M.	6	—	—	—	—	—	—	—	1	1	1	3	—
			F.	6	—	1	—	—	—	—	—	2	—	3	—	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	141	3	2	—	—	—	1	7	15	50	39	24	—
			F.	72	—	—	—	—	1	1	6	3	18	18	25	—
530-535	98	Diseases of teeth and supporting structures	M.	2	—	—	—	—	1	1	—	—	—	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	88	—	—	—	—	—	2	7	18	17	36	8	—
			F.	34	—	—	—	—	—	—	2	5	5	14	8	—
541	100	Ulcer of duodenum	M.	108	—	—	—	—	—	5	13	20	31	21	18	—
			F.	21	—	—	—	—	—	1	3	1	3	5	8	—
543	101	Gastritis and duodenitis	M.	2	1	—	—	—	—	—	—	—	—	1	—	—
			F.	3	—	—	—	1	—	—	—	1	1	—	—	—
550-553	102	Appendicitis	M.	23	—	3	1	1	1	—	3	4	1	6	3	—
			F.	18	—	1	1	1	1	1	3	—	6	1	3	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	69	6	—	1	—	—	3	1	10	14	15	19	—
			F.	81	4	—	—	—	—	1	—	13	17	21	25	—
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	M.	40	38	2	—	—	—	—	—	—	—	—	—	—
			F.	32	30	2	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	11	—	1	1	—	—	—	—	1	2	3	3	—
			F.	26	—	1	—	1	—	1	—	1	4	7	11	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	23	—	—	—	—	—	2	2	3	7	6	3	—
			F.	39	—	—	—	—	1	3	3	5	4	13	10	—
581	105	Cirrhosis of liver	M.	49	—	—	—	1	1	2	5	14	12	9	5	—
			F.	28	—	—	—	—	—	—	—	6	13	7	2	—
584,585	106	Cholelithiasis and cholecystitis	M.	17	—	—	—	—	—	—	1	1	5	7	3	—
			F.	58	—	—	—	—	—	—	2	4	14	20	18	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	13	—	—	1	—	—	—	—	3	3	4	2	—
			F.	17	—	—	1	—	—	—	1	4	6	3	2	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	45	—	1	—	—	1	3	3	7	11	11	8	—
			F.	44	—	—	—	—	—	1	2	8	9	9	15	—
590	108	Acute nephritis	M.	9	1	1	—	—	—	2	—	3	1	—	1	—
			F.	9	1	—	—	—	—	—	2	—	2	4	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	93	1	1	1	—	4	4	8	21	17	19	17	—
			F.	107	—	1	2	—	2	9	6	13	23	29	22	—

TABLE 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
600	110	Infections of kidney	M.	20	—	—	—	—	—	—	1	3	4	5	7	—
			F.	35	1	—	—	—	1	2	3	7	3	7	11	—
602, 604	111	Calculi of urinary system	M.	9	—	1	—	—	—	—	—	—	1	4	3	—
			F.	16	—	—	—	—	—	—	2	5	4	3	2	—
610	112	Hyperplasia of prostate	M.	147	—	—	—	—	—	—	—	—	6	47	94	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	17	—	—	—	—	—	—	—	—	4	6	7	—
			F.	11	—	—	—	—	—	—	—	1	1	2	7	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	24	1	1	—	—	—	—	—	—	3	9	10	—
			F.	23	—	—	—	—	1	1	2	2	6	9	2	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	6	—	—	—	—	—	5	1	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	4	—	—	—	—	—	3	1	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	4	—	—	—	—	—	3	1	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	6	—	—	—	—	1	3	2	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	7	—	—	—	—	2	4	1	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	8	—	—	—	—	—	4	4	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	7	1	—	—	—	—	—	—	3	2	—	1	—
			F.	2	—	—	—	—	—	—	—	—	—	2	—	—
720-725	122	Arthritis and spondylitis	M.	5	—	—	—	—	—	—	1	—	1	2	1	—
			F.	31	—	—	—	—	—	—	—	1	4	8	18	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	2	—	—	—	—	—	—	1	—	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
730	124	Osteomyelitis and periostitis	M.	4	—	—	—	—	1	1	—	1	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	3	—	—	—	—	—	—	—	2	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	21	—	—	—	—	1	—	—	1	5	7	7	—
			F.	14	—	—	—	—	—	—	3	—	2	6	3	—
		Congenital malformations and certain diseases of early infancy (750-776)	Total M.	524	493	15	1	4	1	1	4	3	1	1	—	—
			Total F.	377	353	5	2	3	1	2	3	3	3	1	1	—
751	127	Spina bifida and meningocele	M.	22	21	1	—	—	—	—	—	—	—	—	—	—
			F.	21	20	1	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	44	31	5	—	2	1	1	2	1	—	1	—	—
			F.	32	23	2	1	3	—	2	—	—	—	—	1	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	72	55	9	1	2	—	—	2	2	1	—	—	—
			F.	50	36	2	1	—	1	—	3	3	3	1	—	—

762	131	Post-natal asphyxia and atelectasis	M.	80	80	—	—	—	—	—	—	—	—	—	—
			F.	59	59	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	52	52	—	—	—	—	—	—	—	—	—	—
			F.	33	33	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	6	6	—	—	—	—	—	—	—	—	—	—
			F.	4	4	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	4	4	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	16	16	—	—	—	—	—	—	—	—	—	—
			F.	11	11	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	13	13	—	—	—	—	—	—	—	—	—	—
			F.	16	16	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	124	124	—	—	—	—	—	—	—	—	—	—
			F.	99	99	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	93	—	—	—	—	—	—	—	—	—	5	88
			F.	178	—	—	—	—	—	—	—	—	1	13	164
780-793, 795	137	Ill-defined and unknown causes	M.	264	28	4	—	—	1	—	4	37	54	71	65
			F.	172	28	1	—	—	—	1	5	13	27	34	63
		"E" code.—Alternative classification of accidents, poisonings and violence (external causes)													
		Violence (E800-E999) TOTAL	M.	598	41	29	41	13	48	47	58	75	87	74	85
			F.	413	34	15	11	4	11	20	24	32	36	67	159
E810-E835	138	Motor vehicle accidents	M.	129	—	16	22	5	20	12	8	15	7	15	9
			F.	50	—	5	6	3	5	1	4	2	5	9	10
E840-E845	139*a*	Other road transport accidents	M.	13	—	—	2	—	1	1	—	—	2	5	2
			F.	8	—	—	—	—	—	—	—	—	—	3	5
E800-E802, E850-E866	139*b*	Other transport accidents	M.	32	—	—	1	3	3	7	8	4	4	2	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E870-E895	140	Accidental poisoning	M.	59	1	4	1	—	5	3	8	5	16	8	8
			F.	49	—	—	—	—	1	4	4	7	11	9	13
E900-E904	141	Accidental falls	M.	119	—	1	5	1	7	7	8	9	11	14	56
			F.	160	—	1	3	1	—	3	2	3	5	23	119
E912	142	Accident caused by machinery	M.	5	—	—	—	—	—	1	—	2	—	2	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accidents caused by fire and explosion of combustible material	M.	5	—	2	—	—	1	1	—	—	—	1	—
			F.	2	—	—	—	—	—	—	—	1	—	1	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	14	—	1	2	—	2	—	—	—	2	4	3
			F.	25	—	6	1	—	—	2	1	1	1	5	8
E919	145	Accident caused by firearm	M.	3	—	—	—	—	—	1	—	1	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	49	—	2	6	4	1	4	2	10	9	8	3
			F.	17	—	1	1	—	—	3	1	2	3	5	1
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	51	38	1	2	—	1	2	1	—	5	1	—
			F.	37	31	1	—	—	1	1	—	—	—	3	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	25	1	2	—	—	5	4	7	3	2	1	—
			F.	4	1	1	—	—	—	1	—	—	—	—	1
E963, E970-E979	148	Suicide and self-inflicted injury	M.	87	—	—	—	—	2	3	15	24	26	13	4
			F.	57	—	—	—	—	3	5	12	15	11	9	2
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	5	1	—	—	—	—	1	1	2	—	—	—
			F.	4	2	—	—	—	1	—	—	1	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	2	—	—	—	—	—	—	—	—	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44C.—Deaths in Aggregate of Large Burghs in Scotland by Sex and Age Groups—1951

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		**10,270**	**581**	**127**	**44**	**46**	**165**	**256**	**411**	**942**	**1,545**	**2,760**	**3,393**	—
		Total Males		**5,203**	**341**	**62**	**21**	**26**	**69**	**116**	**211**	**581**	**887**	**1,366**	**1,523**	—
		Total Females		**5.067**	**240**	**65**	**23**	**20**	**96**	**140**	**200**	**361**	**658**	**1,394**	**1,870**	—
		All Tuberculosis (001-019)	Total M.	219	3	10	5	5	22	33	30	39	45	19	8	—
			Total F.	191	3	9	6	4	47	54	36	10	10	7	5	—
001-008	1	Respiratory system	M.	193	1	3	2	3	18	29	30	37	45	17	8	—
			F.	162	1	2	1	2	42	53	33	9	8	7	4	—
010	2	Meninges and central nervous system	M.	14	2	7	3	1	1	—	—	—	—	—	—	—
			F.	19	1	7	5	2	4	—	—	—	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	2	—	—	—	1	—	—	—	—	—	1	—	—
			F.	3	—	—	—	—	—	—	3	—	—	—	—	—
012, 013	4	Bones and joints	M.	5	—	—	—	—	—	2	—	2	—	1	—	—
			F.	2	—	—	—	—	—	—	—	1	—	—	1	—
014-019	5	All other forms	M.	5	—	—	—	—	3	2	—	—	—	—	—	—
			F.	5	1	—	—	—	1	1	—	—	2	—	—	—
		Syphilis (020-029)	Total M.	15	—	—	—	—	—	—	—	—	3	9	—	—
			Total F.	6	—	—	—	—	—	—	—	—	2	3	1	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	2	—	—	—	—	—	—	—	—	—	2	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
025	9	General paralysis of insane	M.	2	—	—	—	—	—	—	—	2	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
022, 023 026-029	10	All other syphilis	M.	11	—	—	—	—	—	—	—	1	3	7	—	—
			F.	5	—	—	—	—	—	—	—	—	2	2	1	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
053	20	Septicæmia and pyæmia	M.	3	—	—	1	—	—	—	1	1	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	M.	5	4	1	—	—	—	—	—	—	—	—	—	—
			F.	7	4	3	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	2	—	2	—	—	—	—	—	—	—	—	—	—
			F.	5	2	2	1	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	2	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	3	—	—	1	—	1	—	1	—	—	—	—	—
			F.	2	—	—	—	—	2	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	1	1	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	4	—	—	—	—	—	—	—	2	1	1	—	—
			F.	4	—	—	—	—	—	—	1	1	2	—	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	5	1	4	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	4	—	—	—	—	1	2	—	—	—	—	1	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic...	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	2	1	—	—	—	—	—	1	—	—	—	—	—
		Malignant neoplasms (140-205)	TOTAL M.	725	—	2	—	2	5	14	48	121	159	222	152	—
			TOTAL F.	734	—	2	3	2	5	14	51	119	154	230	154	—
140-148	44	Buccal cavity and pharynx	M.	26	—	—	—	—	—	—	—	1	2	12	11	—
			F.	6	—	—	—	—	—	—	—	1	2	2	1	—
150	45	Œsophagus	M.	20	—	—	—	—	—	—	1	1	6	8	4	—
			F.	8	—	—	—	—	—	—	—	1	1	2	4	—
151	46	Stomach	M.	149	—	—	—	—	—	1	8	22	35	49	34	—
			F.	145	—	—	—	—	—	4	3	7	24	65	42	—
152, 153	47	Intestines, except rectum	M.	82	—	—	—	—	—	1	3	6	15	30	27	—
			F.	108	—	—	—	—	—	1	2	16	15	41	33	—
154	48	Rectum	M.	57	—	—	—	—	—	—	4	5	5	27	16	—
			F.	38	—	—	—	—	1	—	—	2	10	15	10	—
161	49	Larynx	M.	6	—	—	—	—	—	—	—	—	4	—	2	—
			F.	4	—	—	—	—	—	—	2	1	—	—	1	—
162, 163	50	Trachea, bronchus and lung not specified as secondary...	M.	164	—	—	—	—	—	2	18	52	49	34	9	—
			F.	36	—	—	—	—	—	—	3	4	9	16	4	—
170	51	Breast	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	122	—	—	—	—	—	1	11	37	29	27	17	—
171	52	Cervix uteri	F.	33	—	—	—	—	—	1	5	11	8	6	2	—
172-174	53	Other and unspecified parts of uterus	F.	38	—	—	—	—	—	—	4	7	8	13	6	—
177	54	Prostate	M.	35	—	—	—	—	—	—	1	—	3	15	16	—
190, 191	55	Skin	M.	9	—	—	—	—	—	—	—	2	2	1	4	—
			F.	6	—	—	—	—	—	—	—	3	1	1	1	—
196, 197	56	Bone and connective tissue	M.	19	—	—	—	—	1	—	1	5	2	6	4	—
			F.	12	—	—	—	—	2	—	1	3	2	1	3	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	128	—	1	—	—	—	6	10	22	29	36	24	—
			F.	131	—	1	1	—	—	5	10	17	37	32	28	—
204	58	Leukæmia and aleukæmia	M.	10	—	1	—	—	1	2	1	1	1	3	—	—
			F.	27	—	1	2	2	2	1	5	5	4	5	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	20	—	—	—	2	3	2	1	4	6	1	1	—
			F.	20	—	—	—	—	—	1	5	4	4	4	2	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	4	—	—	—	—	—	—	—	3	1	—	—	—
			F.	16	—	2	—	—	1	—	1	2	5	4	1	—
250, 251	61	Non-toxic goitre	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	6	—	—	—	—	—	1	2	—	2	1	—	—
260	63	Diabetes mellitus	M.	22	—	—	—	—	—	—	—	5	3	9	5	—
			F.	74	—	—	—	—	3	1	1	4	15	33	17	—
280-286	64	Avitaminosis and other deficiency states	M.	4	1	1	—	—	—	—	1	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	13	—	—	—	—	—	—	—	1	1	6	5	—
			F.	31	—	—	—	—	—	—	1	3	4	11	12	—
291-293	65*b*	Other anæmias	M.	9	—	1	—	—	—	—	—	1	3	3	1	—
			F.	12	—	—	1	—	—	—	2	1	2	3	3	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	41	1	1	—	—	2	2	7	12	4	9	3	—
			F.	56	1	2	—	2	1	7	4	11	8	17	3	—
300-309	67	Psychoses	M.	5	—	—	—	—	—	1	—	1	1	1	1	—
			F.	7	—	—	—	—	—	—	—	—	1	2	4	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
325	69	Mental deficiency	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	19	—	—	—	—	1	3	2	6	5	1	1	—
			F.	20	—	—	—	—	1	1	4	5	5	2	2	—
331	70*b*	Cerebral hæmorrhage	M.	301	—	1	—	—	2	4	1	22	53	111	107	—
			F.	446	—	—	—	—	—	—	9	31	92	166	148	—
332	70*c*	Cerebral embolism and thrombosis	M.	254	—	—	—	—	—	—	—	8	28	85	133	—
			F.	341	—	—	—	—	—	—	5	5	39	113	179	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	23	—	—	—	—	—	—	—	1	2	8	12	—
			F.	21	—	—	—	—	—	—	—	—	1	10	10	—
340	71	Non-meningococcal meningitis	M.	3	1	—	—	—	—	—	1	1	—	—	—	—
			F.	4	3	—	—	—	—	—	1	—	—	—	—	—
345	72	Multiple sclerosis	M.	12	—	—	—	—	—	1	3	3	4	1	—	—
			F.	14	—	—	—	—	—	1	3	6	2	2	—	—
353	73	Epilepsy	M.	12	—	—	1	—	2	—	3	3	2	1	—	—
			F.	11	—	2	—	—	1	2	2	3	—	1	—	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	3	—	—	—	—	—	—	—	2	1	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	11	—	—	—	—	—	—	—	1	3	4	3	—
			F.	13	—	—	—	—	—	—	—	2	1	5	5	—

TABLE 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	49	2	1	—	—	5	1	3	3	11	13	10	—
			F.	40	1	1	—	2	1	1	2	5	5	14	8	—
400-402	79	Rheumatic fever	M.	5	—	1	—	1	1	1	1	—	—	—	—	—
			F.	3	—	—	—	—	—	2	—	1	—	—	—	—
		Heart disease (410-443) TOTAL	M.	1,762	—	—	1	2	6	15	49	197	318	532	642	—
			F.	1,606	—	—	—	—	7	18	29	72	182	515	783	—
410-416	80	Chronic rheumatic heart disease	M.	65	—	—	1	2	5	7	11	9	18	8	4	—
			F.	81	—	—	—	—	5	9	14	16	12	16	9	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	733	—	—	—	—	—	4	29	133	203	247	117	—
			F.	359	—	—	—	—	—	—	4	16	80	143	116	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	51	—	—	—	—	—	1	3	9	10	12	16	—
			F.	61	—	—	—	—	1	2	3	8	14	14	19	—
422.0	81*c*	Fatty degeneration of heart	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	4	—	—	—	—	—	—	—	1	2	1	—	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	371	—	—	—	—	—	1	—	2	18	109	241	—
			F.	425	—	—	—	—	—	1	—	3	13	123	285	—
422.2	81*e*	Other myocardial degeneration	M.	387	—	—	—	—	—	—	4	30	41	101	211	—
			F.	482	—	—	—	—	1	3	4	15	34	154	271	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	19	—	—	—	—	1	2	—	2	2	6	6	—
			F.	14	—	—	—	—	—	2	—	—	—	5	7	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	85	—	—	—	—	—	—	1	7	15	29	33	—
			F.	111	—	—	—	—	—	1	3	9	16	28	54	—
440-443	83	Hypertension with heart disease	M.	50	—	—	—	—	—	—	1	5	11	20	13	—
			F.	69	—	—	—	—	—	—	1	4	11	31	22	—
444-447	84	Hypertension without mention of heart disease	M.	39	—	—	—	—	—	—	3	2	7	10	17	—
			F.	48	—	—	—	—	—	2	—	5	7	10	24	—
450	85*a*	General arteriosclerosis	M.	57	—	—	—	—	—	—	—	—	3	16	38	—
			F.	55	—	—	—	—	—	—	1	—	—	13	41	—
451-456	85*b*	Other diseases of arteries	M.	9	—	—	—	—	—	—	—	1	3	—	5	—
			F.	10	—	—	—	—	1	1	1	—	3	1	3	—
460-468	86	Other diseases of circulatory system	M.	9	—	—	—	—	—	1	1	—	4	1	2	—
			F.	14	—	—	—	—	—	1	1	2	5	2	3	—
470-475	87	Acute upper respiratory infections	M.	2	1	—	—	—	—	—	1	—	—	—	—	—
			F.	5	1	1	—	—	—	1	—	—	—	—	2	—
480-483	88	Influenza	M.	73	3	—	—	—	—	2	—	4	15	24	25	—
			F.	83	—	—	—	—	1	1	1	3	5	21	51	—
490	89	Lobar pneumonia	M.	34	3	1	1	—	—	—	2	3	8	7	9	—
			F.	28	1	2	—	—	2	—	2	3	2	11	5	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	122	41	6	1	—	—	2	—	4	10	28	30	—
			F.	111	25	8	1	1	1	1	1	5	10	23	35	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	23	3	—	—	—	—	1	1	—	3	7	8	—
			F.	16	1	1	—	—	1	1	—	3	2	3	4	—
		Bronchitis (500-502) TOTAL	M.	252	4	2	1	—	—	1	5	34	70	67	68	—
			F.	171	5	1	—	1	1	—	3	8	15	45	92	—
500	92	Acute	M.	26	4	1	—	—	—	—	—	—	5	9	7	—
			F.	46	5	1	—	1	1	—	—	—	1	11	26	—
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	120	—	—	—	—	—	—	1	22	32	36	29	—
			F.	68	—	—	—	—	—	—	1	4	6	22	35	—
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	M.	106	—	1	1	—	—	1	4	12	33	22	32	—
			F.	57	—	—	—	—	—	—	2	4	8	12	31	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	4	—	—	—	—	—	—	1	1	2	—	—	—
			F.	2	1	—	—	—	—	—	—	—	1	—	—	—
519	96	Pleurisy	M.	4	—	—	—	—	—	—	—	—	1	—	3	—
			F.	2	—	—	—	—	—	—	—	2	—	—	—	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	48	1	—	—	—	—	2	2	5	16	11	11	—
			F.	36	2	—	—	—	1	2	1	1	4	11	14	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	41	—	—	—	—	1	—	2	5	9	15	9	—
			F.	10	—	—	—	—	—	—	1	2	2	2	3	—
541	100	Ulcer of duodenum	M.	33	—	—	—	—	—	—	3	11	8	8	3	—
			F.	6	—	—	—	—	—	—	4	1	—	—	1	—
543	101	Gastritis and duodenitis	M.	3	—	—	—	—	—	—	1	—	—	2	—	—
			F.	2	—	—	—	—	—	—	—	—	—	—	2	—
550-553	102	Appendicitis	M.	9	—	2	—	—	—	—	2	—	2	—	3	—
			F.	10	—	1	2	1	1	—	—	3	1	1	—	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	31	2	—	—	1	—	—	—	5	7	5	11	—
			F.	37	2	—	—	—	—	2	1	—	7	10	15	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	33	31	2	—	—	—	—	—	—	—	—	—	—
			F.	13	13	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	7	—	2	—	—	1	—	—	—	1	—	3	—
			F.	14	—	—	—	—	—	—	—	2	1	5	6	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	6	—	—	—	—	—	—	1	2	—	3	—	—
			F.	10	—	—	—	—	1	3	—	—	1	2	3	—
581	105	Cirrhosis of liver	M.	12	—	—	—	—	—	1	—	2	3	6	—	—
			F.	13	—	—	—	—	—	—	2	2	4	2	3	—
584-585	106	Cholelithiasis and cholecystitis	M.	5	—	—	—	—	—	—	—	1	1	3	—	—
			F.	20	—	—	—	—	—	—	—	2	2	8	8	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	4	—	1	—	—	—	—	—	1	1	—	1	—
			F.	7	—	—	—	—	1	1	—	1	2	1	1	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	19	—	—	—	—	—	1	—	3	3	10	2	—
			F.	16	—	—	—	—	1	—	3	2	5	4	1	—
590	108	Acute nephritis	M.	3	—	—	—	—	—	1	1	—	—	1	—	—
			F.	5	—	1	—	1	1	—	1	—	—	1	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	31	—	—	—	1	1	1	4	6	6	7	5	—
			F.	60	—	—	—	3	3	4	3	9	12	17	9	—

TABLE 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
600	110	Infections of kidney	M.	4	—	—	—	—	—	—	—	—	1	2	1	—
			F.	10	—	—	—	—	—	1	2	1	2	2	2	—
602, 604	111	Calculi of urinary system	M.	4	—	—	—	—	—	—	—	—	1	—	3	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
610	112	Hyperplasia of prostate	M.	66	—	—	—	—	—	—	—	—	3	23	40	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	9	—	—	—	—	—	—	—	—	—	3	6	—
			F.	2	—	—	—	—	—	—	—	—	—	—	2	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	3	—	—	—	—	—	—	—	—	2	—	1	—
			F.	8	—	—	—	—	—	—	1	3	3	—	1	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	2	—	—	—	—	—	2	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	3	—	—	—	—	1	1	1	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	1	—	—	—	—	—	—	1	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	3	—	—	—	—	—	2	1	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	3	—	—	—	—	—	3	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	3	—	—	—	—	1	1	—	1	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	2	—	—	—	—	1	—	—	—	—	—	1	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
720-725	122	Arthritis and spondylitis	M.	4	—	1	—	—	—	—	—	—	—	1	2	—
			F.	10	—	—	1	—	—	—	—	2	1	2	4	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
730	124	Osteomyelitis and periostitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	1	—	—	—	1	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	6	1	—	—	—	2	—	—	—	—	1	2	—
			F.	9	1	—	—	—	1	1	—	—	2	2	2	—
		Congenital malformations and certain diseases of early infancy (750-776)	Total M.	219	211	4	1	1	—	—	—	2	—	—	—	—
			Total F.	173	157	8	3	1	1	—	1	1	—	—	1	—
751	127	Spina bifida and meningocele	M.	9	8	1	—	—	—	—	—	—	—	—	—	—
			F.	17	15	1	1	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	16	14	1	1	—	—	—	—	—	—	—	—	—
			F.	15	9	2	1	1	1	—	—	1	—	—	—	—

760-761	130	Birth injuries	F.	22	22	—	—	—	—	—	—	—	—	—	—	—
762	131	Post-natal asphyxia and atelectasis	M.	25	25	—	—	—	—	—	—	—	—	—	—	—
			F.	23	23	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	10	10	—	—	—	—	—	—	—	—	—	—	—
			F.	5	5	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	5	5	—	—	—	—	—	—	—	—	—	—	—
			F.	3	3	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	6	6	—	—	—	—	—	—	—	—	—	—	—
			F.	5	5	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	10	10	—	—	—	—	—	—	—	—	—	—	—
			F.	3	3	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	91	91	—	—	—	—	—	—	—	—	—	—	—
			F.	64	64	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	84	—	—	—	—	—	—	—	—	—	6	78	—
			F.	134	—	—	—	—	—	—	—	—	—	10	124	—
780-793, 795	137	Ill-defined and unknown causes	M.	125	15	4	—	—	2	3	4	15	21	35	26	—
			F.	66	3	—	—	—	—	—	—	3	10	21	29	—
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)														
		Violence (E800-E999) TOTAL	M.	227	13	15	8	13	13	25	25	37	25	28	25	—
			F.	141	12	13	4	—	5	4	11	11	14	25	42	—
E810-E835	138	Motor vehicle accidents	M.	55	—	5	6	5	6	7	5	4	5	6	6	—
			F.	24	—	9	3	—	3	1	2	—	2	3	1	—
E840-E845	139*a*	Other road transport accidents	M.	4	—	1	—	1	1	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	16	—	1	—	1	—	2	2	5	3	2	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
E870-E895	140	Accidental poisoning	M.	26	—	1	—	—	1	1	4	10	2	6	1	—
			F.	22	—	1	—	—	2	—	3	4	2	6	4	—
E900-E904	141	Accidental falls	M.	38	—	1	—	1	1	4	1	3	6	6	15	—
			F.	44	—	—	1	—	—	—	—	—	3	8	32	—
E912	142	Accident caused by machinery	M.	5	—	—	—	—	1	—	1	2	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	1	—	—	1	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	7	1	1	—	—	1	—	—	—	—	1	3	—
			F.	7	—	2	—	—	—	—	—	—	—	3	2	—
E919	145	Accident caused by firearm	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	20	—	3	1	3	—	2	3	5	—	3	—	—
			F.	15	—	—	—	—	—	2	2	3	4	3	1	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	12	12	—	—	—	—	—	—	—	—	—	—	—
			F.	11	11	—	—	—	—	—	—	—	—	—	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	20	—	2	1	2	—	5	3	4	2	1	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	16	—	—	—	—	2	2	4	4	3	1	—	—
			F.	12	—	—	—	—	—	1	4	3	1	2	1	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	2	—	—	—	—	—	1	1	—	—	—	—	—
			F.	2	—	1	—	—	—	—	—	—	1	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	5	—	—	—	—	—	—	—	—	4	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44D.—Deaths in Aggregate of Small Burghs in Scotland by Sex and Age Groups—1951

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		**11,390**	**492**	**92**	**57**	**21**	**92**	**181**	**401**	**848**	**1,612**	**2,995**	**4,599**	—
		Total Males		**5,419**	**282**	**46**	**31**	**9**	**39**	**98**	**197**	**480**	**886**	**1,451**	**1,900**	—
		Total Females		**5,971**	**210**	**46**	**26**	**12**	**53**	**83**	**204**	**368**	**726**	**1,544**	**2,699**	—
		All Tuberculosis (001-019)	Total M.	140	—	4	1	—	8	22	30	38	16	16	5	—
			Total F.	113	2	8	3	1	22	21	24	8	16	7	1	—
001-008	1	Respiratory system	M.	126	—	2	—	—	6	19	28	37	16	14	4	—
			F.	92	1	1	1	—	18	19	23	7	16	5	1	—
010	2	Meninges and central nervous system	M.	5	—	2	1	—	1	1	—	—	—	—	—	—
			F.	17	1	7	1	1	4	2	—	1	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
012, 013	4	Bones and joints	M.	2	—	—	—	—	—	—	—	—	—	1	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
014-019	5	All other forms	M.	6	—	—	—	—	1	2	1	1	—	1	—	—
			F.	3	—	—	1	—	—	—	1	—	—	1	—	—
		Syphilis (020-029)	Total M.	16	—	—	—	—	—	—	—	2	2	7	5	—
			Total F.	8	—	—	—	—	—	—	—	—	—	4	2	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	4	—	—	—	—	—	—	—	—	—	2	2	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	2	—	—	—	—	—	—	—	1	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
022, 023 026-029	10	All other syphilis	M.	10	—	—	—	—	—	—	—	1	1	5	3	—
			F.	7	—	—	—	—	—	—	—	—	1	4	2	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
053	20	Septicæmia and pyæmia	M.	4	—	—	—	—	1	1	—	—	—	—	2	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	M.	11	8	2	1	—	—	—	—	—	—	—	—	—
			F.	5	4	1	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	1	1	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	2	—	—	—	—	—	—	1	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	2	—	—	—	1	—	1	—	—	—	—	—	—
			F.	5	—	—	—	1	—	1	2	—	1	—	—	—
082	29	Acute infectious encephalitis	M.	3	1	—	—	—	—	1	—	—	1	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	3	—	—	—	—	—	—	—	1	—	2	—	—
			F.	3	—	—	—	—	—	—	1	—	2	—	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	3	—	—	2	—	—	—	—	—	1	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	M.	3	—	—	—	—	—	—	2	—	—	—	1	—
			F.	3	—	—	—	—	—	—	—	—	—	1	2	—
		Malignant neoplasms (140-205) TOTAL	M.	799	—	2	4	2	2	12	33	104	196	246	198	—
			F.	881	—	3	3	—	4	16	61	122	161	262	249	—
140-148	44	Buccal cavity and pharynx	M.	35	—	—	—	—	—	—	—	2	5	12	16	—
			F.	10	—	—	—	—	—	—	—	3	3	1	3	—
150	45	Œsophagus	M.	31	—	—	—	—	—	—	2	1	7	11	10	—
			F.	30	—	—	—	—	—	—	2	3	5	8	12	—
151	46	Stomach	M.	148	—	—	—	—	—	—	5	19	32	49	43	—
			F.	171	—	—	—	—	1	2	5	14	28	61	60	—
152, 153	47	Intestines, except rectum	M.	89	—	—	—	—	1	1	5	4	13	28	37	—
			F.	153	—	—	—	—	—	—	5	20	22	45	61	—
154	48	Rectum	M.	49	—	—	—	—	—	—	2	3	12	22	10	—
			F.	41	—	—	—	—	—	1	1	7	7	11	14	—
161	49	Larynx	M.	8	—	—	—	—	—	—	—	1	4	2	1	—
			F.	3	—	—	—	—	—	—	—	1	—	1	1	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	166	—	—	—	—	—	—	7	41	66	43	9	—
			F.	32	—	—	—	—	—	—	2	3	9	9	9	—
170	51	Breast	M.	2	—	—	—	—	—	—	—	—	—	1	1	—
			F.	158	—	—	—	—	—	1	21	29	34	40	33	—
171	52	Cervix uteri	F.	29	—	—	—	—	—	2	5	5	10	4	3	—
172-174	53	Other and unspecified parts of uterus	F.	38	—	—	—	—	—	—	4	6	9	9	10	—
177	54	Prostate	M.	64	—	—	—	—	—	—	—	1	10	19	34	—
190, 191	55	Skin	M.	9	—	—	—	—	—	—	—	1	2	4	2	—
			F.	7	—	—	—	—	—	—	—	2	—	3	2	—
196, 197	56	Bone and connective tissue	M.	15	—	—	2	1	—	3	1	1	3	4	—	—
			F.	12	—	—	1	—	—	1	2	1	2	4	1	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	145	—	—	1	—	—	7	8	22	31	43	33	—
			F.	165	—	1	—	—	2	5	8	25	27	60	37	—
204	58	Leukæmia and aleukæmia	M.	14	—	2	1	—	1	1	1	2	2	4	—	—
			F.	17	—	2	1	—	1	2	4	—	1	3	3	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	24	—	—	—	1	—	—	2	6	9	4	2	—
			F.	15	—	—	1	—	—	2	2	3	4	3	—	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	14	—	1	—	—	—	1	2	2	1	3	4	—
			F.	18	—	—	—	—	1	1	3	4	2	4	3	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
252	62	Thyrotoxicosis with or without goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	9	—	—	—	—	—	—	—	3	3	2	1	—
260	63	Diabetes mellitus	M.	32	—	—	—	—	—	1	2	2	4	10	13	—
			F.	71	1	—	—	—	1	1	4	4	12	31	17	—
280-286	64	Avitaminosis and other deficiency states	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	14	—	—	—	—	—	—	—	—	—	4	10	—
			F.	30	—	—	—	—	—	—	—	3	2	7	18	—
291-293	65*b*	Other anæmias	M.	4	—	—	—	—	—	—	—	—	1	3	—	—
			F.	8	—	—	—	—	—	—	1	—	1	5	1	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	47	1	1	1	1	4	—	2	13	16	4	4	—
			F.	70	1	—	1	—	1	3	8	13	18	16	9	—
300-309	67	Psychoses	M.	5	—	—	—	—	—	—	—	1	—	—	4	—
			F.	19	—	—	—	—	—	—	—	—	4	3	12	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	2	—	—	—	—	—	—	—	1	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
325	69	Mental deficiency	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
			F.	1	—	—	1	—	—	—	—	—	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	8	—	—	—	—	—	1	—	3	2	—	2	—
			F.	19	—	—	—	—	1	—	4	4	3	6	1	—
331	70*b*	Cerebral hæmorrhage	M.	350	1	1	—	—	1	3	3	27	53	126	135	—
			F.	529	—	—	—	—	1	2	13	31	76	181	225	—
332	70*c*	Cerebral embolism and thrombosis	M.	296	—	—	—	—	—	2	2	9	40	86	157	—
			F.	427	—	—	—	—	—	—	2	8	41	127	249	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	27	—	—	—	—	—	—	—	1	1	11	14	—
			F.	40	—	—	—	—	—	—	—	1	7	9	23	—
340	71	Non-meningococcal meningitis	M.	4	3	1	—	—	—	—	—	—	—	—	—	—
			F.	4	1	—	1	—	—	1	—	—	1	—	—	—
345	72	Multiple sclerosis	M.	9	—	—	—	—	—	—	4	—	—	4	1	—
			F.	15	—	—	—	—	—	—	2	8	2	3	—	—
353	73	Epilepsy	M.	8	—	1	1	—	1	1	2	—	—	—	2	—
			F.	5	—	—	1	—	1	1	1	—	1	—	—	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	2	1	—	—	—	—	—	1	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	15	—	—	—	—	—	—	—	1	—	7	7	—
			F.	17	—	—	—	—	—	—	—	1	2	10	4	—

TABLE 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	43	1	2	1	—	—	1	1	5	6	9	17	—
			F.	52	1	—	1	2	—	1	3	1	6	15	22	—
400-402	79	Rheumatic fever	M.	5	—	—	—	—	1	1	1	1	—	1	—	—
			F.	4	—	—	—	2	—	—	2	—	—	—	—	—
		Heart disease (410-443) TOTAL	M.	1,919	—	1	1	1	1	13	47	140	325	604	786	—
			F.	2,099	1	—	—	—	4	7	25	66	236	585	1,175	—
410-416	80	Chronic rheumatic heart disease	M.	55	—	—	1	—	—	6	8	12	7	11	10	—
			F.	76	—	—	—	—	2	3	9	14	16	19	13	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	906	—	—	—	—	—	4	30	105	230	330	207	—
			F.	572	—	—	—	—	—	2	8	26	105	234	197	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	52	—	—	—	—	1	—	1	3	11	22	14	—
			F.	62	—	—	—	—	—	1	2	6	9	20	24	—
422.0	81*c*	Fatty degeneration of heart	M.	3	—	—	—	—	—	—	—	—	1	2	—	—
			F.	4	—	—	—	—	—	—	—	—	1	2	1	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	360	—	—	—	—	—	—	—	—	11	90	259	—
			F.	593	—	—	—	—	—	—	—	2	23	101	467	—
422.2	81*e*	Other myocardial degeneration	M.	372	—	1	—	—	—	—	5	13	30	99	224	—
			F.	578	—	—	—	—	—	—	3	9	46	151	369	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	23	—	—	—	1	—	3	2	3	3	4	7	—
			F.	21	1	—	—	—	1	—	—	1	4	6	8	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	84	—	—	—	—	—	—	1	1	19	25	38	—
			F.	112	—	—	—	—	1	1	1	5	19	23	62	—
440-443	83	Hypertension with heart disease	M.	64	—	—	—	—	—	—	—	3	13	21	27	—
			F.	81	—	—	—	—	—	—	2	3	13	29	34	—
444-447	84	Hypertension without mention of heart disease	M.	63	—	—	—	—	—	3	2	6	12	18	22	—
			F.	50	—	—	—	—	—	—	2	4	7	16	21	—
450	85*a*	General arteriosclerosis	M.	70	—	—	—	—	—	—	—	—	3	9	58	—
			F.	85	—	—	—	—	—	—	—	1	2	18	64	—
451-456	85*b*	Other diseases of arteries	M.	16	—	—	—	—	1	—	1	—	5	—	9	—
			F.	12	—	—	—	1	—	—	1	1	3	2	4	—
460-468	86	Other diseases of circulatory system	M.	15	—	—	—	—	—	1	1	2	3	2	6	—
			F.	23	—	—	—	—	—	—	3	3	4	6	7	—
470-475	87	Acute upper respiratory infections	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	1	—	—	—	—	—	—	—	1	—	—
480-483	88	Influenza	M.	77	2	1	—	—	—	—	2	1	7	18	46	—
			F.	98	2	1	1	—	—	2	3	5	8	22	54	—
490	89	Lobar pneumonia	M.	28	5	—	—	—	—	—	3	4	3	2	11	—
			F.	19	4	1	—	—	—	—	1	4	2	5	2	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	118	28	3	—	—	—	—	2	5	15	25	40	—
			F.	128	22	9	—	—	—	1	3	2	10	25	56	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	15	2	—	—	—	—	—	—	2	2	4	5	—
			F.	16	1	1	—	—	—	—	1	—	1	3	9	—
		Bronchitis (500-502) TOTAL	M.	177	4	1	—	—	—	1	2	17	47	46	59	—
			F.	131	2	1	1	—	—	—	—	4	7	30	86	—
500	92	Acute	M.	31	4	1	—	—	—	—	—	1	2	9	14	—
			F.	35	2	—	1	—	—	—	—	—	1	8	23	—
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	69	—	—	—	—	—	—	1	8	21	21	18	—
			F.	49	—	—	—	—	—	—	—	2	2	16	29	—
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	M.	77	—	—	—	—	—	1	1	8	24	16	27	—
			F.	47	—	1	—	—	—	—	—	2	4	6	34	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	5	—	—	—	—	—	—	—	1	2	1	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
519	96	Pleurisy	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	5	—	—	—	—	—	—	1	2	1	—	1	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	54	1	—	1	—	—	2	4	7	13	12	14	—
			F.	34	1	1	—	—	—	—	2	2	3	3	22	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	1	—	1	—	—	—	—
540	99	Ulcer of stomach	M.	39	—	—	—	—	—	1	4	6	9	9	10	—
			F.	17	—	—	—	—	—	—	2	2	3	5	5	—
541	100	Ulcer of duodenum	M.	54	—	—	—	—	—	—	6	15	15	11	7	—
			F.	11	—	—	—	—	1	—	1	1	3	2	3	—
543	101	Gastritis and duodenitis	M.	3	—	—	—	—	—	—	—	—	2	1	—	—
			F.	6	—	1	—	—	—	—	—	—	—	1	4	—
550-553	102	Appendicitis	M.	7	—	1	—	—	—	—	2	—	1	2	1	—
			F.	10	—	1	—	—	1	—	—	3	2	1	2	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	26	4	—	—	—	—	—	—	—	1	13	8	—
			F.	22	1	—	1	—	—	1	1	2	3	10	3	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	19	19	—	—	—	—	—	—	—	—	—	—	—
			F.	4	4	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	10	—	1	2	—	3	—	—	—	2	1	1	—
			F.	8	—	1	1	—	—	—	—	2	—	2	2	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	6	—	—	—	—	—	—	1	—	1	2	2	—
			F.	17	—	—	—	—	—	2	1	3	2	4	5	—
581	105	Cirrhosis of liver	M.	17	—	—	—	—	—	—	2	2	5	7	1	—
			F.	17	—	—	—	1	—	—	1	2	3	5	5	—
584,585	106	Cholelithiasis and cholecystitis	M.	16	—	—	—	—	—	—	—	—	4	7	5	—
			F.	28	—	—	—	—	—	—	—	5	6	4	13	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	8	—	—	—	—	—	—	1	1	1	3	2	—
			F.	11	—	—	—	—	—	1	—	2	4	3	1	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	14	1	1	—	1	1	—	2	3	2	3	—	—
			F.	19	2	—	—	—	—	—	3	2	1	6	5	—
590	108	Acute nephritis	M.	2	1	—	—	—	—	1	—	—	—	—	—	—
			F.	6	—	1	—	2	1	—	—	—	1	1	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	51	—	1	1	—	3	5	4	9	8	12	8	—
			F.	63	—	1	—	1	5	3	4	6	12	19	12	—

TABLE 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
600	110	Infections of kidney	M.	10	—	1	—	—	—	—	—	2	—	4	3	—
			F.	15	—	—	—	—	—	1	2	—	4	4	4	—
602, 604	111	Calculi of urinary system	M.	5	—	—	—	—	—	—	1	1	1	—	2	—
			F.	5	—	—	—	—	—	1	—	2	—	1	1	—
610	112	Hyperplasia of prostate	M.	78	—	—	—	—	—	—	—	—	4	21	53	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	10	—	—	—	—	—	—	—	1	1	2	6	—
			F.	7	—	—	—	—	—	—	1	—	—	4	2	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	12	—	—	—	—	—	—	—	—	—	8	4	—
			F.	11	—	—	—	—	—	1	1	3	1	3	2	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	5	—	—	—	—	1	3	—	1	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	2	—	—	—	—	—	2	—	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	1	—	—	—	—	—	—	1	—	—	—	—	—
651	119	Abortion with sepsis	F.	2	—	—	—	—	—	2	—	—	—	—	—	—
645-649, 660, 673,680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	5	—	—	—	—	2	3	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	2	1	—	—	—	—	—	—	—	—	1	—	—
720-725	122	Arthritis and spondylitis	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	13	—	—	—	—	—	—	—	—	4	1	8	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	4	—	—	—	—	—	—	2	—	—	—	2	—
730	124	Osteomyelitis and periostitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	12	—	—	—	1	1	—	—	3	2	3	2	—
			F.	11	—	—	—	—	—	1	—	1	1	4	4	—
		Congenital malformations and certain diseases of early infancy (750-776) Total	M.	193	182	3	2	1	1	1	1	2	—	—	—	—
			F.	155	145	3	2	—	2	—	1	2	—	—	—	—
751	127	Spina bifida and meningocele	M.	6	5	—	1	—	—	—	—	—	—	—	—	—
			F.	8	8	—	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	16	11	1	—	1	1	1	—	1	—	—	—	—
			F.	14	9	2	1	—	1	—	—	1	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	23	18	2	1	—	—	—	1	1	—	—	—	—
			F.	17	12	1	1	—	1	—	1	1	—	—	—	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

760-761	130	Birth injuries	M.	29	29	—	—	—	—	—	—	—	—	—	—
			F.	26	26	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	8	8	—	—	—	—	—	—	—	—	—	—
			F.	10	10	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	1	1	—	—	—	—	—	—	—	—	—	—
			F.	3	3	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	3	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	9	9	—	—	—	—	—	—	—	—	—	—
			F.	5	5	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	13	13	—	—	—	—	—	—	—	—	—	—
			F.	4	4	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	61	61	—	—	—	—	—	—	—	—	—	—
			F.	52	52	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	96	—	—	—	—	—	—	—	—	—	8	88
			F.	185	—	—	—	—	—	—	—	—	—	10	175
794	136	Senility without mention of psychosis	M.	75	5	5	—	—	—	—	5	9	10	20	21
			F.	64	5	3	—	—	—	1	1	5	8	17	24
780-793, 795	137	Ill-defined and unknown causes													
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)													
		Violence (E800-E999) TOTAL	M.	221	11	10	14	1	10	22	19	28	38	31	37
			F.	169	7	5	7	1	4	2	8	17	19	24	75
E810-E835	138	Motor vehicle accidents	M.	46	—	3	7	—	6	4	4	3	10	5	4
			F.	16	—	2	5	—	1	—	—	3	2	1	2
E840-E845	139*a*	Other road transport accidents	M.	5	—	—	1	—	—	1	—	1	1	1	—
			F.	2	—	1	—	—	1	—	—	—	—	—	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	17	—	—	—	—	1	5	—	2	5	3	1
			F.	1	—	—	—	—	—	—	—	—	1	—	—
E870-E895	140	Accidental poisoning	M.	17	—	—	—	—	—	2	6	2	4	2	1
			F.	20	—	—	—	—	—	—	3	3	3	6	5
E900-E904	141	Accidental falls	M.	38	—	1	3	1	—	2	—	1	2	6	22
			F.	80	—	—	—	—	—	—	—	2	2	13	63
E912	142	Accident caused by machinery	M.	4	—	—	—	—	—	1	—	1	—	1	1
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	—	—	—	—	—	—	—	—	—	—	—	1
			F.	1	—	—	—	—	—	—	—	—	—	2	3
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	6	—	1	—	—	—	—	—	—	—	—	4
			F.	8	—	2	1	—	—	—	—	—	1	—	—
E919	145	Accident caused by firearm	M.	4	—	—	—	—	1	1	1	—	1	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	24	—	4	3	—	—	1	2	7	3	3	1
			F.	13	—	—	1	1	—	—	2	4	4	1	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	16	11	—	—	—	—	1	—	1	1	2	—
			F.	9	7	—	—	—	—	1	—	—	—	1	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	19	—	1	—	—	2	1	5	3	5	2	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	24	—	—	—	—	—	3	1	7	5	4	4
			F.	18	—	—	—	—	1	1	3	5	6	2	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	1	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44E.—Deaths in Aggregate of Landward Areas in Scotland by Sex and Age Groups—1951

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		**18,654**	**989**	**192**	**98**	**58**	**274**	**441**	**620**	**1,314**	**2,476**	**4,757**	**7,435**	—
		Total Males		**9,551**	**592**	**111**	**56**	**29**	**150**	**243**	**360**	**738**	**1,388**	**2,455**	**3,429**	—
		Total Females		**9,103**	**397**	**81**	**42**	**29**	**124**	**198**	**260**	**576**	**1,088**	**2,302**	**4,006**	—
		All Tuberculosis (001-019)	Total M.	267	3	14	8	2	18	49	44	45	46	31	7	—
			Total F.	209	1	9	3	1	51	66	28	22	16	9	3	—
001-008	1	Respiratory system	M.	220	1	4	3	2	13	43	40	41	42	26	5	—
			F.	178	1	4	2	1	43	61	23	19	13	8	3	—
010	2	Meninges and central nervous system	M.	21	2	9	5	—	3	1	1	—	—	—	—	—
			F.	13	—	5	—	—	5	2	1	—	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	4	—	—	—	—	—	—	1	2	—	1	—	—
			F.	5	—	—	—	—	1	1	—	1	2	—	—	—
012, 013	4	Bones and joints	M.	10	—	—	—	—	1	4	1	—	2	1	1	—
			F.	5	—	—	—	—	—	2	—	1	1	1	—	—
014-019	5	All other forms	M.	12	—	1	—	—	1	1	1	2	2	3	1	—
			F.	8	—	—	1	—	2	—	4	1	—	—	—	—
		Syphilis (020-029)	Total M.	27	2	—	—	—	—	1	1	4	8	8	3	—
			Total F.	8	—	—	—	—	—	—	—	1	5	2	—	—
020	6	Congenital syphilis	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	2	—	—	—	—	—	—	—	1	1	—	—	—
			F.	3	—	—	—	—	—	—	—	—	2	1	—	—
025	9	General paralysis of insane	M.	9	—	—	—	—	—	1	1	—	3	3	1	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
022, 023 026-029	10	All other syphilis	M.	14	—	—	—	—	—	—	—	3	4	5	2	—
			F.	4	—	—	—	—	—	—	—	1	2	1	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	2	1	—	—	—	—	—	—	—	—	1	—	—
			F.	2	—	—	—	—	—	—	1	—	—	1	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	4	—	1	—	—	—	1	—	—	—	—	2	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
053	20	Septicæmia and pyæmia	M.	8	1	2	—	1	—	—	—	2	1	1	—	—
			F.	4	2	1	—	—	—	—	—	—	—	—	1	—
055	21	Diphtheria	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	M.	15	14	—	—	—	—	—	—	—	—	—	1	—
			F.	18	12	5	1	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	7	1	4	—	—	1	—	—	1	—	—	—	—
			F.	5	3	1	—	—	—	1	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	2	—	—	—	—	—	—	1	1	—	—	—	—
			F.	2	—	—	1	—	—	—	—	—	1	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	4	—	1	1	—	1	—	1	—	—	—	—	—
			F.	2	—	1	—	1	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	2	1	—	—	—	—	—	—	—	—	—	1	—
			F.	2	1	—	—	—	—	—	—	1	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	4	—	—	—	—	—	—	1	1	1	1	—	—
			F.	6	—	—	—	—	—	—	1	1	2	2	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	3	1	—	—	—	—	—	—	—	1	—	1	—
			F.	8	5	2	—	—	—	—	—	—	—	—	1	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	6	—	—	—	—	—	1	1	1	1	1	1	—
			F.	3	—	—	—	—	1	1	—	—	—	1	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
036-039, 049-054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	9	—	1	—	—	—	1	—	3	1	—	3	—
			F.	7	—	—	—	—	—	—	—	—	—	1	6	—
		Malignant neoplasms (140-205)	Total M.	1,253	1	5	4	3	16	30	66	145	234	417	332	—
			Total F.	1,303	1	6	—	3	7	23	80	172	252	401	358	—
140-148	44	Buccal cavity and pharynx ...	M.	38	—	—	—	—	—	1	—	3	7	12	15	—
			F.	23	—	—	—	—	—	—	—	2	7	5	9	—
150	45	Œsophagus ...	M.	52	—	—	—	—	—	—	1	4	10	19	18	—
			F.	29	—	—	—	—	—	—	1	2	1	9	16	—
151	46	Stomach ...	M.	236	—	—	—	—	—	4	12	29	34	95	62	—
			F.	244	—	—	—	—	—	1	9	19	41	82	92	—
152, 153	47	Intestine, except rectum ...	M.	178	—	—	—	—	—	3	3	14	23	70	65	—
			F.	196	—	—	—	—	—	3	6	19	30	64	74	—
154	48	Rectum ...	M.	103	—	—	—	—	—	3	3	11	23	36	27	—
			F.	64	—	—	—	—	—	—	4	7	12	28	13	—
161	49	Larynx ...	M.	16	—	—	—	—	—	—	1	—	3	6	6	—
			F.	5	—	—	—	—	—	—	—	2	1	1	1	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	207	—	—	—	—	—	4	9	50	65	63	16	—
			F.	51	—	—	—	—	—	2	1	8	20	17	3	—
170	51	Breast ...	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	215	—	—	—	—	—	2	31	38	34	57	53	—
171	52	Cervix uteri ...	F.	37	—	—	—	—	—	—	5	14	10	3	5	—
172-174	53	Other and unspecified parts of uterus ...	F.	79	—	—	—	—	—	3	7	10	15	31	13	—
177	54	Prostate ...	M.	91	—	—	—	—	—	—	1	—	8	35	47	—
190, 191	55	Skin ...	M.	17	—	—	—	—	1	—	—	—	2	4	10	—
			F.	20	—	—	—	—	—	—	—	2	4	5	9	—
196, 197	56	Bone and connective tissue ...	M.	24	—	—	—	1	—	2	2	1	1	7	10	—
			F.	13	—	—	—	—	—	3	—	1	—	4	5	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites ...	M.	219	1	2	1	—	5	5	19	25	49	58	54	—
			F.	275	1	2	—	—	1	4	12	41	63	91	60	—
204	58	Leukæmia and aleukæmia ...	M.	34	—	2	3	1	8	2	5	2	4	7	—	—
			F.	24	—	4	—	3	3	1	1	6	4	1	1	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	37	—	1	—	1	2	6	10	6	5	5	1	—
			F.	28	—	—	—	—	3	4	3	1	10	3	4	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	12	—	—	1	—	1	—	—	2	3	1	4	—
			F.	28	—	1	1	1	2	2	3	9	4	2	3	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
252	62	Thyrotoxicosis with or without goitre	M.	2	—	—	—	—	—	—	1	—	1	—	—	—
			F.	8	—	—	—	—	—	—	1	—	3	3	1	—
260	63	Diabetes mellitus	M.	55	—	—	—	—	—	2	3	7	12	14	17	—
			F.	118	—	—	—	2	1	3	3	11	24	57	17	—
280-286	64	Avitaminosis and other deficiency states	M.	4	—	—	—	—	—	—	—	2	1	—	1	—
			F.	5	—	—	—	—	—	—	1	—	—	2	2	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	23	—	—	—	—	—	—	—	1	1	6	15	—
			F.	42	—	—	—	—	—	—	—	—	2	20	20	—
291-293	65*b*	Other anæmias	M.	10	—	—	—	—	—	—	—	2	2	1	5	—
			F.	20	1	—	—	—	1	—	—	1	1	9	7	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	83	3	2	—	—	4	6	10	12	21	17	8	—
			F.	78	—	2	—	—	2	4	5	15	16	21	13	—
300-309	67	Psychoses	M.	9	—	—	—	—	1	1	—	—	1	2	4	—
			F.	30	—	—	—	—	—	2	3	2	5	10	8	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
325	69	Mental deficiency	M.	2	—	—	1	—	1	—	—	—	—	—	—	—
			F.	1	—	—	—	1	—	—	—	—	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	16	—	—	1	—	2	2	1	4	4	2	—	—
			F.	24	—	—	—	—	1	—	2	1	5	6	9	—
331	70*b*	Cerebral hæmorrhage	M.	602	2	—	—	—	2	2	9	43	105	188	251	—
			F.	803	—	—	—	1	2	2	12	54	143	277	312	—
332	70*c*	Cerebral embolism and thrombosis	M.	499	—	—	—	—	—	1	1	10	58	171	258	—
			F.	593	—	—	1	—	1	—	4	8	62	182	335	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	67	—	—	—	—	—	—	—	1	8	18	40	—
			F.	76	—	—	1	—	—	—	—	—	6	24	45	—
340	71	Non-meningococcal meningitis	M.	8	4	1	—	1	1	1	—	—	—	—	—	—
			F.	11	3	1	—	—	3	—	1	—	1	2	—	—
345	72	Multiple sclerosis	M.	18	—	—	—	—	—	3	2	5	5	3	—	—
			F.	35	—	—	—	—	—	3	8	8	13	3	—	—
353	73	Epilepsy	M.	27	—	1	—	1	6	9	4	3	1	2	—	—
			F.	13	—	—	1	1	4	3	1	—	—	3	—	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	3	—	—	1	—	1	—	—	1	—	—	—	—
			F.	3	—	1	—	1	—	—	—	1	—	—	—	—
350	78*a*	Paralysis agitans	M.	24	—	—	—	—	—	—	—	3	5	9	7	—
			F.	32	—	—	—	—	—	—	—	1	3	14	14	—

TABLE 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	70	1	3	1	2	1	4	6	4	13	15	20	—
			F.	74	—	2	—	1	4	2	2	5	8	20	30	—
400-402	79	Rheumatic fever	M.	5	1	—	—	—	—	—	4	—	—	—	—	—
			F.	8	—	—	—	1	1	2	1	1	2	—	—	—
		Heart disease (410-443) TOTAL	M.	3,166	—	1	1	1	10	19	69	213	494	953	1,405	—
			F.	2,991	—	—	1	3	8	27	28	117	314	819	1,674	—
410-416	80	Chronic rheumatic heart disease	M.	77	—	—	1	1	4	5	10	6	13	18	19	—
			F.	133	—	—	1	—	3	15	9	21	25	26	33	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	1,325	—	—	—	—	1	9	43	160	336	435	341	—
			F.	718	—	—	—	—	—	1	7	38	135	276	261	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	81	—	—	—	—	2	—	4	5	16	27	27	—
			F.	96	—	—	—	1	1	5	3	13	11	28	34	—
422.0	81*c*	Fatty degeneration of heart	M.	7	—	—	—	—	—	—	—	3	1	2	1	—
			F.	10	—	—	—	—	—	—	—	3	4	1	2	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	666	—	—	—	—	—	—	3	4	22	169	468	—
			F.	822	—	—	—	—	—	—	—	2	28	157	635	—
422.2	81*e*	Other myocardial degeneration	M.	727	—	—	—	—	1	1	3	16	62	212	432	—
			F.	862	—	—	—	1	1	4	4	18	62	212	560	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	37	—	1	—	—	—	1	2	3	8	12	10	—
			F.	34	—	—	—	1	2	—	2	2	6	12	9	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	146	—	—	—	—	1	1	4	13	18	42	67	—
			F.	181	—	—	—	—	1	2	3	11	22	56	86	—
440-443	83	Hypertension with heart disease	M.	100	—	—	—	—	1	2	—	3	18	36	40	—
			F.	135	—	—	—	—	—	—	—	9	21	51	54	—
444-447	84	Hypertension without mention of heart	M.	87	—	—	—	—	—	1	1	10	20	23	32	—
			F.	105	—	—	—	—	—	2	6	11	15	34	37	—
450	85*a*	General arteriosclerosis	M.	150	—	—	—	—	—	—	1	—	7	37	105	—
			F.	123	—	—	—	—	—	—	—	1	5	13	104	—
451-456	85*b*	Other diseases of arteries	M.	34	—	—	—	—	2	1	—	1	7	9	14	—
			F.	30	—	—	—	—	1	2	2	3	3	4	15	—
460-468	86	Other diseases of circulatory system	M.	35	1	—	—	—	—	—	2	3	9	10	10	—
			F.	27	—	—	—	—	—	2	2	3	6	7	7	—
470-475	87	Acute upper respiratory infections	M.	3	1	—	1	—	—	—	—	—	—	1	—	—
			F.	2	—	—	—	—	—	—	—	—	—	—	2	—
480-483	88	Influenza	M.	150	7	2	1	—	—	3	6	8	25	29	69	—
			F.	178	4	1	—	1	1	—	4	9	7	39	112	—
490	89	Lobar pneumonia	M.	53	1	2	—	—	1	1	1	3	10	21	13	—
			F.	56	5	2	1	—	—	2	3	4	8	15	16	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	193	61	5	1	—	1	3	6	9	20	29	58	—
			F.	201	35	9	3	—	4	2	5	12	12	39	80	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	31	9	2	—	—	—	1	—	—	4	6	9	—
			F.	30	4	—	—	—	—	1	1	1	3	5	15	—
		Bronchitis (500-502) TOTAL	M.	307	8	2	—	—	—	3	6	22	50	81	135	—
			F.	224	5	1	—	—	—	—	2	9	22	52	133	—
500	92	Acute	M.	53	7	2	—	—	—	1	—	2	1	10	30	—
			F.	68	4	1	—	—	—	—	2	2	2	14	43	—
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	119	—	—	—	—	—	1	—	9	24	35	50	—
			F.	79	—	—	—	—	—	—	—	4	9	22	44	—
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	M.	135	1	—	—	—	—	1	6	11	25	36	55	—
			F.	77	1	—	—	—	—	—	—	3	11	16	46	—
510	94	Hypertrophy of tonsils and adenoids	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	9	1	—	—	—	—	1	1	2	3	1	—	—
			F.	3	—	—	—	—	1	1	—	—	—	1	—	—
519	96	Pleurisy	M.	7	—	—	—	—	—	—	1	—	—	2	4	—
			F.	2	—	—	—	—	—	—	1	—	—	1	—	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	134	2	1	—	—	1	—	3	20	41	41	25	—
			F.	44	—	1	—	—	2	2	1	6	6	8	18	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	52	—	—	—	—	1	2	7	8	7	11	16	—
			F.	21	—	—	—	—	—	—	—	3	2	7	9	—
541	100	Ulcer of duodenum	M.	71	—	—	—	—	1	2	13	15	17	14	9	—
			F.	13	—	—	—	—	—	—	1	1	2	4	5	—
543	101	Gastritis and duodenitis	M.	5	2	—	1	—	—	—	—	—	—	—	2	—
			F.	10	1	1	—	—	1	—	—	—	—	2	5	—
550-553	102	Appendicitis	M.	25	—	4	2	—	1	—	2	4	2	5	5	—
			F.	16	—	2	1	—	4	1	2	1	1	3	1	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	77	5	2	1	—	—	1	4	8	11	23	22	—
			F.	51	1	—	2	—	—	2	—	6	6	13	21	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	27	26	1	—	—	—	—	—	—	—	—	—	—
			F.	30	27	3	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	13	—	2	—	—	—	—	—	—	1	2	8	—
			F.	18	—	—	—	2	—	—	—	1	2	7	6	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	12	—	—	—	—	2	—	1	—	3	4	2	—
			F.	20	—	—	—	—	—	3	1	2	4	6	4	—
581	105	Cirrhosis of liver	M.	17	—	—	—	—	—	—	1	2	4	6	4	—
			F.	16	—	—	—	1	—	1	2	3	2	6	1	—
584-585	106	Cholelithiasis and cholecystitis	M.	16	—	—	—	—	—	—	—	1	5	6	4	—
			F.	53	—	—	—	—	1	—	—	4	11	11	26	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	13	—	1	1	—	—	—	1	1	1	5	3	—
			F.	16	—	—	1	—	1	—	2	1	3	5	3	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	27	1	—	—	—	—	—	2	5	5	5	9	—
			F.	36	—	1	1	2	1	1	2	5	7	8	8	—
590	108	Acute nephritis	M.	10	1	—	1	—	1	2	—	1	2	1	1	—
			F.	7	—	—	1	—	1	1	1	—	—	3	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	99	—	—	2	—	2	1	10	4	16	26	38	—
			F.	95	—	—	—	1	1	3	7	15	18	24	26	—

TABLE 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
600	110	Infections of kidney	M.	17	—	—	—	—	—	—	1	4	1	3	8	—
			F.	15	—	—	—	—	—	1	1	1	2	3	7	—
602, 604	111	Calculi of urinary system	M.	11	—	—	—	—	—	—	—	3	1	4	3	—
			F.	9	—	—	—	1	—	—	2	—	3	—	3	—
610	112	Hyperplasia of prostate	M.	134	—	—	—	—	—	—	—	—	8	39	87	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	19	—	—	—	—	—	—	1	—	—	3	15	—
			F.	8	—	—	—	—	—	2	—	1	1	—	4	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	19	—	—	—	—	1	1	1	—	2	6	8	—
			F.	8	—	—	—	—	—	1	1	2	2	2	—	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	4	—	—	—	—	—	4	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	8	—	—	—	—	3	2	3	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	3	—	—	—	—	—	3	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	3	—	—	—	—	—	2	1	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	12	—	—	—	—	1	6	5	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	4	—	—	—	—	—	—	1	—	3	—	—	—
			F.	4	—	—	—	—	—	—	—	2	—	2	—	—
720-725	122	Arthritis and spondylitis	M.	6	—	—	—	—	—	—	—	1	—	2	3	—
			F.	34	—	—	—	—	—	—	—	3	4	8	19	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	3	1	—	1	—	—	—	—	—	—	1	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	9	—	1	—	—	1	—	—	2	—	4	1	—
			F.	12	—	—	—	—	—	—	—	2	2	5	3	—
		Congenital malformations and certain diseases of early infancy (750-776)	Total M.	403	382	8	1	—	1	3	5	2	1	—	—	—
			Total F.	279	262	9	3	—	1	—	2	2	—	—	—	—
751	127	Spina bifida and meningocele	M.	15	13	1	—	—	—	—	1	—	—	—	—	—
			F.	14	14	—	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	39	29	6	1	—	—	1	2	—	—	—	—	—
			F.	28	22	1	3	—	1	—	1	—	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	49	40	1	—	—	1	2	2	2	1	—	—	—
			F.	39	28	8	—	—	—	—	1	2	—	—	—	—

760-761	130	Birth injuries	F.	24	24	—	—	—	—	—	—	—	—	—	—	—
762	131	Post-natal asphyxia and atelectasis	M.	50	50	—	—	—	—	—	—	—	—	—	—	—
			F.	32	32	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	28	28	—	—	—	—	—	—	—	—	—	—	—
			F.	20	20	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	10	10	—	—	—	—	—	—	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	15	15	—	—	—	—	—	—	—	—	—	—	—
			F.	7	7	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	22	22	—	—	—	—	—	—	—	—	—	—	—
			F.	8	8	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	125	125	—	—	—	—	—	—	—	—	—	—	—
			F.	105	105	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	215	—	—	—	—	—	—	—	—	—	17	198	—
			F.	307	—	—	—	—	—	—	—	—	—	16	291	—
780-793, 795	137	Ill-defined and unknown causes	M.	192	19	1	—	—	1	1	6	25	23	49	67	—
			F.	113	11	5	—	—	1	1	2	8	15	24	46	—
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)														
		Violence (E800-E999) TOTAL	M.	541	29	40	24	18	67	82	51	57	51	68	54	—
			F.	274	11	14	18	4	10	7	13	23	26	30	118	—
E810-E835	138	Motor vehicle accidents	M.	156	—	18	16	11	24	28	10	9	12	19	9	—
			F.	40	—	2	13	3	4	2	3	3	4	4	2	—
E840-E845	139*a*	Other road transport accidents	M.	16	—	3	1	2	—	3	2	1	2	1	1	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	54	—	1	—	—	13	19	4	5	6	5	1	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—	—
E870-E895	140	Accidental poisonings	M.	16	—	1	—	—	1	2	1	3	1	4	3	—
			F.	17	—	—	—	—	3	1	1	3	3	4	2	—
E900-E904	141	Accidental falls	M.	62	1	1	—	1	2	4	4	4	5	11	29	—
			F.	126	—	1	—	—	—	—	—	1	7	14	103	—
E912	142	Accident caused by machinery	M.	13	—	—	—	1	1	1	2	4	1	2	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	2	—	1	—	—	—	—	1	—	—	—	—	—
			F.	6	—	1	1	—	—	—	—	—	1	1	2	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	9	—	3	—	—	1	1	—	—	1	—	3	—
			F.	27	—	6	2	—	—	1	3	2	1	5	7	—
E919	145	Accident caused by firearm	M.	19	—	—	—	—	6	4	5	2	—	2	—	—
			F.	2	—	—	—	—	—	2	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	45	—	8	5	2	5	2	5	5	4	6	3	—
			F.	21	—	3	1	1	3	—	2	7	2	1	1	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	37	25	3	—	—	1	2	—	—	1	4	1	—
			F.	13	10	—	—	—	—	—	—	3	—	—	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	53	1	—	2	1	11	9	10	9	6	2	2	—
			F.	4	1	1	—	—	—	—	—	2	—	—	—	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	50	—	—	—	—	2	6	6	14	10	11	1	—
			F.	12	—	—	—	—	—	1	3	2	6	—	—	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	4	2	1	—	—	—	1	—	—	—	—	—	—
			F.	4	—	—	1	—	—	—	—	—	2	1	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	5	—	—	—	—	—	—	1	1	2	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44F.—Deaths in Central Clydeside Conurbation Area in Scotland by Sex and Age Groups—1951

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		ALL CAUSES—Both Sexes		**22,344**	**1,421**	**272**	**129**	**83**	**385**	**565**	**978**	**2,127**	**3,835**	**5,869**	**6,680**	—
		Total Males		**11,603**	**792**	**143**	**84**	**41**	**173**	**279**	**528**	**1,262**	**2,193**	**3,028**	**3,080**	—
		Total Females		**10,741**	**629**	**129**	**45**	**42**	**212**	**286**	**450**	**865**	**1,642**	**2,841**	**3,600**	—
		All Tuberculosis (001-019)	Total M.	650	4	37	17	8	63	96	93	112	143	63	14	—
			Total F.	483	7	36	14	8	132	119	77	39	27	17	7	—
001-008	1	Respiratory system	M.	576	1	13	3	4	50	95	91	108	139	58	14	—
			F.	401	5	11	5	4	118	111	70	33	22	15	7	—
010	2	Meninges and central nervous system	M.	48	2	22	13	3	6	—	1	—	1	—	—	—
			F.	49	1	25	7	3	9	3	1	—	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	5	1	—	1	1	1	—	1	—	—	—	—	—
			F.	11	—	—	—	—	2	2	2	2	2	1	—	—
012, 013	4	Bones and joints	M.	7	—	—	—	—	2	—	—	1	1	3	—	—
			F.	6	—	—	—	—	1	2	1	2	—	—	—	—
014-019	5	All other forms	M.	14	—	2	—	—	4	1	—	3	2	2	—	—
			F.	16	1	—	2	1	2	1	3	2	3	1	—	—
		Syphilis (020-029)	Total M.	30	1	—	—	1	—	—	3	3	11	8	3	—
			Total F.	19	1	—	—	—	1	—	—	4	5	6	2	—
020	6	Congenital syphilis	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	3	—	—	—	—	—	—	—	—	2	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	5	—	—	—	—	—	—	1	1	2	1	—	—
			F.	4	—	—	—	—	1	—	—	1	1	1	—	—
022, 023 026-029	10	All other syphilis	M.	21	—	—	—	1	—	—	2	2	7	6	3	—
			F.	14	—	—	—	—	—	—	—	3	4	5	2	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	3	—	—	—	—	—	—	—	—	1	1	1	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	3	1	—	—	—	—	—	—	—	1	1	—	—
			F.	2	—	—	—	—	—	—	—	—	1	1	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	4	—	—	1	1	—	—	—	1	—	1	—	—
			F.	5	1	1	—	—	—	—	1	1	1	—	—	—
055	21	Diphtheria	M.	2	—	—	2	—	—	—	—	—	—	—	—	—
			F.	2	—	2	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	M.	17	15	2	—	—	—	—	—	—	—	—	—	—
			F.	23	13	9	1	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	10	4	5	1	—	—	—	—	—	—	—	—	—
			F.	11	3	6	1	—	—	—	—	—	—	1	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	1	—	—	1	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	5	—	—	—	—	—	1	—	2	2	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	9	—	—	—	—	—	—	1	5	2	1	—	—
			F.	11	—	—	—	—	—	—	2	4	2	2	1	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	4	1	3	—	—	—	—	—	—	—	—	—	—
			F.	7	5	2	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	4	—	—	—	—	—	2	—	—	—	—	2	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44F—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic...	M.	6	2	—	—	—	—	—	1	—	3	—	—	—
			F.	3	—	—	—	—	—	—	—	—	2	—	1	—
		Malignant neoplasms (140-205) Total	M.	1,804	—	5	8	5	15	39	102	285	443	537	365	—
			F.	1,622	—	5	2	2	12	35	106	247	412	489	312	—
140-148	44	Buccal cavity and pharynx	M.	70	—	—	1	—	1	—	—	2	12	25	29	—
			F.	14	—	—	—	—	—	1	—	2	6	3	2	—
150	45	Œsophagus	M.	63	—	—	—	—	—	—	3	2	12	29	17	—
			F.	36	—	—	—	—	—	—	—	4	10	8	14	—
151	46	Stomach	M.	334	—	—	1	—	1	4	15	51	82	114	66	—
			F.	273	—	—	—	—	1	1	15	19	68	105	64	—
152, 153	47	Intestine, except rectum	M.	221	—	—	—	—	—	8	7	15	45	74	72	—
			F.	258	—	—	—	—	—	3	9	35	47	88	76	—
154	48	Rectum	M.	114	—	—	—	—	1	2	6	12	20	40	33	—
			F.	77	—	—	—	—	—	—	2	12	18	32	13	—
161	49	Larynx	M.	16	—	—	—	—	—	—	—	3	4	5	4	—
			F.	4	—	—	—	—	—	—	1	2	1	—	—	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	504	—	—	—	—	—	6	37	138	160	123	40	—
			F.	116	—	—	—	—	—	4	7	17	36	35	17	—
170	51	Breast	M.	2	—	—	—	—	—	—	—	—	—	2	—	—
			F.	276	—	—	—	—	1	2	29	59	67	69	49	—
171	52	Cervix uteri	F.	60	—	—	—	—	—	3	8	24	14	8	3	—
172-174	53	Other and unspecified parts of uterus	F.	88	—	—	—	—	1	5	6	11	27	27	11	—
177	54	Prostate	M.	87	—	—	—	—	—	—	—	1	11	37	38	—
190, 191	55	Skin	M.	17	—	—	—	—	—	1	—	2	3	2	9	—
			F.	15	—	—	—	—	—	—	1	2	4	4	4	—
196, 197	56	Bone and connective tissue	M.	35	—	—	1	1	2	—	4	7	8	7	5	—
			F.	25	—	—	—	—	1	—	—	5	6	9	4	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	266	—	3	2	1	2	9	21	40	68	71	49	—
			F.	313	—	2	1	1	2	9	19	47	90	89	53	—
204	58	Leukæmia and aleukæmia	M.	30	—	1	3	1	4	4	3	2	8	3	1	—
			F.	32	—	3	1	1	5	2	2	5	8	4	1	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	45	—	1	—	2	4	5	6	10	10	5	2	—
			F.	35	—	—	—	—	1	5	7	3	10	8	1	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	23	—	—	—	—	2	1	3	3	5	7	2	—
			F.	30	—	1	—	—	1	2	2	4	3	9	8	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	3	—	—	—	—	—	—	—	2	—	1	—	—
			F.	9	—	—	—	—	—	—	3	1	2	3	—	—
260	63	Diabetes mellitus	M.	53	—	—	—	—	—	2	3	11	6	20	11	—
			F.	144	—	—	—	—	2	3	1	15	33	68	22	—
280-286	64	Avitaminosis and other deficiency states	M.	8	—	1	—	—	—	1	1	1	—	3	1	—
			F.	9	—	3	—	—	—	—	—	1	—	3	2	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	24	—	—	—	—	—	—	—	1	4	9	10	—
			F.	58	—	—	—	—	—	—	2	4	9	22	21	—
291-293	65*b*	Other anæmias	M.	19	—	—	—	—	—	—	3	3	4	4	5	—
			F.	24	—	1	1	—	—	1	2	2	4	10	3	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	62	4	1	—	—	2	3	10	13	17	10	2	—
			F.	87	1	2	—	2	1	6	10	12	21	21	11	—
300-309	67	Psychoses	M.	15	—	—	—	—	1	2	—	3	2	3	4	—
			F.	22	—	—	—	—	—	—	1	3	3	6	9	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	8	—	—	—	—	—	—	—	4	—	3	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
325	69	Mental deficiency	M.	7	1	—	2	—	2	—	—	1	1	—	—	—
			F.	3	2	1	—	—	—	—	—	—	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	25	—	—	—	—	2	4	—	9	7	1	2	—
			F.	22	—	—	—	—	—	—	1	8	6	3	4	—
331	70*b*	Cerebral hæmorrhage	M.	584	2	—	—	—	1	5	11	43	121	204	197	—
			F.	801	1	—	1	—	—	1	15	62	164	274	283	—
332	70*c*	Cerebral embolism and thrombosis	M.	564	—	—	—	—	—	—	4	13	74	208	265	—
			F.	699	—	—	1	—	—	1	4	24	95	207	367	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	107	—	—	—	—	—	—	—	5	4	39	59	—
			F.	71	—	—	—	—	—	1	1	3	8	27	31	—
340	71	Non-meningococcal meningitis	M.	14	8	4	—	—	—	—	1	—	1	—	—	—
			F.	13	7	1	—	—	1	1	—	1	1	1	—	—
345	72	Multiple sclerosis	M.	30	—	—	—	—	1	6	5	10	7	1	—	—
			F.	37	—	—	—	—	1	1	7	16	9	3	—	—
353	73	Epilepsy	M.	30	1	2	—	1	4	3	8	6	2	3	—	—
			F.	22	1	2	1	1	3	2	5	4	3	—	—	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	4	2	1	—	—	—	—	—	1	—	—	—	—
			F.	6	3	—	—	—	2	—	—	—	1	—	—	—
350	78*a*	Paralysis agitans	M.	20	—	—	—	—	—	—	1	—	3	9	7	—
			F.	28	—	—	—	—	—	—	—	3	7	12	6	—

TABLE 44F.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	89	4	4	2	1	3	2	7	10	15	20	21	—
			F.	87	2	2	—	5	2	1	2	4	9	35	25	—
400-402	79	Rheumatic fever	M.	8	—	—	—	—	2	1	3	1	1	—	—	—
			F.	12	—	—	—	2	1	3	—	4	1	—	1	—
		Heart disease (410-443) Total	M.	3,499	—	—	3	1	18	31	116	347	713	1,093	1,177	—
			F.	3,337	—	—	—	2	19	37	83	190	468	1,019	1,519	—
410-416	80	Chronic rheumatic heart disease	M.	131	—	—	3	1	12	11	28	19	31	16	10	—
			F.	239	—	—	—	1	14	23	46	45	44	43	23	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	1,527	—	—	—	—	—	10	72	247	466	480	252	—
			F.	737	—	—	—	—	1	—	9	53	173	289	212	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	87	—	—	—	—	3	3	4	9	19	27	22	—
			F.	126	—	—	—	1	1	4	5	18	24	50	23	—
422.0	81*c*	Fatty degeneration of heart	M.	5	—	—	—	—	2	—	—	—	1	1	1	—
			F.	13	—	—	—	—	—	—	1	5	3	3	1	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	663	—	—	—	—	—	—	2	11	40	190	420	—
			F.	844	—	—	—	—	—	—	—	3	53	200	588	—
422.2	81*e*	Other myocardial degeneration	M.	788	—	—	—	—	1	4	4	36	98	268	377	—
			F.	988	—	—	—	—	1	4	8	36	94	304	541	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	31	—	—	—	—	—	3	—	7	10	6	5	—
			F.	33	—	—	—	—	2	2	4	—	7	11	7	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	147	—	—	—	—	—	—	3	9	22	58	55	—
			F.	196	—	—	—	—	—	4	6	17	30	65	74	—
440-443	83	Hypertension with heart disease	M.	120	—	—	—	—	—	—	3	9	26	47	35	—
			F.	161	—	—	—	—	—	—	4	13	40	54	50	—
444-447	84	Hypertension without mention of heart disease	M.	108	—	—	—	—	—	—	3	12	17	37	39	—
			F.	102	—	—	—	—	—	—	4	10	20	35	33	—
450	85*a*	General arteriosclerosis	M.	113	—	—	—	—	—	—	1	2	11	36	63	—
			F.	112	—	—	—	—	—	—	—	—	3	25	84	—
451-456	85*b*	Other diseases of arteries	M.	27	—	—	—	—	—	—	2	1	10	5	9	—
			F.	26	—	—	1	—	3	1	2	2	5	5	7	—
460-468	86	Other diseases of circulatory system	M.	31	1	—	—	—	—	1	4	5	9	6	5	—
			F.	31	—	—	—	—	—	1	3	5	7	6	9	—
470-475	87	Acute upper respiratory infections	M.	4	2	—	—	—	—	—	1	—	—	—	1	—
			F.	3	—	—	—	—	1	1	—	—	—	—	1	—
480-483	88	Influenza	M.	141	3	—	—	—	2	1	4	11	36	39	45	—
			F.	164	5	4	1	2	1	2	3	8	19	44	75	—
490	89	Lobar pneumonia	M.	92	5	2	—	—	2	—	2	10	19	33	19	—
			F.	64	3	1	1	1	1	—	1	6	7	25	18	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	288	72	13	1	1	—	4	3	15	25	62	92	—
			F.	274	58	11	—	1	1	4	10	21	28	62	78	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	51	5	1	—	—	—	—	1	4	16	11	13	—
			F.	46	6	2	—	—	2	1	—	6	6	15	8	—
		Bronchitis (500-502) TOTAL	M.	757	12	3	1	—	2	7	23	98	206	219	186	—
			F.	390	10	2	—	1	1	2	7	27	59	110	171	—
500	92	Acute	M.	70	12	3	—	—	—	1	1	5	7	18	23	—
			F.	80	9	2	—	1	1	—	1	2	11	16	37	—
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	320	—	—	—	—	—	3	4	38	91	105	79	—
			F.	155	—	—	—	—	—	—	4	11	21	45	74	—
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	M.	367	—	—	1	—	2	3	18	55	108	96	84	—
			F.	155	1	—	—	—	—	2	2	14	27	49	60	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	4	—	—	—	—	—	1	—	2	1	—	—	—
			F.	6	3	—	—	—	—	—	—	—	3	—	—	—
519	96	Pleurisy	M.	6	—	—	—	—	—	—	1	1	—	—	4	—
			F.	5	—	1	—	—	—	—	1	1	—	2	—	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	105	3	2	—	—	—	2	6	14	30	27	21	—
			F.	55	2	—	—	—	1	2	5	3	13	13	16	—
530-535	98	Diseases of teeth and supporting structures	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	86	—	—	—	—	1	1	9	17	16	30	12	—
			F.	30	—	—	—	—	—	—	3	5	6	9	7	—
541	100	Ulcer of duodenum	M.	83	—	—	—	—	—	4	14	19	19	16	11	—
			F.	15	—	—	—	—	—	—	2	2	3	3	5	—
543	101	Gastritis and duodenitis	M.	2	1	—	—	—	—	—	—	—	—	1	—	—
			F.	3	—	—	—	—	—	—	—	1	—	1	1	—
550-553	102	Appendicitis	M.	21	—	1	1	1	1	—	2	3	2	4	6	—
			F.	24	—	3	2	2	2	—	4	2	4	3	2	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	59	5	1	1	—	—	1	1	10	16	9	15	—
			F.	66	—	—	2	—	—	3	1	11	12	23	14	—
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	M.	51	48	3	—	—	—	—	—	—	—	—	—	—
			F.	46	45	1	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	13	—	3	1	—	1	—	—	—	2	2	4	—
			F.	29	—	1	—	2	—	1	—	3	2	9	11	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	14	—	—	—	—	—	1	1	2	2	5	3	—
			F.	22	—	—	—	—	1	2	2	4	3	8	2	—
581	105	Cirrhosis of liver	M.	34	—	—	—	1	1	2	3	10	6	9	2	—
			F.	25	—	—	—	—	—	—	2	6	8	6	3	—
584-585	106	Cholelithiasis and cholecystitis	M.	10	—	—	—	—	—	—	1	—	2	3	4	—
			F.	46	—	—	—	—	1	—	2	2	11	14	16	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	14	—	1	1	—	—	—	—	3	3	2	4	—
			F.	13	—	—	—	—	—	—	—	2	7	2	2	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	33	—	1	—	—	1	4	2	5	4	12	4	—
			F.	36	1	—	—	—	1	—	5	6	8	6	9	—
590	108	Acute nephritis	M.	7	1	—	—	—	—	2	1	1	1	—	1	—
			F.	9	1	—	1	1	—	—	2	—	2	2	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	73	1	—	1	1	3	6	7	14	12	17	11	—
			F.	113	—	1	1	2	4	11	9	16	25	27	17	—

TABLE 44F.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
600	110	Infections of kidney	M.	9	—	—	—	—	—	—	2	—	2	2	3	—
			F.	33	1	—	—	—	—	3	5	7	4	6	7	—
602, 604	111	Calculi of urinary system	M.	7	—	—	—	—	—	—	—	—	1	4	2	—
			F.	13	—	—	—	1	—	1	3	3	3	1	1	—
610	112	Hyperplasia of prostate	M.	100	—	—	—	—	—	—	—	—	5	37	58	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	13	—	—	—	—	—	—	—	—	4	3	6	—
			F.	8	—	—	—	—	—	—	1	—	2	1	4	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	19	1	—	—	—	1	—	—	—	4	5	8	—
			F.	17	—	—	—	—	1	—	1	4	4	4	3	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	5	—	—	—	—	—	4	1	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	3	—	—	—	—	—	2	1	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	4	—	—	—	—	—	3	1	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	6	—	—	—	—	—	4	2	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	2	—	—	—	—	—	2	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	3	—	—	—	—	1	2	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium	F.	11	—	—	—	—	2	3	5	1	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	4	—	—	—	—	1	—	—	1	2	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
720-725	122	Arthritis and spondylitis	M.	3	—	—	—	—	—	—	—	—	—	2	1	—
			F.	31	—	—	1	—	—	—	—	2	4	10	14	—
726, 727	123	Muscular rheumatism and rheumatism, unspecified	M.	2	—	—	—	—	—	—	1	—	1	—	—	—
			F.	3	—	—	—	—	—	—	2	—	—	—	1	—
730	124	Osteomyelitis and periostitis	M.	2	—	—	—	—	1	—	—	—	1	—	—	—
			F.	4	—	—	1	—	—	—	1	—	—	1	1	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	2	—	—	—	—	—	—	—	1	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	14	1	—	—	—	1	—	—	1	1	5	5	—
			F.	14	1	—	—	—	1	—	2	—	1	7	2	—
		Congenital malformations and certain diseases of early infancy (750-776) Total	M.	522	502	10	1	3	—	1	3	—	1	1	—	—
			F.	406	381	7	3	3	1	1	3	3	3	1	—	—
751	127	Spina bifida and meningocele	M.	22	18	3	—	—	—	—	1	—	—	—	—	—
			F.	27	27	—	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	40	35	2	—	1	—	—	1	—	—	1	—	—
			F.	30	20	3	1	3	1	1	1	—	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	62	51	5	1	2	—	1	1	—	1	—	—	—
			F.	55	40	4	2	—	—	—	2	3	3	1	—	—
(a)	(b)				(c)											

762	131	Post-natal asphyxia and atelectasis	M.	78	78	—	—	—	—	—	—	—	—	—	—
			F.	58	58	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	41	41	—	—	—	—	—	—	—	—	—	—
			F.	30	30	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	6	6	—	—	—	—	—	—	—	—	—	—
			F.	6	6	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	1	1	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	19	19	—	—	—	—	—	—	—	—	—	—
			F.	8	8	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	22	22	—	—	—	—	—	—	—	—	—	—
			F.	17	17	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	155	155	—	—	—	—	—	—	—	—	—	—
			F.	119	119	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	143	—	—	—	—	—	—	—	—	—	7	136
			F.	196	—	—	—	—	—	—	—	—	1	16	179
780-793, 795	137	Ill-defined and unknown causes	M.	286	37	7	—	—	2	1	5	41	53	71	69
			F.	192	30	1	—	—	—	1	5	14	30	46	65
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)													
		Violence (E800-E999) TOTAL	M.	510	42	30	40	16	36	42	49	66	60	57	72
			F.	306	34	18	9	3	7	11	24	24	28	52	96
E810-E835	138	Motor vehicle accidents	M.	117	—	15	24	9	14	13	10	7	5	10	10
			F.	42	—	8	5	2	3	2	3	2	5	9	3
E840-E845	139*a*	Other road transport accidents	M.	15	—	1	1	1	2	1	—	1	2	4	2
			F.	5	—	—	—	—	—	—	—	—	—	3	2
E800-E802, E850-E866	139*b*	Other transport accidents	M.	33	—	1	1	2	1	5	4	9	7	3	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—
E870-E895	140	Accidental poisoning	M.	37	—	3	—	—	3	1	5	9	8	6	2
			F.	23	—	—	—	—	1	—	3	5	4	4	6
E900-E904	141	Accidental falls	M.	98	1	1	3	—	4	7	5	8	10	11	48
			F.	111	—	1	3	1	—	1	2	3	4	17	79
E912	142	Accident caused by machinery	M.	10	—	—	—	—	1	1	1	2	—	4	1
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	4	—	—	—	—	1	1	1	—	—	1	—
			F.	3	—	—	—	—	—	—	—	2	—	1	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	11	1	1	2	—	2	—	—	—	1	3	1
			F.	24	—	6	1	—	—	1	—	1	1	9	5
E919	145	Accident caused by firearm	M.	2	—	—	—	—	—	1	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	42	—	4	6	3	—	2	2	9	7	6	3
			F.	14	—	—	—	—	—	2	2	5	3	2	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	49	38	2	2	—	1	1	—	—	3	1	1
			F.	35	30	1	—	—	1	1	—	—	—	2	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	32	1	2	1	1	5	5	9	4	2	2	—
			F.	4	2	1	—	—	—	1	—	—	—	—	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	50	—	—	—	—	2	3	11	15	10	5	4
			F.	39	—	—	—	—	2	3	13	6	9	5	1
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	4	1	—	—	—	—	1	1	1	—	—	—
			F.	5	2	1	—	—	—	—	—	—	2	—	—
E965, E990-E999	150	Injuries resulting from operations of war	M.	6	—	—	—	—	—	—	—	—	5	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1951.

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
		ALL CAUSES	**65778**	**2181**	**1761**	**2498**	**269**	**1028**	**1027**	**561**	**497**	**2889**	**667**	**385**	**311**	**362**	**450**	**371**	**761**	**506**	**299**	**1203**	**569**	**492**	**645**	**2635**	**370**	**842**	**330**	**117**	**386**
		All Tuberculosis (001-019) ... TOTAL	2179	41	32	79	4	14	28	13	15	68	8	3	7	7	10	11	10	27	13	41	5	11	17	65	9	19	5	2	9
001-008	1	Respiratory system	1886	36	28	71	3	13	24	9	14	54	7	2	7	5	7	8	9	23	12	34	5	11	17	58	8	15	5	1	7
010	2	Meninges and central nervous system ...	161	3	1	5	1	–	1	2	1	7	1	1	–	1	–	–	–	4	1	5	–	–	–	3	1	2	–	1	1
011	3	Intestines, peritoneum and mesenteric glands	28	1	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
012, 013	4	Bones and joints	42	1	–	2	–	–	3	2	–	1	–	–	–	1	–	1	–	–	–	2	–	–	–	1	–	2	–	–	–
014-019	5	All other forms	62	–	3	1	–	1	–	–	–	4	–	–	–	–	2	1	1	–	–	–	–	–	–	3	–	–	–	–	1
		Syphilis (020-029) ... ... TOTAL	149	7	3	5	3	–	1	–	–	7	–	–	–	2	–	1	1	1	1	2	2	2	2	7	–	3	–	–	3
020	6	Congenital syphilis	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	15	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–
025	9	General paralysis of insane	28	1	1	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1
022, 023, 026-029	10	All other syphilis	102	6	2	4	2	–	–	–	–	3	–	–	–	2	–	–	1	1	1	–	1	2	1	6	–	2	–	–	2
030-035	11	Gonococcal infection	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	12	Typhoid fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
041, 042	13	Paratyphoid fever & other salmonella infections	9	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	16	Dysentery, all forms	15	1	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
050	17	Scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
052	19	Erysipelas	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
053	20	Septicæmia and pyæmia	33	4	2	1	–	1	–	–	–	1	–	–	–	–	2	1	1	–	1	–	1	–	–	–	–	–	–	–	–
055	21	Diphtheria	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
056	22	Whooping-cough	98	3	3	–	–	–	1	1	1	7	–	–	–	–	–	–	3	1	–	4	2	–	–	6	–	1	1	–	–
057	23	Meningococcal infections	44	1	1	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	9	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	24	–	3	2	–	1	–	–	1	2	–	–	–	–	2	–	–	–	1	–	–	–	1	2	–	–	–	–	–
082	29	Acute infectious encephalitis	14	1	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	47	–	2	–	–	–	–	–	1	2	1	–	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	–
084	31	Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	32	Measles	25	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	2	–	2	–	–	–
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
092	34	Infectious hepatitis	23	1	1	–	1	–	1	1	–	1	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	–	–	1
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1951.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
		ALL CAUSES	**14311**	**351**	**566**	**515**	**794**	**330**	**3644**	**6474**	**1116**	**573**	**131**	**337**	**257**	**512**	**1282**	**958**	**1195**	**243**	**1743**	**930**	**666**	**336**	**433**	**363**	**1418**	**229**	**926**	**390**	**343**
		All Tuberculosis (001-019) ... TOTAL	748	16	38	22	40	5	154	172	23	13	2	6	1	16	15	57	57	18	69	28	7	3	13	8	28	6	26	5	10
001-008	1	Respiratory system	652	14	30	21	34	5	132	156	18	13	2	4	1	15	14	48	49	16	56	21	6	2	11	7	26	6	21	5	8
010	2	Meninges and central nervous system ...	58	1	7	1	3	–	12	6	1	–	–	1	–	–	–	5	5	–	8	4	–	1	1	–	–	–	4	–	1
011	3	Intestines, peritoneum and mesenteric glands	10	1	–	–	1	–	4	1	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–
012, 013	4	Bones and joints	10	–	–	–	1	–	–	5	1	–	–	1	–	–	–	3	–	–	1	3	1	–	–	–	–	–	–	–	–
014-019	5	All other forms	18	–	1	–	1	–	6	4	–	–	–	–	–	1	1	–	3	2	4	–	–	–	1	–	1	–	1	–	1
		Syphilis (020-029) ... ... TOTAL	34	1	–	–	1	1	4	23	–	1	–	–	–	–	3	2	4	–	6	2	3	1	1	1	4	1	2	1	–
020	6	Congenital syphilis	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	1	–
025	9	General paralysis of insane	6	–	–	–	–	–	2	6	–	1	–	–	–	–	–	–	1	–	–	–	2	–	–	–	2	–	–	–	–
022, 023, 026-029	10	All other syphilis	24	1	–	–	1	1	1	17	–	–	–	–	–	–	3	1	3	–	4	1	1	1	1	1	2	1	2	–	–
030-035	11	Gonococcal infection	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	12	Typhoid fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041, 042	13	Paratyphoid fever & other salmonella infections	3	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	16	Dysentery, all forms	5	–	–	–	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
050	17	Scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
052	19	Erysipelas	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
053	20	Septicæmia and pyæmia	5	1	1	–	–	–	5	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–
055	21	Diphtheria	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	22	Whooping-cough	25	–	3	1	2	–	7	9	2	1	–	–	1	2	–	–	1	–	3	1	1	1	–	–	2	1	1	–	–
057	23	Meningococcal infections	15	–	1	1	1	–	2	6	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–	–	2	–	1	–	1
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	–	–	–	–	–	–	–	–
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	2	–	–	–	–	–	1	2	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
082	29	Acute infectious encephalitis	3	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–
081,083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	14	–	–	–	2	1	4	9	–	–	–	–	–	–	–	1	–	2	1	1	2	–	–	–	–	–	–	–	–
084	31	Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	32	Measles	6	–	1	–	–	–	4	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
092	34	Infectious hepatitis	3	1	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1951.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	EastLothianCo.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
123	38	Schistosomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
125	39	Hydatid disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
127	40	Filariasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	41	Ankylostomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124, 126, 128, 130	42	Other diseases due to helminths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	38	2	–	1	1	–	–	–	–	2	1	1	–	–	1	–	2	–	–	–	2	1	–	2	–	2	–	–	1
		Malignant neoplasms (140-205) TOTAL	9840	358	243	409	39	134	152	84	66	397	111	64	51	46	53	45	101	86	40	170	87	57	112	383	58	114	60	19	62
140-148	44	Buccal cavity and pharynx	244	6	5	12	–	6	2	1	2	13	5	–	2	–	1	2	1	2	1	5	–	2	3	7	4	1	2	1	–
150	45	Œsophagus	297	13	8	14	–	4	6	–	–	16	4	2	–	2	2	2	3	–	1	7	4	2	2	14	2	5	4	–	2
151	46	Stomach	1791	53	43	74	8	26	28	17	17	74	20	11	6	6	11	14	22	17	8	25	17	11	25	70	11	21	13	3	18
152, 153	47	Intestine (except rectum)	1343	41	43	54	6	23	29	9	13	57	19	14	10	12	4	4	13	15	3	26	11	9	8	52	4	18	4	4	11
154	48	Rectum	585	28	13	17	3	5	8	6	3	24	10	6	6	3	3	2	5	4	1	10	3	6	11	22	5	2	7	–	2
161	49	Larynx	70	2	–	4	1	1	1	–	1	2	1	–	2	–	–	–	–	–	1	2	1	1	1	2	–	1	–	–	–
162, 163	50	Trachea, bronchus and lung not specified as secondary	1427	56	11	60	1	12	16	15	6	54	7	5	2	–	6	6	10	8	6	28	10	6	17	41	6	15	3	2	6
170	51	Breast	806	27	26	31	5	12	17	6	4	35	8	3	4	6	7	3	6	5	4	11	14	3	11	33	5	10	2	3	4
171	52	Cervix uteri	187	14	5	11	2	3	5	4	2	4	1	–	1	1	–	3	2	2	1	1	1	–	3	7	–	4	1	–	2
172-174	53	Other and unspecified parts of uterus ...	265	6	9	14	–	1	5	2	2	9	6	2	2	1	–	–	3	2	2	2	2	3	2	11	–	5	6	1	3
177	54	Prostate	314	19	9	10	1	5	4	3	1	17	3	4	2	1	1	–	3	2	1	5	1	2	1	8	3	6	1	1	3
190, 191	55	Skin	113	5	4	6	–	1	2	–	1	9	–	1	1	1	2	1	2	–	1	2	1	–	–	7	2	–	1	–	–
196, 197	56	Bone and connective tissue	158	6	3	8	1	3	–	–	2	4	4	3	1	–	1	1	2	3	–	3	–	1	1	5	4	1	3	–	1
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	1794	64	49	80	7	23	26	17	10	66	18	10	8	9	10	5	26	21	6	34	20	8	21	86	7	21	8	4	8
204	58	Leukæmia and aleukæmia	220	9	8	8	1	5	2	1	1	3	2	1	3	3	2	1	2	2	2	4	1	3	1	9	2	1	–	–	2
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system ...	226	9	7	6	3	4	1	3	1	10	3	2	1	1	3	1	1	3	2	5	1	–	5	9	3	3	5	–	–
210-239	60	Benign neoplasms and neoplasms of unspecified nature	169	8	5	8	–	3	1	1	2	7	1	1	1	1	3	–	1	–	–	2	3	3	3	6	1	2	1	–	2
250-251	61	Nontoxic goitre	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
252	62	Thyrotoxicosis with or without goitre ...	36	–	3	2	–	–	1	–	1	2	–	–	–	1	1	1	1	–	–	–	1	–	1	–	–	–	–	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1951.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
123	38	Schistosomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
125	39	Hydatid disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
127	40	Filariasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	41	Ankylostomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124, 126, 128, 130	42	Other diseases due to helminths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	6	–	–	–	–	–	1	3	1	–	–	–	–	–	1	1	1	–	2	1	–	–	–	–	–	1	1	–	–
		Malignant neoplasms (140-205) TOTAL	2261	48	64	83	109	46	490	1117	183	72	17	50	27	69	201	115	170	37	251	107	97	50	75	56	190	26	135	50	43
140-148	44	Buccal cavity and pharynx	63	–	–	2	1	–	17	25	3	2	–	2	–	2	6	1	3	–	3	2	1	5	4	2	6	1	4	2	1
150	45	Œsophagus	67	–	3	1	5	1	14	33	5	2	3	4	1	–	4	3	3	1	9	4	1	1	1	1	5	–	3	2	1
151	46	Stomach	406	5	10	16	22	5	90	165	38	14	4	16	2	9	41	29	31	9	43	17	18	8	20	10	42	4	26	13	9
152, 153	47	Intestine (except rectum)	305	5	15	13	15	11	60	137	29	11	3	7	3	13	22	15	20	4	36	11	15	8	5	3	27	8	14	5	7
154	48	Rectum	121	7	2	6	6	3	24	67	14	5	2	3	3	4	13	6	13	3	14	4	4	3	2	2	11	3	16	3	6
161	49	Larynx	12	–	–	–	1	–	7	10	2	–	–	–	1	–	1	–	1	–	3	1	–	1	2	1	2	–	1	–	–
162, 163	50	Trachea, bronchus and lung not specified as secondary	455	6	11	11	22	10	67	200	19	5	1	1	4	15	23	12	18	7	32	6	12	9	11	6	18	3	18	5	5
170	51	Breast	174	7	5	5	13	1	37	76	9	6	1	3	3	2	17	7	23	1	24	8	16	4	5	7	22	2	11	6	6
171	52	Cervix uteri	43	1	1	2	1	–	9	20	1	2	–	1	–	2	2	5	3	–	–	2	4	1	1	–	3	–	–	2	1
172-174	53	Other and unspecified parts of uterus ...	57	2	1	2	1	2	15	33	6	1	1	–	–	2	7	5	4	1	5	2	2	–	2	3	6	1	3	–	–
177	54	Prostate	56	–	2	1	–	1	19	39	4	–	–	3	1	4	14	5	5	2	10	8	3	2	–	1	7	–	8	1	1
190, 191	55	Skin	24	–	1	–	–	1	5	10	–	1	–	1	–	1	5	2	3	1	2	4	–	–	–	1	–	–	1	–	–
196, 197	56	Bone and connective tissue	34	1	3	3	1	1	7	15	1	–	–	1	1	1	3	–	5	–	6	1	2	1	1	2	4	–	1	–	2
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	357	11	8	18	14	8	96	230	42	16	2	6	6	10	36	20	30	7	53	28	18	6	17	14	31	3	23	9	3
204	58	Leukæmia and aleukæmia	40	1	2	2	1	–	10	37	7	4	–	1	–	1	4	5	4	1	3	5	–	1	4	2	2	1	2	–	1
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system ...	47	2	–	1	6	2	13	20	3	3	–	1	2	3	3	–	4	–	8	4	1	–	–	1	4	–	4	2	–
210-239	60	Benign neoplasms and neoplasms of unspecified nature	43	–	–	1	1	–	5	18	4	2	–	–	–	2	2	2	3	–	3	4	1	1	1	–	2	1	4	3	–
250-251	61	Nontoxic goitre	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
252	62	Thyrotoxicosis with or without goitre ...	9	–	–	–	–	–	2	–	2	–	–	–	–	1	–	1	1	–	1	–	1	–	–	–	2	–	1	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1951.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co
260	63	Diabetes mellitus	559	15	12	21	2	8	5	4	4	33	2	8	4	1	7	1	7	7	5	6	7	6	6	24	2	9	–	1	4
280-286	64	Avitaminosis and other deficiency states ...	36	3	1	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–
290	65*a*	Pernicious and other hyperchromic anæmias	234	8	9	7	2	4	4	4	3	7	6	–	2	1	1	1	–	3	1	7	1	–	2	9	3	3	–	–	4
291-293	65*b*	Other anæmias	111	1	–	8	2	3	3	–	1	3	–	1	–	–	–	4	2	3	–	1	–	2	1	4	–	2	1	1	–
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	537	19	21	17	1	13	6	3	2	32	8	2	2	2	7	3	4	3	6	12	8	6	8	27	5	10	7	–	4
300-309	67	Psychoses	119	8	5	–	–	3	3	1	–	1	1	2	–	1	–	–	2	–	–	2	1	1	2	2	1	7	1	–	1
310-324, 326	68	Psychoneuroses and disorders of personality	18	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
325	69	Mental deficiency	17	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
330	70*a*	Subarachnoid hæmorrhage	165	10	8	6	–	6	2	2	2	5	–	2	–	3	–	1	2	2	1	2	1	4	2	7	–	3	–	1	–
331	70*b*	Cerebral hæmorrhage	4517	143	139	113	19	89	62	35	35	237	51	26	33	17	36	24	67	44	22	103	39	32	51	205	25	59	27	2	19
332	70*c*	Cerebral embolism and thrombosis	3986	177	147	151	21	69	53	37	25	170	40	20	25	15	28	29	36	19	7	71	42	42	27	162	22	55	12	11	23
333, 334	70*d*	Other vascular lesions affecting central nervous system	454	12	10	4	–	12	7	–	1	21	4	5	–	–	–	1	7	4	–	4	7	3	4	21	1	6	2	–	–
340	71	Non-meningococcal meningitis	59	2	2	1	1	1	2	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	1	3	–	–	–	–	–
345	72	Multiple sclerosis	174	9	5	6	–	1	–	2	–	4	–	2	1	–	3	1	4	1	2	5	1	2	–	6	–	4	3	–	1
353	73	Epilepsy	128	5	4	3	2	3	–	1	1	9	2	1	–	–	–	1	2	1	2	2	1	–	–	3	2	–	1	–	3
370-379	74	Inflammatory diseases of eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
385	75	Cataract	5	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
387	76	Glaucoma	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
391-393	77	Otitis media and mastoiditis	25	2	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	1	–	–	–
350	78*a*	Paralysis agitans	181	11	11	3	–	6	2	–	3	6	2	2	–	1	–	–	–	1	–	2	–	–	2	7	4	2	1	1	1
341-344, 351, 352, 354-369, 380-384, 386,388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	499	7	16	13	2	5	23	4	5	12	3	5	10	1	3	2	2	6	2	8	7	5	6	17	2	4	2	–	1
400-402	79	Rheumatic fever	49	2	1	2	–	–	1	–	–	3	–	–	–	–	1	1	–	–	–	–	1	1	1	1	–	–	–	–	–
		Heart Disease (410-443) ... TOTAL	21502	715	553	875	97	357	349	224	169	998	240	144	79	129	123	135	273	158	106	429	175	153	222	892	148	219	115	37	121
410-416	80	Chronic rheumatic heart disease	900	38	10	52	5	10	5	8	10	40	1	5	4	2	5	3	8	13	2	8	5	1	14	39	2	7	1	1	2
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	7461	371	245	263	44	144	114	85	59	370	75	41	20	36	36	47	104	55	29	193	72	53	73	317	48	63	35	11	25
421	81*b*	Chronic endocarditis not specified as rheumatic	633	10	16	16	2	2	11	10	8	33	9	9	5	5	5	3	14	4	9	8	–	4	4	28	3	10	–	1	4
422.0	81*c*	Fatty degeneration of heart	50	–	–	4	–	2	2	–	–	1	–	–	–	–	3	–	1	1	–	–	–	–	–	2	–	–	–	–	3

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1951.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
260	63	Diabetes mellitus	114	5	2	4	6	4	38	37	12	7	1	–	1	3	7	6	19	–	18	9	7	4	6	4	22	1	7	3	1
280-286	64	Avitaminosis and other deficiency states ...	14	–	1	–	1	–	1	4	2	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
290	65*a*	Pernicious and other hyperchromic anæmias	50	–	3	2	4	2	16	16	3	2	–	1	3	1	4	3	5	–	2	4	5	–	3	2	6	–	4	–	1
291-293	65*b*	Other anæmias	27	–	3	1	1	1	4	12	–	2	–	1	1	–	1	–	2	–	4	3	2	–	–	–	2	1	–	–	–
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	84	1	1	5	11	3	21	42	10	4	–	3	2	7	8	11	11	2	17	12	4	3	3	5	9	2	12	6	–
300-309	67	Psychoses	28	1	–	–	–	1	5	8	2	2	1	2	1	1	2	2	2	–	3	5	1	1	–	–	2	1	–	–	3
310-324, 326	68	Psychoneuroses and disorders of personality	7	–	–	–	–	–	–	5	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
325	69	Mental deficiency	7	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
330	70*a*	Subarachnoid hæmorrhage	26	–	3	3	2	1	6	17	2	–	–	–	1	3	3	6	5	1	1	4	3	–	–	1	2	1	2	–	–
331	70*b*	Cerebral hæmorrhage...	847	20	21	43	47	21	257	383	84	60	8	23	24	47	99	88	83	20	133	66	42	26	33	37	109	20	63	28	31
332	70*c*	Cerebral embolism and thrombosis	834	18	32	13	52	15	177	414	74	37	11	24	11	29	82	46	71	10	110	49	55	23	49	31	74	9	47	39	14
333, 334	70*d*	Other vascular lesions affecting central nervous system	125	2	5	3	6	–	20	59	13	2	2	–	–	6	6	1	5	–	20	9	9	6	1	1	5	2	4	6	–
340	71	Nonmeningococcal meningitis	20	–	–	2	–	–	5	2	1	1	–	–	–	1	3	–	1	–	1	1	–	1	–	–	2	–	1	–	–
345	72	Multiple sclerosis	46	–	3	1	1	2	9	10	2	1	–	4	1	–	2	5	4	–	5	2	5	3	2	–	3	–	–	–	–
353	73	Epilepsy	30	1	3	1	3	1	7	14	–	–	–	2	–	–	–	1	2	–	5	4	1	–	1	–	2	–	1	–	–
370-379	74	Inflammatory diseases of eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
385	75	Cataract	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
387	76	Glaucoma	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
391-393	77	Otitis media and mastoiditis	8	1	–	–	1	–	–	–	–	1	–	–	–	–	–	2	–	–	–	1	–	1	–	–	1	–	–	–	–
350	78*a*	Paralysis agitans	33	–	1	1	2	–	9	22	4	3	–	3	–	–	3	4	4	–	3	3	4	3	1	1	2	–	2	4	1
341-344, 351, 352, 354-369, 380-384, 386,388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	103	4	4	5	7	7	27	48	6	4	3	6	3	–	10	10	6	–	17	5	8	2	5	7	13	3	6	–	7
400-402	79	Rheumatic fever	12	–	–	2	1	–	5	3	2	–	–	1	–	–	–	1	1	–	1	–	1	1	–	–	1	–	1	1	–
		Heart Disease (410-443) ... TOTAL	4180	115	181	165	250	121	1213	2189	380	200	56	119	107	179	480	281	394	65	598	329	247	108	111	94	479	71	308	132	115
410-416	80	Chronic rheumatic heart disease	240	4	8	9	10	5	66	83	12	8	5	7	–	5	12	11	23	5	13	12	3	1	2	6	24	2	18	4	1
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	1348	43	40	51	77	38	379	866	125	68	14	37	33	69	162	67	111	28	219	61	93	40	41	34	158	11	133	48	39
421	81*b*	Chronic endocarditis not specified as rheumatic	134	5	3	5	5	6	33	70	3	6	–	1	2	7	10	8	11	3	18	15	10	5	6	6	15	1	5	4	3
422.0	81*c*	Fatty degeneration of heart	14	–	–	–	2	1	3	3	1	1	–	–	1	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1951.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
422.1	81*d*	Myocardial degeneration with arteriosclerosis	4989	165	159	251	20	41	64	24	32	254	72	30	18	37	20	32	70	27	5	68	49	16	60	226	51	39	50	12	36
422.2	81*e*	Other myocardial degeneration	5314	86	72	235	14	110	119	76	44	220	58	51	24	44	41	35	58	49	36	112	34	55	49	189	29	66	15	11	42
430-432	82*a*	Acute non-rheumatic heart disease ...	209	4	12	9	1	1	3	5	–	10	2	–	–	1	2	–	3	1	1	2	–	6	2	12	1	2	1	1	–
433, 434	82*b*	Other and unspecified diseases of heart ...	1115	16	22	23	5	26	19	4	5	37	14	4	8	3	7	13	10	6	20	23	9	11	11	47	5	22	5	–	5
440-443	83	Hypertension with heart disease ...	831	25	17	22	6	21	12	12	11	33	9	4	–	1	4	2	5	2	4	15	6	7	9	32	9	10	8	–	4
444-447	84	Hypertension without mention of heart ...	648	36	25	13	2	7	9	2	2	32	10	5	2	–	2	5	4	9	–	11	5	7	8	35	3	11	6	–	2
450	85*a*	General arteriosclerosis	824	59	15	14	6	6	21	10	8	39	18	3	3	14	10	8	15	4	2	16	6	4	6	29	4	19	4	3	7
451-456	85*b*	Other diseases of arteries	184	8	6	9	1	1	5	1	–	6	1	4	–	1	3	2	4	1	–	4	1	–	–	9	1	2	2	–	–
460-468	86	Other diseases of circulatory system ...	211	12	5	8	1	2	2	–	–	13	2	–	1	1	3	2	2	–	–	4	3	–	1	6	1	3	2	1	–
470-475	87	Acute upper respiratory infections	24	1	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–
480-483	88	Influenza	958	9	19	25	1	13	33	6	15	45	12	4	5	11	6	4	13	5	3	16	9	4	8	39	7	25	1	2	9
490	89	Lobar pneumonia	403	18	10	27	1	6	8	4	–	6	2	2	1	–	–	3	8	6	1	5	3	6	2	10	1	5	2	3	3
491	90	Bronchopneumonia	1659	85	44	116	8	37	15	17	15	63	6	2	4	4	19	14	24	9	5	26	23	7	9	44	5	11	10	–	2
492, 493	91	Primary atypical, other and unspecified pneumonia	235	3	3	6	–	3	2	2	2	12	–	2	2	1	1	2	3	7	1	3	3	1	3	4	1	6	1	–	3
		Bronchitis (500-502) ... ... TOTAL	2488	70	40	60	14	27	19	10	18	94	14	6	11	6	12	5	18	17	12	31	13	22	24	105	4	16	5	2	9
500	92	Acute...	433	12	12	10	2	6	3	3	2	12	5	2	4	2	–	2	5	–	3	2	4	5	4	26	1	4	1	–	2
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary	1003	18	11	33	3	10	6	4	8	44	2	–	4	2	6	2	9	9	4	14	5	3	13	37	3	5	3	1	3
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	1052	40	17	17	9	11	10	3	8	38	7	4	3	2	6	1	4	8	5	15	4	14	7	42	–	7	1	1	4
510	94	Hypertrophy of tonsils and adenoids ...	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
518-521	95	Empyema and abscess of lung	34	–	–	2	–	1	1	–	1	3	–	–	1	–	–	–	–	–	–	1	1	–	–	3	1	–	1	–	–
519	96	Pleurisy	34	–	1	2	–	1	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
511-517, 520, 522-527	97	All other respiratory diseases	563	21	7	31	2	4	12	8	6	36	–	2	7	3	1	–	4	2	3	12	3	6	–	32	1	6	2	1	3
530-535	98	Diseases of teeth and supporting structures...	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	302	6	7	16	1	5	6	–	3	14	4	3	3	1	1	–	2	1	2	10	5	1	3	8	4	2	1	–	1
541	100	Ulcer of duodenum	317	15	12	14	1	5	3	–	1	12	4	1	1	1	2	1	3	2	3	5	5	1	2	13	1	5	6	1	2
543	101	Gastritis and duodenitis	34	–	1	1	–	2	1	–	–	1	3	1	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
550-553	102	Appendicitis	118	4	7	4	–	1	–	1	–	8	–	2	–	1	1	–	3	–	–	1	5	1	4	2	–	1	–	1	–
560,561, 570	103	Intestinal obstruction and hernia	394	17	6	19	2	8	9	4	3	26	5	1	3	1	6	–	4	4	1	7	1	2	3	12	4	6	1	1	2
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	198	1	2	6	–	–	1	2	3	10	–	1	1	–	3	4	2	2	–	5	–	2	2	15	3	1	–	–	1
571.1	104*b*	Gastro-enteritis over 2 years	107	–	2	5	–	2	1	–	2	8	3	–	1	1	1	–	–	3	–	–	–	3	2	1	–	3	–	–	–
572	104*c*	Chronic enteritis and ulcerative colitis ...	133	7	2	6	1	2	2	1	2	7	–	2	2	1	1	1	1	2	–	2	–	2	–	3	–	1	–	2	1
581	105	Cirrhosis of liver	169	5	5	12	1	3	3	1	4	9	2	1	–	1	1	2	–	1	1	1	1	–	–	7	1	1	3	–	–
584-585	106	Cholelithiasis and cholecystitis	213	13	8	9	1	–	3	4	2	13	1	2	–	2	6	2	2	2	–	3	3	1	2	8	–	5	2	–	1
580, 582, 583, 586	107*a*	Other diseases of liver	89	3	1	5	–	1	2	1	2	7	–	1	–	2	1	–	3	1	–	–	–	1	–	5	–	–	–	–	–
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	220	10	9	16	1	2	–	2	2	6	3	–	–	2	1	–	1	–	1	3	5	1	2	4	1	2	–	–	2
590	108	Acute nephritis	51	–	1	3	1	1	–	–	1	4	1	–	–	2	–	–	–	2	–	3	–	–	–	1	–	1	–	–	1

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1951.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
422.1	81*d*	Myocardial degeneration with arteriosclerosis	796	34	83	60	48	33	294	540	84	50	3	28	40	30	136	81	108	8	165	80	76	18	25	19	101	8	48	34	31
422.2	81*e*	Other myocardial degeneration	1211	19	25	26	82	29	308	374	98	55	23	30	20	46	109	91	106	13	122	119	53	34	27	18	139	42	61	31	29
430-432	82*a*	Acute non-rheumatic heart disease ...	36	1	1	2	1	–	30	12	12	–	–	2	1	–	6	6	3	–	4	1	1	–	2	–	4	–	2	–	–
433, 434	82*b*	Other and unspecified diseases of heart ...	221	6	13	8	15	5	49	136	30	5	9	9	4	16	25	14	21	6	31	18	10	8	5	7	24	6	20	7	7
440-443	83	Hypertension with heart disease ...	180	3	8	4	10	4	51	105	15	7	2	5	6	5	20	3	11	2	25	23	1	2	3	4	13	1	20	4	4
444-447	84	Hypertension without mention of heart ...	132	3	2	1	5	9	35	75	14	7	4	2	1	3	8	6	12	1	22	5	2	1	6	1	22	2	12	–	2
450	85*a*	General arteriosclerosis	122	1	–	3	10	11	35	89	9	6	1	5	5	3	20	8	14	–	42	9	12	5	6	4	15	9	21	2	4
451-456	85*b*	Other diseases of arteries	36	1	2	1	2	–	9	20	6	1	–	1	–	3	2	2	2	–	5	2	3	2	–	–	4	1	3	1	3
460-468	86	Other diseases of circulatory system ...	39	–	3	1	2	1	14	29	7	3	1	–	–	–	6	1	5	1	3	2	2	1	1	3	6	–	4	1	–
470-475	87	Acute upper respiratory infections	4	–	–	–	1	–	1	4	1	–	–	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–
480-483	88	Influenza	191	3	5	12	9	11	45	74	10	4	5	4	2	17	18	16	14	3	36	28	17	1	7	6	19	12	15	8	17
490	89	Lobar pneumonia	94	1	5	3	7	5	23	46	8	–	–	–	1	3	5	2	10	–	12	6	3	3	1	1	6	1	8	4	2
491	90	Bronchopneumonia	393	9	19	10	12	9	91	192	26	10	3	5	5	5	16	23	21	11	33	16	5	13	7	18	34	3	32	9	5
492, 493	91	Primary atypical, other and unspecified pneumonia	71	–	3	1	2	3	10	24	3	–	–	–	–	1	7	5	2	1	7	3	1	2	2	–	4	1	5	–	–
		Bronchitis (500-502) ... ... TOTAL	814	20	25	16	54	13	145	282	31	12	1	6	5	12	32	48	60	17	43	20	15	5	20	12	54	–	27	9	6
500	92	Acute...	89	4	6	3	13	1	30	63	7	5	–	1	–	1	12	6	10	3	10	10	3	1	2	1	4	–	6	4	4
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary	341	8	4	5	16	8	51	107	9	2	–	2	3	6	13	28	36	10	21	4	4	2	11	7	28	–	14	1	–
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	384	8	15	8	25	4	64	112	15	5	1	3	2	5	7	14	14	4	12	6	8	2	7	4	22	–	7	4	2
510	94	Hypertrophy of tonsils and adenoids ...	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
518-521	95	Empyema and abscess of lung	8	–	–	–	2	–	–	1	–	3	–	–	–	–	–	1	–	–	1	–	–	–	–	1	1	–	–	–	–
519	96	Pleurisy	6	–	–	1	2	–	1	4	3	–	–	–	–	–	1	3	–	–	2	1	1	–	–	–	–	–	1	–	–
511-517, 520, 522-527	97	All other respiratory diseases	98	6	10	3	11	–	54	63	14	2	–	1	–	7	8	6	6	1	3	6	2	3	5	1	20	1	12	4	1
530-535	98	Diseases of teeth and supporting structures...	2	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	76	2	4	3	5	4	14	24	5	1	1	2	–	2	2	5	5	2	6	4	4	2	2	2	9	1	4	1	–
541	100	Ulcer of duodenum	64	1	2	1	2	1	13	36	8	4	–	3	2	4	6	4	7	2	7	3	7	–	2	1	10	–	3	2	–
543	101	Gastritis and duodenitis	2	–	–	–	1	1	4	2	1	–	–	–	1	–	1	1	–	–	–	–	–	1	2	–	2	–	–	1	1
550-553	102	Appendicitis	27	1	1	2	–	1	12	6	1	1	–	1	2	1	–	3	1	–	2	–	–	1	–	3	2	–	3	–	–
560,561, 570	103	Intestinal obstruction and hernia	74	2	3	4	1	1	21	40	6	5	–	–	1	3	11	13	12	4	10	3	4	–	–	2	7	3	5	–	1
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	61	4	4	4	2	–	19	4	3	–	–	–	–	2	1	3	4	1	6	2	–	–	1	3	3	–	3	1	–
571.1	104*b*	Gastro-enteritis over 2 years	26	–	3	–	4	–	7	6	1	–	–	1	–	1	3	1	–	–	2	2	2	–	1	1	2	–	2	4	–
572	104*c*	Chronic enteritis and ulcerative colitis ...	27	–	–	2	–	–	2	22	2	1	–	–	–	2	3	1	1	–	4	1	3	1	1	–	7	–	1	1	–
581	105	Cirrhosis of liver	44	2	1	2	2	–	4	16	3	–	–	–	1	2	5	–	2	1	4	–	2	1	1	1	4	1	3	–	1
584-585	106	Cholelithiasis and cholecystitis	39	–	1	–	2	–	13	14	7	2	1	1	3	1	5	3	1	–	6	3	3	–	–	3	8	1	1	–	–
580, 582, 583, 586	107*a*	Other diseases of liver	15	1	–	–	–	1	6	7	3	–	–	–	1	1	2	–	2	–	4	–	1	–	1	–	4	1	3	–	–
536-539, 542, 544-545, 573-578, 587	107*b*	Other diseases of digestive system	42	1	4	3	1	2	11	21	2	–	1	2	2	1	2	2	3	1	7	7	1	3	3	4	11	1	3	1	2
590	108	Acute nephritis	11	–	–	1	1	–	4	4	1	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	2	–	1	–	1

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1951.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
591-594	109	Chronic, other and unspecified nephritis ...	599	22	17	14	2	8	9	2	5	28	5	5	–	6	8	1	8	2	–	5	2	5	8	34	3	21	2	7	1
600	110	Infections of kidney	126	1	3	8	–	1	3	–	–	6	2	–	–	–	–	2	1	–	–	1	2	–	1	9	–	1	2	–	3
602, 604	111	Calculi of urinary system	59	2	2	6	–	2	1	–	1	1	–	–	1	–	1	–	–	–	–	4	1	–	–	1	–	–	–	–	–
610	112	Hyperplasia of prostate	425	15	21	30	1	13	6	4	1	18	6	2	4	1	2	5	6	2	1	8	8	8	5	19	3	3	2	2	3
620, 621	113	Diseases of breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	83	6	6	3	–	2	–	1	–	4	1	–	–	–	1	–	1	–	–	3	–	–	1	2	–	1	1	–	–
601, 603, 607-609, 611-617, 622-637 640, 641,	114*b*	Other diseases of genito-urinary system ...	108	3	3	6	–	4	2	–	–	4	4	–	–	2	2	–	2	1	1	–	–	1	1	3	1	2	–	–	–
681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	17	1	–	1	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	17	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth ...	8	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
671, 672	117*b*	Postpartum hæmorrhage	12	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
650	118	Abortion without mention of sepsis or toxæmia	6	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
651	119	Abortion with sepsis	11	1	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium	28	–	1	1	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	2	–	–	–	1	–	–	–	–	–
690-698	121	Infections of skin and subcutaneous tissue ...	23	2	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	2	2	–	–	–	1	–
720-725	122	Arthritis and spondylitis	104	3	7	3	1	1	1	–	1	10	3	–	–	–	–	–	–	1	1	3	2	1	1	4	1	1	–	–	–
726, 727	123	Muscular-rheumatism and rheumatism unspecified	9	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
730	124	Osteomyelitis and periostitis	12	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	94	4	2	1	1	3	3	2	1	6	1	2	–	–	2	–	1	2	1	1	–	–	–	7	–	1	3	–	1
		Congenital malformations and certain diseases of early infancy (750-776) TOTAL	2323	61	64	94	6	26	28	8	22	95	24	13	14	9	21	13	26	12	6	47	20	22	25	104	14	23	8	4	12
751	127	Spina bifida and meningocele	112	1	1	6	–	–	–	2	2	3	2	–	–	–	–	2	–	–	–	3	2	1	2	2	–	–	2	–	1
754	128	Congenital malformations of circulatory system	204	7	7	5	2	5	2	1	2	8	3	1	–	1	5	1	1	2	–	–	4	–	1	11	4	1	–	–	2

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1951.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
591-594	109	Chronic, other and unspecified nephritis ...	119	3	6	4	6	1	36	45	13	2	1	10	1	6	5	11	12	6	15	8	7	4	6	2	18	3	6	7	6
600	110	Infections of kidney	29	–	2	–	2	–	5	17	3	1	–	–	1	–	–	–	5	1	2	–	–	2	–	1	2	–	5	–	2
602, 604	111	Calculi of urinary system	10	–	–	–	1	1	6	7	2	–	–	1	1	1	–	–	–	–	4	–	–	–	–	–	–	–	2	–	–
610	112	Hyperplasia of prostate	64	3	3	4	5	1	14	38	3	6	–	4	4	4	11	5	8	–	6	4	8	4	1	2	6	3	6	5	4
620, 621	113	Diseases of breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	10	–	–	2	–	2	3	9	–	2	1	–	1	–	3	1	2	–	2	–	1	2	2	–	2	1	3	1	–
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system ...	23	1	–	1	–	–	8	15	3	1	–	–	1	–	–	–	3	–	4	–	3	–	1	–	2	–	–	–	–
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	2	–	–	–	1	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	1	–	–	–	–	–	2	2	1	–	–	1	–	1	1	1	1	–	–	–	–	–	–	–	1	–	–	–	1
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth ...	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
671, 672	117*b*	Postpartum hæmorrhage	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
650	118	Abortion without mention of sepsis or toxæmia	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
651	119	Abortion with sepsis	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium	7	–	–	–	–	–	3	–	1	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	1	–	–	2	–
690-698	121	Infections of skin and subcutaneous tissue ...	2	–	–	–	–	–	2	4	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	1
720-725	122	Arthritis and spondylitis	21	1	3	–	–	–	5	9	1	–	–	2	2	–	1	1	1	–	5	–	1	1	1	–	4	–	–	–	–
726, 727	123	Muscular-rheumatism and rheumatism unspecified	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1
730	124	Osteomyelitis and periostitis	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	16	2	–	–	2	1	3	14	–	–	–	2	–	–	–	–	3	–	2	–	1	–	–	–	–	–	2	1	–
		Congenital malformations and certain diseases of early infancy (750-776) TOTAL	596	25	29	20	35	9	155	150	38	22	3	6	5	9	29	35	55	18	54	25	8	12	21	8	62	8	37	23	5
751	127	Spina bifida and meningocele	26	2	3	–	2	–	16	10	2	2	–	–	–	–	1	3	5	–	1	–	–	–	1	1	2	1	1	1	–
754	128	Congenital malformations of circulatory system	45	1	2	4	1	–	15	19	5	1	–	–	1	2	2	2	2	3	4	3	–	1	1	–	6	1	4	3	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1951.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	EastLothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
750, 752, 753 755-759	129	All other congenital malformations ...	286	6	10	12	1	1	1	1	4	12	5	4	1	1	7	1	6	1	–	4	1	2	2	12	–	2	–	2	2
760, 761	130	Birth injuries	304	9	7	11	1	6	1	3	4	9	2	1	2	–	1	–	5	1	1	4	3	2	2	10	1	1	3	2	1
762	131	Postnatal asphyxia and atelectasis ...	324	11	12	19	–	8	4	–	–	13	3	2	1	–	1	2	4	–	1	5	2	2	5	12	2	2	2	–	–
763	132*a*	Pneumonia of newborn	166	4	6	19	–	1	3	–	1	11	2	–	1	1	1	1	–	4	–	8	3	1	–	4	1	2	–	–	1
764	132*b*	Diarrhœa of newborn	34	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–	1	1	1	1	1	3	–	1	–	–	–
765-768	132*c*	Other infections of newborn	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
770	133	Hæmolytic disease of newborn	74	–	2	2	–	1	1	–	–	4	–	–	–	1	–	1	1	1	–	1	1	–	2	5	–	2	–	–	–
769, 771, 772	134	All other defined diseases of early infancy	89	–	1	1	–	–	3	–	–	6	–	–	1	1	–	–	–	1	–	1	–	1	–	11	–	–	–	–	–
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified ...	721	22	18	19	2	4	13	1	8	28	6	5	8	4	5	5	9	2	3	20	3	11	10	33	6	12	1	–	5
794	136	Senility without mention of psychosis ...	1292	5	48	9	9	48	36	13	5	40	14	5	13	28	15	6	21	11	21	19	7	14	15	45	3	72	4	3	23
780-793, 795	137	Ill-defined and unknown causes	1071	9	17	21	–	7	31	24	7	39	9	2	8	13	14	3	11	8	7	20	7	15	4	25	3	20	7	2	9
	E Code	Alternative classification of accidents, poisonings and violence (external cause) *Violence* (800-999) ... ... Total	2584	61	84	122	7	35	36	11	22	114	22	18	7	17	20	21	33	18	11	40	28	21	25	109	14	34	12	6	23
E810-835	E138	Motor vehicle accidents	516	2	19	26	1	9	6	3	4	22	6	4	1	3	6	10	6	4	5	10	4	7	1	24	2	3	5	–	2
E840-E845	E139*a*	Other road transport accidents	49	2	2	–	–	–	1	–	–	–	1	2	1	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–
E800-E802, E850-E866	E139*b*	Other transport accidents	122	4	5	4	–	–	4	1	1	2	2	–	–	2	2	–	–	3	2	1	–	1	–	7	–	3	–	–	11
E870-E895	E140	Accidental poisoning	226	6	3	26	1	3	1	4	2	11	–	1	–	–	2	1	–	1	1	6	2	3	3	16	3	2	1	–	–
E900-E904	E141	Accidental falls	667	18	27	35	1	9	9	1	4	27	6	4	1	5	2	5	7	1	1	7	6	5	5	28	4	9	2	2	4
E912	E142	Accident caused by machinery	27	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	3	1	1	–	2	–	–	–	–	–
E916	E143	Accident caused by fire and explosion of combustible material	18	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	2	–	–	–
E917, E918	E144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	103	5	1	2	–	1	–	–	3	9	1	1	1	2	1	1	2	2	–	1	2	1	1	–	–	4	–	–	1
E919	E145	Accident caused by firearm	30	–	3	–	–	1	–	1	–	2	–	–	–	1	–	–	7	–	–	–	–	–	–	–	–	2	–	–	2
E929	E146	Accidental drowning and submersion ...	204	4	10	6	–	5	3	1	4	14	2	1	1	2	1	–	1	5	–	3	2	1	5	3	2	3	2	2	1
E921-E925	E147*a*	Accidental mechanical suffocation, etc. ...	186	5	2	9	1	3	1	–	1	9	1	–	1	1	2	–	–	1	1	1	5	1	2	6	1	1	–	1	2
E910, E911, E913-E915, E920, E926-E928, E930-E962, E963,	E147*b*	All other accidental causes	126	–	2	3	–	–	4	–	1	7	–	1	–	1	1	–	2	–	1	1	5	1	4	8	–	2	1	–	–
E970-E979 E964,	E148	Suicide and self-inflicted injury	276	14	8	10	3	3	5	–	1	10	3	2	1	–	1	2	5	–	–	5	1	–	3	12	1	2	1	1	–
E980-E985 E965,	E149	Homicide and injury purposely inflicted by other persons (not in war)	22	1	1	1	–	–	–	–	–	1	–	2	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
E990-E999	E150	Injury resulting from operations of war ...	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	–	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1951.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
750, 752, 753, 755-759	129	All other congenital malformations ...	83	2	3	1	3	–	16	21	4	2	–	2	–	2	3	1	9	2	3	4	2	2	1	–	7	3	8	–	1
760, 761	130	Birth injuries	94	2	5	3	5	1	19	29	8	3	1	–	–	1	2	7	5	1	6	3	1	1	2	1	4	–	1	5	1
762	131	Postnatal asphyxia and atelectasis ...	88	3	5	2	7	4	20	21	6	4	–	–	3	1	3	6	4	3	10	2	1	1	1	–	7	1	6	1	1
763	132*a*	Pneumonia of newborn	56	–	–	1	2	1	6	6	2	1	–	–	–	–	4	2	1	–	–	1	–	1	–	–	3	–	2	2	–
764	132*b*	Diarrhœa of newborn	10	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	4	–	–	–	–
765-768	132*c*	Other infections of newborn	1	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
770	133	Hæmolytic disease of newborn	20	–	1	1	–	–	2	5	1	–	–	1	–	–	4	3	1	–	1	–	–	1	1	–	5	–	1	1	–
769, 771, 772	134	All other defined diseases of early infancy	18	1	1	2	2	–	9	10	1	1	1	–	–	–	–	1	2	2	2	2	–	–	–	–	3	–	1	1	2
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified ...	155	12	9	6	13	3	49	27	9	8	1	3	1	3	10	10	26	7	27	9	4	5	12	6	19	2	13	9	–
794	136	Senility without mention of psychosis ...	187	2	20	16	19	1	86	70	5	9	–	19	7	8	44	26	12	–	23	66	10	13	3	14	25	16	6	4	29
780-793, 795	137	Ill-defined and unknown causes	366	4	15	13	8	3	64	40	6	8	1	3	3	14	19	35	8	4	20	20	5	3	11	5	16	7	14	3	11
	E Code	Alternative classification of accidents poisonings and violence (external cause)																													
		Violence (800-999) ... ... TOTAL	538	17	18	21	21	6	152	290	47	43	5	8	12	24	67	33	41	12	55	27	21	10	10	15	50	5	39	16	10
E810-835	E138	Motor vehicle accidents	103	1	5	4	5	2	44	48	13	4	2	1	–	3	13	6	6	2	10	4	6	–	4	4	12	–	11	7	1
E840-E845	E139*a*	Other road transport accidents	13	–	–	–	–	–	5	6	2	1	–	–	–	–	–	1	1	1	2	–	1	–	–	–	1	–	1	1	–
E800-E802, E850-E866	E139*b*	Other transport accidents	18	–	–	2	2	–	8	6	3	12	–	–	–	–	3	3	–	–	3	–	–	1	1	1	1	–	2	–	1
E870-E895	E140	Accidental poisoning	38	3	2	4	4	1	4	38	2	3	–	–	–	6	3	4	1	–	1	–	3	1	1	3	3	–	1	1	–
E900-E904	E141	Accidental falls	138	4	3	6	3	1	31	88	11	8	1	4	4	5	14	8	15	4	22	9	7	6	3	3	12	4	11	3	4
E912	E142	Accident caused by machinery	5	–	1	–	–	1	2	–	1	1	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E916	E143	Accident caused by fire and explosion of combustible material	5	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
E917, E918	E144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	24	–	1	1	1	–	8	8	1	1	–	–	2	–	6	–	2	1	–	2	–	–	–	–	2	–	1	–	–
E919	E145	Accident caused by firearm	2	–	–	–	–	–	2	1	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E929	E146	Accidental drowning and submersion ...	38	1	1	–	2	–	10	18	1	4	–	1	–	5	9	5	2	1	8	3	2	1	–	–	3	1	1	–	3
E921-E925	E147*a*	Accidental mechanical suffocation, etc. ...	60	1	2	1	2	–	15	14	1	3	–	–	–	2	5	1	6	–	2	3	1	1	–	–	2	–	5	1	–
E910, E911, E913-E915, E920, E926-E928, E930-E962, E963,	E147*b*	All other accidental causes	23	–	2	1	1	–	9	3	7	2	2	–	–	1	2	3	2	2	2	3	–	–	–	2	8	–	5	1	–
E970-E979 E964,	E148	Suicide and self-inflicted injury	63	6	–	–	1	–	11	57	3	4	–	–	6	2	5	1	5	–	5	1	1	–	1	2	6	–	–	1	1
E980-E985	E149	Homicide and injury purposely inflicted by other persons (not in war)	6	1	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
E965, E990-E999	E150	Injury resulting from operations of war ...	2	–	–	1	–	1	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951

International Classification		Causes of Death		ABERDEEN Co. of C. (inc. part in Kincardine Co.)															ABERDEEN COUNTY (excluding County of City)														
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**2181**	**55**	**27**	**16**	**4**	**8**	**15**	**32**	**76**	**180**	**351**	**557**	**651**	**209**	**1761**	**56**	**26**	**18**	**10**	**7**	**23**	**31**	**69**	**126**	**208**	**411**	**569**	**207**
		Total Males ...		**1092**	**33**	**17**	**7**	**1**	**4**	**9**	**15**	**36**	**113**	**207**	**302**	**294**	**54**	**869**	**37**	**15**	**8**	**6**	**1**	**16**	**21**	**33**	**57**	**122**	**213**	**248**	**92**
		Total Females ...		**1089**	**22**	**10**	**9**	**3**	**4**	**6**	**17**	**40**	**67**	**144**	**255**	**357**	**155**	**892**	**19**	**11**	**10**	**4**	**6**	**7**	**10**	**36**	**69**	**86**	**198**	**321**	**115**
001-008	1	Tuberculosis of respiratory system	M.	25	–	–	–	–	–	–	2	5	2	5	10	1	–	21	–	–	–	–	–	–	8	6	1	4	2	–	–
			F.	11	–	–	–	–	–	2	5	2	–	1	1	–	–	7	–	–	–	–	–	–	2	1	1	1	1	1	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	4	–	–	–	–	–	1	–	–	–	1	2	–	–
			F.	4	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	5	–	–	–	–	–	–	–	–	1	2	2	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	4	–	–	–	–	–	–	–	1	1	1	1	–	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
			F.	5	–	–	4	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
140-205	18	Malignant neoplasms	M.	196	–	–	–	1	1	2	4	2	31	53	65	33	4	100	–	–	–	1	–	2	4	5	13	16	23	32	4
			F.	162	–	–	1	–	–	1	1	17	19	32	48	32	11	143	–	–	2	–	–	1	2	13	21	23	36	37	8
210-239	19	Benign and unspecified neoplasms	M.	4	–	–	–	–	–	–	–	–	2	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	1	–	–	3	–	4	–	–	–	1	–	–	–	–	1	1	–	1	–
260	20	Diabetes mellitus	M.	5	–	–	–	–	–	–	–	–	–	2	1	2	–	5	–	–	–	–	–	–	–	1	–	2	1	1	–
			F.	10	–	–	–	–	–	–	1	–	–	4	2	3	–	7	–	–	–	–	–	1	–	–	1	1	3	1	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	1	2
			F.	7	–	–	–	–	–	–	–	–	–	–	5	1	1	6	–	–	–	–	–	–	–	–	–	–	2	1	3
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	12	–	–	–	–	–	1	1	1	–	7	1	1	–	10	–	–	1	–	–	–	–	–	3	2	2	2	–
			F.	10	–	–	–	–	–	1	1	1	1	3	1	2	–	15	–	–	–	–	–	–	–	2	4	3	4	2	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	142	–	–	–	–	–	–	1	3	7	18	49	56	8	128	–	–	–	–	–	1	1	–	7	16	37	49	17
			F.	200	–	–	–	–	–	–	–	3	16	31	41	82	27	176	–	–	–	–	–	–	–	2	11	18	52	76	17
340	23	Non-meningococcal meningitis	M.	2	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	21	–	–	–	–	2	–	1	3	2	3	5	5	–	18	–	–	–	1	–	–	–	3	3	1	7	3	–
			F.	23	–	–	–	–	–	–	1	3	2	3	2	9	3	23	–	–	–	–	–	1	1	3	1	2	8	7	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	14	–	–	–	–	–	1	1	1	2	4	2	2	1	3	–	–	–	–	–	–	–	–	1	–	1	–	1
			F.	24	–	–	–	–	2	–	2	3	4	7	3	3	–	7	–	–	–	–	–	–	–	–	2	1	1	3	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	315	–	–	–	–	–	1	1	4	32	59	94	101	23	260	–	–	–	–	–	1	1	4	7	46	87	77	37
			F.	317	–	–	–	–	–	–	2	–	8	28	92	136	51	232	–	–	–	–	–	–	2	1	6	13	54	113	43
430-434	27	Other diseases of heart ...	M.	10	–	–	–	–	–	–	–	–	–	3	3	4	–	17	–	–	–	–	–	–	2	–	–	2	6	4	3
			F.	10	–	–	–	–	–	–	–	–	1	1	4	2	2	17	–	–	–	–	1	1	–	–	2	–	3	8	2
440-443	28	Hypertension with heart disease	M.	9	–	–	–	–	–	–	–	–	–	1	4	4	–	10	–	–	–	–	–	1	–	–	–	2	4	3	–
			F.	16	–	–	–	–	–	–	–	–	–	4	7	3	2	7	–	–	–	–	–	–	–	–	–	1	–	6	–
444-447	29	Hypertension without heart	M.	21	–	–	–	–	–	–	–	–	3	–	6	10	2	13	–	–	–	–	–	–	–	–	3	2	1	4	3

480-483	30	Influenza	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	–	–	–	–	1	5	–
			F.	8	–	–	–	–	–	–	–	–	1	2	–	4	1	13	–	–	1	–	–	–	–	–	–	–	2	9	1
490-493	31	Pneumonia	M.	47	–	7	1	–	–	–	–	–	5	8	11	14	1	27	–	7	–	–	–	–	–	–	1	4	5	9	1
			F.	59	–	4	1	–	–	1	–	–	4	5	8	25	11	30	–	3	1	–	–	–	–	1	1	1	8	10	5
500-502	32	Bronchitis	M.	36	–	1	1	–	–	–	1	2	6	8	9	8	–	22	–	–	–	–	–	–	–	–	1	4	2	7	8
			F.	34	–	1	–	–	–	–	–	–	1	4	9	9	10	18	–	1	–	–	–	–	–	1	–	1	4	10	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	12	–	1	–	–	–	–	1	1	1	2	3	2	1	5	–	–	–	–	–	–	–	–	1	2	1	1	–
			F.	10	–	–	–	–	–	–	–	–	1	1	2	3	3	3	–	–	–	–	–	–	–	–	1	–	–	1	1
540-541	33	Ulcer of stomach and duodenum	M.	14	–	–	–	–	–	–	–	3	4	1	2	4	–	13	–	–	–	–	–	–	1	3	2	3	2	2	–
			F.	7	–	–	–	–	–	–	–	1	1	1	3	1	–	6	–	–	–	–	–	–	–	–	1	2	2	1	–
550-553	34	Appendicitis	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	–	–	1	–	1	1	–	1
			F.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	–	–	–	–	1	–	–	–	2	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	8	–	1	–	–	–	–	–	–	4	–	1	2	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
			F.	9	–	–	–	–	–	–	–	–	–	3	2	4	–	3	–	–	–	–	–	–	–	–	–	–	–	1	2
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	5	–	1	–	–	–	–	–	1	–	2	–	1	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	–	1	1	4	–	–	1	–	–	–	–	–	1	–	1	1	–
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	–	2	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	1	–	–	–	–	1	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	6	–	–	–	–	–	–	–	–	–	2	3	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	10	–	–	–	1	–	–	–	–	1	1	3	3	1	7	–	–	–	–	–	1	–	–	–	4	–	1	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	4	–	–	–	–	–	–	–	–	–	2	1	–	1	6	–	–	1	–	–	–	–	–	1	2	1	1	–
			F.	6	–	–	–	–	–	–	–	–	1	2	2	1	–	3	–	–	–	–	2	–	–	–	1	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	14	–	–	1	–	–	1	–	1	2	3	2	3	1	7	–	–	–	–	–	1	1	–	1	–	1	2	1
			F.	8	–	–	–	–	–	–	–	–	1	2	2	–	3	11	–	–	–	–	1	–	1	3	1	–	4	1	–
610	39	Hyperplasia of prostate ...	M.	15	–	–	–	–	–	–	–	–	–	1	1	11	2	21	–	–	–	–	–	–	–	–	–	1	5	14	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	9	–	–	1	–	–	–	–	–	–	1	3	4	–	6	–	–	–	–	–	–	–	–	2	–	2	2	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	8	–	–	–	–	–	–	–	1	4	–	1	1	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	7	–	–	–	–	–	–	–	1	1	1	1	2	1	3	–	1	–	–	–	–	–	–	–	–	2	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	7	–	–	–	–	–	–	–	–	1	2	–	4	–
750-759	41	Congenital malformations ...	M.	5	4	–	–	–	–	–	–	1	–	–	–	–	–	7	3	2	–	1	–	–	–	1	–	–	–	–	–
			F.	9	5	2	1	1	–	–	–	–	–	–	–	–	–	11	5	3	1	–	–	–	–	–	2	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	7	1	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	14	14	–	–	–	–	–	–	–	–	–	–	–	–	15	14	1	–	–	–	–	–	–	–	–	–	–	–
			F.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	6	5	1	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	16	–	–	–	–	–	–	–	–	–	–	3	9	4
			F.	4	–	–	–	–	–	–	–	–	–	–	–	–	4	32	–	–	–	–	–	–	–	–	–	–	2	11	19
780-793, 795	45.1	Cause ill-defined and unknown	M.	4	–	–	–	–	–	–	–	–	–	3	–	1	–	10	–	2	–	–	–	–	–	–	1	2	2	3	–
			F.	5	–	–	–	–	–	–	–	–	–	–	1	3	1	7	1	–	–	–	–	–	–	1	–	1	1	2	1
E963, E970-979	E49	Suicide	M.	10	–	–	–	–	–	–	–	2	1	4	3	–	–	5	–	–	–	–	–	–	1	–	1	2	1	–	–
			F.	4	–	–	–	–	–	–	–	–	3	1	–	–	–	3	–	–	–	–	–	–	1	–	–	2	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	2	–	–	1	–	–	1	–	–	–	–	–	–	–	14	–	–	2	1	–	4	1	3	2	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	1	3	1	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	20	–	3	–	–	1	2	1	2	2	5	4	–	–	31	1	1	2	1	1	3	1	4	5	4	1	4	3
			F.	23	–	2	1	1	–	–	1	2	1	–	3	7	5	24	1	–	1	–	–	–	–	1	2	1	5	5	8

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		DUNDEE COUNTY OF CITY														ARBROATH BURGH													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes		**2498**	**80**	**48**	**21**	**4**	**7**	**43**	**62**	**78**	**217**	**373**	**629**	**726**	**210**	**269**	**3**	**6**	**4**	–	**2**	**3**	**8**	**5**	**25**	**32**	**82**	**72**	**27**
		Total Males		**1198**	**55**	**26**	**10**	**2**	**5**	**22**	**34**	**43**	**134**	**214**	**320**	**276**	**57**	**136**	**2**	**5**	**2**	–	**2**	–	**3**	**3**	**16**	**19**	**45**	**28**	**11**
		Total Females		**1300**	**25**	**22**	**11**	**2**	**2**	**21**	**28**	**35**	**83**	**159**	**309**	**450**	**153**	**133**	**1**	**1**	**2**	–	–	**3**	**5**	**2**	**9**	**13**	**37**	**44**	**16**
001-008	1	Tuberculosis of respiratory system	M.	45	–	–	–	–	–	7	7	6	10	9	6	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	26	–	–	2	–	–	4	7	3	3	5	1	1	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	5	–	–	–	1	–	–	1	1	–	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	3	–	–	–	–	–	–	–	–	–	–	3	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	186	–	–	–	–	–	4	2	9	32	46	53	37	3	12	–	–	–	–	–	–	–	1	1	4	5	1	–
			F.	223	–	–	–	–	–	3	5	10	29	54	60	54	8	27	–	–	–	–	–	1	1	1	2	4	12	5	1
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	2	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	10	–	–	–	–	–	–	–	1	–	2	4	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	11	–	–	–	–	–	–	1	–	–	2	4	3	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	6	–	–	–	1	–	–	–	–	–	1	2	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	9	–	–	–	–	–	1	–	1	–	–	–	5	2	3	–	–	–	–	–	–	–	–	1	–	1	–	1
240-254, 270-289, 294-299	46.1	Other general diseases	M.	6	–	–	–	–	–	–	–	–	3	1	–	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	14	–	–	1	–	–	–	–	1	1	8	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	105	–	–	1	–	1	–	–	2	4	15	42	36	4	16	–	–	1	–	–	–	–	–	1	3	5	3	3
			F.	169	–	–	–	–	–	1	2	1	12	15	55	66	17	24	–	–	–	–	–	–	–	–	1	4	7	9	3
340	23	Non-meningococcal meningitis	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	13	–	3	–	1	2	1	1	–	3	1	1	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	15	–	1	1	–	–	1	2	2	–	1	1	6	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	18	–	–	–	–	–	1	3	2	5	4	–	3	–	2	–	–	–	–	1	–	1	–	–	–	–	–	–
			F.	34	–	–	–	–	–	2	1	6	8	7	2	8	–	3	–	–	–	–	–	–	1	–	1	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	357	–	–	–	–	–	1	2	7	36	61	111	105	34	49	–	–	–	–	–	–	–	1	6	7	17	13	5
			F.	412	–	–	–	–	–	–	–	1	5	31	92	196	87	31	–	–	–	–	–	–	–	–	–	–	5	19	7
430-434	27	Other diseases of heart	M.	16	–	–	–	–	–	–	1	–	–	4	4	6	1	5	–	–	–	–	–	–	–	–	–	–	2	3	–
			F.	16	–	1	–	–	–	–	–	1	–	3	3	7	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
440-443	28	Hypertension with heart disease	M.	13	–	–	–	–	–	–	–	–	2	2	6	3	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	9	–	–	–	–	–	–	–	–	–	1	4	4	–	4	–	–	–	–	–	–	–	–	–	–	3	–	1
444-447	29	Hypertension without heart	M.	9	–	–	–	–	–	–	–	–	1	2	1	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

480-483	30	Influenza	M.	11	–	1	–	–	–	–	–	3	2	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	14	–	–	–	–	–	2	1	–	3	–	4	2	2	1	–	–	–	–	–	–	–	–	–	1	1	2	–
490-493	31	Pneumonia	M.	54	–	6	1	–	–	–	–	1	–	9	18	16	3	4	–	–	–	–	–	–	–	–	1	1	2	–
			F.	95	–	14	2	–	–	1	–	–	2	6	26	30	14	5	–	–	–	–	–	–	–	–	1	2	–	2
500-502	32	Bronchitis	M.	34	–	–	–	–	–	–	–	1	2	10	13	8	–	6	–	–	–	–	–	1	–	1	–	2	2	–
			F.	26	–	–	1	–	–	–	–	1	1	2	9	8	4	8	–	–	–	–	–	–	–	1	1	1	5	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	20	–	–	–	–	–	–	–	1	5	8	3	2	1	2	–	–	–	–	–	–	–	1	–	–	–	1
			F.	15	–	–	–	–	–	–	–	1	–	6	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	24	–	–	–	–	–	–	2	3	1	5	9	4	–	2	–	–	–	–	–	–	–	–	1	1	–	–
			F.	6	–	–	–	–	–	–	–	1	1	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	8	–	–	–	–	–	–	1	–	–	1	3	3	–	2	–	1	–	–	–	–	–	1	–	–	–	–
			F.	11	–	1	–	–	–	–	–	–	1	2	2	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	9	–	5	–	–	–	–	1	–	1	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
			F.	8	–	1	–	–	–	–	–	–	–	–	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	9	–	–	–	–	–	–	1	–	4	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	4	–	–	–	–	–	–	–	–	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	10	–	–	–	–	–	–	–	1	1	2	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	8	–	–	–	–	–	–	–	–	2	3	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	8	–	–	–	–	–	–	1	–	1	–	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	7	–	–	–	–	–	–	–	–	6	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
			F.	10	–	–	–	–	–	–	1	1	–	1	4	2	1	2	–	–	–	–	–	2	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	30	–	–	–	–	–	–	–	–	–	2	9	14	5	1	–	–	–	–	–	–	–	–	–	–	1	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	12	–	–	1	–	–	–	–	–	1	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	–	–	–	–	–	–	–	4	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	3	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	5	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	–	2	–	2	–	–	–	–	–	1	–	1	–	–	–	–
750-759	41	Congenital malformations ...	M.	16	8	2	2	–	2	–	1	1	–	–	–	–	–	3	–	2	–	–	–	–	–	1	–	–	–	–
			F.	7	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	21	20	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	14	13	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	14	13	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	8	7	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	6	–	–	–	–	–	–	–	–	–	–	–	4	2	4	–	–	–	–	–	–	–	–	–	1	2	1
			F.	3	–	–	–	–	–	–	–	–	–	–	–	2	1	5	–	–	–	–	–	–	–	–	–	1	4	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	12	–	–	1	–	–	–	–	–	1	1	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	–	–	–	–	–	–	–	–	1	–	2	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	6	–	–	–	–	–	–	2	1	2	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–
			F.	4	–	–	–	–	–	–	–	–	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
E810-835	E47	Motor vehicle accidents ...	M.	18	–	–	3	–	–	3	2	–	5	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	1	2	–	1	–	–	1	–	1	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	45	1	6	–	–	–	3	6	4	4	6	7	7	1	2	–	1	–	–	1	–	–	–	–	–	–	–
			F.	41	–	1	1	–	–	–	1	1	1	6	6	19	5	1	–	–	–	–	–	–	–	–	–	1	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		ANGUS COUNTY (ex. Co. of City and Large Burgh): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	ARGYLL COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**1028**	**20**	**14**	**6**	**6**	**4**	**8**	**16**	**21**	**76**	**120**	**272**	**313**	**152**	**1027**	**29**	**12**	**3**	**3**	**3**	**15**	**13**	**24**	**59**	**130**	**281**	**330**	**125**
		TOTAL Males ...		**480**	**13**	**7**	**5**	**2**	**4**	**5**	**8**	**5**	**42**	**65**	**130**	**137**	**57**	**502**	**17**	**7**	**1**	**3**	**2**	**11**	**4**	**14**	**33**	**76**	**140**	**146**	**48**
		TOTAL Females ...		**548**	**7**	**7**	**1**	**4**	–	**3**	**8**	**16**	**34**	**55**	**142**	**176**	**95**	**525**	**12**	**5**	**2**	–	**1**	**4**	**9**	**10**	**26**	**54**	**141**	**184**	**77**
001-008	1	Tuberculosis of respiratory system	M.	9	–	–	–	–	–	1	1	1	3	1	2	–	–	16	–	–	–	–	–	3	–	4	5	1	1	2	–
			F.	4	–	–	–	–	–	–	2	1	1	–	–	–	–	8	–	–	–	–	–	1	3	–	–	3	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	2	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
140-205	18	Malignant neoplasms	M.	68	–	–	1	1	1	–	1	1	9	16	21	15	2	63	–	–	–	–	–	–	1	2	5	10	26	16	3
			F.	66	–	–	–	–	–	–	1	6	7	17	18	15	2	89	–	–	–	–	–	1	1	5	9	10	31	25	7
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	5	–	–	–	–	–	–	–	–	1	–	1	3	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1
			F.	5	–	–	–	–	–	–	–	–	–	–	4	–	1	4	–	–	–	–	–	–	–	–	–	–	3	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	9	–	–	–	–	–	–	–	–	1	6	–	2	–	4	–	–	–	–	–	–	–	–	1	3	–	–	–
			F.	4	–	–	–	–	–	–	1	1	1	1	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	74	–	–	–	–	–	1	–	2	6	26	21	18	49	–	–	–	–	–	–	–	1	–	3	9	15	15	6
			F.	102	–	–	–	–	–	1	1	–	3	8	34	37	18	75	–	–	–	–	–	–	–	1	2	9	22	35	6
340	23	Non-meningococcal meningitis	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	8	–	–	–	–	–	2	1	–	1	1	1	1	1	10	–	–	–	–	–	–	–	–	2	1	1	5	1
			F.	11	–	–	–	–	–	1	–	–	1	1	5	2	1	19	–	–	–	–	–	–	1	1	1	1	5	8	2
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	5	–	–	–	–	–	–	–	1	3	–	1	–	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–
			F.	5	–	–	–	–	–	–	1	1	2	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	132	–	–	–	–	–	–	–	1	10	19	42	42	18	162	–	–	–	–	–	–	–	1	6	28	51	56	20
			F.	167	–	–	–	–	–	–	–	4	8	12	46	57	40	148	–	–	–	–	–	–	–	–	5	13	46	55	29
430-434	27	Other diseases of heart ...	M.	14	–	–	–	–	–	–	–	–	–	–	8	4	2	9	–	–	–	–	–	–	–	–	–	1	4	4	–
			F.	13	–	–	–	–	–	–	–	–	–	3	3	6	1	13	–	–	–	–	–	1	–	–	–	–	6	6	–
440-443	28	Hypertension with heart disease	M.	5	–	–	–	–	–	–	–	–	–	–	1	3	1	8	–	–	–	–	–	–	–	–	–	1	2	5	–
			F.	16	–	–	–	–	–	–	–	–	2	2	6	5	1	4	–	–	–	–	–	–	–	–	–	–	2	2	–

450-458	46.3	Other circulatory disease	F.	4	–	–	–	–	–	–	–	1	1	–	2	–	15	–	–	–	–	–	–	–	–	–	–	–	1	9	5
480-483	30	Influenza	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	10	–	–	–	–	–	–	–	1	1	–	1	5	2
			F.	11	–	–	–	–	–	–	–	–	2	6	3	23	–	1	–	–	–	–	–	1	1	1	4	12	3
490-493	31.	Pneumonia	M.	23	–	4	–	–	–	–	–	–	1	6	9	3	13	–	2	–	–	–	–	–	1	–	–	5	4	1
			F.	23	–	2	1	–	–	–	1	1	2	6	8	2	12	–	3	–	–	–	–	–	–	–	2	2	2	3
500-502	32	Bronchitis	M.	12	–	1	–	–	–	–	–	–	2	1	5	3	9	–	–	–	–	–	–	–	–	–	3	4	1	1
			F.	15	–	–	–	–	–	–	–	–	1	2	5	7	10	–	–	–	–	–	–	–	1	–	3	4	2
470-475, 510-527	46.4	Other respiratory diseases ...	M.	5	–	1	–	–	–	–	–	1	1	1	1	–	11	1	–	–	1	–	–	–	–	–	4	3	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	–	–	1	–	–	2	3
540-541	33	Ulcer of stomach and duodenum	M.	7	–	–	–	–	–	–	–	3	2	1	1	–	9	–	–	–	–	–	–	1	1	2	3	2	–
			F.	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	–	–	1	2	–	–	6	2	–	–	–	–	–	–	–	–	3	1	–
			F.	5	–	–	–	1	–	–	–	–	1	3	–	–	3	–	–	–	–	–	–	–	–	–	–	3	–
543	36.1	Gastritis and duodenitis ...	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	1	2	1	–	3	–	–	–	–	–	–	1	–	–	1	–	1	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	–	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	–	–	1	1	1	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	6	–	1	–	–	–	–	–	–	–	3	1	1	6	–	–	–	–	–	–	–	–	–	3	3	–	–
			F.	3	–	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	1	1	–	–	1
610	39	Hyperplasia of prostate ...	M.	13	–	–	–	–	–	–	–	–	3	2	6	2	6	–	–	–	–	–	–	–	–	–	–	1	3	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	8	–	–	–	–	–	–	1	–	1	1	2	2	1	2	–	–	–	–	–	–	–	–	–	1	–	1
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	1	–	1	–	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–
750-759	41	Congenital malformations ...	M.	2	1	–	1	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	1	–	2	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	10	10	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	4	3	1	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–	–
			F'	4	3	1	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	16	–	–	–	–	–	–	–	–	–	2	10	4	12	–	–	–	–	–	–	–	–	–	–	7	5
			F.	32	–	–	–	–	–	–	–	–	–	4	17	11	24	–	–	–	–	–	–	–	–	–	1	10	13
780-793, 795	45.1	Cause ill-defined and unknown	M.	4	1	–	1	–	–	–	–	1	–	–	1	–	18	–	–	–	–	–	–	–	1	1	5	5	4	2
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	13	–	–	–	–	–	–	–	–	2	4	2	4	1
E963, E970-979	E49	Suicide	M.	3	–	–	–	–	–	–	–	2	1	–	–	–	5	–	–	–	–	–	–	1	1	1	–	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	6	–	–	1	1	1	1	–	–	1	1	–	–	6	–	–	–	–	–	2	1	–	2	1	–	–
			F.	3	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	11	–	–	1	–	2	–	1	1	2	–	2	2	–	16	–	1	–	1	1	5	–	1	3	1	3	–	–
			F	12	–	2	–	–	–	–	–	–	1	–	1	4	4	8	–	–	1	–	–	–	–	1	–	2	1	2	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		AYR BURGH														KILMARNOCK BURGH													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		561	5	14	2	4	1	6	13	27	39	86	153	159	52	497	20	14	7	2	2	8	11	23	44	85	130	122	29
		Total Males		260	2	8	1	3	1	1	4	12	24	53	66	70	15	263	10	10	3	–	1	8	3	10	26	47	68	65	12
		Total Females		301	3	6	1	1	–	5	9	15	15	33	87	89	37	234	10	4	4	2	1	–	8	13	18	38	62	57	17
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	–	–	–	–	1	1	–	4	–	–	–	8	–	–	–	–	–	2	1	5	–	–	–	–	–
			F.	3	–	–	–	–	–	–	2	1	–	–	–	–	–	6	–	–	–	–	–	–	2	2	2	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	4	–	–	1	1	–	–	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	34	–	–	–	–	–	1	1	2	6	6	8	9	1	30	–	–	–	–	–	–	–	2	3	9	9	6	1
			F.	50	–	–	–	–	–	–	1	5	5	7	16	15	1	36	–	–	1	–	–	–	1	3	6	10	8	7	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	4	–	–	–	–	–	–	–	–	1	–	1	2	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	4	–	–	–	–	–	–	–	–	–	–	1	3	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	26	–	–	–	–	–	–	–	–	2	6	8	7	3	37	–	–	–	–	–	–	–	–	3	8	10	13	3
			F.	48	–	–	–	–	–	–	–	1	3	10	14	13	7	26	–	–	–	–	–	–	–	3	1	3	10	8	1
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	–	–	–	1	2	–	–	1	–	5	–	–	–	–	–	1	–	–	–	2	2	–	–
			F.	4	–	–	–	–	–	1	1	–	–	1	–	1	–	4	–	–	–	–	1	–	1	–	1	–	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	–	1	–	–	2	–	1	–
			F.	6	–	–	–	–	–	–	1	3	2	–	–	–	–	6	–	–	–	–	–	–	1	1	2	1	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	101	–	–	–	–	–	–	–	2	7	22	29	32	9	86	–	–	–	–	–	–	–	2	12	18	23	26	5
			F.	94	–	–	–	–	–	1	1	1	–	9	33	31	18	57	–	–	–	–	–	–	1	1	2	10	23	17	3
430-434	27	Other diseases of heart	M.	6	–	–	–	–	–	–	–	1	1	–	–	4	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
440-443	28	Hypertension with heart disease	M.	4	–	–	–	–	–	–	–	–	–	1	–	3	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	8	–	–	–	–	–	–	–	–	–	2	5	1	–	9	–	–	–	–	–	–	–	1	1	1	2	2	2
444-447	29	Hypertension without heart	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–

480-483	30	Influenza	M.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			F.	5	–	–	–	–	–	–	–	–	–	1	4	–	7	–	–	–	–	–	–	–	–	–	–	2	3	2
490-493	31	Pneumonia	M.	11	–	5	–	1	–	–	–	–	1	3	–	1	11	–	5	–	–	–	–	–	–	–	–	–	3	3	–
			F.	12	–	3	–	–	–	–	1	1	–	–	4	1	2	6	–	2	1	–	–	–	–	1	–	1	1	–	–
500-502	32	Bronchitis	M.	6	–	–	–	–	–	–	–	–	–	1	2	3	–	11	–	–	–	–	–	–	–	–	1	3	1	6	–
			F.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	7	–	–	–	–	–	–	–	–	1	1	1	3	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	1	1	1	–	–	–	–	4	–	–	–	–	–	–	–	–	1	1	2	–	–
			F.	5	–	–	–	–	–	–	–	–	–	–	3	2	3	3	–	–	–	–	–	–	–	–	–	1	1	–	1
540-541	33	Ulcer of stomach and duodenum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	1	–	2	–	–
			F.	3	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	6	–	2	1	–	–	–	–	1	–	1	–	1	–
			F.	2	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	4	–	–	–	–	–	–	1	–	1	–	1	–	3	–	–	–	–	–	–	–	–	–	1	1	–	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	2	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–
750-759	41	Congenital malformations ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	4	3	1	–	–	–	–	–	–	–	–	–	–
			F.	3	1	–	–	1	–	–	–	1	–	–	–	–	–	4	2	–	–	2	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			F.	11	–	–	–	–	–	–	–	–	–	1	5	5	3	–	–	–	–	–	–	–	–	–	–	1	1	1
780-793, 795	45.1	Cause ill-defined and unknown	M.	19	–	–	–	–	–	–	1	1	2	6	5	4	–	2	1	–	1	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	1	2	2	–	5	–	1	–	–	–	–	–	–	–	2	1	1	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	3	–	–	–	1	1	–	–	–	–	–	1	–	3	–	–	–	–	–	2	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	8	–	–	1	–	1	1	–	–	1	2	–	2	–
			F.	6	–	–	–	–	–	1	–	–	1	1	1	2	–	9	–	1	1	–	–	–	–	1	–	1	2	1	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		AYR COUNTY (excluding Large Burghs)															BANFF COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"																															
		ALL CAUSES—Both Sexes ...		**2889**	**88**	**66**	**36**	**14**	**8**	**39**	**57**	**109**	**216**	**427**	**774**	**833**	**222**	**667**	**21**	**9**	**5**	**3**	**–**	**6**	**10**	**17**	**34**	**91**	**156**	**232**	**83**
		Total Males ...		**1482**	**57**	**37**	**19**	**8**	**5**	**26**	**32**	**57**	**135**	**226**	**397**	**396**	**87**	**334**	**12**	**6**	**3**	**2**	**–**	**4**	**7**	**7**	**23**	**49**	**80**	**105**	**36**
		Total Females ...		**1407**	**31**	**29**	**17**	**6**	**3**	**13**	**25**	**52**	**81**	**201**	**377**	**437**	**135**	**333**	**9**	**3**	**2**	**1**	**–**	**2**	**3**	**10**	**11**	**42**	**76**	**127**	**47**
001-008	1	Tuberculosis of respiratory system	M.	31	–	–	–	–	2	3	5	5	5	9	2	–	–	5	–	–	–	–	–	–	1	1	3	–	–	–	–
			F.	23	–	1	1	–	–	4	7	6	–	3	1	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	7	–	–	1	–	–	1	1	3	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	7	–	–	4	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	6	–	–	–	–	–	–	–	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	6	–	1	–	–	–	–	1	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	2	–	–	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
140-205	18	Malignant neoplasms	M.	194	–	–	–	–	1	1	1	11	27	42	62	43	6	48	–	–	–	1	–	–	2	1	5	11	15	12	1
			F.	203	–	–	–	–	1	1	1	16	30	37	66	42	9	63	–	–	–	–	–	–	1	5	5	11	15	19	7
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	6	–	–	–	–	–	–	–	1	–	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	9	–	–	–	–	–	–	–	–	1	3	–	5	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	24	–	–	–	–	–	–	–	–	1	10	10	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
290-293	21	Anæmias	M.	5	–	–	–	–	–	–	–	–	–	1	1	3	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	5	–	–	–	–	–	–	–	–	–	–	2	3	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	13	–	–	1	–	–	2	2	2	2	2	1	1	–	5	–	–	–	–	–	–	–	–	1	1	3	–	–
			F.	22	–	–	–	–	–	–	2	2	1	7	7	2	1	3	–	–	–	–	–	–	–	–	1	–	1	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	195	–	–	1	1	–	–	1	–	14	30	58	81	9	46	–	–	–	–	–	–	–	1	2	10	16	14	3
			F.	238	–	–	–	–	–	–	1	7	12	35	86	81	16	49	–	–	–	–	–	–	–	–	–	6	13	25	5
340	23	Non-meningococcal meningitis	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	17	–	–	–	–	–	2	2	2	2	2	1	6	–	4	–	–	–	–	–	–	1	–	1	1	1	–	–
			F.	17	–	–	–	1	1	1	–	3	1	1	7	1	1	4	–	–	–	–	–	–	1	–	–	1	2	–	–
400-402	24	Rheumatic fever	M.	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	12	–	–	–	–	–	2	1	2	–	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	28	–	–	–	–	–	–	2	1	6	7	4	5	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	471	–	–	–	–	–	2	–	15	36	74	153	154	37	108	–	–	–	–	–	–	–	2	5	12	24	44	21
			F.	407	–	–	–	–	–	–	3	4	9	45	113	178	55	106	–	–	–	–	–	–	–	1	1	14	21	48	21
430-434	27	Other diseases of heart ...	M.	16	–	–	–	–	–	–	–	–	2	1	5	6	2	8	–	–	–	–	–	–	–	–	–	2	3	1	2
			F.	31	–	1	–	–	–	–	–	–	3	6	10	7	4	8	–	–	–	–	–	–	–	–	–	1	3	4	–
440-443	28	Hypertension with heart	M.	13	–	–	–	–	–	–	–	–	1	4	6	2	–	5	–	–	–	–	–	–	–	–	–	1	3	1	–
			F.	[illegible]	–	–	–	–	–	–	–	–	–	2	7	10	1	4	–	–	–	–	–	–	–	–	–	1	2	1	–

480-483	30	Influenza	M.	29	1	–	–	–	–	–	1	1	2	6	8	5	5	–	–	–	–	–	–	–	1	–	–	–	–	–	3	1
			F.	16	–	1	–	–	–	–	–	1	–	4	–	7	3	7	–	–	–	–	–	–	–	–	–	1	–	4	2
490-493	31	Pneumonia	M.	34	–	13	2	–	–	–	1	2	5	4	6	1	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	47	–	13	3	–	–	2	–	2	–	6	9	9	3	5	–	2	–	–	–	–	–	1	–	–	–	1	1
500-502	32	Bronchitis	M.	56	–	2	–	–	–	–	–	–	8	8	20	13	5	5	–	–	–	–	–	–	–	–	–	1	2	2
			F.	38	–	–	–	–	–	–	–	–	1	4	7	19	7	9	–	–	–	1	–	–	–	1	–	3	2	2
470-475, 510-527	46.4	Other respiratory diseases ...	M.	29	–	1	–	–	–	1	–	–	1	7	13	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	–	1	–	–	1	1	1	–	–	2	3	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–
540-541	33	Ulcer of stomach and duodenum	M.	19	–	–	–	–	–	–	1	2	5	4	3	3	1	7	–	–	–	–	–	–	–	1	2	3	1	–
			F.	7	–	–	–	–	–	–	–	2	1	–	1	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–
550-553	34	Appendicitis	M.	7	–	–	2	1	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	17	–	1	–	–	–	–	1	–	–	2	7	6	–	2	–	1	–	–	–	–	–	–	–	1	–	–
			F.	9	1	–	–	–	–	–	–	–	1	2	2	2	1	3	–	–	–	–	–	–	–	–	–	2	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	1	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	15	–	7	2	–	–	3	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	10	–	3	1	–	–	–	1	–	–	2	2	1	–	2	–	–	–	–	–	–	–	1	–	1	–	–
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	6	–	–	–	–	–	–	1	1	–	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
580, 582-586	46.5	Other diseases of liver ...	M.	8	–	–	–	–	–	–	–	–	–	1	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	12	–	–	–	1	–	–	–	–	3	1	1	4	2	1	–	–	–	–	–	–	–	1	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	4	–	–	–	–	1	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	1	–	1
590-594	38	Nephritis and nephrosis ...	M.	16	–	–	–	–	–	1	2	1	2	4	4	2	–	3	–	–	–	–	–	1	–	–	–	–	2	–
			F.	16	–	–	–	–	–	2	–	1	–	4	8	–	1	3	–	–	–	–	1	–	1	–	–	1	–	–
610	39	Hyperplasia of prostate ...	M.	18	–	–	–	–	–	–	–	–	–	1	4	7	6	6	–	–	–	–	–	–	–	–	–	1	5	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	8	–	–	–	–	–	–	–	–	–	–	4	3	1	5	–	–	–	–	–	–	–	–	–	2	2	1
			F.	7	–	–	–	–	–	–	–	–	1	–	1	4	1	2	–	–	–	–	–	–	1	–	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	4	–	–	–	–	–	1	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	13	–	–	–	–	–	–	–	–	–	4	3	4	2	4	–	–	–	–	–	–	–	1	–	–	3	–
750-759	41	Congenital malformations ...	M.	14	8	2	1	–	–	–	1	1	1	–	–	–	–	7	4	1	1	–	–	1	–	–	–	–	–	–
			F.	9	5	3	–	–	–	–	–	1	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	17	17	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	23	22	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	15	15	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	13	–	–	–	–	–	–	–	–	–	–	–	9	4	5	–	–	–	–	–	–	–	–	–	–	3	2
			F.	27	–	–	–	–	–	–	–	–	–	–	1	17	9	9	–	–	–	–	–	–	–	–	–	–	6	3
780-793, 795	45.1	Cause ill-defined and unknown	M.	21	–	1	2	–	–	–	–	–	4	3	6	3	2	6	1	1	–	–	–	–	–	–	–	1	2	1
			F.	18	–	4	2	–	–	–	–	–	3	2	4	3	–	3	–	–	–	–	–	–	–	–	2	1	–	–
E963, E970-979	E49	Suicide	M.	8	–	–	–	–	–	–	1	–	4	1	1	1	–	2	–	–	–	–	–	–	–	1	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	13	–	–	1	5	1	1	4	–	–	1	–	–	–	6	–	–	–	–	–	3	1	–	1	1	–	–	–
			F.	9	–	–	–	3	–	–	–	2	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	49	1	4	6	1	–	5	7	6	4	2	4	6	3	6	–	–	1	–	–	–	–	–	–	–	–	–
			F.	33	1	–	1	–	–	2	2	–	3	2	6	10	6	6	–	1	–	–	–	–	–	–	–	2	1	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		BERWICK COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	BUTE COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	**385**	**10**	**10**	**6**	**2**	–	**3**	**8**	**10**	**29**	**43**	**109**	**113**	**42**	**311**	**10**	**7**	**2**	**1**	–	**5**	**6**	**8**	**16**	**39**	**64**	**109**	**44**
		TOTAL MALES	...	**187**	**7**	**6**	**4**	**1**	–	**3**	**4**	**6**	**15**	**22**	**42**	**60**	**17**	**145**	**3**	**3**	**1**	**1**	–	**2**	**4**	**3**	**9**	**19**	**35**	**50**	**15**
		TOTAL FEMALES	...	**198**	**3**	**4**	**2**	**1**	–	–	**4**	**4**	**14**	**21**	**67**	**53**	**25**	**166**	**7**	**4**	**1**	–	–	**3**	**2**	**5**	**7**	**20**	**29**	**59**	**29**
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	1	–	1	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–	2	–	1	1	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	5	2	7	6	1
140-205	18	Malignant neoplasms	M.	31	–	–	–	–	–	2	2	4	2	14	6	1	24	–	–	–	–	–	–	–	2	1	–	4	7	9	4
			F.	33	–	–	–	–	–	1	2	7	4	12	6	1	27	–	–	–	–	–	–	–	–	–	–	–	1	–	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	6	–	–	–	–	–	–	–	1	–	4	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	2	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	21	–	–	–	–	–	1	–	–	–	2	5	9	4	25	–	–	–	–	–	–	–	–	–	4	6	11	4
			F.	32	–	–	–	–	–	–	–	–	1	5	13	10	3	33	–	–	–	–	–	–	–	–	3	6	11	10	3
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	6	–	–	–	–	–	1	–	–	–	1	1	3	–	4	–	–	1	–	–	–	–	–	–	–	2	1	–
			F.	6	–	–	–	–	–	–	1	–	–	–	3	2	–	7	–	–	–	–	–	–	–	–	–	–	2	1	3	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	58	–	–	–	–	–	–	–	4	9	9	27	9	9	32	–	–	–	–	–	–	–	–	–	2	4	8	17	1
			F.	73	–	–	–	–	–	–	1	–	2	9	23	25	13	35	–	–	–	–	–	–	–	–	–	1	2	4	19	9
430-434	27	Other diseases of heart ...	M.	3	–	–	–	–	–	–	–	–	–	1	1	–	1	4	–	–	–	–	–	–	–	–	–	–	2	1	–	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	1	2	1	–
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

			M.	3	–	1	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–
480-483	30	Influenza	F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
490-493	31	Pneumonia	F.	5	–	3	–	–	–	–	–	–	–	–	2	–	–	4	–	–	–	–	–	–	–	–	–	–	–	2	2
			M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	6	–	–	–	–	–	–	–	–	–	–	2	3	1
500-502	32	Bronchitis	F.	4	–	–	–	–	–	–	–	–	–	1	1	1	1	5	–	–	–	–	–	–	–	–	–	–	1	4	–
			M.	4	1	–	–	1	–	–	–	1	–	–	–	1	–	3	–	–	–	–	–	–	1	1	–	–	–	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	2	–	2	1
540, 541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	–	–	–	3	1	–	4	–	–	–	–	–	–	–	–	–	2	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	1	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	–	–	–	–	1	3
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	4	1	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	6	5	1	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	5	–	–	–	–	–	–	–	–	–	–	–	1	4
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	8	–	–	–	–	–	–	–	–	–	–	–	2	6
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	1	–	–	–	–	–	–	–	–	1	1	1
E963, E970-979	E49	Suicide	M.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	4	–	–	–	–	–	–	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	4	–	–	1	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	1	1	–	–	–	–	–	–	1	–	3	4	–	1	1	–	–	–	–	–	–	–	–	1	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		CAITHNESS COUNTY														CLACKMANNAN COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	**362**	**9**	**6**	–	**3**	**1**	**7**	**4**	**12**	**21**	**32**	**84**	**129**	**54**	**450**	**15**	**14**	**8**	**5**	**1**	**4**	**6**	**20**	**28**	**76**	**106**	**131**	**36**
		Total Males	...	**178**	**4**	**3**	–	**3**	**1**	**4**	**3**	**6**	**9**	**18**	**41**	**60**	**26**	**205**	**5**	**7**	**5**	**1**	–	**1**	**5**	**8**	**12**	**42**	**46**	**52**	**21**
		Total Females	...	**184**	**5**	**3**	–	–	–	**3**	**1**	**6**	**12**	**14**	**43**	**69**	**28**	**245**	**10**	**7**	**3**	**4**	**1**	**3**	**1**	**12**	**16**	**34**	**60**	**79**	**15**
Detailed List	Abbreviated List "B"																														
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	–	1	1	–	–	1	1	–
			F.	4	–	–	–	–	–	2	–	1	1	–	–	–	–	3	–	–	–	–	–	–	1	1	–	–	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	2	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	16	–	–	–	1	–	1	–	2	1	1	3	6	1	24	–	–	–	–	–	1	1	1	3	6	7	3	2
			F.	30	–	–	–	–	–	–	1	2	2	7	7	10	1	29	–	–	–	–	–	–	–	5	4	5	6	7	2
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	2	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	1	–	3	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	2	–	–	–	–	1	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	–	–	2	2	–	2	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	11	–	–	–	–	–	–	–	1	–	2	2	5	1	20	–	–	–	–	–	–	–	–	2	4	6	5	3
			F.	24	–	–	–	–	–	–	–	–	3	–	12	6	3	44	–	–	–	–	–	–	–	1	–	3	17	19	4
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	–	–	1	2	2	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	2	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	64	–	–	–	–	–	–	–	–	4	3	21	26	10	51	–	–	1	–	–	–	–	–	1	15	15	14	5
			F.	58	–	–	–	–	–	–	–	–	1	6	13	29	9	54	–	–	–	–	–	–	–	1	1	8	16	23	5
430-434	27	Other diseases of heart ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	1	1	1
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	5	–	–	–	–	–	–	–	–	1	–	–	3	1
440-443	28	Hypertension with heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
444-447	29	Hypertension without heart	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

480-483	30	Influenza	F.	6	–	–	–	–	–	–	–	1	–	–	1	2	1	3	–	2	1	–	–	–	–	–	–	1	4	5	–
			M.	4	–	1	–	–	–	–	–	–	–	1	–	1	1	13	–	1	–	–	–	–	–	–	–	–	2	3	1
490-493	31	Pneumonia	F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	–	3	1	4	–
			M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	8	–	–	–	–	–	–	–	–	–	–	–	4	–
500-502	32	Bronchitis	F.	5	–	1	–	–	–	–	–	–	1	–	–	1	2	4	–	–	–	–	–	–	–	–	–	1	–	–	–
			M.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	1	–	–	–	–	–	1	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	2	2	–	–
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	1	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	6	–	–	–	–	–	–	–	1	3	1	1	–	–
530-539, 542, 544, 545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			M.	3	–	–	–	1	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
	38	Nephritis and nephrosis ...	F.	5	–	–	–	–	–	–	–	–	1	–	3	1	–	6	–	–	1	–	–	1	–	–	–	3	1	–	–
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689 690-749	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
750-759	41	Congenital malformations ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	6	4	2	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	6	3	3	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	14	–	–	–	–	–	–	–	–	–	–	1	7	6	6	–	–	–	–	–	–	–	–	–	–	–	–	6
			F.	14	–	–	–	–	–	–	–	–	–	–	–	8	6	9	–	–	–	–	–	–	–	–	–	–	2	5	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	9	–	1	–	–	–	1	–	–	–	1	3	2	1	7	–	–	–	–	–	–	–	1	2	–	3	–	1
			F.	4	–	1	–	–	–	–	–	–	–	1	1	1	–	7	–	1	1	–	–	–	–	–	1	–	2	2	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	3	–	–	–	–	–	1	–	–	1	–	–	1	–	3	–	–	1	–	–	–	2	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	2	–	–	–	–	–	–	–	1	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	9	–	1	–	1	–	1	1	–	–	2	2	–	1	6	–	–	1	–	–	–	–	1	1	1	1	1	–
			F.	5	–	–	–	–	–	–	–	2	1	–	1	1	–	7	–	–	–	1	–	–	–	1	2	–	2	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		DUMFRIES BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	DUMFRIES COUNTY (excluding Large Burgh): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		**371**	**10**	**8**	**5**	**3**	**1**	**4**	**12**	**11**	**25**	**48**	**89**	**124**	**31**	**761**	**23**	**22**	**9**	**1**	**1**	**6**	**18**	**20**	**42**	**114**	**203**	**236**	**66**
		Total Males		**184**	**7**	**7**	**3**	**1**	**1**	**1**	**7**	**6**	**19**	**24**	**43**	**55**	**10**	**403**	**13**	**13**	**5**	**1**	–	**4**	**12**	**14**	**27**	**69**	**102**	**119**	**24**
		Total Females		**187**	**3**	**1**	**2**	**2**	–	**3**	**5**	**5**	**6**	**24**	**46**	**69**	**21**	**358**	**10**	**9**	**4**	–	**1**	**2**	**6**	**6**	**15**	**45**	**101**	**117**	**42**
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	–	1	–	–	–	3	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
			F.	4	–	–	–	–	–	–	1	1	–	–	1	1	–	7	–	–	–	–	–	1	2	1	1	1	1	–	–
010-019	2	Tuberculosis, other forms	M.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
140-205	18	Malignant neoplasms	M.	25	–	–	–	–	–	1	–	–	5	8	5	5	1	48	–	–	–	1	–	–	–	–	3	11	20	13	–
			F.	20	–	–	–	–	–	–	–	1	2	3	9	4	1	53	–	–	–	–	–	–	1	2	3	10	22	14	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	–	–	–	–	2	–	1
290-293	21	Anæmias	M.	2	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
			F.	3	–	–	–	–	–	1	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–
330-334	22	Vascular lesions affecting central nervous system	M.	23	–	–	–	–	–	–	–	–	2	3	8	9	1	52	–	1	–	–	–	–	–	1	–	12	16	22	–
			F.	32	–	–	–	–	–	–	1	1	2	5	10	10	3	60	–	–	–	–	–	–	–	–	5	11	19	22	3
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	7	–	–	–	–	–	–	2	1	1	1	1	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	–	1	1	1	1	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	2	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	5	–	–	–	–	–	–	–	–	–	3	1	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	54	–	–	–	–	–	–	–	2	9	5	18	20	–	138	–	–	–	–	–	–	–	3	10	28	40	46	11
			F.	63	–	–	–	–	–	–	–	–	2	9	14	29	9	109	–	–	–	–	–	–	–	1	2	7	30	53	16
430-434	27	Other diseases of heart	M.	6	–	–	–	–	–	–	–	–	–	1	3	1	1	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	7	–	–	–	–	–	–	–	–	–	1	2	3	1	10	–	–	–	–	–	–	–	–	–	1	4	2	3
440-443	28	Hypertension with heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

450-468	46.3	Other circulatory …	F.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
480-483	30	Influenza … … …	M.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	7	–	–	1	–	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	6	–	1	–	–	–	–	–	–	–	1	4	–	–
490-493	31	Pneumonia … … …	M.	9	–	2	–	–	–	–	–	–	–	1	1	5	–	23	–	3	2	–	–	–	2	1	1	2	2	8	2
			F.	10	–	–	–	–	–	1	–	–	–	–	2	4	3	12	–	6	1	–	–	–	–	–	–	1	1	3	–
500-502	32	Bronchitis … … …	M.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	9	–	–	–	–	–	–	–	–	–	3	2	2	2
			F.	2	–	1	–	–	–	–	–	–	–	–	–	1	–	9	–	–	–	–	–	–	–	–	1	1	3	3	1
470-475, 510-527	46.4	Other respiratory diseases …	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum … … …	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	3	–	–	1	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
550-553	34	Appendicitis … … …	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	1	–	–	–	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia … … …	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
543	36.1	Gastritis and duodenitis …	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	4	–	3	1	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver … …	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver …	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	5	–	–	–	–	–	–	–	1	–	4	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases …	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis …	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	–	3	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	–	1	3	–	–
610	39	Hyperplasia of prostate …	M.	5	–	–	–	–	–	–	–	–	–	–	1	2	2	6	–	–	–	–	–	–	–	–	–	1	1	4	–
600-609, 611-637	46.7	Other diseases of genito-urinary system … …	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	–	–	–	2
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis … …	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes …	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion … … …	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations …	M.	3	2	1	–	–	–	–	–	–	–	–	–	–	–	4	2	1	1	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	1	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis …	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	7	6	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn …	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn …	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn … … … …	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy … … …	M.	3	2	1	–	–	–	–	–	–	–	–	–	–	–	5	4	1	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	5	4	1	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility … … …	M.	4	–	–	–	–	–	–	–	–	–	–	–	2	2	8	–	–	–	–	–	–	–	–	–	–	–	4	4
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	13	–	–	–	–	–	–	–	–	–	–	–	4	9
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	7	–	2	–	–	–	–	–	–	2	–	3	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	–	–	–	–	–	–	–	–	–	1	1	1
E963, E970-979	E49	Suicide … … …	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	2	–	3	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents …	M.	5	–	–	–	1	–	–	1	–	–	1	1	1	–	6	–	–	–	–	–	1	3	1	–	–	1	–	–
			F.	5	–	–	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) …	M.	6	–	–	1	–	–	–	2	1	1	–	–	–	1	15	1	–	1	–	–	1	4	2	1	–	2	2	1
			F.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	6	–	–	1	–	–	–	1	–	–	–	–	3	1

NOTE.—Nos, in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings,
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		CLYDEBANK BURGH: All Ages	under 4 weeks	4 w'ks–1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	DUMBARTON BURGH: All Ages	under 4 weeks	4 w'ks–1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		**506**	**11**	**9**	**13**	**2**	**4**	**11**	**8**	**23**	**40**	**81**	**147**	**127**	**30**	**299**	**6**	**4**	**7**	**–**	**2**	**9**	**5**	**12**	**24**	**55**	**80**	**69**	**26**
		Total Males		**277**	**7**	**7**	**4**	**1**	**2**	**5**	**5**	**13**	**25**	**51**	**72**	**69**	**16**	**160**	**3**	**2**	**2**	**–**	**1**	**3**	**3**	**2**	**20**	**39**	**49**	**22**	**14**
		Total Females		**229**	**4**	**2**	**9**	**1**	**2**	**6**	**3**	**10**	**15**	**30**	**75**	**58**	**14**	**139**	**3**	**2**	**5**	**–**	**1**	**6**	**2**	**10**	**4**	**16**	**31**	**47**	**12**
001-008	1	Tuberculosis of respiratory system	M.	18	–	–	–	–	1	1	–	4	1	7	2	2	–	11	–	1	–	–	–	2	1	–	1	3	2	–	1
			F.	5	–	–	–	–	–	3	1	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	51	–	–	–	–	–	–	1	3	8	13	13	13	–	20	–	–	–	–	–	–	1	–	2	8	8	1	–
			F.	35	–	–	–	–	–	1	1	4	8	5	13	3	–	20	–	–	1	–	–	–	–	4	2	6	6	1	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	–	2	2	3	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	1	–	–	–	–	–	2	1	–	–	–
			F.	3	–	–	1	–	1	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–
330-334	22	Vascular lesions affecting central nervous system	M.	32	–	–	–	–	–	–	1	–	2	3	12	10	4	12	–	–	–	–	–	–	–	–	2	2	2	4	2
			F.	37	–	–	–	–	–	–	–	–	–	9	12	15	1	18	–	–	–	–	–	–	–	–	1	4	5	6	2
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	3	–	–	–	–	–	–	1	–	–	1	1	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	1	–	3	1	1	4	–	–	1	–	–	1	–	1	1	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	5	–	–	–	–	–	1	–	1	–	1	2	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	8	–	–	–	–	–	1	–	1	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	77	–	–	–	–	–	–	–	1	8	14	26	21	7	52	–	–	–	–	–	–	–	1	5	12	19	8	7
			F.	59	–	–	–	–	–	–	–	1	1	8	28	16	5	27	–	–	–	–	–	–	1	1	–	2	10	10	3
430-434	27	Other diseases of heart	M.	4	–	–	–	–	–	–	–	–	–	–	–	3	1	13	–	–	–	–	–	–	–	–	1	3	6	3	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	8	–	–	–	–	–	–	–	1	–	1	1	5	–
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	3	–	–
444-447	29	Hypertension without heart	M.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

480-483	30	Influenza	M.	4	–	–	–	–	–	–	–	–	1	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31.	Pneumonia	M.	11	–	3	–	–	–	–	–	–	1	1	2	3	1	3	–	–	1	–	–	1	1	–	–	–	1	1	–
			F.	11	–	1	4	–	–	–	–	1	1	–	3	1	–	4	–	1	–	–	1	1	–	–	–	–	1	–	–
500-502	32	Bronchitis	M.	14	–	–	–	1	–	–	–	1	1	4	3	3	1	7	–	–	–	–	–	–	–	–	–	2	2	2	1
			F.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	5	–	–	–	–	–	–	–	1	–	1	–	2	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	1	–	–	–	1	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	4	–	–	–	–	–	–	–	–	1	2	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	1	–	–	–	1	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544 545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
750-759	41	Congenital malformations ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F'	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	6	–	–	–	–	–	–	–	–	–	–	–	5	1	4	–	–	–	–	–	–	–	–	–	–	–	2	2
			F.	5	–	–	–	–	–	–	–	–	–	–	–	2	3	17	–	–	–	–	–	–	–	–	–	–	–	13	4
780-793, 795	45.1	Cause ill-defined and unknown	M.	5	–	1	–	–	–	1	–	1	1	1	–	–	–	6	–	1	–	–	–	–	–	–	1	1	3	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	4	–	–	–	–	–	–	–	1	1	–	2	–	–
			F.	2	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	11	–	1	2	–	1	1	2	–	1	2	1	–	–	3	–	–	–	–	1	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	3	–	1	–	–	–	–	–	1	–	–	–	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		DUNBARTON COUNTY (excluding Large Burghs)														EAST LOTHIAN COUNTY													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**1203**	**39**	**30**	**10**	**6**	**3**	**10**	**30**	**46**	**103**	**174**	**334**	**317**	**101**	**569**	**17**	**18**	**4**	**6**	–	**8**	**9**	**11**	**45**	**77**	**156**	**167**	**51**
		Total Males ...		**619**	**25**	**21**	**6**	**3**	**3**	**3**	**18**	**25**	**60**	**106**	**163**	**149**	**37**	**271**	**9**	**10**	**1**	**3**	–	**5**	**6**	**7**	**26**	**39**	**69**	**80**	**16**
		Total Females ...		**584**	**14**	**9**	**4**	**3**	–	**7**	**12**	**21**	**43**	**68**	**171**	**168**	**64**	**298**	**8**	**8**	**3**	**3**	–	**3**	**3**	**4**	**19**	**38**	**87**	**87**	**35**
001-008	1	Tuberculosis of respiratory system	M.	19	–	–	–	–	–	–	3	6	1	6	3	–	–	3	–	–	–	1	–	–	–	1	–	1	–	–	–
			F.	15	–	–	–	–	–	1	5	5	2	2	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	3	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
140-205	18	Malignant neoplasms	M.	91	–	–	–	–	–	–	2	3	14	18	35	18	1	43	–	–	–	–	–	–	1	1	8	8	16	8	1
			F.	79	–	–	–	–	–	3	1	6	10	14	29	13	3	44	–	–	–	–	–	–	1	2	8	10	14	8	1
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	1	1	1	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
			F.	4	–	–	–	–	–	–	–	–	1	–	3	–	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
290-293	21	Anæmias	M.	4	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	6	–	1	–	–	–	–	1	–	1	2	1	–	–	3	–	–	–	1	–	–	–	–	–	2	–	–	–
			F.	7	–	–	–	–	–	–	–	1	2	1	1	1	1	6	–	–	–	–	–	–	–	–	1	3	2	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	81	–	–	–	–	–	–	–	1	2	11	26	32	9	39	–	–	–	–	–	–	–	1	2	5	10	19	2
			F.	99	–	–	–	–	–	–	–	2	6	10	37	36	8	50	–	–	–	–	–	–	–	–	–	6	21	21	2
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	8	–	1	1	–	–	1	1	–	1	2	1	–	–	7	–	–	–	–	–	1	–	–	2	–	2	1	1
			F.	12	–	–	–	–	–	–	–	3	3	–	4	1	1	4	–	–	–	–	–	–	–	–	1	–	–	3	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	5	–	–	–	1	–	–	–	2	2	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	192	–	–	–	–	–	–	2	7	19	51	54	46	13	71	–	–	–	–	–	–	–	1	6	12	26	21	5
			F.	189	–	–	–	–	–	–	–	–	8	23	66	62	30	84	–	–	–	–	–	–	–	1	–	8	25	30	20
430-434	27	Other diseases of heart ...	M.	11	–	–	–	–	–	–	–	–	1	–	5	3	2	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	14	–	–	–	–	–	1	1	–	–	1	3	8	–	7	–	–	–	–	–	–	–	–	–	2	2	3	–
440-443	28	Hypertension with heart disease	M.	8	–	–	–	–	–	–	1	–	–	1	2	3	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	7	–	–	–	–	–	–	–	–	–	1	1	4	1	5	–	–	–	–	–	–	–	–	1	–	2	2	–

480-483	30	Influenza	F.	8	–	–	1	–	–	–	–	–	–	2	3	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia	M.	21	–	5	2	–	–	–	–	1	1	1	5	4	2	11	–	4	–	–	–	–	–	–	1	1	1	4	–
			F.	13	–	1	1	–	–	–	–	–	–	2	2	5	2	18	–	1	1	1	–	–	–	–	–	1	7	4	3
500-502	32	Bronchitis	M.	22	–	–	–	–	–	–	1	–	3	3	9	5	1	7	–	1	–	–	–	–	–	–	–	3	–	2	1
			F.	9	–	–	–	–	–	–	–	–	1	–	2	5	1	6	–	–	–	–	–	–	–	–	1	–	1	3	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	8	–	–	–	–	–	–	–	1	3	–	1	3	–	3	–	–	–	–	–	–	1	–	–	–	1	1	–
			F.	5	–	–	–	–	–	–	–	–	–	2	1	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	9	–	–	–	–	–	1	–	1	1	2	1	3	–	5	–	–	–	–	–	–	–	1	2	1	–	1	–
			F.	6	–	–	–	–	–	1	–	1	1	1	–	2	–	5	–	–	–	–	–	–	–	–	–	1	1	2	1
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	1	–	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	1	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis a nd duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
530-539, 542, 544, 545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	4	–	1	–	–	–	1	–	–	–	–	2	–	–
	38	Nephritis and nephrosis ...	M.	3	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	1	–	3	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
610	39	Hyperplasia of prostate ...	M.	8	–	–	–	–	–	–	–	–	–	–	4	4	–	8	–	–	–	–	–	–	–	–	–	1	–	6	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	5	–	–	–	–	–	–	–	–	–	1	–	3	1	3	–	–	1	–	–	–	–	–	–	–	1	1	–
			F.	3	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	3	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	7	–	1	–	–	–	–	–	–	2	–	1	2	1	2	–	–	–	1	–	–	–	–	–	–	–	–	1
750-759	41	Congenital malformations ...	M.	3	1	1	–	–	–	–	–	1	–	–	–	–	–	3	1	–	–	–	–	1	1	–	–	–	–	–	–
			F.	4	1	2	–	1	–	–	–	–	–	–	–	–	–	4	2	2	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	6	4	2	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	13	11	2	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	8	–	–	–	–	–	–	–	–	–	–	–	5	3	3	–	–	–	–	–	–	–	–	–	–	–	–	3
			F.	11	–	–	–	–	–	–	–	–	–	–	1	4	6	4	–	–	–	–	–	–	–	–	–	–	1	–	3
780-793, 795	45.1	Cause ill-defined and unknown	M.	10	1	2	–	–	–	–	–	–	1	1	1	4	–	5	–	–	–	–	–	–	–	–	–	–	2	3	–
			F.	10	–	–	1	–	–	–	–	–	–	1	3	2	3	2	–	–	–	–	–	–	–	–	1	1	–	–	–
E963, E970-979	E49	Suicide	M.	4	–	–	–	–	–	–	–	–	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	9	–	–	1	1	3	–	2	–	–	1	–	1	–	3	–	–	–	–	–	1	–	–	1	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	14	–	1	–	–	–	1	1	2	2	1	3	2	1	13	1	1	–	1	–	1	1	1	2	1	2	2	–
			F.	11	–	–	–	1	–	–	–	1	–	3	1	4	1	10	–	2	1	1	–	–	–	–	2	1	1	2	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		DUNFERMLINE BURGH														KIRKCALDY BURGH													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes ...		**492**	**17**	**8**	**6**	**2**	**1**	**4**	**11**	**17**	**37**	**81**	**130**	**149**	**29**	**645**	**23**	**10**	**8**	**3**	**1**	**10**	**11**	**22**	**64**	**96**	**175**	**177**	**45**
		Total Males ...		**248**	**10**	**7**	**4**	**1**	–	**2**	**7**	**5**	**29**	**44**	**66**	**65**	**8**	**305**	**12**	**6**	**7**	**3**	**1**	**5**	**4**	**13**	**31**	**49**	**80**	**79**	**15**
		Total Females ...		**244**	**7**	**1**	**2**	**1**	**1**	**2**	**4**	**12**	**8**	**37**	**64**	**84**	**21**	**340**	**11**	**4**	**1**	–	–	**5**	**7**	**9**	**33**	**47**	**95**	**98**	**30**
001-008	1	Tuberculosis of respiratory system	M.	7	–	–	–	–	–	–	–	1	2	1	2	1	–	11	–	–	–	–	–	1	1	5	1	3	–	–	–
			F.	4	–	–	–	–	–	–	–	3	–	1	–	–	–	6	–	–	–	–	–	3	2	–	–	–	–	1	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	28	–	–	1	–	–	–	–	1	3	4	10	9	–	54	–	–	–	–	–	–	1	1	9	13	19	11	–
			F.	29	–	–	–	–	–	–	1	3	4	6	7	8	–	58	–	–	–	–	–	–	1	4	12	12	18	10	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	5	–	–	–	–	–	1	–	–	1	2	1	–	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	3	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	3	–	–	–	–	1	–	–	–	–	1	1	–	–	8	–	–	–	–	–	–	1	2	2	2	1	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	32	–	–	–	–	–	–	1	–	1	6	10	13	1	33	–	–	–	–	–	–	1	–	1	2	13	16	–
			F.	49	–	–	–	–	–	–	–	1	2	8	20	14	4	51	–	–	–	–	–	–	–	1	4	12	21	13	–
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	5	–	–	1	–	–	–	–	–	1	–	1	2	–
			F.	6	–	–	–	–	–	–	–	1	2	–	2	1	–	6	–	–	–	–	–	–	–	–	1	–	1	3	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	1	–	2	2	1	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	6	–	–	–	–	–	–	–	1	1	1	1	1	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	64	–	–	–	–	–	–	1	–	9	13	19	17	5	85	–	–	–	–	–	–	–	2	8	12	26	28	9
			F.	64	–	–	–	–	–	–	1	1	–	9	17	28	8	101	–	–	–	–	–	–	–	–	2	12	33	43	11
430-434	27	Other diseases of heart ...	M.	10	–	–	–	–	–	–	–	–	1	2	5	2	–	6	–	–	–	–	–	–	1	–	2	1	1	1	–
			F.	7	–	–	–	–	–	–	–	–	–	1	2	4	–	7	–	–	–	–	–	–	–	–	2	1	2	2	–
440-443	28	Hypertension with heart	M.	4	–	–	–	–	–	–	–	–	1	–	2	1	–	6	–	–	–	–	–	–	–	–	1	3	1	1	–

480-483	30	Influenza	M.	1	–	–	–	–	–	–	–	–	–	1	1	–	–	6	–	–	–	–	–	–	–	–	–	1	4	1
			F.	3	–	–	–	–	–	–	1	–	–	1	2	2	–	8	–	1	–	–	–	–	–	1	1	4	1	–
490-493	31	Pneumonia	M.	10	–	2	2	–	–	–	1	–	–	–	1	1	1	6	–	1	1	–	–	–	1	–	1	–	1	–	1
			F.	4	–	–	–	–	–	1	–	–	–	–	1	1	1	13	–	1	–	–	–	–	–	1	4	4	1	2
500-502	32	Bronchitis	M.	13	–	–	1	–	–	–	–	1	2	5	3	1	–	11	–	–	–	–	–	–	–	–	–	2	5	4
			F.	9	–	–	–	–	–	–	–	–	–	–	3	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	1	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1
			F.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	4	–	–	–	–	–	–	–	3	–	1	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2	–	–	–	–	–	–	–	1	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	–	–	–	–	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	3	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	4	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	1	–	1	–	1	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	4	–	–	–	–	–	1	1	–	1	1	–	–
610	39	Hyperplasia of prostate ...	M.	8	–	–	–	–	–	–	–	–	–	–	4	4	–	5	–	–	–	–	–	–	–	–	–	2	3	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
750-759	41	Congenital malformations ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	1	–	–	–	–	–	–	–	–
			F.	2	–	–	2	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	4	3	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	8	7	1	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	8	–	–	–	–	–	–	–	–	–	–	6	2	4	–	–	–	–	–	–	–	–	–	–	1	2	1
			F.	6	–	–	–	–	–	–	–	–	–	1	2	3	11	–	–	–	–	–	–	–	–	–	–	–	6	5
780-793, 795	45.1	Causes ill-defined and unknown	M.	7	–	–	–	–	–	–	1	–	2	2	2	–	3	–	–	–	–	–	1	–	–	–	–	1	1	–
			F.	8	–	–	–	–	–	–	–	–	–	2	1	5	–	1	–	–	–	–	–	–	–	–	1	–	–	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	6	–	–	–	–	–	1	3	–	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	8	–	–	–	1	–	1	–	1	3	–	1	1	–	12	–	1	–	1	1	–	–	2	1	2	2	1	1
			F.	6	–	1	–	–	–	–	–	–	–	1	–	2	2	9	–	1	–	–	–	–	–	–	–	1	4	2	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		FIFE COUNTY (excluding Large Burghs)															INVERNESS BURGH														
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes		**2635**	**95**	**60**	**26**	**10**	**8**	**29**	**55**	**97**	**219**	**369**	**704**	**747**	**216**	**370**	**12**	**7**	**2**	**1**	**2**	**6**	**5**	**11**	**38**	**36**	**119**	**96**	**35**
		Total Males		**1340**	**55**	**39**	**18**	**8**	**3**	**16**	**31**	**62**	**127**	**206**	**351**	**353**	**71**	**179**	**8**	**4**	**2**	**1**	**2**	**2**	**2**	**7**	**22**	**18**	**61**	**42**	**8**
		Total Females		**1295**	**40**	**21**	**8**	**2**	**5**	**13**	**24**	**35**	**92**	**163**	**353**	**394**	**145**	**191**	**4**	**3**	–	–	–	**4**	**3**	**4**	**16**	**18**	**58**	**54**	**27**
001-008	1	Tuberculosis of respiratory system	M.	40	–	–	–	–	–	3	2	10	13	3	7	2	–	3	–	–	–	–	–	–	2	–	1	–	–	–	–
			F.	18	–	–	–	–	–	7	5	3	2	–	1	–	–	5	–	–	–	–	–	2	2	–	1	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	6	–	–	1	–	–	1	–	1	1	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	3	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	187	–	–	–	1	–	1	4	9	25	45	57	43	2	31	–	–	–	–	–	1	–	3	3	5	14	3	2
			F.	196	–	–	1	–	2	–	2	14	26	35	63	46	7	27	–	–	–	–	–	1	1	2	5	2	10	4	2
210-239	19	Benign and unspecified neoplasms	M.	4	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	7	–	–	–	–	–	–	–	–	2	3	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	17	–	–	–	–	–	–	–	–	–	4	8	4	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	6	–	–	–	–	–	–	–	–	–	1	3	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	7	–	1	–	–	–	–	–	–	–	–	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	10	–	1	–	–	–	2	–	2	3	1	1	–	–	4	–	–	–	–	–	–	–	1	2	–	1	–	–
			F.	17	–	–	–	–	–	–	1	–	2	3	7	4	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	168	–	–	–	–	–	1	–	1	8	21	69	57	11	17	–	–	–	–	–	–	–	–	1	1	5	9	1
			F.	227	–	–	–	–	–	–	–	5	13	38	66	74	31	31	–	–	–	–	–	–	–	–	2	2	11	8	8
340	23	Non-meningococcal meningitis	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	20	–	–	1	2	–	1	1	1	–	4	3	5	2	7	–	–	–	1	–	1	–	–	–	–	4	1	–
			F.	18	–	–	–	1	1	–	1	2	1	4	3	4	1	3	–	–	–	–	–	–	–	–	1	–	1	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	17	–	–	–	–	–	–	4	1	2	1	5	4	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	22	–	–	–	–	–	–	4	2	7	1	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	387	–	–	–	–	–	–	2	13	33	59	120	131	29	57	–	–	–	–	–	–	–	–	10	8	18	17	4
			F.	375	–	–	–	–	–	–	–	–	16	41	117	141	60	74	–	–	–	–	–	1	–	1	3	7	23	28	11
430-434	27	Other diseases of heart	M.	26	–	–	1	–	1	–	2	–	2	6	7	7	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	33	–	–	–	–	–	–	1	1	3	3	10	12	3	4	–	–	–	–	–	–	–	–	–	–	2	1	1
440-443	28	Hypertension with heart disease	M.	15	–	–	–	–	–	–	–	–	2	3	4	5	1	5	–	–	–	–	–	–	–	–	–	3	2	–	–
			F.	17	–	–	–	–	–	–	–	–	2	1	7	6	1	4	–	–	–	–	–	–	–	–	–	2	1	–	1

480-483	30	Influenza	M.	18	–	–	–	–	–	–	–	–	–	2	3	9	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	21	1	1	–	–	–	–	1	1	1	–	8	7	1	5	–	–	–	–	–	–	–	–	–	–	–	5	–
490-493	31	Pneumonia	M.	27	–	7	–	–	–	–	1	–	3	5	5	5	1	4	–	–	–	–	–	–	–	–	1	–	2	1	–
			F.	31	–	6	2	–	–	–	2	1	2	5	4	9	–	3	–	–	–	–	–	–	–	–	1	–	–	1	1
500-502	32	Bronchitis	M.	63	–	5	1	–	–	–	–	1	4	21	13	12	6	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	42	–	1	–	–	–	–	–	–	1	3	10	22	5	2	–	–	–	–	–	–	–	–	–	1	–	–	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	28	–	–	–	–	–	–	1	1	7	8	4	5	2	2	1	–	–	–	–	–	–	1	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	1	2	1	1	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	17	–	–	–	–	–	–	2	1	4	4	2	3	1	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	4	–	–	–	–	–	–	–	–	–	2	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
550-553	34	Appendicitis	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	7	–	1	–	–	–	–	–	–	1	–	1	4	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	5	–	–	–	–	–	–	–	–	1	–	3	1	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
543	36.1	Gastritis and duodenitis ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	12	–	10	–	1	–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	5	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	5	–	–	–	–	–	–	–	2	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	4	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	–	–	–	–	–	–	–	–	1	1	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	20	–	–	–	–	–	–	2	4	3	3	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	15	–	–	–	–	1	1	1	1	1	2	6	2	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
610	39	Hyperplasia of prostate ...	M.	19	–	–	–	–	–	–	–	–	–	–	6	11	2	3	–	–	–	–	–	–	–	–	–	–	1	2	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	8	–	–	–	–	–	–	–	1	–	–	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	7	–	–	–	–	–	–	2	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	6	–	–	–	–	1	–	–	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	1	–	1	1	3	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
750-759	41	Congenital malformations ...	M.	14	8	3	1	1	1	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
			F.	11	9	2	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	13	13	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	30	29	1	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	19	18	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	17	–	–	–	–	–	–	–	–	–	–	3	10	4	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	28	–	–	–	–	–	–	–	–	–	–	1	13	14	2	–	–	–	–	–	–	–	–	–	–	1	1	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	17	–	2	2	–	–	–	–	1	2	1	3	5	1	3	–	–	–	–	–	–	–	1	–	–	1	–	1
			F.	8	–	–	1	–	–	–	1	–	–	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	6	–	–	–	–	–	–	–	1	2	–	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	6	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	16	–	–	2	3	–	2	2	2	1	1	2	–	1	2	–	–	–	–	1	–	–	1	–	–	–	–	–
			F.	8	–	–	2	1	–	1	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	40	–	4	4	–	–	5	5	5	3	6	4	4	–	5	–	–	–	–	1	–	–	–	1	–	2	1	–
			F.	32	–	–	–	–	–	1	–	–	2	2	4	14	9	5	–	1	–	–	–	–	–	1	1	1	1	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		INVERNESS COUNTY (excluding Large Burgh)														INSULAR PORTION OF INVERNESS COUNTY													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		**842**	**22**	**6**	**9**	**1**	**1**	**9**	**17**	**34**	**48**	**83**	**201**	**265**	**146**	**376**	**10**	**1**	**5**	–	–	**2**	**7**	**14**	**16**	**31**	**92**	**116**	**82**
		Total Males		**431**	**13**	**3**	**6**	–	**1**	**6**	**10**	**20**	**27**	**49**	**99**	**133**	**64**	**179**	**6**	–	**2**	–	–	–	**4**	**8**	**8**	**11**	**45**	**58**	**37**
		Total Females		**411**	**9**	**3**	**3**	**1**	–	**3**	**7**	**14**	**21**	**34**	**102**	**132**	**82**	**197**	**4**	**1**	**3**	–	–	**2**	**3**	**6**	**8**	**20**	**47**	**58**	**45**
001-008	1	Tuberculosis of respiratory system	M.	9	–	–	–	–	–	–	1	3	2	1	1	1	–	3	–	–	–	–	–	–	–	1	1	–	1	–	–
			F.	6	–	–	–	–	–	–	2	1	–	2	1	–	–	3	–	–	–	–	–	–	1	–	–	2	–	–	–
010-019	2	Tuberculosis, other forms	M.	2	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
140-205	18	Malignant neoplasms	M.	53	–	–	1	–	–	–	–	4	5	12	18	10	3	20	–	–	1	–	–	–	–	1	1	4	7	5	1
			F.	61	–	–	–	–	–	–	1	3	8	10	19	14	6	27	–	–	–	–	–	–	1	2	2	6	6	8	2
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	4	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	5	–	–	–	–	–	–	–	2	–	–	2	1	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	1	–	3	1	–	3	–	–	–	–	–	–	–	–	1	–	2	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	6	–	–	1	–	–	–	–	2	–	1	2	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	6	–	–	–	–	–	–	–	1	1	–	2	2	–	3	–	–	–	–	–	–	–	1	–	–	1	1	–
330-334	22	Vascular lesions affecting central nervous system	M.	60	–	–	–	–	–	1	1	–	3	4	18	27	6	19	–	–	–	–	–	–	–	–	–	–	9	5	5
			F.	63	–	–	–	–	–	1	1	3	1	5	17	28	7	21	–	–	–	–	–	1	–	1	–	3	5	9	2
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	6	–	–	–	–	–	–	1	1	1	–	–	2	1	2	–	–	–	–	–	–	1	–	–	–	–	1	–
			F.	12	–	–	1	1	–	–	1	1	2	1	1	2	2	6	–	–	1	–	–	–	1	–	1	1	–	–	2
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	6	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	105	–	–	–	–	–	–	–	1	7	12	28	37	20	40	–	–	–	–	–	–	–	1	–	4	10	17	8
			F.	73	–	–	–	–	–	–	–	–	1	3	25	28	16	30	–	–	–	–	–	–	–	–	1	1	11	11	6
430-434	27	Other diseases of heart	M.	13	–	–	–	–	–	–	–	2	–	1	3	6	1	5	–	–	–	–	–	–	–	1	–	–	2	2	–
			F.	11	–	–	–	–	–	–	–	–	–	–	3	6	2	5	–	–	–	–	–	–	–	–	–	–	–	4	1
440-443	28	Hypertension with heart disease	M.	4	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	2	1	3	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
[illegible]	29	Hypertension without heart	M.	7	–	–	–	–	–	–	–	–	1	2	2	1	1	5	–	–	–	–	–	–	–	–	1	1	1	1	1

480-483	30	Influenza	M.	6	1	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	19	–	–	–	–	–	–	–	1	–	5	5	8	10	–	–	–	–	–	–	–	–	–	–	4	1	5
490-493	31	Pneumonia	M.	11	–	2	–	–	–	–	–	1	1	1	3	3	3	–	–	–	–	–	–	–	–	–	–	–	1	2
			F.	11	–	–	–	–	–	1	–	1	1	1	5	2	4	–	–	–	–	–	–	–	–	1	–	–	2	1
500-502	32	Bronchitis	M.	8	–	–	–	–	–	–	–	–	1	2	4	1	3	–	–	–	–	–	–	–	–	–	–	–	2	1
			F.	8	–	–	–	–	–	–	–	1	4	–	1	2	4	–	–	–	–	–	–	–	–	1	2	–	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	4	–	–	–	–	–	–	–	–	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	3	–	1	1	–	1	2	–	–	–	–	–	–	2	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
550-553	34	Appendicitis	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	5	–	1	1	–	–	–	–	–	–	1	1	1	3	–	–	–	–	–	–	–	–	–	–	1	1	1
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	2	–	1	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	1	1	3	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	1	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	14	–	–	–	–	–	1	–	1	1	1	3	5	2	11	–	–	–	–	–	–	–	–	1	–	3	5	2
			F.	8	–	–	–	–	–	–	–	1	2	1	1	3	–	5	–	–	–	–	–	–	–	–	1	–	1	3	–
610	39	Hyperplasia of prostate ...	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	9	9	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	32	–	–	–	–	–	–	–	–	–	4	13	15	24	–	–	–	–	–	–	–	–	–	–	3	9	12
			F.	40	–	–	–	–	–	–	–	–	–	3	16	21	32	–	–	–	–	–	–	–	–	–	–	3	12	17
780-793, 795	45.1	Cause ill-defined and unknown	M.	13	–	–	–	–	–	–	–	1	2	–	3	3	4	10	–	–	–	–	–	–	–	1	2	–	3	3	1
			F.	7	–	–	–	–	–	–	–	–	–	2	4	1	–	7	–	–	–	–	–	–	–	–	–	2	4	1	–
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	3	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	16	–	–	–	–	1	3	3	1	2	3	2	1	–	2	–	–	–	–	–	–	2	–	–	–	–	–
			F.	12	–	–	1	–	–	–	–	–	1	–	2	6	2	2	–	–	1	–	–	–	–	–	–	–	1	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		KINCARDINE COUNTY														KINROSS COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	**330**	**7**	**3**	**2**	**5**	**2**	**3**	**10**	**11**	**13**	**42**	**84**	**110**	**38**	**117**	**4**	**1**	**1**	–	–	**1**	**1**	**4**	**10**	**15**	**30**	**41**	**9**
		Total Males	...	**162**	**5**	**1**	**1**	**3**	**1**	–	**5**	**7**	**5**	**24**	**43**	**50**	**17**	**55**	**2**	–	–	–	–	–	–	**1**	**5**	**8**	**13**	**21**	**5**
		Total Females	...	**168**	**2**	**2**	**1**	**2**	**1**	**3**	**5**	**4**	**8**	**18**	**41**	**60**	**21**	**62**	**2**	**1**	**1**	–	–	**1**	**1**	**3**	**5**	**7**	**17**	**20**	**4**
Detailed List	Abbreviated List "B"																														
001-008	1	Tuberculosis of respiratory system	M.	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	23	–	–	–	–	1	–	1	–	2	2	9	7	1	10	–	–	–	–	–	–	–	–	1	2	2	5	–
			F.	37	–	–	–	1	–	–	1	1	2	6	9	14	3	9	–	–	–	–	–	–	1	1	1	2	4	–	–
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	4	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	12	–	–	–	–	–	–	1	–	–	2	3	5	1	7	–	–	–	–	–	–	–	–	–	2	3	–	2
			F.	29	–	–	–	–	–	–	–	–	2	3	12	11	1	7	–	–	–	–	–	–	–	1	–	2	2	2	–
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	1	–	–	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	52	–	–	–	–	–	–	–	1	2	7	14	19	9	18	–	–	–	–	–	–	–	–	–	1	–	6	10	1
			F.	48	–	–	–	–	–	1	–	–	–	3	8	22	14	17	–	–	–	–	–	–	–	–	–	–	8	6	3
430-434	27	Other diseases of heart ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	4	–	–	–	–	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440-443	28	Hypertension with heart	M.	7	–	–	–	–	–	–	–	–	–	–	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	[illegible]	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
490-493	31	Pneumonia	M.	4	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	9	–	1	–	–	–	–	1	–	–	1	2	3	1	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
500-502	32	Bronchitis	M.	3	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	–	1	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	6	–	–	–	–	–	–	–	–	–	2	–	4	–			
610	39	Hyperplasia of prostate ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–			
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1		
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–		
780-793, 795	45.1	Causes ill-defined and unknown	M.	4	–	–	–	–	–	–	–	1	1	1	–	–	1	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	3	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	4	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–		
			F.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	5	–	–	–	–	–	–	–	–	1	–	2	2	–		

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		KIRKCUDBRIGHT COUNTY														GLASGOW COUNTY OF CITY												
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"																													
		ALL CAUSES—Both Sexes	...	**386**	**7**	**8**	**2**	**1**	**1**	**5**	**13**	**14**	**37**	**41**	**88**	**120**	**49**	**14311**	**521**	**402**	**171**	**80**	**46**	**236**	**356**	**642**	**1397**	**2570**	**3797**	**3308**	**785**
		Total Males	...	**193**	**4**	**4**	**1**	**–**	**1**	**3**	**10**	**9**	**22**	**16**	**53**	**55**	**15**	**7531**	**296**	**212**	**91**	**61**	**21**	**116**	**183**	**344**	**843**	**1494**	**2001**	**1607**	**262**
		Total Females	...	**193**	**3**	**4**	**1**	**1**	**–**	**2**	**3**	**5**	**15**	**25**	**35**	**65**	**34**	**6780**	**225**	**190**	**80**	**19**	**25**	**120**	**173**	**298**	**554**	**1076**	**1796**	**1701**	**523**
001-008	1	Tuberculosis of respiratory system	M.	5	–	–	–	–	–	–	–	–	2	2	1	–	–	403	–	1	6	–	2	38	57	64	81	102	44	8	–
			F.	2	–	–	–	–	1	–	–	–	–	–	1	–	–	249	–	3	8	2	2	71	61	47	24	16	10	5	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50	–	2	16	10	3	9	–	1	3	4	2	–	–
			F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	46	–	–	16	5	2	5	5	4	4	3	2	–	–
020-029	3	Syphilis and its sequelæ ...	M.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	19	1	–	–	–	1	–	–	3	–	8	4	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15	–	1	–	–	–	1	–	–	4	3	5	1	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	9	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15	–	9	6	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	3	4	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	1	1	4	–	–	–	–	–	–	–	1	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	3	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	12	–	2	–	–	–	–	–	2	3	4	1	–	–
			F.	2	–	–	–	1	–	–	–	–	–	1	–	–	–	23	1	–	1	–	–	–	1	3	6	6	1	4	–
140-205	18	Malignant neoplasms	M.	27	–	–	–	–	–	–	–	–	4	7	11	5	–	1210	–	–	4	6	3	10	30	59	196	318	356	215	13
			F.	35	–	–	–	–	–	–	1	3	6	8	10	7	–	1051	–	–	3	–	1	7	25	72	149	278	323	169	24
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	21	–	–	–	–	–	2	1	3	1	5	7	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	22	–	–	–	–	–	–	2	–	2	3	8	6	1
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	38	–	–	–	–	–	–	2	3	8	5	13	7	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	76	–	–	–	–	–	1	1	1	11	16	38	6	2
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	26	–	–	–	–	–	–	–	3	1	6	6	9	1
			F.	3	–	–	–	–	–	–	–	–	1	–	–	2	–	51	–	–	1	–	–	–	1	1	3	8	21	11	5
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	44	–	2	1	–	–	1	2	6	8	11	11	2	–
			F.	2	–	–	–	–	–	1	–	–	–	–	–	1	–	63	1	–	3	–	1	–	2	7	7	16	16	10	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	25	–	–	–	–	–	–	–	1	1	1	11	9	2	836	–	2	–	–	–	2	3	13	41	134	311	284	46
			F.	17	–	–	–	–	–	–	–	–	–	2	6	9	–	996	–	1	–	1	–	–	3	12	66	164	325	343	81
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	–	7	4	–	–	–	–	1	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	4	1	–	–	–	1	–	1	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	1	–	–	1	–	–	1	1	–	121	–	5	4	3	1	4	10	9	25	15	25	16	4
			F.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	141	2	6	4	1	5	5	3	12	22	24	34	17	6
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	2	–	–	1	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	2	1	1	–	2	1	–	1	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	83	–	–	–	1	–	6	8	19	13	19	10	7	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	157	–	–	–	–	1	6	16	32	28	36	25	13	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	49	–	–	–	–	–	–	–	1	6	4	12	20	6	1854	–	–	–	–	–	5	12	52	188	387	590	528	92
			F.	61	–	–	–	–	–	–	–	–	–	11	8	23	19	1649	–	–	–	–	1	3	3	17	69	204	499	629	224
430-434	27	Other diseases of heart ...	M.	3	–	–	–	–	–	–	–	1	–	–	2	–	–	113	–	–	–	–	–	–	3	2	9	21	47	27	4
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	144	–	–	–	–	–	1	2	7	11	22	56	34	11
440-443	28	Hypertension with heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	80	–	–	–	–	–	–	–	3	6	20	29	19	3
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	100	–	–	–	–	–	–	–	3	9	23	32	29	4
444-447	29	Hypertension without heart	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	69	–	–	–	–	–	–	–	–	7	11	27	18	6

480-483	30	Influenza	M.	5	–	–	–	–	–	–	–	1	–	–	1	2	1	86	–	2	–	–	–	2	–	3	9	19	21	24	6
			F.	4	–	–	–	–	–	–	–	–	–	–	1	2	1	105	1	3	4	–	1	1	1	3	3	13	28	36	11
490-493	31	Pneumonia	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	300	–	44	14	–	1	1	4	6	25	44	77	79	5
			F.	6	–	–	–	–	–	–	–	–	2	–	1	1	2	258	–	45	6	–	2	2	5	8	19	27	71	50	23
500-502	32	Bronchitis	M.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	547	2	9	2	–	–	2	5	14	70	156	165	104	18
			F.	6	–	–	–	–	–	–	–	–	–	1	1	3	1	267	–	4	1	–	–	–	2	7	21	48	77	83	24
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	75	2	2	2	–	–	–	1	4	9	21	17	14	3
			F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	42	1	2	2	–	–	2	1	4	2	11	9	5	3
540-541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	111	–	–	–	–	–	–	5	13	22	26	33	12	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	29	–	–	–	–	–	–	–	2	3	6	9	8	1
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	1	1	1	1	–	2	3	1	3	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	1	1	1	1	–	2	–	4	1	1	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	36	1	3	–	1	–	–	1	1	5	10	6	8	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	38	–	–	–	–	–	–	1	–	9	8	12	6	2
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	52	–	31	3	1	–	–	1	1	1	3	6	5	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62	–	27	2	–	1	1	2	2	5	5	9	8	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26	–	–	–	–	1	1	1	3	7	5	7	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18	–	–	–	–	–	–	–	–	5	8	4	1	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14	–	–	–	1	–	–	–	1	2	3	4	3	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	40	–	–	–	–	–	–	–	2	4	12	12	9	1
530-539, 542, 544, 545 573-578, 587	46.6	Other digestive diseases ...	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	22	–	–	1	–	–	1	4	1	3	3	7	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22	–	–	–	–	–	1	–	2	5	5	3	4	2
590-594	38	Nephritis and nephrosis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	53	–	2	–	1	–	2	4	6	10	10	12	6	–
			F.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	77	–	1	1	1	–	2	8	6	9	19	21	7	2
610	39	Hyperplasia of prostate ...	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	64	–	–	–	–	–	–	–	–	–	3	22	30	9
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	25	–	1	–	–	–	–	–	1	–	7	6	9	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	47	–	1	–	–	–	1	2	5	10	9	9	9	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	1	3	1	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	–	–	–	–	9	6	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	18	–	–	–	–	–	1	–	1	3	4	6	3	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29	–	–	–	–	–	–	–	2	1	4	11	7	4
750-759	41	Congenital malformations ...	M.	3	1	1	1	–	–	–	–	–	–	–	–	–	–	84	41	29	7	1	2	–	–	2	–	1	1	–	–
			F.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	70	32	23	2	1	2	–	1	2	3	3	1	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	105	103	2	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	77	77	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33	31	2	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	106	102	4	–	–	–	–	–	–	–	–	–	–	–
			F'	3	2	1	–	–	–	–	–	–	–	–	–	–	–	87	78	9	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	9	–	–	–	–	–	–	–	–	–	–	1	5	3	66	–	–	–	–	–	–	–	–	–	–	4	38	24
			F.	14	–	–	–	–	–	–	–	–	–	–	–	7	7	121	–	–	–	–	–	–	–	–	–	1	10	63	47
780-793, 795	45.1	Cause ill-defined and unknown	M.	5	–	–	–	–	–	–	–	–	–	–	3	1	1	219	3	22	3	–	–	1	–	3	32	45	58	46	6
			F.	4	–	–	–	–	–	–	–	–	1	–	1	1	1	147	2	25	1	–	–	–	1	5	12	27	28	41	5
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35	–	–	–	–	–	–	1	7	10	8	5	4	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28	–	–	–	–	–	2	2	7	6	6	4	1	–
E810-835	E47	Motor vehicle accidents ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75	–	–	8	19	2	9	9	6	7	4	5	6	–
			F.	2	–	–	1	–	–	–	1	–	–	–	–	–	–	28	–	–	3	3	2	2	1	2	1	4	7	3	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	–	1	–	1	1	–	–	1	4	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	3	1	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	17	–	1	–	–	–	3	9	1	–	–	2	–	1	213	2	23	7	12	4	15	17	20	26	28	21	27	11
			F.	4	–	1	–	–	–	–	–	–	–	–	1	1	1	146	2	24	6	3	1	1	6	5	9	·9	27	30	23

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		AIRDRIE BURGH														COATBRIDGE BURGH													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes		**351**	**23**	**12**	**3**	**1**	–	**7**	**7**	**22**	**37**	**60**	**90**	**70**	**19**	**566**	**26**	**33**	**6**	**4**	**6**	**13**	**17**	**19**	**55**	**67**	**147**	**148**	**25**
		Total Males		**183**	**12**	**6**	–	**1**	–	**2**	**1**	**15**	**20**	**37**	**50**	**34**	**5**	**315**	**17**	**23**	**3**	–	**2**	**6**	**9**	**11**	**32**	**34**	**79**	**88**	**11**
		Total Females		**168**	**11**	**6**	**3**	–	–	**5**	**6**	**7**	**17**	**23**	**40**	**36**	**14**	**251**	**9**	**10**	**3**	**4**	**4**	**7**	**8**	**8**	**23**	**33**	**68**	**60**	**14**
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	–	–	–	1	1	1	2	1	–	–	15	–	–	–	–	–	3	4	1	3	4	–	–	–
			F.	8	–	–	1	–	–	2	3	1	–	–	1	–	–	15	–	1	–	–	1	4	3	4	1	–	–	–	1
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	1	–	–	–	–	–	–	6	–	1	2	1	1	1	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	21	–	–	–	–	–	–	–	4	3	3	6	5	–	38	–	–	–	–	–	–	1	4	9	6	11	5	2
			F.	27	–	–	–	–	–	–	1	3	8	9	3	2	1	26	–	–	–	1	–	–	–	1	7	6	7	4	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	2	2	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	1	–	–	–	1	–	–	2	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	14	–	–	–	–	–	–	–	–	1	2	7	2	2	27	–	–	–	–	–	–	1	–	1	5	7	12	1
			F.	26	–	–	–	–	–	–	–	–	1	3	8	11	3	34	–	–	–	–	–	–	–	–	4	4	10	13	3
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46,2	Other diseases of nervous system	M.	7	–	–	–	–	–	1	–	1	1	1	1	2	–	8	–	1	–	–	–	–	–	1	1	2	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	–	1	–	1	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	4	–	–	–	–	–	1	–	2	–	1	–	–	–
			F.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	4	–	–	–	–	–	–	1	1	2	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	56	–	–	–	–	–	–	–	2	5	13	21	13	2	90	–	–	–	–	–	–	–	–	4	8	32	42	4
			F.	45	–	–	–	–	–	–	–	–	5	7	15	13	5	61	–	–	–	–	–	–	–	–	1	10	23	22	5
430-434	27	Other diseases of heart	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	8	–	–	–	–	–	–	–	–	–	–	4	4	–
			F.	5	–	–	–	–	–	–	–	–	1	–	–	2	2	6	–	–	–	–	–	–	1	–	–	1	3	1	–
440-443	28	Hypertension with heart disease	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	4	1	–

480-483	30	Influenza	M.	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	2	4	–
490-493	31	Pneumonia	M.	6	–	2	–	–	–	–	–	–	–	–	4	–	–	14	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	2	–	–	–	–	–	–	–	–	2	–	–	13	–	5	–	–	–	1	–	–	2	–	3	1	1
500-502	32	Bronchitis	M.	10	–	–	–	–	–	–	–	1	–	3	3	3	–	16	–	–	–	–	–	–	–	–	3	4	5	4	–
			F.	10	–	1	–	–	–	–	–	–	–	1	3	3	2	9	–	–	–	–	–	1	–	–	1	1	5	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	4	–	–	–	–	–	–	–	1	1	2	–	–	–	7	–	1	–	–	–	–	–	–	–	–	1	3	2	–
			F.	2	1	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	1	1	–	–	1	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	–	–	2	2	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	5	–	4	–	–	–	1	–	–	–	–	–	–	–	–
			F.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	2	–	–	–	–	–	–	1	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	1	1	1	1	–
610	39	Hyperplasia of prostate ...	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	3	–	–	–	1	–	–	–	–	–	1	–	1	–
750-759	41	Congenital malformations ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	1	–	–	–	–	–	–	–	5	3	2	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	6	5	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	7	6	1	–	–	–	–	–	–	–	–	–	–	–	9	8	1	–	–	–	–	–	–	–	–	–	–	–
			F.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	9	–	–	–	–	–	–	–	–	–	–	1	5	3
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	–	–	–	–	–	–	–	–	1	7	3
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	9	1	2	–	–	–	–	–	–	–	–	3	3	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	6	–	–	–	–	–	–	–	–	1	–	3	2	–
E963, E970-979	E49	Suicide	M.	5	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	2	–	–	–	–	–	–	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	7	–	1	–	–	–	–	–	–	3	–	1	2	–	8	–	2	1	–	–	–	2	1	2	–	–	–	–
			F.	3	–	–	1	–	–	–	–	–	–	–	–	2	–	5	–	1	–	–	–	–	–	–	–	1	–	3	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis,

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		HAMILTON BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	MOTHERWELL AND WISHAW BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**515**	**17**	**18**	**8**	**4**	**4**	**7**	**14**	**20**	**67**	**80**	**128**	**123**	**25**	**794**	**30**	**18**	**7**	**2**	**3**	**18**	**32**	**32**	**90**	**121**	**202**	**197**	**42**
		Total Males ...		**275**	**9**	**8**	**3**	**2**	–	**1**	**5**	**10**	**34**	**50**	**72**	**72**	**9**	**420**	**19**	**9**	**4**	**2**	**3**	**9**	**14**	**17**	**62**	**60**	**112**	**93**	**16**
		Total Females ...		**240**	**8**	**10**	**5**	**2**	**4**	**6**	**9**	**10**	**33**	**30**	**56**	**51**	**16**	**374**	**11**	**9**	**3**	–	–	**9**	**18**	**15**	**28**	**61**	**90**	**104**	**26**
001-008	1	Tuberculosis of respiratory system	M.	10	–	–	–	1	–	–	2	2	3	–	1	1	–	16	–	–	1	–	1	3	4	–	2	3	2	–	–
			F.	11	–	–	1	–	–	3	4	3	–	–	–	–	–	18	–	–	–	–	–	6	8	–	1	3	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	2	1	–	–	–	1	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
140-205	18	Malignant neoplasms	M.	43	–	–	–	–	–	–	–	2	10	10	12	9	–	58	–	–	–	–	–	1	1	5	14	15	15	6	1
			F.	40	–	–	–	1	1	1	–	–	8	13	10	5	1	51	–	–	–	–	–	–	2	3	7	15	13	11	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	2	–	1	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	3	–	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	1	–	1	2	–	–	–	–
			F.	4	–	–	–	–	–	–	2	–	2	–	–	–	–	8	–	–	–	–	–	–	1	2	1	1	3	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	32	–	–	–	–	–	–	–	–	4	7	9	11	1	43	–	–	–	–	–	–	–	1	–	2	3	17	18	2
			F.	30	–	–	–	–	–	–	–	–	4	6	11	8	1	64	–	–	–	–	–	–	–	3	2	15	20	18	6
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	9	–	–	–	–	–	2	–	3	1	1	2	–	–
			F.	4	–	–	–	–	–	–	–	1	1	–	2	–	–	5	–	–	–	–	–	1	–	–	1	1	1	1	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	–	–	–	–	3	1	–	–	6	–	–	–	–	–	1	1	2	1	–	1	–	–
			F.	5	–	–	–	–	–	–	–	–	3	–	1	1	–	4	–	–	–	–	–	1	1	1	–	–	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	85	–	–	–	–	–	–	–	3	8	19	24	27	4	119	–	–	–	–	–	–	–	3	20	15	43	32	6
			F.	57	–	–	–	–	–	–	–	1	5	4	19	22	6	95	–	–	–	–	–	–	1	1	5	15	28	36	9
430-434	27	Other diseases of heart ...	M.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	7	–	–	–	–	–	–	–	–	–	1	4	2	–
			F.	6	–	–	–	–	–	–	–	–	2	1	–	2	1	9	–	–	–	–	–	–	1	2	1	1	1	3	–
440-443	28	Hypertension with heart disease	M.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	3	–	–	–	–	–	–	–	–	2	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	1	2	1	3	–
444-447	29	Hypertension without heart	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–

480-483	30	Influenza	F.	4	–	–	–	–	–	–	1	–	–	–	–	1	1	1	4	–	–	–	–	–	–	–	1	1	–	2	–
			M.	7	–	2	–	1	–	–	–	–	–	–	3	1	–	1	11	–	4	–	–	–	–	–	–	3	1	3	–
490-493	31	Pneumonia	F.	7	–	3	–	–	–	–	–	–	1	1	1	–	1	1	10	–	2	1	–	–	–	–	–	1	1	4	1	–
			M.	10	–	–	–	–	–	–	–	–	1	4	4	1	–	–	32	–	–	–	–	–	–	–	1	9	6	7	6	3
500-502	32	Bronchitis	F.	6	–	1	–	–	1	–	–	–	–	2	1	–	1	1	22	–	–	–	–	–	–	–	–	2	1	5	13	1
			M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	10	–	–	–	–	–	–	1	–	–	4	3	2	–
470-475, 510-527	46.4	Other respiratory diseases ...	F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	6	–	1	–	–	–	–	1	–	1	1	1	–	1
540, 541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	–	–	1	–	–	2	–	–	5	–	–	–	–	–	–	–	–	1	2	1	1	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
			F.	4	–	2	–	–	–	–	–	–	–	–	2	–	–	–	4	–	1	–	–	–	–	–	–	–	–	2	–	1
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
530-539, 542, 544, 545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–	–	–	2	–	1	–	–	1
			F.	4	–	–	–	–	2	–	–	1	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–	5	–	–	–	–	–	–	–	–	–	–	3	2	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	6	5	1	–	–	–	–	–	–	–	–	–	–	–	–	13	11	2	–	–	–	–	–	–	–	–	–	–
			F.	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	7	–	–	–	–	–	–	–	–	–	–	–	5	2	10	–	–	–	–	–	–	–	–	–	–	–	–	8	2
			F.	9	–	–	–	–	–	–	–	–	–	–	–	7	2	9	–	–	–	–	–	–	–	–	–	–	1	5	3
780-793, 795	45.1	Causes ill-defined and unknown	M.	8	1	1	–	–	–	–	–	–	2	–	3	1	–	6	–	–	1	–	–	–	–	1	1	–	1	–	1	1
			F.	5	–	–	–	–	–	–	–	–	–	1	1	2	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
E810-835	E47	Motor vehicle accidents ...	M.	3	–	–	1	–	–	1	–	–	–	–	–	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	2	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	11	–	–	1	–	–	–	1	1	3	1	2	2	–	11	–	1	–	–	–	–	1	–	3	1	3	2	–
			F.	6	–	1	1	–	–	1	–	–	1	–	1	–	1	4	–	1	1	–	–	–	–	–	1	1	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		RUTHERGLEN BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	LANARK CO. (ex. County of City and Large Burghs): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**330**	**9**	**1**	**3**	**1**	**1**	**4**	**3**	**15**	**22**	**55**	**93**	**100**	**23**	**3644**	**132**	**105**	**45**	**31**	**10**	**66**	**105**	**154**	**301**	**576**	**919**	**963**	**237**
		Total Males ...		**160**	**4**	**1**	**3**	**1**	–	**3**	**3**	**10**	**13**	**29**	**42**	**46**	**5**	**1858**	**78**	**65**	**31**	**15**	**6**	**24**	**44**	**85**	**166**	**316**	**470**	**469**	**89**
		Total Females ...		**170**	**5**	–	–	–	**1**	**1**	–	**5**	**9**	**26**	**51**	**54**	**18**	**1786**	**54**	**40**	**14**	**16**	**4**	**42**	**61**	**69**	**135**	**260**	**449**	**494**	**148**
001-008	1	Tuberculosis of respiratory system	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	63	–	1	4	2	–	4	17	7	11	9	6	2	–
			F.	3	–	–	–	1	1	–	1	–	–	–	–	–	–	69	–	1	1	3	–	23	24	6	6	2	2	1	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	1	4	2	–	1	–	–	–	–	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	1	1	–	4	2	1	2	1	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	1	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	3	–	1	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	4	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	5	–	1	–	–	1	–	–	–	1	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	1	–	–	–	–	–	–	1	1	2	1	1
140-205	18	Malignant neoplasms	M.	22	–	–	–	–	–	–	1	2	4	2	7	6	–	261	–	1	2	1	1	4	5	21	26	50	78	64	8
			F.	24	–	–	–	–	–	–	–	2	3	5	6	7	1	229	–	–	2	–	–	1	6	18	34	48	63	50	7
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	2	–	1	1	–	–	1	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	–	–	–	–	1	1	1	3	3	3	–
			F.	4	–	–	–	–	–	–	–	–	–	–	3	1	–	26	–	–	–	–	–	–	1	–	3	6	14	2	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	7	–	–	–	–	–	–	–	–	2	–	4	1	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	13	–	–	–	–	–	–	–	–	–	–	5	7	1
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	12	–	1	–	–	–	1	2	1	1	3	2	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	13	–	–	–	–	–	–	1	2	1	3	4	2	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	12	–	–	–	–	–	1	–	–	1	3	3	3	1	205	–	1	–	–	–	–	1	6	20	37	57	74	9
			F.	25	–	–	–	–	–	–	–	–	2	5	9	7	2	255	–	–	–	1	1	1	–	4	14	53	81	87	13
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	1	–	1	–	1	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	6	–	–	–	–	–	–	1	1	1	2	–	1	–	53	–	1	2	–	1	1	4	3	5	2	7	7	–
			F.	5	–	–	–	–	–	–	–	–	–	1	3	–	1	24	–	–	1	–	–	–	2	1	3	4	6	7	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	–	1	2	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	1	1	1	–	–	–	–	–	24	–	–	–	–	–	2	1	5	4	7	2	3	–
			F.	2	–	–	–	–	–	–	–	2	–	–	–	–	–	42	–	–	–	–	–	3	5	7	10	5	7	4	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	53	–	–	–	–	–	–	–	2	4	9	14	21	3	528	–	–	–	–	–	–	2	10	39	99	172	173	33
			F.	54	–	–	–	–	–	–	–	–	2	6	17	21	8	489	–	–	–	–	–	1	4	1	17	69	137	190	70
430-434	27	Other diseases of heart ...	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	33	–	–	–	–	–	1	1	2	5	7	8	7	2
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	46	–	–	–	–	–	1	1	1	2	13	17	8	3
440-443	28	Hypertension with heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18	–	–	–	–	–	–	–	–	–	3	7	6	2
			F.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	33	–	–	–	–	–	–	–	–	1	9	14	8	1
444-447	29	Hypertension without heart	M.	4											2	2	–	15	–	–	–	–	–	–	1	–	2	5	2	3	2

480-483	30	Influenza	M.	4	–	–	–	–	–	–	–	–	–	–	2	3	2	–	23	–	1	–	–	1	–	–	3	2	6	7	3
			F.	7	–	–	–	–	–	–	–	–	–	–	1	4	2	–	62	–	17	2	–	–	1	1	–	2	9	14	13	3
490-493	31	Pneumonia	M.	9	–	1	1	–	–	–	–	–	–	–	1	1	4	2	62	–	6	1	2	–	1	1	3	7	4	16	13	8
			F.	8	–	–	–	–	–	–	–	1	–	–	4	1	2	1	98	–	–	1	–	–	–	2	4	11	18	24	33	5
500-502	32	Bronchitis	M.	9	–	–	–	–	–	–	–	–	–	–	1	1	2	–	47	–	3	–	–	–	–	–	–	2	6	17	12	7
			F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43	–	–	–	–	–	–	–	2	6	15	16	4	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	–	–	–	–	–	–	1	1	4	2	1	3	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20	–	–	–	–	–	–	–	6	4	3	5	2	–
540, 541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	1	–	1	2	–	–	–	7	–	–	–	–	–	–	–	–	1	1	2	3	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	1	1	–	2	–	2	1	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	13	–	–	1	–	–	–	–	–	3	3	4	1	1
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	1	–	–	–	–	–	2	3	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	8	2	–	–	–	–	–	–	–	–	1	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17	–	8	2	–	–	–	–	–	1	1	2	2	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	3	–	2	1
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	–	–	–	–	–	–	–	1	1	2	2	6	1
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	9	–	–	–	–	–	–	–	–	2	1	3	3	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	21	–	–	–	–	–	1	–	1	2	3	8	6	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	19	–	–	–	1	–	–	1	3	3	4	5	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14	–	–	–	–	–	–	–	–	–	2	5	5	2
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	10	–	–	–	–	–	1	–	1	1	2	2	2	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	12	–	–	–	–	1	–	2	3	1	2	–	2	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	3	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	1	4	2	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	8	–	–	–	–	–	–	–	–	2	–	5	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28	17	7	1	–	–	–	1	2	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19	10	5	2	1	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25	24	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	35	32	3	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	25	24	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	43	–	–	–	–	–	–	–	–	–	–	2	25	16
794	45.0	Senility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	43	–	–	–	–	–	–	–	–	–	–	6	20	17
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33	–	6	–	–	–	–	–	1	6	8	6	6	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	3	–	–	1	–	–	–	–	–	–	–	–	2	–	–	31	2	3	1	–	–	–	–	2	1	2	7	11	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	–	4	–	–	–	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	3	–	3	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34	–	–	8	6	3	4	1	2	1	4	5	–	–
E810-835	E47	Motor vehicle accidents ..	M.	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	10	–	–	–	4	1	1	1	–	1	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	1	–	–	–	–	–	1	–	1	1	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	51	–	9	3	2	–	2	2	5	5	7	7	9	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	3	–	–	–	–	–	1	–	–	–	1	1	–	–	–	41	1	3	1	–	–	–	1	1	4	6	5	16	3
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–														

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		COUNTY OF CITY OF EDINBURGH														MIDLOTHIAN COUNTY (excluding County of City)													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"																														
		ALL CAUSES—Both Sexes ...		**6474**	**123**	**73**	**45**	**22**	**14**	**70**	**104**	**198**	**546**	**1015**	**1787**	**1874**	**603**	**1116**	**34**	**13**	**13**	**4**	**3**	**13**	**21**	**56**	**93**	**166**	**286**	**333**	**81**
		Total Males ...		**3122**	**73**	**42**	**31**	**15**	**7**	**39**	**39**	**99**	**342**	**594**	**897**	**785**	**159**	**603**	**22**	**9**	**6**	**3**	–	**7**	**10**	**34**	**58**	**95**	**152**	**184**	**23**
		Total Females ...		**3352**	**50**	**31**	**14**	**7**	**7**	**31**	**65**	**99**	**204**	**421**	**890**	**1089**	**444**	**513**	**12**	**4**	**7**	**1**	**3**	**6**	**11**	**22**	**35**	**71**	**134**	**149**	**58**
001-008	1	Tuberculosis of respiratory system	M.	94	–	–	1	–	1	8	9	9	23	21	15	6	1	9	–	–	–	–	–	–	2	1	4	2	–	–	–
			F.	62	–	–	–	–	–	12	19	9	5	10	6	1	–	9	–	–	1	–	–	2	4	1	–	1	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	7	–	–	–	1	–	–	–	3	1	–	1	1	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	9	–	–	4	1	2	–	–	–	1	1	–	–	–	3	–	–	–	–	–	1	–	–	–	1	1	–	–
020-029	3	Syphilis and its sequelæ ...	M.	15	–	–	–	–	–	–	–	3	–	3	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	–	–	2	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	6	–	5	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	2	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	5	–	2	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	4	–	–	–	–	–	–	1	–	1	–	–	1	1	3	–	–	–	–	–	–	–	1	1	1	–	–	–
			F.	11	–	–	–	–	–	–	–	2	1	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	556	–	–	3	3	–	3	7	26	85	135	177	104	13	106	–	–	2	–	–	1	1	8	11	24	30	28	1
			F.	561	–	–	2	1	–	1	5	21	63	128	169	135	36	77	–	–	1	–	–	1	1	4	8	21	26	12	3
210-239	19	Benign and unspecified neoplasms	M.	6	–	–	–	–	–	–	1	1	–	–	4	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	12	–	–	–	–	–	–	2	3	3	1	2	1	–	3	–	–	–	–	–	–	–	2	–	1	–	–	–
260	20	Diabetes mellitus	M.	7	–	–	–	–	–	–	–	–	–	–	3	3	1	3	–	–	–	–	–	–	–	–	1	–	–	2	–
			F.	30	–	–	–	–	–	2	–	–	1	5	12	10	–	9	–	–	–	–	–	–	–	2	1	–	4	2	–
290-293	21	Anæmias	M.	9	–	–	–	–	–	2	–	–	–	1	1	5	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	19	–	–	–	–	–	–	–	–	2	3	6	6	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	18	–	–	–	–	–	1	–	1	2	6	7	1	–	6	–	–	–	–	–	–	–	1	3	1	–	1	–
			F.	28	–	–	–	–	–	1	3	2	7	7	7	1	–	8	–	–	–	–	–	–	–	–	2	6	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	318	–	–	–	–	–	–	1	1	20	49	116	113	18	73	–	–	–	–	–	1	–	–	5	11	23	30	3
			F.	555	–	–	–	–	–	–	–	5	23	70	174	217	66	100	–	–	–	–	–	1	–	–	8	13	28	40	10
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	43	1	–	1	1	–	3	–	2	5	5	15	10	–	6	–	–	–	–	–	–	–	1	2	–	1	2	–
			F.	67	–	–	–	–	1	1	4	3	10	11	17	16	4	9	–	–	–	1	–	–	1	1	–	1	3	2	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	1	–	1	1	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	20	–	–	–	–	–	2	–	3	4	7	3	1	–	5	–	–	–	–	–	–	1	–	2	–	1	–	1
			F.	63	–	–	–	–	–	3	6	15	15	8	12	4	–	7	–	–	–	–	–	–	–	2	1	2	1	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	910	–	–	–	–	–	–	5	18	95	162	273	292	65	166	–	–	–	–	–	–	2	5	10	23	55	64	7
			F.	943	–	–	–	1	–	1	–	6	23	89	261	370	192	145	–	–	–	–	–	–	–	2	7	14	33	58	31
430-434	27	Other diseases of heart ...	M.	76	–	–	–	–	–	1	–	3	5	23	28	13	3	26	–	–	–	–	–	–	–	–	2	3	7	11	3
			F.	72	–	–	–	–	–	3	1	3	1	10	25	22	7	16	–	–	–	–	–	–	–	1	1	4	6	3	1
440-443	28	Hypertension with heart disease	M.	52	–	–	–	–	–	–	1	2	2	13	14	17	3	7	–	–	–	–	–	–	–	–	–	2	2	3	–
			F.	53	–	–	–	–	–	–	–	1	2	1	21	24	4	8	–	–	–	–	–	–	–	–	–	–	5	2	1
444-447	29	Hypertension without heart	M.	34	–	–	–	–	–	–	–	1	7	3	10	12	1	6	–	–	–	–	–	–	–	–	–	–	2	4	–

480-483	30	Influenza	M.	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	41	–	2	–	–	–	–	–	–	6	10	17	6	4	–	–	–	–	–	–	–	1	1	–	2	–	–							
490-493	31	Pneumonia	M.	130	–	11	3	1	–	1	2	1	10	22	40	31	8	22	–	4	–	–	–	–	–	1	2	4	4	7	–						
			F.	132	–	7	1	1	–	–	1	2	7	8	29	56	20	15	–	–	1	–	–	–	–	–	1	–	4	6	3						
500-502	32	Bronchitis	M.	160	–	3	–	–	–	–	–	1	20	31	54	46	5	22	–	–	–	–	–	–	–	–	4	2	8	8	–						
			F.	122	–	3	1	–	–	–	–	2	7	9	33	49	18	9	–	–	–	–	–	–	–	–	–	1	3	4	1						
470-475, 510-527	46.4	Other respiratory diseases ...	M.	49	–	–	2	–	–	–	–	1	4	20	17	3	2	11	–	–	–	–	–	–	1	1	6	1	2	–							
			F.	23	–	2	–	–	–	–	–	1	2	2	5	9	2	7	–	–	–	–	–	1	–	2	–	1	2	1							
540, 541	33	Ulcer of stomach and duodenum	M.	47	–	–	–	–	–	–	1	11	16	13	6	–	9	–	–	–	–	–	–	2	4	–	1	2	–							
			F.	13	–	–	–	–	–	1	1	1	1	5	3	1	4	–	–	–	–	–	–	1	1	–	2	–	–							
550-553	34	Appendicitis	M.	4	–	–	1	–	–	–	–	1	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–							
			F.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
560, 561, 570	35	Intestinal obstruction and hernia	M.	17	1	–	–	–	–	1	–	1	3	5	5	1	5	–	–	–	–	–	–	–	–	–	1	1	3	–						
			F.	23	3	–	–	–	–	–	–	3	4	5	6	2	1	–	–	–	–	–	–	–	–	–	–	1	–							
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–							
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
571, 572	36.2	Diarrhœa (except of newborn)	M.	8	–	1	–	–	–	–	–	2	3	2	–	–	3	–	2	–	–	–	–	–	–	–	1	–	–							
			F.	24	–	2	1	–	–	2	–	1	3	7	7	1	3	–	1	–	–	–	–	–	1	–	–	–	–	1							
581	37	Cirrhosis of liver	M.	11	–	–	–	–	–	–	–	3	3	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
			F.	5	–	–	–	–	–	–	–	1	2	2	–	–	3	–	–	–	–	1	–	–	–	–	–	1	1	–							
580, 582-586	46.5	Other diseases of liver ...	M.	6	–	–	–	–	–	–	–	–	2	3	–	1	5	–	–	–	–	–	–	–	–	–	2	3	–	–							
			F.	15	–	–	–	–	–	–	–	2	5	5	3	–	5	–	–	–	–	–	–	–	–	–	–	2	2	1							
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	13	–	–	–	–	–	1	–	2	2	3	1	4	–	1	–	–	–	–	–	–	1	–	–	–	–							
			F.	9	–	–	–	–	–	–	–	–	1	2	2	4	–	2	–	–	–	–	–	–	–	1	–	1	–	–							
590-594	38	Nephritis and nephrosis ...	M.	28	–	–	1	–	–	1	2	1	6	4	5	7	1	9	–	1	1	–	–	–	–	3	–	2	1	1	–						
			F.	21	–	–	–	1	–	–	–	1	3	3	6	4	3	5	–	–	–	–	–	1	–	–	–	1	–	2	1						
610	39	Hyperplasia of prostate ...	M.	38	–	–	–	–	–	–	–	–	–	15	17	6	3	–	–	–	–	–	–	–	–	–	–	–	2	1							
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	24	–	–	–	–	–	–	–	2	4	10	6	2	4	–	–	–	–	–	–	–	–	–	1	2	1	–							
			F.	24	–	–	–	–	–	1	1	2	1	3	8	7	1	4	–	–	–	–	–	–	–	1	–	1	1	1	–							
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	4	–	–	–	–	–	–	3	1	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–	–							
690-749	46.8	Diseases of skin and organs of locomotion	M.	12	1	–	–	–	–	1	–	–	1	4	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
			F.	16	–	–	–	–	–	–	–	–	–	2	6	6	2	1	–	–	–	–	–	–	–	–	–	–	1	–							
750-759	41	Congenital malformations ...	M.	33	14	9	6	–	–	1	–	–	3	–	–	–	–	6	3	–	1	–	–	–	1	–	1	–	–	–							
			F.	17	5	6	1	–	1	1	1	1	–	–	–	1	–	5	4	–	1	–	–	–	–	–	–	–	–	–							
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	33	33	–	–	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–	–							
			F.	17	16	1	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–							
763	43.1	Pneumonia of the newborn ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–							
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–							
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
765-768	43.3	Other infections of the newborn	M.	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							
769-776	44	Other diseases peculiar to early infancy	M.	19	18	1	–	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–	–							
			F.	23	22	1	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–	–							
794	45.0	Senility	M.	20	–	–	–	–	–	–	–	–	–	1	11	8	2	–	–	–	–	–	–	–	–	–	–	–	1	1							
			F.	50	–	–	–	–	–	–	–	–	–	3	21	26	3	–	–	–	–	–	–	–	–	–	–	–	–	3							
780-793, 795	45.1	Causes ill-defined and unknown	M.	29	–	3	–	–	–	–	–	1	4	5	8	6	2	6	–	1	–	–	–	–	–	–	–	1	–	4	–							
			F.	11	1	–	–	–	–	–	–	–	–	–	3	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–							
E963, E970-979	E49	Suicide	M.	36	–	–	–	–	–	2	–	5	11	13	5	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–							
			F.	21	–	–	–	–	–	1	3	5	4	3	4	1	–	2	–	–	–	–	–	1	–	–	1	–	–	–							
E810-835	E47	Motor vehicle accidents ...	M.	34	–	–	4	3	3	7	1	2	3	3	5	2	1	13	–	–	2	2	–	3	–	3	–	2	–	1	–						
			F.	14	–	–	1	1	1	2	–	2	–	1	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–							
E840-845	E48.0	Other road transport accidents	M.	3	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–							
			F.	3	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–							
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	91	1	5	6	5	3	5	7	9	4	13	9	22	2	20	–	–	–	–	–	2	3	5	2	2	3	–	3						
			F.	88	–	5	2	1	–	2	6	–	4	5	10	33	20	9	–	–	1	–	–	–	–	–	–	1	2	4	1						

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		MORAY COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	NAIRN COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		**573**	**20**	**11**	**3**	**3**	**3**	**13**	**17**	**15**	**32**	**61**	**153**	**180**	**62**	**131**	**2**	**1**	–	–	–	**1**	**1**	**4**	**8**	**6**	**31'**	**45**	**32**
		Total Males		**306**	**10**	**8**	**3**	**1**	**1**	**9**	**14**	**8**	**25**	**42**	**80**	**80**	**25**	**56**	**2**	**1**	–	–	–	**1**	–	**2**	**6**	**2**	**13**	**16**	**13**
		Total Females		**267**	**10**	**3**	–	**2**	**2**	**4**	**3**	**7**	**7**	**19**	**73**	**100**	**37**	**75**	–	–	–	–	–	–	**1**	**2**	**2**	**4**	**18**	**29**	**19**
001-008	1	Tuberculosis of respiratory system	M.	9	–	–	–	–	–	–	1	2	4	1	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	4	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	39	–	–	–	–	–	1	1	1	4	11	12	9	–	7	–	–	–	–	–	–	–	1	1	2	1	2	–
			F.	33	–	–	–	–	–	1	2	3	2	5	10	10	–	10	–	–	–	–	–	–	–	1	1	2	4	2	–
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	3	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	1	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	40	–	–	–	–	–	–	–	2	3	4	12	16	3	9	–	–	–	–	–	–	–	–	1	–	3	3	2
			F.	59	–	–	–	–	–	–	–	–	1	5	23	27	3	12	–	–	–	–	–	–	–	1	–	–	3	4	4
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	7	–	–	1	–	–	–	–	–	–	2	3	–	1	2	–	–	–	–	–	–	–	1	–	–	–	1	–
			F.	4	–	–	–	–	–	–	–	1	–	1	2	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	6	–	–	–	–	–	–	–	–	–	3	1	2	–	3	–	–	–	–	–	–	–	–	1	–	–	1	1
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	89	–	–	–	–	–	–	–	1	3	10	31	30	14	14	–	–	–	–	–	–	–	–	1	–	4	4	5
			F.	91	–	–	–	–	–	–	–	–	1	4	22	44	20	26	–	–	–	–	–	–	–	–	1	1	4	9	11
430-434	27	Other diseases of heart	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	3	–	–	–	–	–	–	–	–	1	–	1	–	1	7	–	–	–	–	–	–	–	–	–	–	1	3	3
440-443	28	Hypertension with heart disease	M.	4	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–

			F.	6	–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480-483	30	Influenza	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	1	2	1
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
490-493	31	Pneumonia	M.	5	–	2	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	1	–	–	–	–	–	–	–	–	2	2	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
500-502	32	Bronchitis	M.	6	–	–	–	–	–	–	–	–	2	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	–	1	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	4	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	–	–	–	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	6	–	–	–	–	–	–	–	–	–	–	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	4	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	6	–	–	–	–	–	–	–	1	1	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	3	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	4	–	–	–	–	–	1	–	–	1	–	1	1	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	26	–	2	2	1	–	6	8	–	3	2	–	1	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			F.	8	–	–	–	1	1	1	–	–	–	1	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		ORKNEY COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	PEEBLES COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		**337**	**5**	**3**	**1**	–	**1**	**2**	**6**	**7**	**18**	**40**	**87**	**130**	**37**	**257**	**5**	**2**	–	–	**1**	–	**1**	**6**	**17**	**36**	**69**	**97**	**23**
		Total Males		**161**	**5**	**2**	–	–	**1**	**2**	**2**	**5**	**12**	**22**	**46**	**50**	**14**	**114**	**3**	–	–	–	**1**	–	–	**4**	**8**	**21**	**32**	**39**	**6**
		Total Females		**176**	–	**1**	**1**	–	–	–	**4**	**2**	**6**	**18**	**41**	**80**	**23**	**143**	**2**	**2**	–	–	–	–	**1**	**2**	**9**	**15**	**37**	**58**	**17**
001-008	1	Tuberculosis of respiratory system	M.	2	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	19	–	–	–	–	–	–	1	–	1	7	7	3	–	16	–	–	–	–	–	–	–	1	2	4	6	3	–
			F.	31	–	1	–	–	–	–	–	–	3	6	10	10	1	11	–	–	–	–	–	–	–	–	1	3	5	2	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	1	2	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	15	–	–	–	–	–	–	–	–	–	1	6	7	1	17	–	–	–	–	–	–	–	–	–	–	1	5	9	2
			F.	32	–	–	–	–	–	–	–	–	–	3	5	18	6	19	–	–	–	–	–	–	–	–	–	1	3	7	7	1
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	6	–	–	–	–	–	–	–	–	–	3	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	11	–	–	–	–	–	–	3	–	–	3	3	2	–	4	–	–	–	–	–	–	–	–	–	1	–	1	1	2
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	47	–	–	–	–	–	–	–	1	3	5	13	18	7	38	–	–	–	–	–	–	–	1	3	7	11	14	2
			F.	49	–	–	–	–	–	–	–	–	–	4	17	23	5	58	–	–	–	–	–	–	–	–	–	3	15	31	9
430-434	27	Other diseases of heart	M.	9	–	–	–	–	–	–	–	–	1	–	3	4	1	4	–	–	–	–	–	–	–	–	1	–	1	1	1
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
440-443	28	Hypertension with heart disease	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	5	–	–	–	–	–	–	–	–	–	2	1	2	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
		Hypertension without heart	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–

450-468	46.3	Other circulatory disease ...	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	4	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1
480-483	30	Influenza	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
490-493	31	Pneumonia	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	4	–	–	–	–	–	–	–	–	–	1	1	2	3	–	1	–	–	–	–	–	–	–	1	1	–	–
500-502	32	Bronchitis	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	4	–	–	–	–	–	–	1	–	–	–	2	1	4	–	–	–	–	–	–	–	–	–	1	1	2	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	–	1	–	–	1	3	–	2	–	–	–	–	–	–	–	–	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
590-594	38	Nephritis and nephrosis ...	M.	6	–	–	–	–	–	–	1	1	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	3	1	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–
750-759	41	Congenital malformations ...	M.	2	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	7	–	–	–	–	–	–	–	–	–	1	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	12	–	–	–	–	–	–	–	–	–	2	6	4	6	–	–	–	–	–	–	–	–	–	–	3	3
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	2	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	6	–	–	–	–	1	1	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	–	–	–	–	2	3	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		PERTH BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	PERTH COUNTY (excluding Large Burgh): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	**512**	**6**	**9**	**9**	**1**	**1**	**5**	**8**	**15**	**37**	**88**	**133**	**157**	**43**	**1282**	**28**	**14**	**6**	**7**	**1**	**14**	**25**	**29**	**71**	**147**	**341**	**415**	**184**
		Total Males	...	**248**	**3**	**3**	**2**	**1**	–	**1**	**3**	**10**	**29**	**56**	**60**	**66**	**14**	**600**	**19**	**8**	**1**	**3**	–	**8**	**18**	**21**	**38**	**78**	**165**	**183**	**58**
		Total Females	...	**264**	**3**	**6**	**7**	–	**1**	**4**	**5**	**5**	**8**	**32**	**73**	**91**	**29**	**682**	**9**	**6**	**5**	**4**	**1**	**6**	**7**	**8**	**33**	**69**	**176**	**232**	**126**
001-008	1	Tuberculosis of respiratory system	M.	8	–	–	–	1	–	–	1	1	3	2	–	–	–	8	–	–	–	–	–	–	3	2	1	1	1	–	–
			F.	7	–	–	–	–	–	1	1	2	–	1	2	–	–	6	–	–	1	–	–	–	2	–	–	2	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms	M.	41	–	–	1	–	–	–	–	1	6	11	12	10	–	90	–	–	–	–	–	1	–	1	8	20	31	26	3
			F.	28	–	–	–	–	1	–	–	–	3	6	11	5	2	111	–	–	–	1	–	–	–	5	17	20	41	17	10
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	6	–	–	–	–	–	–	1	–	–	1	3	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	1	1	2
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	5	–	–	–	–	–	1	–	–	2	2	–	–	–
			F.	6	–	1	1	–	–	1	–	–	–	1	2	–	–	3	–	–	–	–	–	–	–	–	3	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	36	–	–	–	–	–	1	–	1	3	6	8	14	3	70	–	–	–	–	–	–	1	–	3	9	23	30	4
			F.	49	–	–	–	–	–	–	–	1	3	7	12	20	6	120	–	–	–	–	–	–	–	1	3	13	36	50	17
340	23	Non-meningococcal meningitis	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	1	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	15	–	–	–	–	–	–	–	–	–	2	6	5	2
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	4	–	–	–	–	–	–	–	1	–	–	2	1	–
			F.	3	–	–	–	–	–	–	–	–	–	2	–	–	1	8	–	–	–	–	–	1	1	–	–	2	3	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	79	–	–	–	–	–	–	–	2	9	21	23	22	2	190	–	–	–	–	–	–	–	–	1	6	10	21	61	65	26
			F.	74	–	–	–	–	–	–	–	–	1	5	27	30	11	227	–	–	–	–	–	–	–	–	3	16	56	98	54
430-434	27	Other diseases of heart ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	14	–	–	–	–	–	–	–	2	–	2	2	7	1
			F.	15	–	–	–	–	–	–	–	–	–	2	4	8	1	17	–	–	–	–	–	–	–	–	1	1	5	6	4
440-443	28	Hypertension with heart disease	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	9	–	–	–	–	–	–	–	–	–	1	2	6	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	11	–	–	–	–	–	–	–	–	–	1	5	3	2
444-447	29	Hypertension without heart	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	–	–	–	1	4	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–

480-483	30	Influenza	M.	10	–	–	–	–	–	–	–	–	2	1	5	2	8	–	–	–	–	–	–	–	–	–	1	3	1	3
			F.	7	–	–	–	–	–	–	–	–	–	1	4	2	10	–	–	–	–	–	–	–	–	2	2	3	3
490-493	31	Pneumonia	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	11	–	3	1	–	–	–	2	1	1	–	1	2
			F.	7	–	–	2	–	–	–	–	–	–	1	4	–	17	–	4	1	–	–	–	–	1	1	2	3	5
500-502	32	Bronchitis	M.	6	–	–	–	–	–	–	–	–	1	2	2	–	15	–	–	–	–	–	–	–	2	3	6	1
			F.	6	–	–	–	–	–	–	–	–	–	2	4	–	17	–	–	–	–	–	–	–	–	2	5	9	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	4	–	–	–	–	–	–	–	–	3	–	1	–	9	–	–	–	–	–	–	–	1	–	4	3	1
			F.	3	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	1	3	2	–	–	7	–	–	–	–	–	1	1	1	2	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	7	–	–	–	1	–	–	–	2	–	1	2	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	1	–	–	–	2	–	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	4	–	1	–	–	–	–	–	–	–	2	1	–	3	–	1	–	–	–	–	–	–	–	–	1	–	1
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	4	–	–	–	1	–	–	–	–	1	–	–	1	1
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	2	1	1	–
			F.	2	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	–	–	–	1	1	1	3	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	1	–	1	1	–	1
			F.	5	–	–	–	–	–	–	–	–	2	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	–	2	2	11	–	–	–	–	–	–	–	–	–	–	3	5	3
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	1	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
750-759	41	Congenital malformations ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	4	3	1	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	2	1	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	13	–	–	–	–	–	–	–	–	–	–	2	7	4
			F.	7	–	–	–	–	–	–	–	–	–	–	4	3	31	–	–	–	–	–	–	–	–	–	–	–	13	18
780-793, 795	45.1	Cause ill-defined and unknown	M.	8	–	1	–	–	–	–	–	–	1	3	3	–	12	–	–	–	–	–	–	1	–	1	–	4	6	–
			F.	6	1	–	–	–	–	–	–	–	1	–	2	2	7	1	–	1	–	–	–	–	–	–	–	1	4	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	–	1	–	2	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	9	–	–	–	–	–	2	4	1	–	2	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	1	–	2	–	–	–	–	1	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	11	–	1	1	–	–	–	1	1	3	–	2	1	1	28	–	2	–	1	–	3	4	1	2	6	5	2	2
			F.	8	–	1	–	–	–	–	2	1	–	1	–	3	–	21	–	1	2	–	1	2	–	1	–	2	2	7	3

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		GREENOCK BURGH															PAISLEY BURGH														
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes ...		**958**	**35**	**21**	**10**	**3**	**5**	**16**	**33**	**48**	**87**	**129**	**288**	**217**	**66**	**1195**	**45**	**27**	**18**	**5**	**9**	**21**	**31**	**37**	**115**	**173**	**298**	**331**	**85**
		Total Males ...		**497**	**19**	**13**	**9**	**1**	**4**	**5**	**16**	**20**	**53**	**89**	**138**	**103**	**27**	**559**	**25**	**15**	**8**	**1**	**6**	**8**	**14**	**20**	**68**	**87**	**127**	**155**	**25**
		Total Females ...		**461**	**16**	**8**	**1**	**2**	**1**	**11**	**17**	**28**	**34**	**40**	**150**	**114**	**39**	**636**	**20**	**12**	**10**	**4**	**3**	**13**	**17**	**17**	**47**	**86**	**171**	**176**	**60**
001-008	1	Tuberculosis of respiratory system	M.	24	–	–	1	–	1	3	4	3	6	4	1	1	–	27	–	–	1	–	–	1	4	4	7	6	3	1	–
			F.	24	–	–	–	–	–	5	10	5	2	2	–	–	–	22	–	–	–	1	–	7	6	4	–	1	2	–	1
010-019	2	Tuberculosis, other forms ...	M.	5	–	–	2	–	1	–	1	–	–	–	1	–	–	3	–	–	1	–	–	1	1	–	–	–	–	–	–
			F.	4	–	1	–	1	–	–	–	1	1	–	–	–	–	5	–	–	2	1	–	2	–	–	–	–	–	–	–
020 029	3	Syphilis and its sequelæ ...	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	**56**	–	–	–	–	–	–	2	4	12	12	19	7	–	77	–	–	–	–	2	1	1	7	10	12	24	16	4
			F.	59	–	–	–	–	–	1	1	5	8	8	25	9	2	**93**	–	–	–	–	–	–	–	2	17	23	30	20	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	2	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
			F.	6	–	–	–	–	–	1	–	–	–	1	4	–	–	15	–	–	–	–	–	1	–	–	1	5	4	4	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	7	–	–	–	–	–	–	–	1	1	2	2	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	7	–	1	–	–	–	–	–	1	–	1	3	1	–	3	–	1	1	–	–	–	–	–	–	1	–	–	–
			F.	6	–	–	–	–	–	–	1	–	2	2	1	–	–	9	–	–	–	–	–	–	1	1	1	1	5	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	60	–	–	–	–	–	–	–	1	6	10	28	13	2	64	–	–	–	–	–	–	–	2	–	3	9	20	29	1
			F.	81	–	–	–	–	–	1	–	2	2	10	37	25	4	100	–	–	–	–	–	–	–	–	3	4	15	36	33	9
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	9	–	–	–	–	–	1	–	1	1	5	–	1	–	11	–	–	1	–	–	1	–	1	2	3	1	2	–
			F.	15	–	–	–	–	–	–	1	3	2	1	6	2	–	8	–	–	1	–	–	–	–	–	2	2	2	1	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	7	–	–	–	–	–	–	1	1	1	3	1	–	–	4	–	–	–	1	1	–	–	–	1	1	–	–	–
			F.	4	–	–	–	–	–	–	1	2	1	–	–	–	–	19	–	–	–	–	–	2	2	1	2	2	9	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	136	–	–	–	–	–	–	2	3	10	23	38	47	13	170	–	–	–	–	–	–	2	4	22	25	45	57	15
			F.	111	–	–	–	–	–	–	–	2	3	10	36	45	15	166	–	–	–	–	–	–	1	–	6	12	52	65	30
430-434	27	Other diseases of heart ...	M.	9	–	–	–	–	–	–	1	–	2	2	2	1	1	10	–	–	–	–	–	–	–	–	1	4	–	5	–
			F.	11	–	–	–	–	–	–	–	–	2	–	4	3	2	14	–	–	–	–	–	–	1	–	–	4	3	6	–
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	1	1	–	3	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	6	–	–	–	–	–	–	–	–	–	3	2	1	–
444-447	29	Hypertension without heart	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	8	–	–	–	–	–	–	–	–	2	1	–	4	1

430-468	46.3	Other ...	F.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
480-483	30	Influenza	M.	8	–	1	–	–	–	–	–	–	–	1	3	3	–	5	–	–	–	–	–	–	–	–	–	2	1	2	–
			F.	8	–	–	–	–	–	–	–	–	1	–	2	5	–	9	–	–	–	–	–	–	–	–	–	2	2	5	–
490-493	31	Pneumonia	M.	20	–	4	3	–	–	–	1	1	1	4	2	3	1	15	–	4	–	–	–	–	–	–	1	2	2	6	–
			F.	10	–	3	–	–	–	–	–	–	1	2	3	1	–	18	–	1	–	–	–	–	–	–	3	5	4	3	2
500-502	32	Bronchitis	M.	33	–	1	–	–	–	–	–	–	4	8	14	3	3	32	–	–	1	–	–	–	–	–	3	10	9	7	2
			F.	15	–	–	–	–	–	–	–	1	1	–	7	4	2	28	–	2	1	–	–	–	–	–	1	1	4	14	5
470-475, 510-527	46.4	Other respiratory diseases ...	M.	7	–	–	–	–	–	–	–	–	–	3	1	3	–	5	–	–	–	–	–	–	1	1	1	–	1	1	–
			F.	4	–	1	–	–	–	–	–	–	2	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	7	–	–	–	–	–	–	–	–	1	2	4	–	–	11	–	–	–	–	–	1	–	–	3	–	4	3	–
			F.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	5	–	–	–	–	1	–	–	–	1	1	1	1	–	5	–	–	–	–	–	–	–	–	1	1	1	2	–
			F.	8	1	–	–	–	–	–	–	–	–	–	2	3	2	7	–	–	–	–	–	–	–	–	–	2	3	2	–
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	3	–	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–	–	–
			F.	2	–	–	–	–	–	1	–	–	–	–	–	1	–	3	–	3	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	3	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	–	–	2	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	4	–	–	–	–	–	–	–	–	1	1	1	1	–	4	–	–	–	–	1	–	–	–	1	1	1	–	–
			F.	9	–	–	1	–	1	–	1	1	2	–	3	–	–	8	–	–	–	–	1	1	1	–	–	2	1	1	1
610	39	Hyperplasia of prostate ...	M.	5	–	–	–	–	–	–	–	–	–	1	1	3	–	8	–	–	–	–	–	–	–	–	–	–	2	5	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–	1	3	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	1	3	1	–	–	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	3	–	–	–	–	–	–	1	2	–	–	–	–	–	3	–	–	–	–	–	–	2	–	1	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	5	–	1	–	1	–	–	–	1	–	–	1	1	–
750-759	41	Congenital malformations ...	M.	6	4	–	2	–	–	–	–	–	–	–	–	–	–	5	2	2	–	–	1	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	6	2	2	–	1	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	6	1	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	19	17	2	–	–	–	–	–	–	–	–	–	–	–
			F.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	12	–	–	–	–	–	–	–	–	–	–	1	7	4	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	14	–	–	–	–	–	–	–	–	–	–	–	7	7	11	–	–	–	–	–	–	–	–	–	–	2	7	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	23	1	2	–	–	–	–	–	–	3	4	9	3	1	7	–	1	1	–	–	–	–	–	1	1	1	1	1
			F.	12	–	1	–	–	–	–	–	–	–	–	6	4	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	1	1	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	5	–	–	1	1	–	–	–	–	1	1	1	–	–	4	–	–	1	–	–	1	1	–	–	–	–	1	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	15	–	1	–	–	–	–	4	2	3	3	2	–	–	15	–	4	1	–	1	–	–	2	1	3	1	2	–
			F.	10	–	–	–	–	–	–	–	–	–	2	5	2	1	14	–	2	–	1	–	–	–	1	1	–	2	4	3

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		PORT-GLASGOW BURGH														RENFREW COUNTY (excluding Large Burghs)													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes ...		**243**	**13**	**9**	**3**	**1**	**1**	**7**	**9**	**12**	**30**	**38**	**66**	**43**	**11**	**1743**	**52**	**30**	**16**	**7**	**5**	**24**	**31**	**65**	**129**	**283**	**451**	**470**	**180**
		Total Males ...		**122**	**7**	**7**	**1**	**–**	**–**	**4**	**4**	**6**	**18**	**23**	**30**	**20**	**2**	**834**	**22**	**15**	**8**	**5**	**4**	**8**	**17**	**31**	**71**	**162**	**217**	**213**	**61**
		Total Females ...		**121**	**6**	**2**	**2**	**1**	**1**	**3**	**5**	**6**	**12**	**15**	**36**	**23**	**9**	**909**	**30**	**15**	**8**	**2**	**1**	**16**	**14**	**34**	**58**	**121**	**234**	**257**	**119**
001-008	1	Tuberculosis of respiratory system	M.	7	–	–	–	–	–	2	–	–	3	2	–	–	–	32	–	–	1	–	–	–	6	5	5	11	4	–	–
			F.	9	–	–	–	–	–	3	4	2	–	–	–	–	–	24	–	–	–	–	–	6	6	5	4	2	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	2	–	–	–	–	–	2	–	–	–	–	–	–	–	7	–	–	2	1	–	2	–	1	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	1	–	–	3	1	1	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	1	1	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	1	–	–	1
			F.	3	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	19	–	–	–	–	–	–	–	1	2	4	7	5	–	125	–	–	1	–	–	1	2	5	15	31	44	22	4
			F.	18	–	–	–	–	–	–	1	1	1	2	10	2	1	126	–	–	1	–	–	1	2	9	20	27	34	26	6
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	2	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18	–	1	–	–	–	–	1	–	–	3	9	4	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	4	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	8	–	–	–	–	–	–	–	2	–	3	1	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	1	–	–	1	–	1	1	5	–	2	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	10	–	–	–	–	–	–	–	–	–	2	6	2	–	108	–	–	–	–	–	–	1	–	7	17	37	40	6
			F.	21	–	–	–	–	–	–	–	–	2	4	5	7	3	156	–	–	–	–	–	–	–	1	4	25	46	59	21
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	1	1	1	1	–	3	1	3	2	–	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21	–	–	–	–	–	3	1	–	1	2	9	5	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	–	1	–	1	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	11	–	–	–	–	–	–	–	1	2	2	3	3	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	30	–	–	–	–	–	–	1	1	7	7	9	5	–	275	–	–	–	–	–	1	2	5	27	53	79	77	31
			F.	22	–	–	–	–	–	–	–	1	3	1	9	5	3	250	–	–	–	–	–	–	1	4	6	30	74	87	48
430-434	27	Other diseases of heart ...	M.	4	–	–	–	–	–	–	–	–	–	1	1	1	1	13	–	–	–	–	–	–	–	–	2	2	2	5	2
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	22	–	–	–	–	–	–	–	1	1	4	2	10	4
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	8	–	–	–	–	–	–	–	–	–	1	5	2	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	17	–	–	–	–	–	–	–	–	1	2	5	6	2	1
444-447	29	Hypertension without heart	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	–	–	–	–	–	–	2	4	2	3	–
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	(aa)	(bb)	(cc)	(dd)	(ee)

480-483	30	Influenza	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia	M.	7	–	3	–	–	–	–	–	–	1	–	2	1	–	26	–	5	1	–	–	–	–	–	–	6	4	9	1
			F.	5	–	–	1	–	–	–	–	–	–	1	–	2	1	26	–	4	3	1	–	–	1	2	2	2	5	2	4
500-502	32	Bronchitis	M.	8	–	–	–	–	–	–	–	–	2	3	1	2	–	27	–	1	1	–	–	–	–	1	1	5	6	10	2
			F.	9	–	–	–	–	–	–	–	1	1	1	3	3	–	16	–	1	–	–	–	–	–	–	1	–	4	9	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	2	1	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
540, 541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	1	–	1	1	–	–	–	8	–	–	–	–	–	–	1	2	3	1	1	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	5	–	–	–	–	–	–	–	1	1	1	2	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	6	–	–	–	–	–	–	–	1	–	1	1	2	1
			F.	3	–	–	–	–	–	–	–	–	3	–	–	–	–	4	–	–	–	1	–	–	–	–	2	–	–	–	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	5	–	2	–	–	–	–	–	–	–	1	–	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	4	–	–	1	–	–	–	–	–	1	–	1
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	–	1
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	1	–	–	–	3	1	3	–
530-539, 542, 544, 545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	–	1	–	–	1	1	–
	38	Nephritis and nephrosis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	1	1	–	–	–	2	1	1
			F.	6	–	–	–	–	–	–	–	–	2	–	3	1	–	10	–	–	–	–	–	1	–	–	1	2	3	2	1
610	39	Hyperplasia of prostate ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	1	1	3	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	1	–	–	3	2	1
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	–	–	–	1	–	–	2	2	–
640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689 690-749	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	–	–	2	–	1	4	2	1
750-759	41	Congenital malformations ...	M.	3	2	1	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	–	1	–	–	–	–	5	2	3	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	4	3	1	–	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	4	1	–	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	–	1	3	3
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16	–	–	–	–	–	–	–	–	–	1	9	6
780-793, 795	45.1	Cause ill-defined and unknown	M.	3	–	1	–	–	–	–	–	–	–	–	1	–	1	12	–	1	1	–	–	–	–	2	3	2	2	1
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	8	1	–	–	–	–	–	–	–	1	3	2	1
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	1	1	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	10	–	–	1	1	2	–	2	1	–	–	3	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	5	–	–	1	–	–	–	1	1	1	–	–	1	–	19	–	2	–	1	–	1	1	2	3	1	5	3	–
			F.	4	–	1	–	–	–	–	–	–	–	1	–	1	1	19	–	–	–	–	–	–	–	1	3	1	1	7	6

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		ROSS & CROMARTY COUNTY															INSULAR PORTION OF ROSS AND CROMARTY COUNTY														
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**930**	**21**	**10**	**9**	**3**	**2**	**14**	**16**	**27**	**56**	**89**	**188**	**302**	**193**	**381**	**9**	**4**	**4**	**1**	–	**3**	**9**	**11**	**21**	**35**	**79**	**122**	**83**
		Total Males ...		**436**	**15**	**8**	**2**	**1**	**1**	**6**	**9**	**17**	**28**	**40**	**105**	**129**	**75**	**162**	**6**	**3**	**1**	**1**	–	**1**	**5**	**10**	**9**	**14**	**35**	**49**	**28**
		Total Females ...		**494**	**6**	**2**	**7**	**2**	**1**	**8**	**7**	**10**	**28**	**49**	**83**	**173**	**118**	**219**	**3**	**1**	**3**	–	–	**2**	**4**	**1**	**12**	**21**	**44**	**73**	**55**
001-008	1	Tuberculosis of respiratory system	M.	12	–	–	–	–	–	–	2	2	5	2	1	–	–	8	–	–	–	–	–	–	1	1	3	2	1	–	–
			F.	9	–	–	–	–	–	–	2	2	1	3	1	–	–	5	–	–	–	–	–	–	2	–	–	2	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	1	–	–	1	1	–	1	–	1	–	–	4	–	–	1	–	–	1	–	–	1	–	1	–	–
020-029	3	Syphilis and its sequelæ ...	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	3	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	58	–	–	–	–	1	1	1	4	6	9	19	11	6	23	–	–	–	–	–	1	–	4	3	3	8	3	1
			F.	49	–	–	2	–	–	–	1	–	7	14	12	11	2	21	–	–	1	–	–	–	1	–	4	5	6	3	1
210-239	19	Benign and unspecified neoplasms	M.	3	–	–	–	–	–	–	–	1	–	1	–	–	1	3	–	–	–	–	–	–	–	1	–	1	–	–	1
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
260	20	Diabetes mellitus	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	6	–	–	–	–	–	–	–	–	2	1	1	2	–	4	–	–	–	–	–	–	–	–	1	–	1	2	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	9	–	–	–	–	–	1	–	1	2	1	3	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	50	–	–	–	–	–	–	1	1	–	6	19	16	7	14	–	–	–	–	–	–	–	–	–	–	5	7	2
			F.	78	–	–	–	1	–	2	–	2	2	7	19	31	14	49	–	–	–	–	–	1	–	1	2	3	13	20	9
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	10	–	–	–	–	–	1	1	1	–	1	4	2	1	4	–	–	–	–	–	–	1	–	–	1	1	1	–
			F.	11	–	–	–	–	1	2	–	–	2	2	1	1	2	4	–	–	–	–	–	–	–	–	–	1	–	1	2
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	5	–	–	–	–	–	–	1	–	–	–	3	1	–	3	–	–	–	–	–	–	1	–	–	–	1	1	–
			F.	7	–	–	–	–	–	–	1	–	–	2	1	2	1	4	–	–	–	–	–	–	1	–	–	2	–	–	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	134	–	–	–	–	–	–	–	1	4	10	30	51	38	45	–	–	–	–	–	–	–	–	–	4	9	17	15
			F.	141	–	–	–	–	–	–	–	–	3	9	25	63	41	69	–	–	–	–	–	–	–	–	–	1	6	11	30	21
430-434	27	Other diseases of heart ...	M.	7	–	–	–	–	–	–	–	–	1	1	2	3	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–
			F.	12	–	–	–	–	–	–	–	1	2	1	1	6	1	8	–	–	–	–	–	–	–	–	–	2	–	1	5	–
440-443	28	Hypertension with heart	M.	5	–	–	–	–	–	–	–	–	1	1	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1

480-483	30	Influenza	F.	17	–	–	–	–	–	–	–	–	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
490-493	31	Pneumonia	M.	11	–	2	–	–	–	1	–	1	–	–	3	2	2	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	14	–	1	–	–	–	–	–	–	1	1	4	6	1	4	–	1	–	–	–	–	–	–	–	–	2	1	–
500-502	32	Bronchitis	M.	5	–	–	–	–	–	–	–	1	–	–	2	2	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
			F.	15	–	–	1	–	–	–	–	–	–	–	2	4	8	5	–	–	–	–	–	–	–	–	–	–	2	–	3
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	4	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	7	–	–	–	–	–	–	–	2	–	2	1	2	–	4	–	–	–	–	–	–	–	1	–	1	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	2	1	2	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
590-594	38	Nephritis and nephrosis ...	M.	4	–	–	–	–	–	–	–	1	–	1	–	2	–	4	–	–	–	–	–	–	–	1	–	1	–	2	–
			F.	4	–	–	–	–	–	–	–	–	2	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	5	3	–	1	–	–	–	–	–	1	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–	–	–
			F.	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43,1	Pneumonia of the newborn ...	M,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43,3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	8	7	1	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	25	–	–	–	–	–	–	–	–	–	–	–	10	15	10	–	–	–	–	–	–	–	–	–	–	–	4	6
			F.	41	–	–	–	–	–	–	–	–	–	–	–	16	25	14	–	–	–	–	–	–	–	–	–	–	–	4	10
780-793, 795	45.1	Cause ill-defined and unknown	M.	11	–	–	–	–	–	–	–	1	–	1	6	3	–	5	–	–	–	–	–	–	–	1	–	–	3	1	–
			F.	9	–	–	–	–	–	1	–	–	1	1	1	2	3	4	–	–	–	–	–	–	–	–	–	–	–	1	3
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	4	–	–	–	–	–	1	2	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	11	–	1	1	1	–	–	1	1	2	–	2	1	1	3	–	–	–	1	–	–	1	–	1	–	–	–	–
			F.	11	–	1	1	1	–	–	–	1	–	–	1	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		ROXBURGH COUNTY														SELKIRK COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 w'ks–	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes	...	**666**	**7**	**8**	**1**	**2**	**2**	**3**	**10**	**20**	**47**	**101**	**176**	**232**	**57**	**336**	**11**	**5**	**2**	**3**	**1**	**2**	**5**	**4**	**20**	**45**	**96**	**106**	**36**
		Total Males	...	**296**	**4**	**5**	**1**	**1**	–	**2**	**5**	**12**	**25**	**47**	**81**	**94**	**19**	**152**	**4**	**3**	**1**	**1**	–	–	**3**	**3**	**8**	**29**	**47**	**37**	**16**
		Total Females	...	**370**	**3**	**3**	–	**1**	**2**	**1**	**5**	**8**	**22**	**54**	**95**	**138**	**38**	**184**	**7**	**2**	**1**	**2**	**1**	**2**	**2**	**1**	**12**	**16**	**49**	**69**	**20**
001-008	1	Tuberculosis of respiratory system	M.	2	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	4	–	–	–	–	–	–	1	1	–	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	4	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	32	–	–	–	–	–	–	1	4	6	8	8	5	–	21	–	–	–	–	–	–	–	–	2	9	7	2	1
			F.	65	–	–	–	–	–	–	1	2	12	14	16	18	2	29	–	–	–	1	–	–	–	1	4	4	7	11	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	4	–	–	–	–	–	–	–	–	–	–	3	1	–	3	–	–	–	–	–	–	–	1	–	–	1	1	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	–	2	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	1	1	2	1	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	33	–	–	–	–	–	–	–	–	1	4	7	18	3	23	–	–	–	–	–	–	1	–	–	7	6	7	2
			F.	76	–	–	–	–	–	–	–	1	1	13	25	29	7	32	–	–	–	–	–	–	–	–	2	5	15	8	2
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	8	–	–	1	1	–	–	1	–	2	–	1	1	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	11	1	–	–	–	–	–	–	1	1	3	4	1	–	8	–	1	–	–	–	–	–	–	2	–	–	5	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	120	–	–	–	–	–	–	–	2	8	18	38	46	8	49	–	–	–	–	–	–	–	–	4	6	19	15	5
			F.	112	–	–	–	–	–	–	–	–	2	10	26	57	17	48	–	–	–	–	–	–	–	–	–	3	14	24	7
430-434	27	Other diseases of heart ...	M.	4	–	–	–	–	–	–	–	–	1	1	2	–	–	5	–	–	–	–	–	–	–	–	–	1	3	1	–
			F.	7	–	–	–	–	–	–	–	–	–	2	3	2	–	3	–	–	–	–	–	–	–	–	–	2	–	1	–
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–

480-483	30	Influenza	M.	9	–	1	–	–	–	–	–	–	–	2	–	6	–	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			F.	8	–	–	–	–	–	–	–	–	–	–	3	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia	M.	5	–	3	–	–	–	–	–	1	–	–	–	1	–	9	–	1	–	–	–	–	–	–	1	1	3	2	1
			F.	4	–	1	–	–	–	–	–	–	–	–	2	1	–	9	–	1	1	–	–	–	–	–	–	–	1	5	1
500-502	32	Bronchitis	M.	10	–	–	–	–	–	–	–	1	–	3	4	2	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	5	–	–	–	–	–	–	–	–	–	2	–	2	1	3	–	–	–	–	–	–	–	–	–	–	2	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	–	–	3	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
540,541	33	Ulcer of stomach and duodenum	M.	9	–	–	–	–	–	–	–	2	3	2	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	4	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	1	–	1	–	–	–	1	3	–	4	–	–	–	–	–	–	1	–	–	–	2	1	–
610	39	Hyperplasia of prostate ...	M.	8	–	–	–	–	–	–	–	–	–	–	5	1	2	4	–	–	–	–	–	–	–	–	–	–	3	1	–
600-609, 611-637	46.7	Other diseases of genito-urinary system ...	M.	3	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	3	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
750-759	41	Congenital malformations ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	9	–	–	–	–	–	–	–	–	–	–	–	5	4	11	–	–	–	–	–	–	–	–	–	–	–	5	6
780-793, 795	45.1	Cause ill-defined and unknown	M.	3	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	1	1	–	–	–
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	7	–	1	–	1	–	–	1	–	–	–	–	3	1
			F.	10	–	1	–	–	–	1	–	–	1	–	2	3	2	3	–	–	–	–	–	–	–	–	1	–	–	–	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		FALKIRK BURGH														STIRLING BURGH													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes	...	**433**	**18**	**7**	**3**	**2**	–	**5**	**11**	**21**	**39**	**85**	**107**	**110**	**25**	**363**	**8**	**9**	**3**	**3**	–	**1**	**7**	**19**	**27**	**49**	**103**	**109**	**25**
		Total Males	...	**244**	**12**	**3**	**1**	**1**	–	**3**	**7**	**10**	**24**	**49**	**64**	**61**	**9**	**168**	**3**	**6**	–	**1**	–	–	**2**	**11**	**16**	**29**	**42**	**50**	**8**
		Total Females	...	**189**	**6**	**4**	**2**	**1**	–	**2**	**4**	**11**	**15**	**36**	**43**	**49**	**16**	**195**	**5**	**3**	**3**	**2**	–	**1**	**5**	**8**	**11**	**20**	**61**	**59**	**17**
001-008	1	Tuberculosis of respiratory system	M.	7	–	–	–	–	–	–	2	–	1	3	–	–	1	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	4	–	–	–	–	–	–	–	4	–	–	–	–	–	5	–	–	–	–	–	–	1	2	–	1	–	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	40	–	–	–	–	–	–	3	3	8	8	10	7	1	25	–	–	–	–	–	–	1	2	3	6	8	5	–
			F.	35	–	–	–	–	–	–	1	4	9	7	7	7	–	31	–	–	–	1	–	–	1	3	2	5	9	9	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	4	–	–	–	–	–	–	1	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	1	–	1	–	1	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	45	–	–	–	–	–	1	–	–	–	4	16	21	3	26	–	–	–	–	–	–	–	1	1	3	11	10	–
			F.	38	–	–	–	–	–	–	–	1	1	8	13	10	5	44	–	–	–	–	–	–	–	1	–	3	20	14	6
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	5	–	–	–	–	–	–	–	–	1	2	2	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	4	–	–	1	–	–	–	–	1	1	–	1	–	–	5	–	–	–	–	–	–	–	–	1	2	1	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	1	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	–	1	–	–	–	1	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	55	–	–	–	–	–	–	–	3	6	13	15	16	2	45	–	–	–	–	–	–	–	2	5	8	10	17	3
			F.	44	–	–	–	–	–	–	–	–	1	6	12	21	4	32	–	–	–	–	–	–	–	–	1	1	11	14	5
430-434	27	Other diseases of heart ...	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	5	–	–	–	–	–	–	–	–	–	1	3	1	–	6	–	–	–	–	–	–	–	–	1	–	1	4	–
440-443	28	Hypertension with heart disease	M.	3	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
444-447	29	Hypertension without heart	M.	4	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

480-483	30	Influenza	M.	3	–	–	–	–	–	–	–	–	1	2	–	3	–	1	–	–	–	–	–	–	–	–	–	1	2	–
			F.	4	–	–	–	–	1	–	–	–	2	1	–	3	–	–	–	–	–	–	–	1	–	1	2	4	–
490-493	31	Pneumonia	M.	8	–	1	–	–	–	–	1	1	1	1	–	3	–	9	–	1	–	–	–	–	–	–	–	3	2	1
			F.	2	–	1	–	–	–	–	–	–	1	–	–	–	–	10	–	2	1	1	–	–	–	–	–	3	2	–
500-502	32	Bronchitis	M.	14	–	1	–	–	–	–	–	3	5	1	4	–	7	–	1	–	–	–	–	–	–	1	2	1	2	–
			F.	6	–	–	–	–	–	–	–	–	3	1	1	1	5	–	–	–	–	–	–	–	–	–	–	3	2	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	1	–	–	1	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
540,541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	–	1	1	–	2	–	3	–	–	–	–	–	–	–	–	1	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	1	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	1	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–	2	–
530-539, 542, 544, 545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	3	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	2	–	–	–
	38	Nephritis and nephrosis ...	M.	3	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	40.1	Other puerperal causes ...	F.	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	8	8	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	4	1	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	6	–	–	–	–	–	–	–	–	–	–	–	4	2
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	8	–	–	–	–	–	–	–	–	–	–	1	4	3
780-793, 795	45.1	Cause ill-defined and unknown	M.	8	–	1	–	–	–	–	–	2	2	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	1	1	–	1	–	4	–	–	–	–	–	–	–	–	–	1	2	–	1
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	4	–	–	–	1	–	1	–	–	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	1	–	1	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	3	–	–	–	–	–	–	–	2	–	1	–	–	6	–	–	–	–	–	–	1	1	2	–	1	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	2	–	1	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		STIRLING COUNTY (excluding Large Burghs)														SUTHERLAND COUNTY													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	**1418**	**54**	**23**	**12**	**7**	**8**	**13**	**43**	**47**	**116**	**217**	**406**	**356**	**116**	**229**	**7**	**2**	**1**	–	–	**3**	**1**	**5**	**15**	**17**	**51**	**73**	**54**
		Total Males	...	**728**	**32**	**14**	**4**	**4**	**2**	**6**	**25**	**18**	**62**	**120**	**219**	**178**	**44**	**112**	**5**	**1**	**1**	–	–	**1**	–	**3**	**10**	**13**	**23**	**32**	**23**
		Total Females	...	**690**	**22**	**9**	**8**	**3**	**6**	**7**	**18**	**29**	**54**	**97**	**187**	**178**	**72**	**117**	**2**	**1**	–	–	–	**2**	**1**	**2**	**5**	**4**	**28**	**41**	**31**
001-008	1	Tuberculosis of respiratory system	M.	13	–	–	–	–	–	2	4	–	2	2	3	–	–	3	–	–	–	–	–	–	–	2	1	–	–	–	–
			F.	13	–	–	–	–	1	2	4	3	2	–	–	1	–	3	–	–	–	–	–	1	1	–	–	–	–	1	–
010-019	2	Tuberculosis, other forms ...	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms	M.	102	–	–	–	–	–	1	4	6	16	17	32	24	2	16	–	–	–	–	–	1	–	1	2	4	4	4	–
			F.	88	–	–	–	–	–	–	2	5	19	14	27	20	1	10	–	–	–	–	–	–	–	–	–	1	3	5	–
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
260	20	Diabetes mellitus	M.	8	–	–	–	–	–	–	1	–	–	3	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	14	–	–	–	–	–	–	–	2	–	3	7	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	–	2	3	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	3	–	1	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	8	–	–	1	–	–	–	–	1	2	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	90	–	–	–	–	–	–	–	–	4	19	37	24	6	15	–	–	–	–	–	–	–	–	2	2	2	6	3
			F.	100	–	–	–	–	–	–	–	1	3	3	17	30	34	12	17	–	–	–	–	–	–	–	–	1	–	9	5	2
340	23	Non-meningococcal meningitis	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	12	–	–	–	–	–	–	3	1	–	4	2	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	11	–	–	–	–	1	1	–	1	2	3	2	1	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	8	–	–	–	–	1	–	1	1	–	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	16	–	–	–	1	–	–	2	–	1	6	3	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	208	–	–	–	–	–	–	1	2	18	33	69	71	14	31	–	–	–	–	–	–	–	–	2	3	8	11	7
			F.	206	–	–	–	–	2	–	2	3	11	28	65	61	34	31	–	–	–	–	–	–	–	–	–	1	9	13	8
430-434	27	Other diseases of heart ...	M.	8	–	–	–	–	–	–	–	–	1	3	–	3	1	5	–	–	–	–	–	–	–	–	–	1	2	2	–
			F.	20	–	–	–	–	–	–	–	1	2	2	7	8	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
440-443	28	Hypertension with heart	M.	6	–	–	–	–	–	–	1	–	–	–	5	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
444-447	29	Hypertension [illegible]	F.	7	–	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

480-483	30	Influenza	M.	12	–	–	–	–	–	–	1	1	–	2	3	5	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	7	–	–	1	–	–	–	1	1	–	–	1	2	1	10	–	–	–	–	–	1	–	–	–	–	1	2	6
490-493	31	Pneumonia	M.	26	–	7	–	1	–	–	–	1	2	1	9	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	18	–	2	2	–	–	–	–	1	1	1	2	6	3	5	–	–	–	–	–	–	–	1	1	–	–	1	2
500-502	32	Bronchitis	M.	33	–	1	–	–	–	–	–	–	2	3	11	13	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	21	–	–	1	–	–	–	–	–	1	1	5	10	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	15	1	–	–	–	–	–	–	–	4	4	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	–	2	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
540,541	33	Ulcer of stomach and duodenum	M.	16	–	–	–	–	–	–	–	–	2	6	6	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	4	–	1	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	2	–	–	–	–	–	–	–	–	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	7	–	–	–	–	–	–	–	–	2	3	1	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	5	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	5	–	–	–	–	–	–	–	1	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	1	1	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
590-594	38	Nephritis and nephrosis ...	M.	10	–	–	–	1	–	1	–	1	–	2	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	10	–	–	–	–	–	1	–	1	2	4	1	1	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
610	39	Hyperplasia of prostate ...	M.	6	–	–	–	–	–	–	–	–	–	1	–	4	1	3	–	–	–	–	–	–	–	–	–	–	–	2	1
600-609, 611-637	46.7	Other diseases of genito-urinary system ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	5	–	–	–	–	–	–	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	1	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	9	5	2	1	1	–	–	–	–	–	–	–	–	–	5	4	–	–	–	–	–	–	–	1	–	–	–	–
			F.	6	2	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	16	16	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	10	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	11	–	–	–	–	–	–	–	–	–	–	2	4	5	7	–	–	–	–	–	–	–	–	–	–	–	2	5
			F.	14	–	–	–	–	–	–	–	–	–	–	–	6	8	9	–	–	–	–	–	–	–	–	–	–	–	4	5
780-793, 795	45.1	Cause ill-defined and unknown	M.	14	–	–	–	–	–	–	–	2	3	3	4	1	1	4	–	–	–	–	–	–	–	–	–	–	2	1	1
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	1	–	–	2	–
E963, E970-979	E49	Suicide	M.	5	–	–	–	–	–	–	1	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	7	–	–	–	–	1	–	1	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	1	1	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	16	–	1	1	–	–	1	4	1	3	3	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	15	–	–	–	–	–	–	1	1	–	4	2	3	4	4	–	–	–	–	–	–	–	–	1	–	–	1	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		WEST LOTHIAN COUNTY														WIGTOWN COUNTY												
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes ...		**926**	**27**	**29**	**23**	**9**	**2**	**10**	**21**	**33**	**80**	**142**	**257**	**232**	**61**	**390**	**22**	**8**	**4**	**2**	**–**	**6**	**7**	**14**	**21**	**43**	**110**	**120**	**33**
		Total Males ...		**526**	**15**	**16**	**14**	**6**	**–**	**3**	**6**	**16**	**50**	**94**	**155**	**125**	**26**	**179**	**12**	**4**	**1**	**2**	**–**	**3**	**3**	**11**	**11**	**19**	**49**	**49**	**15**
		Total Females ...		**400**	**12**	**13**	**9**	**3**	**2**	**7**	**15**	**17**	**30**	**48**	**102**	**107**	**35**	**211**	**10**	**4**	**3**	**–**	**–**	**3**	**4**	**3**	**10**	**24**	**61**	**71**	**18**
001-008	1	Tuberculosis of respiratory system	M.	11	–	–	1	–	–	1	1	3	4	–	1	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	10	–	–	1	–	–	3	3	2	–	1	–	–	–	3	–	–	–	–	–	–	1	1	–	1	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	4	–	–	1	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	77	–	–	1	–	–	–	1	3	14	18	23	15	2	17	–	–	–	–	–	–	2	1	1	1	6	4	2
			F.	58	–	–	–	–	–	1	4	2	8	10	19	12	2	33	–	–	–	–	–	–	–	1	6	6	12	8	–
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	2	–	–	1	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	1	1	2	2	–	–	3	–	–	–	–	–	1	–	–	–	1	1	–	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	4	–	–	–	–	–	–	–	–	2	2	–	–	–
			F.	10	–	–	–	1	–	1	1	–	1	3	2	1	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	61	1	–	–	–	–	–	–	–	3	10	21	24	2	29	–	–	–	–	–	–	–	–	2	2	11	10	4
			F.	55	–	–	–	–	–	–	–	1	3	10	17	21	3	44	–	–	–	–	–	–	–	–	1	6	15	16	6
340	23	Non-meningococcal meningitis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	8	–	–	1	–	1	–	–	–	1	1	4	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	5	–	–	–	1	–	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	13	–	–	–	–	–	–	2	2	1	2	4	2	–	4	–	–	–	–	–	–	–	1	–	2	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	148	–	–	–	–	–	1	–	3	14	33	57	33	7	52	–	–	–	–	–	–	1	2	2	9	17	15	6
			F.	100	–	–	–	–	–	–	–	4	4	7	32	43	10	65	–	–	–	–	–	–	–	–	1	3	22	33	6
430-434	27	Other diseases of heart ...	M.	13	–	–	–	–	–	–	–	–	–	5	2	5	1	4	–	–	–	–	–	–	–	1	–	1	1	1	–
			F.	9	–	–	–	–	–	–	–	–	–	3	–	3	3	3	–	–	–	–	–	–	–	–	–	–	1	1	1
440-443	28	Hypertension with heart disease	M.	10	–	–	–	–	–	–	–	–	1	1	5	3	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	10	–	–	–	–	–	–	–	1	2	–	4	1	2	2	–	–	–	–	–	–	–	–	1	1	–	–	–

450-468	46.3	Other circulatory disease ...	F.	11	–	–	–	–	–	–	1	–	1	1	3	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480-483	30	Influenza	M.	7	–	1	2	–	–	–	–	–	–	1	1	2	–	6	–	–	–	–	–	–	–	2	1	–	–	3	–
			F.	8	–	–	–	–	–	–	–	–	1	–	3	2	2	2	–	–	–	–	–	–	–	–	–	–	–	2	–
490-493	31	Pneumonia	M.	28	–	5	1	–	–	–	–	2	2	6	6	5	1	6	–	2	–	–	–	–	–	–	1	–	1	2	–
			F.	17	–	5	1	–	–	–	–	1	1	1	3	3	2	7	–	2	2	–	–	–	–	–	–	2	–	1	–
500-502	32	Bronchitis	M.	21	–	–	–	–	–	–	1	–	1	5	8	4	2	2	–	1	–	–	–	–	–	–	–	–	–	1	–
			F.	6	–	–	–	–	–	–	–	–	–	–	2	3	1	7	–	–	–	–	–	–	–	–	–	–	2	4	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	12	–	1	1	–	–	–	–	1	1	2	5	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	1	–	1	–	1	–	–	–
540,541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	1	1	–	1	2	1	2	–	–	–	–	–	–	–	1	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	3	–	2	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	1	–	–	–	–	–	2	–
			F.	3	–	1	–	–	–	–	–	–	1	1	–	–	–	3	–	1	–	–	–	–	–	–	–	–	1	1	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	3	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	3	–	–	–	1	–	–	–	–	1	–	1	–	–	4	–	–	–	–	–	–	–	–	–	–	1	3	–
			F.	4	–	–	–	–	1	–	–	–	–	2	–	1	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1
610	39	Hyperplasia of prostate ...	M.	6	–	–	–	–	–	–	–	–	–	–	4	1	1	5	–	–	–	–	–	–	–	–	–	–	2	3	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	8	–	–	–	–	–	–	–	–	2	–	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	3	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	5	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	4	4	–	–	–	–	–	–	–	–	–	–	4	3	–	–	–	–	1	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	1	2	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	7	1	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	5	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–	2
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	1	1	1
780-793, 795	45.1	Cause ill-defined and unknown	M.	7	1	–	–	–	–	–	–	–	1	1	2	2	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	7	–	–	–	–	–	–	1	–	1	1	2	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	11	–	–	2	1	–	–	–	–	1	3	2	2	–	7	–	–	–	–	–	1	–	–	–	–	5	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	16	–	3	–	–	–	–	2	2	1	1	4	2	1	6	–	1	–	1	–	–	–	2	–	1	–	–	1
			F.	11	–	2	1	1	–	–	–	1	–	–	–	5	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1951—*continued*

International Classification		Causes of Death		ZETLAND COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"																
		ALL CAUSES—Both Sexes ...		**343**	**4**	**2**	**1**	–	–	**1**	**8**	**8**	**16**	**38**	**74**	**122**	**69**
		Total Males ...		**153**	**3**	**1**	–	–	–	–	**5**	**3**	**6**	**18**	**35**	**57**	**25**
		Total Females ...		**190**	**1**	**1**	**1**	–	–	**1**	**3**	**5**	**10**	**20**	**39**	**65**	**44**
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	–	1	2	–	1	–	–	–
			F.	4	–	–	–	–	–	1	2	–	–	1	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	2	–	–	–	–	–	–	2	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	16	–	–	–	–	–	–	1	–	–	4	9	2	–
			F.	27	–	–	–	–	–	–	1	2	3	5	6	9	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	14	–	–	–	–	–	–	–	–	1	–	6	7	–
			F.	31	–	–	–	–	–	–	–	1	1	3	13	9	4
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	–	–	–	–	–	–	1	2	1
			F.	7	–	–	–	–	–	–	–	–	–	1	1	4	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	60	–	–	–	–	–	–	–	–	2	7	14	25	12
			F.	43	–	–	–	–	–	–	–	–	–	4	8	17	14
430-434	27	Other diseases of heart ...	M.	4	–	–	–	–	–	–	–	–	–	2	–	2	–
			F.	3	–	–	–	–	–	–	–	–	–	1	–	1	1
440-443	28	Hypertension with heart disease	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–
444-447	29	Hypertension without heart	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–

480-483	30	Influenza	M.	4	–	–	–	–	–	–	–	–	2	1	3	4	3
			F.	13	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	5	–	–	–	–	–	–	–	–	–	1	1	2	1
500-502	32	Bronchitis	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	2
			F.	4	–	–	–	–	–	–	–	–	–	–	–	2	2
470-475, 510-527	46.4	Other respiratory diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
540,541	33	Ulcer of stomach and duodenum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	5	–	–	1	–	–	–	–	–	1	1	1	–	1
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	–	–	3	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	9	–	–	–	–	–	–	–	–	–	–	–	4	5
			F.	20	–	–	–	–	–	–	–	–	–	–	1	8	11
780-793, 795	45.1	Cause ill-defined and unknown	M.	7	–	–	–	–	–	–	–	–	1	–	1	4	1
			F.	4	–	–	–	–	–	–	–	–	–	–	1	2	1
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	2	–	–	3	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951

International Classification: Detailed List	International Classification: Abbreviated List "B"		Scotland	Counties of Cities	Large Burghs	Counties, ex Counties of Cities and Large Burghs	Small Burghs	Landward	Aberdeen County: Aberdeen County	Aberdeen County: Aberdeen County of City
		Population (Estimated), 30th June, 1951	**5,113,946**	1,919,267	831,809	2,362,870	824,106	1,538,764	**328,383**	183,248
		Total Live Births Registered (including Illegitimate)	**90,639**	37,092	18,858	34,689	12,996	21,693	**5,993**	3,643
		,, Corr. for Mother's Resid. (,,) ...	**90,639**	33,614	15,407	41,618	14,324	27,294	**5,726**	3,028
		,, ,, ,, Male ...	**46,699**	17,414	7,910	21,375	7,334	14,041	**2,987**	1,591
		,, ,, ,, Female ...	**43,940**	16,200	7,497	20,243	6,990	13,253	**2,739**	1,437
		,, ,, ,, Illegitimate ...	**4,592**	1,836	652	2,104	642	1,462	**374**	162
		Still-Births Registered (including Illegitimate) ...	**2,479**	1,138	490	851	238	613	**148**	106
		,, Corrected for Mother's Residence ...	**2,479**	931	436	1,112	367	745	**136**	66
		Marriages Registered	**41,383**	18,129	7,919	15,335	7,175	8,160	**2,724**	1,833
		Deaths Registered	**65,778**	27,640	10,656	27,482	9,640	17,842	**4,080**	2,644
		,, Corrected for Residence	**65,778**	25,464	10,270	30,044	11,390	18,654	**3,942**	2,181
		,, ,, Male	**33,116**	12,943	5,203	14,970	5,419	9,551	**1,961**	1,092
		,, ,, Female	**32,662**	12,521	5,067	15,074	5,971	9,103	**1,981**	1,089
		CAUSES OF DEATH								
001-008	1	Tuberculosis of respiratory system	**1,886**	915	355	616	218	398	**64**	36
010-019	2	Tuberculosis, other forms	**293**	125	55	113	35	78	**9**	5
020-029	3	Syphilis and its sequelæ	**149**	69	21	59	24	35	**10**	7
040	4	Typhoid fever	**1**	—	—	1	1	—	—	—
045-048	6	Dysentery, all forms	**15**	9	1	5	—	5	**3**	1
050-051	7	Scarlet fever and streptococcal sore throat	**1**	1	—	—	—	—	—	—
055	8	Diphtheria	**5**	4	—	1	—	1	—	—
056	9	Whooping-cough	**98**	37	12	49	16	33	**6**	3
057	10	Meningococcal infections	**44**	23	7	14	2	12	**2**	1
080	12	Acute poliomyelitis	**24**	6	5	13	7	6	**3**	=
085	14	Measles	**25**	7	5	13	2	11	**2**	1
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infections and parasitic diseases (B5, 11, 13, 15, 16)*	**179**	61	28	90	30	60	**15**	9
140-205	18	Malignant neoplasms	**9,840**	4,145	1,459	4,236	1,680	2,556	**601**	358
210-239	19	Benign and unspecified neoplasms	**169**	77	20	72	32	40	**13**	8
260	20	Diabetes mellitus	**559**	187	96	276	103	173	**27**	15
290-293	21	Anæmias	**345**	129	65	151	56	95	**18**	9
240-254, 270-289, 294-299	46.1	Other general diseases	**614**	195	109	310	128	182	**47**	22
330-334	22	Vascular lesions affecting central nervous system ...	**9,122**	3,321	1,425	4,376	1,696	2,680	**646**	342
340	23	Nonmeningococcal meningitis	**59**	25	7	27	8	19	**4**	2
300-326, 341-398	46.2	Other diseases of nervous system	**1,167**	444	182	541	197	344	**85**	44
400-402	24	Rheumatic fever	**49**	19	8	22	9	13	**3**	2
410-416	25	Chronic rheumatic heart disease	**900**	413	146	341	131	210	**48**	38
420-422	26	Arteriosclerotic and degenerative heart disease ...	**18,447**	6,757	2,874	8,816	3,502	5,314	**1,124**	632
430-434	27	Other diseases of heart	**1,324**	457	229	638	240	398	**54**	20
440-443	28	Hypertension with heart disease	**831**	332	119	380	145	235	**42**	25
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)
444-447	29	Hypertension without heart disease	**648**	256	87	305	113	192	**61**	36
450-468	46.3	Other circulatory disease	**1,219**	445	154	620	221	399	**105**	79
480-483	30	Influenza	**958**	299	156	503	175	328	**28**	9
490-493	31	Pneumonia	**2,297**	1,075	334	888	324	564	**163**	106
500-502	32	Bronchitis	**2,488**	1,226	423	839	308	531	**110**	70
470-475, 510-527	46.4	Other respiratory diseases	**657**	246	103	308	103	205	**30**	22
540, 541	33	Ulcer of stomach and duodenum	**619**	251	90	278	121	157	**40**	21
550-553	34	Appendicitis	**118**	41	19	58	17	41	**11**	4
560, 561, 570	35	Intestinal obstruction and hernia	**394**	150	68	176	48	128	**23**	17
543	36.1	Gastritis and duodenitis	**34**	5	5	24	9	15	**1**	—
571, 572	36.2	Diarrhœa (except of newborn)	**438**	171	83	184	64	120	**14**	8
581	37	Cirrhosis of liver	**169**	77	25	67	34	33	**10**	5
580, 582-586	46.5	Other diseases of liver	**302**	105	36	161	63	98	**25**	16
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	**225**	92	35	98	35	63	**19**	10
590-594	38	Nephritis and nephrosis	**650**	218	99	333	122	211	**40**	22
610	39	Hyperplasia of prostate	**425**	147	66	212	78	134	**36**	15
600-609, 611-637	46.7	Other diseases of genito-urinary system	**376**	155	40	181	75	106	**26**	12
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	**28**	13	3	12	7	5	**2**	2
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	**71**	23	13	35	8	27	**4**	2
690-749	46.8	Diseases of skin and organs of locomotion	**246**	92	34	120	45	75	**19**	9
750-759	41	Congenital malformations	**602**	241	93	268	84	184	**32**	14
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	**628**	282	96	250	95	155	**39**	20
763	43.1	Pneumonia of newborn	**166**	85	15	66	18	48	**10**	4
764	43.2	Diarrhœa of newborn	**34**	10	8	16	4	12	—	—
765-768	43.3	Other infections of the newborn	**9**	4	1	4	3	1	**1**	1
769-776	44	Other diseases peculiar to early infancy	**884**	279	179	426	144	282	**43**	22
794	45.0	Senility	**1,292**	271	218	803	281	522	**53**	5
780-793, 795	45.1	Cause ill-defined and unknown	**1,071**	436	191	444	139	305	**26**	9
E963, E970-979	E49	Suicide	**276**	144	28	104	42	62	**22**	14
E810-835	E47	Motor vehicle accidents	**516**	179	79	258	62	196	**21**	2
E840-845	E48.0	Other road transport accidents	**49**	21	4	24	7	17	**4**	2
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)...	**1,743**	667	257	819	279	540	**98**	43
		ALL CAUSES	**65,778**	25,464	10,270	30,044	11,390	18,654	**3,942**	2,181
		AGES AT DEATH								
		Under 1	**3,391**	1,329	581	1,481	492	989	**164**	82
		1– 4	**664**	253	127	284	92	192	**34**	16
		5– 9	**309**	110	44	155	57	98	**14**	4
		10–14	**200**	75	46	79	21	58	**15**	8
		15–24	**895**	364	165	366	92	274	**38**	15
		25–34	**1,432**	554	256	622	181	441	**63**	32
		35–44	**2,426**	994	411	1,021	401	620	**145**	76
		45–54	**5,444**	2,340	942	2,162	848	1,314	**306**	180
		55–64	**9,942**	4,309	1,545	4,088	1,612	2,476	**559**	351
		65–74	**17,282**	6,770	2,760	7,752	2,995	4,757	**968**	557
		75–84	**18,197**	6,559	2,700	8,938	3,453	5,485	**1,220**	651
		85 and over	**5,596**	1,807	693	3,096	1,146	1,950	**416**	209
		Not stated	—	—	—	—	—	—	—	—
		ALL AGES	**65,778**	25,464	10,270	30,044	11,390	18,654	**3,942**	2,181

*Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Aberdeen County—*cont.* Ballater Burgh	Ellon Burgh	Fraserburgh Burgh	Huntly Burgh	Inverurie Burgh	Kintore Burgh	Oldmeldrum Burgh	Peterhead Burgh	Rosehearty Burgh	Turriff Burgh	Landward
		Population (Estimated), 30th June, 1951	1,302	1,493	10,464	4,202	5,056	867	1,101	12,777	1,176	3,002	103,695
		Total Live Births Registered (including Illegitimate)	10	1	468	213	8	8	7	94	4	190	1,347
		Corr. for Mother's Resid. (,,) ...	13	14	217	83	63	17	19	232	29	57	1,954
		,, ,, ,, Male ...	6	6	103	45	30	10	6	116	16	29	1,029
		,, ,, ,, Female ...	7	8	114	38	33	7	13	116	13	28	925
		,, ,, ,, Illegitimate ...	1	1	9	7	4	1	—	15	—	1	173
		Still-Births Registered (including Illegitimate) ...	—	—	8	2	—	—	—	4	—	2	26
		,, Corrected for Mother's Residence ...	—	—	4	—	2	—	1	11	—	1	51
		Marriages Registered	14	58	101	47	49	5	17	94	4	33	469
		Deaths Registered	23	19	91	72	59	10	10	135	8	30	979
		,, Corrected for Residence	24	21	99	68	56	13	15	157	17	41	1,250
		,, ,, Male	11	9	52	28	27	5	9	80	10	20	618
		,, ,, Female	13	12	47	40	29	8	6	77	7	21	632
		CAUSES OF DEATH											
001-008	1	Tuberculosis of respiratory system	—	—	—	1	1	1	—	8	—	2	15
010-019	2	Tuberculosis, other forms	—	—	1	—	—	—	—	—	—	—	3
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	1	—	—	2
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	2
050-051	7	Scarlet fever and streptococcal sore throat ..	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	—	—	—	3
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	1
080	12	Acute poliomyelitis	—	1	—	—	—	—	—	—	—	—	2
085	14	Measles	—	—	—	—	—	—	—	—	—	—	1
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	1	—	—	5
140-205	18	Malignant neoplasms	3	4	12	14	8	4	2	18	—	7	171
210-239	19	Benign and unspecified neoplasms	—	—	1	—	—	—	—	—	1	—	3
260	20	Diabetes mellitus	—	—	3	—	—	—	—	1	—	—	8
290-293	21	Anæmias	—	—	1	—	—	—	—	1	—	—	7
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	2	2	1	—	—	4	1	2	13
330-334	22	Vascular lesions affecting central nervous system ...	8	4	11	13	6	4	3	24	2	9	220
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	—	—	—	2
300-326, 341-398	46.2	Other diseases of nervous system	1	—	1	3	2	1	—	2	—	2	29
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	1
410-416	25	Chronic rheumatic heart disease	—	—	1	—	—	—	—	2	—	—	7
420-422	26	Arteriosclerotic and degenerative heart disease ...	8	6	34	14	16	2	6	34	7	8	357
430-434	27	Other diseases of heart	—	—	3	—	—	—	1	4	1	2	23
440-443	28	Hypertension with heart disease	—	1	3	—	—	—	—	1	—	1	11
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)
444-447	29	Hypertension without heart disease	—	—	1	1	1	—	—	1	—	—	21
450-468	46.3	Other circulatory disease	—	2	1	—	1	—	—	1	—	—	21
480-483	30.	Influenza	—	1	1	2	2	—	—	—	—	—	13
490-493	31	Pneumonia	1	—	1	5	4	—	—	5	—	1	40
500-502	32	Bronchitis	—	1	3	—	2	—	—	8	1	1	24
470-475, 510-527	46.4	Other respiratory diseases	1	—	—	—	—	—	1	2	—	—	4
540, 541	33	Ulcer of stomach and duodenum	—	—	3	1	1	—	—	2	—	—	12
550-553	34	Appendicitis	—	—	—	1	—	—	1	—	—	—	5
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	—	—	—	1	—	—	5
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	1
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	—	—	—	1	—	—	5
581	37	Cirrhosis of liver	—	—	—	—	—	—	—	1	—	—	4
580, 582-586	46.5	Other diseases of liver	—	—	—	—	—	—	—	2	—	—	7
530-539, 542, 544 } 545, 573-578, 587 }	46.6	Other digestive diseases	—	—	—	2	—	—	—	2	—	—	5
590-594	38	Nephritis and nephrosis	—	—	3	—	—	—	—	5	1	—	9
610	39	Hyperplasia of prostate	—	—	1	1	—	—	—	1	—	—	18
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	1	3	—	—	1	1	—	8
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, } 683, 685-689 }	40.1	Other puerperal causes	—	—	—	—	1	—	—	—	—	—	1
690-749	46.8	Diseases of skin and organs of locomotion	—	—	1	—	—	—	—	1	—	1	7
750-759	41	Congenital malformations	—	—	1	—	—	—	1	—	—	1	15
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	—	3	1	1	1	—	1	1	—	11
763	43.1	Pneumonia of newborn	—	—	—	1	—	—	—	1	—	—	4
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	—	—	—	—	—	—	—	2	—	—	19
794	45.0	Senility	—	—	—	2	4	—	—	10	—	1	31
780-793, 795	45.1	Cause ill-defined and unknown	—	—	—	—	1	—	—	1	—	1	14
E963, E970-979	E49	Suicide	—	—	1	—	—	—	—	—	—	—	7
E810-835	E47	Motor vehicle accidents	1	—	2	1	—	—	—	—	—	1	14
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	2
E800-802, E850-962, } E964, 965, E980-999 }	E48.1	Other violence (BE50)	1	1	4	2	1	—	—	7	1	1	37
		ALL CAUSES	24	21	99	68	56	13	15	157	17	41	1,250
		AGES AT DEATH											
		Under 1	—	—	6	3	1	1	1	5	1	1	63
		1– 4	—	1	2	—	1	—	—	2	—	—	12
		5– 9	—	—	—	2	—	—	—	—	—	1	7
		10–14	—	—	—	—	—	—	—	1	—	—	6
		15–24	—	—	—	—	—	—	—	1	—	1	21
		25–34	—	1	1	1	2	1	—	6	—	2	17
		35–44	2	1	5	—	5	1	1	9	1	4	40
		45–54	1	2	12	12	7	—	—	13	1	—	78
		55–64	2	1	14	10	6	1	2	30	1	4	137
		65–74	3	5	23	16	9	5	3	41	4	10	292
		75–84	11	7	28	17	17	4	5	37	6	13	424
		85 and over	5	3	8	7	8	—	3	12	3	5	153
		Not stated	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	24	21	99	68	56	13	15	157	17	41	1,250

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Angus County: Angus County	Dundee County of City	Arbroath Burgh	Brechin Burgh	Carnoustie Burgh	Forfar Burgh	Kirriemuir Burgh	Monifieth Burgh	Montrose Burgh	Landward	Argyll County: Argyll County	Campbeltown Burgh	Dunoon Burgh
		Population (Estimated), 30th June, 1951	**276,040**	178,220	19,569	7,278	5,207	9,999	3,568	3,420	10,778	38,001	**64,095**	7,286	10,055
		Total Live Births Registered (including Illegitimate)	**5,069**	3,586	377	23	17	442	9	8	16	591	**862**	205	223
		,, Corr. for Mother's Resid. (,,) ...	**4,768**	3,142	388	126	84	140	49	34	190	615	**978**	148	149
		,, ,, ,, Male ...	**2,504**	**1,655**	187	66	36	79	18	20	116	327	**473**	69	62
		,, ,, ,, Female ...	**2,264**	1,487	201	60	48	61	31	14	74	288	**505**	79	87
		,, ,, ,, Illegitimate ...	**306**	210	20	7	2	2	1	1	15	48	**58**	6	8
		Still-Births Registered (including Illegitimate) ...	**122**	101	8	—	—	4	1	—	1	7	**24**	9	3
		,, Corrected for Mother's Residence ...	**121**	82	9	2	—	4	2	—	7	15	**35**	6	6
		Marriages Registered	**2,222**	1,583	166	77	18	98	38	25	89	128	**346**	70	67
		Deaths Registered	**3,947**	**2,578**	252	76	61	163	47	39	119	612	**948**	77	168
		,, Corrected for Residence	**3,795**	2,498	269	106	93	158	68	52	159	392	**1,027**	87	190
		,, ,, Male	**1,814**	1,198	136	49	48	71	23	20	70	199	**502**	44	81
		,, ,, Female	**1,981**	1,300	133	57	45	87	45	32	89	193	**525**	43	109
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	**87**	71	3	1	2	—	—	—	2	8	**24**	3	2
010-019	2	Tuberculosis, other forms	**10**	8	1	—	1	—	—	—	—	—	**4**	1	—
020-029	3	Syphilis and its sequelæ	**8**	5	3	—	—	—	—	—	—	—	**1**	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	**1**	1	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	—	—	—	**1**	1	—
057	10	Meningococcal infections	**1**	1	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	**3**	2	—	—	—	—	—	—	1	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**6**	2	2	—	1	—	—	—	—	1	**2**	—	—
140-205	18	Malignant neoplasms	**582**	409	39	18	11	18	13	9	21	44	**152**	15	32
210-239	19	Benign and unspecified neoplasms	**11**	8	—	1	—	1	1	—	—	—	**1**	—	—
260	20	Diabetes mellitus	**31**	21	2	1	1	1	—	1	—	4	**5**	—	—
290-293	21	Anæmias	**26**	15	4	—	—	1	1	—	2	3	**7**	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	**34**	20	1	1	1	2	—	—	5	4	**7**	—	—
330-334	22	Vascular lesions affecting central nervous system ...	**490**	274	40	20	17	31	11	6	20	71	**124**	14	21
340	23	Nonmeningococcal meningitis	**3**	1	1	—	—	—	—	—	—	1	**2**	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**51**	28	4	2	2	1	1	1	—	12	**29**	—	6
400-402	24	Rheumatic fever	**2**	2	—	—	—	—	—	—	—	—	**1**	—	1
410-416	25	Chronic rheumatic heart disease	**67**	52	5	—	4	1	—	—	4	1	**5**	—	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	**1,148**	769	80	32	28	49	15	17	52	106	**310**	18	63
430-434	27	Other diseases of heart	**65**	32	6	2	—	5	1	1	6	12	**22**	4	5
440-443	28	Hypertension with heart disease	**49**	22	6	1	5	3	2	2	1	7	**12**	—	7
	(b)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	**22**	13	2	—	1	2	—	—	1	3	9	1	—
450-468	46.3	Other circulatory disease	**48**	31	8	2	—	2	—	—	2	3	28	4	3
480-483	30	Influenza	**39**	25	1	—	2	1	2	1	2	5	33	3	2
490-493	31	Pneumonia	**204**	149	9	7	4	5	—	1	8	21	25	2	3
500-502	32	Bronchitis	**101**	60	14	2	2	10	1	2	3	7	19	2	5
470-475, 510-527	46.4	Other respiratory diseases	**43**	35	2	—	1	—	—	—	2	3	17	2	4
540, 541	33	Ulcer of stomach and duodenum	**42**	30	2	—	—	1	2	2	1	4	9	1	—
550-553	34	Appendicitis	**5**	4	—	—	—	—	—	1	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	**29**	19	2	—	—	—	1	—	2	5	9	—	1
543	36.1	Gastritis and duodenitis	**3**	1	—	—	—	—	—	1	1	—	1	—	—
571, 572	36.2	Diarrhœa (except of newborn)	**22**	17	1	—	—	1	—	—	—	3	4	—	2
581	37	Cirrhosis of liver	**16**	12	1	—	1	—	—	—	—	2	3	—	2
580, 582-586	46.5	Other diseases of liver	**16**	14	1	—	—	1	—	—	—	—	5	2	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	**19**	16	1	—	—	1	—	—	—	1	—	—	—
590-594	38	Nephritis and nephrosis	**29**	17	3	—	1	3	2	—	2	1	9	1	3
610	39	Hyperplasia of prostate	**44**	30	1	2	1	1	1	3	—	5	6	1	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	**32**	23	—	—	—	—	1	—	2	6	6	—	2
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	**4**	3	—	—	—	—	—	—	—	1	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	**4**	2	—	—	—	—	—	—	—	2	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	**14**	8	2	—	2	1	—	—	—	1	4	—	—
750-759	41	Congenital malformations	**32**	23	3	—	—	—	2	—	1	3	3	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	**45**	30	1	2	—	1	2	—	1	8	5	—	1
763	43.1	Pneumonia of newborn	**20**	19	—	1	—	—	—	—	—	—	3	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**29**	22	2	—	—	—	—	—	1	4	17	5	4
794	45.0	Senility	**66**	9	9	3	3	12	4	1	13	12	36	4	9
780-793, 795	45.1	Cause ill-defined and unknown	**28**	21	—	1	1	2	—	—	—	3	31	—	7
E963, E970-979	E49	Suicide	**16**	10	3	1	—	—	1	—	—	1	5	1	1
E810-835	E47	Motor vehicle accidents	**36**	26	1	3	1	—	—	—	—	5	6	1	—
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	1	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**112**	86	3	3	—	1	4	3	3	9	24	1	3
		ALL CAUSES	**3,795**	2,498	269	106	93	158	68	52	159	392	**1,027**	87	190
		AGES AT DEATH													
		Under 1	**171**	128	9	3	—	4	2	—	5	20	**41**	7	10
		1– 4	**31**	21	4	—	—	2	—	—	1	3	**3**	1	—
		5– 9	**10**	4	—	2	1	—	1	—	—	2	**3**	1	—
		10–14	**13**	7	2	1	—	—	—	—	—	3	**3**	—	—
		15–24	**54**	43	3	—	—	1	—	—	1	6	**15**	1	2
		25–34	**86**	62	8	4	2	—	1	—	—	9	**13**	2	2
		35–44	**104**	78	5	—	1	4	1	1	6	8	**24**	2	6
		45–54	**318**	217	25	10	6	5	7	4	13	31	**59**	9	10
		55–64	**525**	373	32	11	9	18	7	7	21	47	**130**	11	23
		65–74	**983**	629	82	27	19	44	16	14	54	98	**281**	24	61
		75–84	**1,111**	726	72	34	34	61	21	19	36	108	**330**	22	57
		85 and over	**389**	210	27	14	21	19	12	7	22	57	**125**	7	19
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	**3,795**	2,498	269	106	93	158	68	52	159	392	**1,027**	87	190

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Argyll County—*cont.*: Inveraray Burgh	Lochgilphead Burgh	Oban Burgh	Tobermory Burgh	Landward	Ayr County: Ayr County	Ardrossan Burgh	Ayr Burgh	Cumnock and Holmhead Burgh	Darvel Burgh	Galston Burgh	Girvan Burgh	Irvine Burgh	Kilmarnock Burgh
		Population (Estimated), 30th June, 1951	510	1,243	6,312	700	37,989	**322,567**	8,836	43,242	4,638	3,243	4,586	6,016	14,823	42,209
		Total Live Births Registered (including Illegitimate)	—	9	37	10	378	**5,585**	43	726	33	2	7	144	65	988
		,, Corr. for Mother's Resid. (,,) ...	9	24	98	11	539	**5,600**	174	687	112	27	89	124	274	736
		,, ,, ,, Male ...	5	9	45	7	276	**2,914**	79	357	61	15	52	62	150	369
		,, ,, ,, Female ...	4	15	53	4	263	**2,686**	95	330	51	12	37	62	124	367
		,, ,, ,, Illegitimate ...	—	3	2	2	37	**248**	7	30	6	2	4	11	18	35
		Still-Births Registered (including Illegitimate) ...	—	2	1	—	9	**122**	1	3	—	—	—	—	1	19
		,, Corrected for Mother's Residence ...	—	2	3	—	18	**127**	3	15	—	1	—	—	5	23
		Marriages Registered	7	12	56	7	127	**2,575**	67	429	63	18	53	55	130	356
		Deaths Registered	6	14	139	9	535	**3,809**	77	629	38	41	34	74	100	538
		,, Corrected for Residence	8	24	104	13	601	**3,947**	115	561	62	61	60	84	153	497
		,, ,, Male	2	8	49	8	310	**2,005**	52	260	33	32	31	43	77	263
		,, ,, Female	6	16	55	5	291	**1,942**	63	301	29	29	29	41	76	234
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	—	1	3	—	15	**77**	2	9	2	1	1	2	2	14
010-019	2	Tuberculosis, other forms	—	—	—	—	3	**19**	1	4	1	—	—	1	1	1
020-029	3	Syphilis and its sequelæ	—	—	—	—	1	**7**	—	—	—	—	—	—	1	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	**9**	2	1	—	—	—	1	—	1
057	10	Meningococcal infection	—	—	—	—	—	**1**	—	—	—	—	—	—	1	—
080	12	Acute poliomyelitis	—	—	—	—	—	**3**	—	—	—	—	—	—	—	1
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	2	**11**	2	2	—	—	—	—	2	1
140-205	18	Malignant neoplasms	1	—	10	2	92	**547**	12	84	7	11	11	11	18	66
210-239	19	Benign and unspecified neoplasms	—	—	—	—	1	**10**	—	1	1	—	—	—	1	2
260	20	Diabetes mellitus	—	—	—	1	4	**41**	—	4	2	1	1	1	3	4
290-293	21	Anæmias	—	—	1	—	5	**18**	1	4	1	—	—	—	—	4
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	1	—	6	**42**	3	4	—	—	3	3	3	3
330-334	22	Vascular lesions affecting central nervous system ...	—	4	15	3	67	**570**	17	74	8	11	10	7	19	63
340	23	Nonmeningococcal meningitis	—	—	—	—	2	**2**	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	1	1	5	—	16	**51**	—	8	2	1	1	1	3	9
400-402	24	Rheumatic fever	—	—	—	—	—	**3**	—	—	—	—	—	—	1	—
410-416	25	Chronic rheumatic heart disease	1	—	—	—	4	**58**	1	8	2	—	1	2	1	10
420-422	26	Arteriosclerotic and degenerative heart disease ...	4	4	32	1	188	**1,216**	38	195	18	14	14	27	37	143
430-434	27	Other diseases of heart	—	—	3	—	10	**61**	1	9	1	—	2	3	2	5
440-443	28	Hypertension with heart disease	—	—	—	—	5	**56**	1	12	—	2	2	—	2	11
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	—	—	1	—	7	**36**	2	2	—	—	—	—	2	2
450-468	46.3	Other circulatory disease	—	2	2	1	16	**77**	1	11	—	2	3	4	1	8
480-483	30	Influenza	1	1	8	1	17	**66**	3	6	—	2	—	1	—	15
490-493	31	Pneumonia	—	2	3	—	15	**121**	4	23	1	—	1	1	7	17
500-502	32	Bronchitis	—	—	2	—	10	**122**	4	10	5	4	—	2	9	18
470-475, 510-527	46.4	Other respiratory diseases	—	1	5	1	4	**55**	2	8	2	2	—	1	3	7
540, 541	33	Ulcer of stomach and duodenum	—	—	1	2	5	**30**	1	—	1	2	—	1	—	4
550-553	34	Appendicitis	—	—	—	—	—	**9**	—	1	—	—	—	1	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	—	1	—	7	**33**	2	4	—	—	1	—	1	3
543	36.1	Gastritis and duodenitis	—	—	—	1	—	**1**	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	1	—	—	1	**35**	—	3	1	2	—	1	1	7
581	37	Cirrhosis of liver	—	—	—	—	1	**14**	—	1	—	—	—	—	1	4
580, 582-586	46.5	Other diseases of liver	—	—	—	—	3	**29**	2	5	—	—	—	—	2	4
530-539, 542, 544	46.6	Other digestive diseases	—	—	—	—	—	**10**	1	2	—	—	—	—	1	2
545, 573-578, 587																
590-594	38	Nephritis and nephrosis	—	—	1	—	4	**40**	1	2	1	2	—	1	2	6
610	39	Hyperplasia of prostate	—	—	—	—	5	**23**	—	4	1	—	1	—	2	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	—	4	**17**	2	1	1	1	—	—	1	1
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	**3**	—	1	—	—	—	—	—	1
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	**3**	—	—	—	—	—	—	—	1
690-749	46.8	Diseases of skin and organs of locomotion	—	—	1	—	3	**21**	2	2	1	—	1	2	—	2
750-759	41	Congenital malformations	—	—	1	—	2	**35**	1	4	—	—	1	1	1	**8**
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	—	1	—	3	**29**	—	3	—	—	—	1	—	4
763	43.1	Pneumonia of newborn	—	—	—	—	3	**12**	1	—	1	—	—	—	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	**2**	—	—	—	—	—	—	—	1
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	—	—	3	—	5	**47**	2	1	—	—	1	—	4	8
794	45.0	Senility	—	1	2	—	20	**58**	—	13	—	—	2	2	7	5
780-793, 795	45.1	Cause ill-defined and unknown	—	5	1	—	18	**70**	—	24	—	—	2	5	6	7
E963, E970-979	E49	Suicide	—	—	—	—	3	**11**	—	—	—	1	—	1	1	1
E810-835	E47	Motor vehicle accidents	—	—	—	—	5	**29**	—	3	1	—	—	—	—	4
E840-845	E48.0	Other road transport accidents	—	—	—	—	1	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	—	1	1	—	18	**107**	3	8	1	2	1	—	4	17
		ALL CAUSES	8	24	104	13	601	**3,947**	115	561	62	61	60	84	153	497
		AGES AT DEATH														
		Under 1	—	—	7	—	17	**207**	9	19	3	—	2	4	12	34
		1– 4	—	—	—	—	2	**45**	1	2	1	1	1	2	2	7
		5– 9	—	—	—	—	2	**20**	1	4	1	—	—	—	—	2
		10–14	—	—	—	—	3	**11**	1	1	—	—	—	—	—	2
		15–24	—	—	—	—	12	**53**	2	6	—	1	—	3	1	8
		25–34	—	—	—	—	9	**81**	—	13	2	—	1	—	3	11
		35–44	1	1	2	—	12	**159**	6	27	3	2	1	3	6	23
		45–54	—	2	6	—	32	**299**	10	39	3	5	10	8	12	44
		55–64	1	3	16	1	75	**598**	19	86	13	9	9	10	26	85
		65–74	3	3	27	7	156	**1,057**	29	153	14	16	13	22	41	130
		75–84	2	9	32	4	204	**1,114**	26	159	17	24	16	25	40	122
		85 and over	1	6	14	1	77	**303**	11	52	5	3	7	7	10	29
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	8	24	104	13	601	3,947	115	561	62	61	60	84	153	497

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Ayr County—*continued*: Kilwinning Burgh	Largs Burgh	Maybole Burgh	Newmilns and Greenholm B.	Prestwick Burgh	Saltcoats Burgh	Stewarton Burgh	Troon Burgh	Landward	Banff County: Banff County	Aberchirder Burgh	Aberlour	Banff Burgh	Buckie Burgh
		Population (Estimated), 30th June, 1951	6,588	8,620	4,790	4,056	11,440	13,170	2,815	10,099	133,396	**50,108**	796	1,151	3,357	7701
		Total Live Births Registered (including Illegitimate)	830	24	52	3	82	64	10	19	2,493	**870**	33	5	232	235
		,, Corr. for Mother's Resid. (,,) ...	135	106	93	67	184	263	50	134	2,345	**886**	19	14	51	112
		,, ,, ,, Male ...	67	60	54	36	100	129	23	71	1,229	**444**	12	5	23	50
		,, ,, ,, Female ...	68	46	39	31	84	134	27	63	1,116	**442**	7	9	28	62
		,, ,, ,, Illegitimate ...	5	4	7	2	6	7	—	4	100	**75**	4	—	7	3
		Still-Births Registered (including Illegitimate) ...	5	1	—	—	—	2	—	—	90	**13**	1	—	3	1
		,, Corrected for Mother's Residence ...	3	3	—	1	4	4	1	3	61	**16**	—	—	1	1
		Marriages Registered	82	51	36	27	95	114	17	74	908	**333**	3	14	40	69
		Deaths Registered	49	124	36	42	135	94	39	91	1,668	**614**	27	27	87	81
		,, Corrected for Residence	63	162	47	63	189	148	44	125	1,513	**667**	19	17	48	85
		,, ,, Male	38	70	20	28	89	73	19	65	812	**334**	7	7	25	43
		,, ,, Female	25	92	27	35	100	75	25	60	701	**333**	12	10	23	42
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	2	1	1	1	—	1	1	3	34	**7**	—	—	1	1
010-019	2	Tuberculosis, other forms	—	1	—	—	—	4	1	—	4	**1**	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	1	—	—	5	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050-051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	—	4	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	**1**	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	2	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	1	—	—	—	—	—	—	3	**2**	—	—	—	—
140-205	18	Malignant neoplasms	7	21	5	9	30	26	4	18	207	**111**	4	4	2	15
210-239	19	Benign and unspecified neoplasms	2	—	—	—	—	—	1	—	2	**1**	—	—	—	—
260	20	Diabetes mellitus	2	2	—	1	—	1	—	—	19	**2**	—	1	1	—
290-293	21	Anæmias	—	—	—	—	1	—	1	—	6	**6**	—	—	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	1	—	1	—	1	—	—	—	20	**8**	1	—	—	1
330-334	22	Vascular lesions affecting central nervous system ...	9	32	6	18	34	22	6	11	223	**95**	2	1	13	10
340	23	Nonmeningococcal meningitis	—	—	—	—	—	1	—	—	1	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	1	1	—	2	4	4	—	—	14	**8**	—	—	—	—
400-402	24	Rheumatic fever	—	—	—	—	—	1	—	—	1	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	—	1	—	—	—	5	6	1	20	**1**	—	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	18	64	15	12	69	41	17	62	432	**214**	4	7	13	33
430-434	27	Other diseases of heart	2	1	2	1	2	2	—	1	27	**16**	1	1	2	5
440-443	28	Hypertension with heart disease	—	—	—	2	1	3	—	1	19	**9**	1	—	—	1
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	3	1	1	—	1	1	—	1	20	**10**	—	—	1	2
450-468	46.3	Other circulatory disease	—	3	2	1	4	3	1	1	32	**21**	1	1	2	1
480-483	30	Influenza	—	1	1	1	2	4	—	2	28	**12**	—	—	—	1
490-493	31	Pneumonia	4	3	1	—	2	5	—	4	48	**8**	—	1	—	3
500-502	32	Bronchitis	3	1	2	1	5	1	1	—	56	**14**	1	—	1	—
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	—	2	1	—	2	25	**1**	—	—	—	—
540, 541	33	Ulcer of stomach and duodenum	—	—	—	2	3	2	—	3	11	**8**	—	—	1	—
550-553	34	Appendicitis	1	—	—	—	1	—	—	—	5	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	1	1	—	—	1	—	—	1	18	**5**	—	—	—	1
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	1	**3**	—	—	1	1
571, 572	36.2	Diarrhœa (except of newborn)	—	1	1	1	3	1	—	1	12	**3**	—	—	—	1
581	37	Cirrhosis of liver	—	2	—	—	1	2	—	—	3	**2**	—	—	—	1
580, 582-586	46.5	Other diseases of liver	—	4	—	—	1	—	—	—	11	**1**	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	—	—	—	—	4	**3**	—	—	—	—
590-594	38	Nephritis and nephrosis	—	1	1	—	1	2	1	2	17	**6**	—	—	—	—
610	39	Hyperplasia of prostate	—	2	—	1	—	1	—	—	10	**6**	—	—	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	1	1	—	1	1	—	—	6	**7**	—	—	3	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	1	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	1	—	—	1	**1**	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	1	—	1	1	2	1	—	5	**5**	—	—	—	1
750-759	41	Congenital malformations	—	1	—	—	1	—	—	1	16	**10**	—	—	1	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	—	3	1	—	2	1	2	12	**5**	—	—	1	3
763	43.1	Pneumonia of newborn	2	—	—	—	—	—	—	1	6	**2**	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	1	**1**	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	1	1	—	1	3	—	—	2	23	**6**	—	—	2	—
794	45.0	Senility	—	4	—	1	2	1	—	2	19	**14**	2	—	1	—
780-793, 795	45.1	Cause ill-defined and unknown	—	5	1	—	1	2	1	—	16	**9**	2	—	2	—
E963, E970-979	E49	Suicide	—	—	—	—	—	1	—	1	5	**3**	—	—	—	—
E810-835	E47	Motor vehicle accidents	—	1	1	2	—	2	—	—	15	**6**	—	1	—	2
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	**1**	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	4	3	2	4	11	—	1	2	44	**12**	—	—	—	—
		ALL CAUSES	63	162	47	63	189	148	44	125	1,513	**667**	19	17	48	85
		AGES AT DEATH														
		Under 1	5	1	4	3	5	3	2	6	95	**30**	1	—	5	5
		1– 4	—	2	1	—	1	3	—	—	21	**5**	—	—	1	—
		5– 9	—	—	—	2	—	3	—	—	7	**3**	—	—	1	—
		10–14	—	—	—	—	—	1	—	—	6	—	—	—	—	—
		15–24	—	—	—	—	1	3	—	3	25	**6**	—	—	—	2
		25–34	2	—	1	—	1	4	—	—	43	**10**	—	1	—	—
		35–44	4	7	3	1	5	4	3	2	59	**17**	2	—	1	1
		45–54	8	7	3	7	15	12	3	9	104	**34**	2	1	—	5
		55–64	13	25	6	10	22	27	4	17	217	**91**	2	2	5	8
		65–74	12	51	8	15	57	27	13	38	418	**156**	2	4	13	26
		75–84	14	53	14	22	67	46	14	43	412	**232**	8	5	17	26
		85 and over	5	16	7	3	15	15	5	7	106	**83**	2	4	5	12
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	63	162	47	63	189	148	44	125	1,513	**667**	19	17	48	85

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Banff County—*continued*: Cullen Burgh	Dufftown Burgh	Findochty Burgh	Keith Burgh	Macduff Burgh	Portknockie Burgh	Portsoy Burgh	Landward	Berwick County: **Berwick County**	Coldstream Burgh	Duns Burgh	Eyemouth Burgh	Lauder Burgh	Landward
		Population (Estimated), 30th June, 1951	1,552	1,460	1,492	4,358	3,326	1,455	1,780	21,680	**25,213**	1,307	2,045	2,280	627	18,954
		Total Live Births Registered (including Illegitimate)	5	65	6	145	10	10	9	115	**248**	12	155	13	3	65
		,, Corr. for Mother's Resid. (,,) ...	26	28	24	72	59	25	31	425	**362**	24	52	25	10	251
		,, ,, ,, Male ...	14	14	7	33	26	14	16	230	**178**	9	30	12	5	122
		,, ,, ,, Female ...	12	14	17	39	33	11	15	195	**184**	15	22	13	5	129
		,, ,, ,, Illegitimate ...	2	—	3	5	1	4	1	45	**23**	2	—	1	—	20
		Still-Births Registered (including Illegitimate) ...	—	2	1	4	—	—	1	—	**4**	1	3	—	—	—
		,, Corrected for Mother's Residence ...	—	1	1	3	3	—	1	5	**10**	1	2	—	—	7
		Marriages Registered	13	6	5	45	15	3	19	101	**129**	7	26	13	5	78
		Deaths Registered	29	37	15	68	18	16	26	183	**289**	21	36	32	7	193
		,, Corrected for Residence	36	31	16	58	37	22	28	270	**385**	22	33	37	13	280
		,, ,, Male	18	14	11	31	14	10	10	144	**187**	8	16	21	7	135
		,, ,, Female	18	17	5	27	23	12	18	126	**198**	14	17	16	6	145
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	—	—	—	1	—	—	—	4	**2**	—	—	—	—	2
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	1	**1**	—	—	1	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050,051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	1	**1**	—	—	—	—	1
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	1	—	—	—	1	**1**	—	—	—	—	1
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	6	5	4	7	9	2	4	49	**64**	1	9	12	—	42
140-205	18	Malignant neoplasms	—	—	—	—	—	—	—	1	**1**	—	—	—	—	1
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	—	—	—	**8**	—	1	—	—	7
260	20	Diabetes mellitus	—	1	—	—	—	—	—	4	**1**	—	—	—	—	1
290-293	21	Anæmias	—	—	—	—	—	—	—	6	**3**	—	—	1	1	1
240-254, 270-289, 294-299	46.1	Other general diseases	2	8	1	9	4	2	2	41	**53**	4	2	2	2	43
330-334	22	Vascular lesions affecting central nervous system ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
340	23	Non-meningococcal meningitis	—	1	—	—	1	—	1	5	**12**	—	—	6	—	6
300-326, 341-398	46.2	Other diseases of nervous system	—	—	—	—	—	—	—	—	—	—	—	—	—	—
400-402	24	Rheumatic fever	—	—	—	1	—	—	—	—	**5**	3	—	1	—	1
410-416	25	Chronic rheumatic heart disease	15	9	7	20	10	10	13	73	**131**	4	17	6	5	99
420-422	26	Arteriosclerotic and degenerative heart disease ...	—	—	2	—	—	—	1	4	**4**	—	—	—	—	4
430-434	27	Other diseases of heart	3	—	—	—	—	1	1	2	**4**	—	2	1	—	1
440-443	28	Hypertension with heart disease	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
(a)	(b)	(c)														

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	3	1	—	—	1	—	1	1	**5**	1	—	—	—	4
450-468	46.3	Other circulatory disease	1	—	—	5	—	1	1	8	**7**	1	1	—	—	5
480-483	30	Influenza	—	1	—	6	—	—	—	4	**4**	2	—	—	—	2
490-493	31	Pneumonia	—	—	—	1	1	—	—	2	**6**	1	—	—	1	4
500-502	32	Bronchitis	1	1	—	1	2	—	1	6	**6**	1	—	—	—	5
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	—	1	—	—	—	**4**	1	—	—	—	3
540, 541	33	Ulcer of stomach and duodenum	1	—	—	—	1	1	—	4	**4**	—	—	—	—	4
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	**2**	—	—	—	—	2
560, 561, 570	35	Intestinal obstruction and hernia	—	1	—	—	—	—	—	3	**1**	—	—	—	—	1
543	36.1	Gastritis and duodenitis	1	—	—	—	—	—	—	—	**1**	—	—	1	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	—	1	—	1	**3**	—	—	—	—	3
581	37	Cirrhosis of liver	—	—	—	1	—	—	—	—	**1**	—	—	—	1	—
580, 582-586	46.5	Other diseases of liver	—	—	—	—	—	—	—	1	**3**	—	—	—	—	3
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	1	—	—	2	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	—	—	—	2	—	—	1	3	**5**	1	—	—	—	4
610	39	Hyperplasia of prostate	1	1	—	—	—	1	—	2	**2**	—	—	—	—	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	1	—	1	—	—	—	2	—	—	—	—	—	—
640, 641, 651, 681,682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	1	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	1	—	—	—	—	—	—	3	**2**	—	—	—	—	2
750-759	41	Congenital malformations	—	—	—	—	—	—	—	9	**5**	—	—	1	—	4
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	—	—	—	—	—	—	1	**3**	—	1	—	—	2
763	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	2	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	1	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	—	—	—	—	—	1	—	3	5	—	—	—	1	4
794	45.0	Senility	—	—	—	—	5	—	2	4	**5**	—	—	3	—	2
780-793, 795	45.1	Cause ill-defined and unknown	—	—	—	—	—	—	—	5	**2**	—	—	2	—	—
E963, E970-979	E49	Suicide	—	1	1	1	—	—	—	—	**2**	—	—	—	—	2
E810-835	E47	Motor vehicle accidents	1	—	—	—	—	—	—	2	**4**	—	—	—	—	4
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	1	**2**	—	—	—	—	2
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	—	—	1	1	1	2	—	7	**10**	2	—	—	2	6
		All Causes	36	31	16	58	37	22	28	270	**385**	22	33	37	13	280
		Ages at Death														
		Under 1	—	—	—	1	1	1	—	16	**20**	1	1	—	1	17
		1– 4	—	—	1	—	—	—	—	3	**6**	1	—	2	—	3
		5– 9	—	—	—	1	—	—	—	1	**2**	—	—	—	—	2
		10–14	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		15–24	1	—	—	1	—	—	—	2	**3**	—	—	—	—	3
		25–34	—	—	—	1	—	—	—	8	**8**	—	1	2	—	5
		35–44	—	3	—	3	1	—	1	5	**10**	1	1	—	—	8
		45–54	2	—	2	4	—	1	—	17	**29**	2	3	6	1	17
		55–64	5	7	4	8	7	5	6	32	**43**	1	3	4	1	34
		65–74	8	10	2	10	8	6	6	61	**109**	8	12	12	4	73
		75–84	17	7	7	22	13	7	11	92	**113**	5	9	10	4	85
		85 and over	3	4	—	7	7	2	4	33	**42**	3	3	1	2	33
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	36	31	16	58	37	22	28	270	**385**	22	33	37	13	280

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Bute County: Bute County	Bute County: Millport Burgh	Bute County: Rothesay Burgh	Bute County: Landward	Caithness County: Caithness County	Caithness County: Thurso Burgh	Caithness County: Wick Burgh	Caithness County: Landward	Clackmannan County: Clackmannan County	Clackmannan County: Alloa Burgh	Clackmannan County: Alva Burgh	Clackmannan County: Dollar Burgh	Clackmannan County: Tillicoultry Burgh	Clackmannan County: Landward
		Population (Estimated), 30th June, 1951	19,497	2,030	10,256	7,211	22,801	3,224	7,191	12,386	37,774	13,528	4,124	1,394	3,839	14,889
		Total Live Births Registered (including Illegitimate)	210	12	151	47	387	14	202	171	307	89	31	8	39	140
		" Corr. for Mother's Resid. (") ...	238	10	146	82	416	65	138	213	756	281	71	25	68	311
		" " " Male ...	123	8	74	41	199	34	67	98	369	139	37	12	40	141
		" " " Female ...	115	2	72	41	217	31	71	115	387	142	34	13	28	170
		" " " Illegitimate ...	21	—	15	6	17	4	2	11	30	15	2	1	1	11
		Still-Births Registered (including Illegitimate) ...	6	2	3	1	9	—	6	3	5	1	—	—	—	4
		" Corrected for Mother's Residence ...	5	2	1	2	11	—	6	5	21	5	1	1	2	12
		Marriages Registered	120	5	87	28	150	36	75	39	254	132	31	6	25	60
		Deaths Registered	291	38	144	109	340	38	78	224	343	156	37	16	31	103
		" Corrected for Residence	311	33	154	124	362	49	106	207	450	170	59	26	48	147
		" " Male	145	16	73	56	178	19	55	104	205	79	27	10	23	66
		" " Female	166	17	81	68	184	30	51	103	245	91	32	16	25	81
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	7	2	5	—	5	—	1	4	7	4	1	—	—	2
010-019	2	Tuberculosis, other forms	—	—	—	—	2	—	1	1	3	2	—	—	—	1
020-029	3	Syphilis and its sequelæ	—	—	—	—	2	—	1	1	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	2	1	1	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	1	—	—	1	3	—	—	—	—	3
140-205	18	Malignant neoplasms	51	7	28	16	46	7	18	21	53	21	2	4	7	19
210-239	19	Benign and unspecified neoplasms	1	—	1	—	1	1	—	—	3	2	—	—	1	—
260	20	Diabetes mellitus	4	—	2	2	1	—	—	1	7	2	2	1	—	2
290-293	21	Anæmias	2	—	2	—	1	—	—	1	1	—	—	—	1	—
240-254, 270-289, 294-299	46.1	Other general diseases	2	—	—	2	3	—	1	2	8	5	1	—	—	2
330-334	22	Vascular lesions affecting central nervous system ...	58	6	29	23	35	5	8	22	64	26	10	3	5	20
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	11	—	4	7	3	1	—	2	6	1	1	—	—	4
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	1	—	—	—	—	1
410-416	25	Chronic rheumatic heart disease	4	—	1	3	2	—	2	—	5	2	1	—	1	1
420-422	26	Arteriosclerotic and degenerative heart disease ...	67	15	30	22	122	15	26	81	105	46	13	6	15	25
430-434	27	Other diseases of heart	8	—	4	4	4	1	1	2	9	5	1	—	2	1
440-443	28	Hypertension with heart disease	—	—	—	—	1	—	—	1	4	—	3	—	—	1
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	**2**	—	—	2	—	—	—	—	**2**	1	—	—	—	1
450-468	46.3	Other circulatory disease	**4**	—	3	1	**16**	4	2	10	**16**	2	4	3	1	6
480-483	30	Influenza	**5**	—	2	3	**11**	2	3	6	**6**	2	—	1	—	3
490-493	31	Pneumonia	**7**	1	2	4	**5**	1	—	4	**20**	6	5	2	2	5
500-502	32	Bronchitis	**11**	—	7	4	**6**	1	4	1	**12**	6	2	—	—	4
470-475, 510-527	46.4	Other respiratory diseases	**8**	—	4	4	3	2	—	1	**2**	—	—	—	—	2
540, 541	33	Ulcer of stomach and duodenum	**4**	1	1	2	**2**	—	1	1	**3**	1	—	—	1	1
550-553	34	Appendicitis	—	—	—	—	**1**	—	—	1	**1**	—	—	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	**3**	—	1	2	**1**	—	1	—	**6**	2	—	—	—	4
543	36.1	Gastritis and duodenitis	—	—	—	—	**1**	—	—	1	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	**4**	—	2	2	**2**	—	2	—	**5**	2	—	1	—	2
581	37	Cirrhosis of liver	—	—	—	—	**1**	—	—	1	**1**	—	—	1	—	—
580, 582-586	46.5	Other diseases of liver	—	—	—	—	**4**	1	2	1	**7**	2	3	1	—	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	**2**	1	—	1	**1**	—	1	—	—	—
590-594	38	Nephritis and nephrosis	—	—	—	—	**8**	—	2	6	**8**	2	1	—	3	2
610	39	Hyperplasia of prostate	**4**	—	1	3	**1**	—	—	1	**2**	1	—	—	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	**1**	—	1	—	**2**	1	—	1	**4**	2	—	—	—	2
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	**1**	—	1	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	**1**	—	—	1	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	—	—	—	—	**2**	—	—	—	1	1
750-759	41	Congenital malformations	**1**	—	1	—	**2**	—	1	1	**12**	5	—	—	1	6
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	**3**	—	3	—	—	—	—	—	**2**	1	1	—	—	—
763	43.1	Pneumonia of newborn	**1**	—	1	—	**1**	—	1	—	**1**	—	—	—	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	**1**	1	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**9**	—	6	3	**6**	1	2	3	**5**	2	—	1	—	2
794	45.0	Senility	**13**	1	5	7	**28**	2	15	11	**15**	1	2	2	5	5
780-793, 795	45.1	Cause ill-defined and unknown	**8**	—	4	4	**13**	2	3	8	**14**	8	1	—	—	5
E963, E970-979	E49	Suicide	**1**	—	1	—	—	—	—	—	**1**	—	—	—	—	1
E810-835	E47	Motor vehicle accidents	**1**	—	—	1	**3**	—	2	1	**6**	—	1	—	—	5
E840-845	E48.0	Other road transport accidents	**1**	—	1	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**4**	—	2	2	**14**	1	6	7	**13**	6	1	—	2	4
		ALL CAUSES	**311**	33	154	124	**362**	49	106	207	**450**	170	59	26	48	147
		AGES AT DEATH														
		Under 1	**17**	—	14	3	**15**	3	7	5	**29**	11	1	1	1	15
		1– 4	**2**	—	—	2	—	—	—	—	**8**	2	2	—	—	4
		5– 9	**1**	—	1	—	**3**	—	2	1	**5**	1	—	—	—	4
		10–14	—	—	—	—	**1**	—	1	—	**1**	—	1	—	—	—
		15–24	**5**	—	4	1	**7**	1	—	6	**4**	1	1	—	1	1
		25–34	**6**	—	4	2	**4**	1	3	—	**6**	1	—	—	—	5
		35–44	**8**	1	3	4	**12**	1	2	9	**20**	8	1	2	1	8
		45–54	**16**	2	10	4	**21**	1	8	12	**28**	7	3	3	4	11
		55–64	**39**	5	18	16	**32**	5	13	14	**76**	29	10	5	12	20
		65–74	**64**	8	32	24	**84**	13	23	48	**106**	42	17	5	11	31
		75–84	**109**	11	49	49	**129**	18	35	76	**131**	53	22	6	14	36
		85 and over	**44**	6	19	19	**54**	6	12	36	**36**	15	1	4	4	12
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	**311**	33	154	124	**362**	49	106	207	**450**	170	59	26	48	147

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Dumfries County: Dumfries County	Annan Burgh	Dumfries Burgh	Langholm Burgh	Lochmaben Burgh	Lockerbie Burgh	Moffat Burgh	Sanquhar Burgh	Landward	Dunbarton County: Dunbarton County	Clydebank Burgh	Cove and Kilcreggan Burgh	Dumbarton Burgh
		Population (Estimated), 30th June, 1951	**86,094**	4,655	26,479	2,412	1,133	2,637	2,123	2,394	44,261	**164,005**	44,708	883	23,716
		Total Live Births Registered (including Illegitimate)	**1,896**	54	1,479	15	13	7	75	15	238	**2,453**	326	1	910
		" Corr. for Mother's Resid. (") ...	**1,468**	94	473	31	26	43	23	55	723	**3,233**	1,013	14	457
		" " " Male ...	**752**	50	250	13	13	22	10	28	366	**1,669**	495	7	255
		" " " Female ...	**716**	44	223	18	13	21	13	27	357	**1,564**	518	7	202
		" " " Illegitimate ...	**102**	7	29	4	3	—	1	2	56	**96**	24	—	9
		Still-Births Registered (including Illegitimate) ...	**54**	—	48	—	—	1	1	—	4	**57**	6	—	17
		" Corrected for Mother's Residence ...	**35**	2	16	—	—	1	—	—	16	**88**	30	1	14
		Marriages Registered	**672**	50	299	13	16	21	12	25	236	**1,097**	329	7	173
		Deaths Registered	**1,226**	43	498	43	17	39	32	25	529	**1,773**	363	16	327
		" Corrected for Residence	**1,132**	59	371	41	24	52	33	35	517	**2,008**	506	22	299
		" " Male	**587**	25	184	22	12	32	17	17	278	**1,056**	277	10	160
		" " Female	**545**	34	187	19	12	20	16	18	239	**952**	229	12	139
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	**17**	1	8	—	—	2	1	—	5	**69**	23	—	12
010-019	2	Tuberculosis, other forms	**4**	—	3	—	—	—	—	—	1	**12**	4	—	1
020-029	3	Syphilis and its sequelæ	**2**	1	1	—	—	—	—	—	—	**4**	1	—	1
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	**1**	—	1	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	**1**	—	—	—
056	9	Whooping-cough	**3**	—	—	—	—	1	—	—	2	**5**	1	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	**1**	—	—	1
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	**1**	—	—	1
085	14	Measles	**1**	1	—	—	—	—	—	—	—	**1**	—	—	1
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**6**	—	2	—	—	—	—	1	3	**3**	1	—	1
140-205	18	Malignant neoplasms	**146**	6	45	5	3	6	6	6	69	**296**	86	3	40
210-239	19	Benign and unspecified neoplasms	**1**	—	—	—	—	1	—	—	—	**2**	—	—	—
260	20	Diabetes mellitus	**8**	—	1	1	—	—	—	—	6	**18**	7	—	5
290-293	21	Anæmias	**7**	—	5	—	—	—	—	—	2	**15**	6	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	**10**	1	4	2	—	1	—	—	2	**23**	3	—	7
330-334	22	Vascular lesions affecting central nervous system ...	**167**	14	55	4	5	9	1	8	71	**279**	69	6	30
340	23	Non-meningococcal meningitis	**1**	—	—	—	—	—	—	—	1	**1**	—	—	1
300-326, 341-398	46.2	Other diseases of nervous system	**15**	—	4	1	—	1	—	—	9	**35**	9	—	6
400-402	24	Rheumatic fever	**1**	—	1	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**11**	1	3	1	—	—	—	—	6	**23**	13	—	2
420-422	26	Arteriosclerotic and degenerative heart disease ...	**364**	13	117	23	7	11	18	10	165	**596**	136	6	79
430-434	27	Other diseases of heart	**26**	—	13	—	—	3	2	—	8	**53**	7	2	21
440-443	28	Hypertension with heart disease	**7**	—	2	—	—	1	—	—	4	**21**	2	1	4
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	9	1	5	—	—	1	—	—	2	20	9	—	—
450-468	46.3	Other circulatory disease	33	5	12	1	—	—	—	1	14	31	5	—	2
480-483	30	Influenza	17	—	4	—	—	1	—	—	12	24	5	2	3
490-493	31	Pneumonia	54	3	19	—	4	—	1	1	26	63	22	—	7
500-502	32	Bronchitis	23	2	5	1	1	2	—	—	12	60	17	—	12
470-475, 510-527	46.4	Other respiratory diseases	4	1	—	—	—	—	—	—	3	18	2	—	3
540, 541	33	Ulcer of stomach and duodenum	6	—	1	1	—	1	—	—	3	23	3	—	5
550-553	34	Appendicitis	3	—	—	—	—	—	—	—	3	1	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	4	—	—	—	—	1	—	2	1	12	4	—	1
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn) ... + ...	8	1	5	—	1	—	—	—	1	14	7	—	—
581	37	Cirrhosis of liver	2	—	2	—	—	—	—	—	—	3	1	—	1
580, 582-586	46.5	Other diseases of liver	7	—	2	—	—	—	1	1	3	6	3	—	—
530-539, 542, 544 } 545, 573-578, 587 }	46.6	Other digestive diseases	1	—	—	—	—	—	—	—	1	4	—	—	1
590-594	38	Nephritis and nephrosis	9	—	1	—	—	—	—	—	8	12	4	—	—
610	39	Hyperplasia of prostate	11	1	5	—	—	3	—	1	1	11	2	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	6	—	2	—	—	—	—	—	4	10	1	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	2	—	—	—	—	—	—	—	2	5	1	1	1
690-749	46.8	Diseases of skin and organs of locomotion	1	—	—	—	—	1	—	—	—	12	3	—	2
750-759	41	Congenital malformations	11	2	4	—	—	1	—	2	2	10	3	—	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	11	—	2	—	—	—	1	1	7	12	1	—	2
763	43.1	Pneumonia of newborn	1	—	1	—	—	—	—	—	—	12	4	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	2	—	—	1
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	16	1	6	—	—	—	1	—	8	29	4	—	3
794	45.0	Senility	27	2	6	1	2	2	—	—	14	51	11	1	21
780-793, 795	45.1	Cause ill-defined and unknown	14	1	3	—	—	—	—	1	9	35	8	—	7
E963, E970-979	E49	Suicide	7	—	2	—	—	—	—	—	5	5	—	—	—
E810-835	E47	Motor vehicle accidents	16	—	10	—	—	—	—	—	6	19	4	—	5
E840-845	E48.0	Other road transport accidents	1	—	—	—	—	1	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	30	1	9	—	1	2	1	—	16	45	14	—	6
		All Causes	1,132	59	371	41	24	52	33	35	517	2,008	506	22	299
		Ages at Death													
		Under 1	63	5	18	—	3	2	2	3	30	99	20	—	10
		1– 4	14	2	5	—	—	—	—	—	7	30	13	—	7
		5– 9	4	—	3	—	—	—	—	—	1	8	2	—	–
		10–14	2	—	1	—	—	—	—	—	1	9	4	—	2
		15–24	10	—	4	—	—	—	—	1	5	30	11	—	9
		25–34	30	1	12	—	—	—	1	1	15	43	8	1	5
		35–44	31	—	11	1	—	3	—	1	15	81	23	—	12
		45–54	67	2	25	3	1	5	—	4	27	167	40	—	24
		55–64	162	8	48	6	5	8	6	5	76	310	81	4	55
		65–74	292	18	89	12	1	18	4	10	140	561	147	6	80
		75–84	360	16	124	16	9	12	15	9	159	513	127	8	69
		85 and over	97	7	31	3	5	4	5	1	41	157	30	3	26
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	1,132	59	371	41	24	52	33	35	517	2,008	506	22	299

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Dunbarton County—*continued*: Helensburgh Burgh	Kirkintilloch Burgh	Milngavie Burgh	Landward	East Lothian County: **East Lothian County**	Cockenzie, etc. Burgh	Dunbar Burgh	East Linton Burgh	Haddington Burgh	North Berwick Burgh	Prestonpans Burgh	Tranent Burgh	Landward
		Population (Estimated), 30th June, 1951	8,716	14,768	7,842	63,372	**52,504**	3,193	4,129	995	4,513	4,012	2,923	5,663	27,076
		Total Live Births Registered (including Illegitimate)	491	157	61	507	**622**	25	21	1	341	8	30	44	152
		,, Corr. for Mother's Resid. (,,) ...	113	313	132	1,191	**875**	55	65	14	83	53	63	110	432
		,, ,, ,, Male ...	54	170	66	622	**433**	22	26	5	41	27	29	59	224
		,, ,, ,, Female ...	59	143	66	569	**442**	33	39	9	42	26	34	51	208
		,, ,, ,, Illegitimate ...	9	7	2	45	**41**	3	3	1	2	1	3	3	25
		Still-Births Registered (including Illegitimate) ...	18	3	2	11	**9**	—	—	—	3	—	—	1	5
		,, Corrected for Mother's Residence ...	3	10	5	25	**19**	—	3	—	3	1	1	2	9
		Marriages Registered	78	127	37	346	**337**	16	34	6	36	42	50	57	96
		Deaths Registered	131	120	69	747	**477**	25	60	8	114	46	16	28	180
		,, Corrected for Residence	136	165	103	777	**569**	46	58	18	65	50	21	45	266
		,, ,, Male	61	80	52	416	**271**	25	24	7	34	19	12	24	126
		,, ,, Female	75	85	51	361	**298**	21	34	11	31	31	9	21	140
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	—	6	2	26	**5**	—	—	1	—	—	—	1	3
010-019	2	Tuberculosis, other forms	1	2	—	4	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	2	**2**	—	1	—	—	—	—	—	1
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	1	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	1	3	**2**	—	—	—	—	—	—	—	2
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	1	**4**	—	1	—	—	—	1	—	2
140-205	18	Malignant neoplasms	15	22	24	106	**87**	7	12	2	11	8	2	8	37
210-239	19	Benign and unspecified neoplasms	1	—	—	1	**3**	—	—	—	—	—	—	—	3
260	20	Diabetes mellitus	—	3	1	2	**7**	2	1	—	—	1	—	—	3
290-293	21	Anæmias	2	3	—	3	**1**	—	—	—	—	—	—	1	—
240-254, 270-289, 294-299	46.1	Other general diseases	2	1	1	9	**9**	1	—	1	1	3	1		2
330-334	22	Vascular lesions affecting central nervous system ...	16	25	14	119	**89**	2	11	4	8	9	1	4	50
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	2	3	2	13	**11**	2	2	—	—	1	1	2	3
400-402	24	Rheumatic fever	—	—	—	—	**1**	1	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	1	2	—	5	**5**	—	1	—	—	1	1		2
420-422	26	Arteriosclerotic and degenerative heart disease ...	56	42	39	238	**155**	18	18	5	21	15	3	12	63
430-434	27	Other diseases of heart	2	3	1	17	**9**	1	—	1	2	—	—	1	4
440-443	28	Hypertension with heart disease	3	2	—	9	**6**	2	—	—	1	—	—	—	3
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	1	1	1	8	**5**	—	—	—	1	1	—	—	3
450-468	46.3	Other circulatory disease	4	2	1	17	**10**	1	1	—	1	1	1	—	5
480-483	30	Influenza	1	2	1	10	**9**	1	1	—	1	—	—	1	5
490-493	31	Pneumonia	2	8	2	22	**29**	3	2	—	6	2	2	2	12
500-502	32	Bronchitis	1	7	1	22	**13**	—	1	—	—	1	—	1	10
470-475, 510-527	46.4	Other respiratory diseases	4	2	—	7	**4**	—	—	—	1	—	—	3	—
540, 541	33	Ulcer of stomach and duodenum	4	1	1	9	**10**	1	2	1	2	1	—	1	2
550-553	34	Appendicitis	—	—	—	1	**5**	1	—	—	—	—	—	1	3
560, 561, 570	35	Intestinal obstruction and hernia	—	—	2	5	**1**	—	—	—	—	—	—	1	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	1	—	6	—	—	—	—	—	—	—	—	—
581	37	Cirrhosis of liver	1	—	—	—	**1**	—	—	—	—	—	—	—	1
580, 582-586	46.5	Other diseases of liver	1	—	—	2	**3**	—	1	—	—	—	—	—	2
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	2	1	**5**	—	—	—	1	—	2	1	1
590-594	38	Nephritis and nephrosis	—	2	1	5	**2**	—	—	—	—	—	—	—	2
610	39	Hyperplasia of prostate	1	—	—	7	**8**	—	—	1	1	1	1	—	4
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	2	1	5	**3**	—	1	—	—	1	—	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	1	—	1	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	1	6	**3**	—	—	—	—	—	—	—	3
750-759	41	Congenital malformations	2	2	—	3	**7**	—	—	1	—	—	2	—	4
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	—	1	1	7	**5**	—	—	—	—	—	1	—	4
763	43.1	Pneumonia of newborn	—	1	—	7	**3**	—	—	—	1	—	—	—	2
764	43.2	Diarrhœa of newborn	—	—	—	1	**1**	—	—	—	—	—	—	1	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	3	4	—	15	**4**	—	—	—	3	—	—	—	1
794	45.0	Senility	—	6	2	10	**7**	—	—	1	—	2	—	2	2
780-793, 795	45.1	Cause ill-defined and unknown	1	3	—	16	**7**	1	—	—	—	2	—	1	3
E963, E970-979	E49	Suicide	1	1	—	3	**1**	—	—	—	—	—	—	—	1
E810-835	E47	Motor vehicle accidents	1	1	—	8	**4**	—	—	—	—	—	1	—	3
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	7	3	1	14	**23**	2	2	—	3	—	1	1	14
			136	165	103	777	**569**	46	58	18	65	50	21	45	266
		ALL CAUSES													
		AGES AT DEATH													
		Under 1	6	12	3	48	**35**	1	—	1	5	—	4	4	20
		1– 4	1	1	—	8	**4**	—	—	—	—	1	—	2	1
		5– 9	1	3	—	2	**6**	1	—	—	—	1	—	—	4
		10–14	—	—	—	3	—	—	—	—	—	—	—	—	—
		15–24	1	3	2	4	**8**	—	—	—	—	—	1	—	7
		25–34	1	3	3	22	**9**	1	—	—	1	1	—	2	4
		35–44	7	9	3	27	**11**	—	2	—	1	2	—	1	5
		45–54	7	15	11	70	**45**	3	7	—	6	3	—	2	24
		55–64	21	22	20	107	**77**	7	3	5	9	9	4	7	33
		65–74	33	55	23	217	**156**	19	16	2	20	15	2	12	70
		75–84	46	31	28	204	**167**	11	21	9	16	13	8	12	77
		85 and over	12	11	10	65	**51**	3	9	1	7	5	2	3	21
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	136	165	103	777	**569**	46	58	18	65	50	21	45	266

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Fife County	Auchtermuchty Burgh	Buckhaven etc. Burgh	Burntisland Burgh	Cowdenbeath Burgh	Crail Burgh	Culross Burgh	Cupar Burgh	Dunfermline Burgh	Elie and Earlsferry B.	Falkland Burgh	Inverkeithing Burgh	Kilrenny and Anstruther B.	Kinghorn Burgh
			Fife County													
		Population (Estimated), 30th June, 1951	308,374	1,333	20,263	5,678	13,212	1,213	582	5,553	45,041	1,190	1,037	3,720	2,997	2,349
		Total Live Births Registered (including Illegitimate)	5,528	7	153	15	76	3	4	19	1,298	1	5	44	6	19
		" Corr. for Mother's Resid. (") ...	5,689	26	417	89	236	16	10	93	746	11	18	82	33	42
		" " " Male ...	2,929	15	205	45	121	6	9	55	413	8	10	47	17	15
		" " " Female ...	2,760	11	212	44	115	10	1	38	333	3	8	35	16	27
		" " " Illegitimate ...	222	1	24	3	16	1	—	4	36	1	1	2	—	—
		Still-Births Registered (including Illegitimate) ...	139	—	1	—	1	—	—	—	42	—	—	1	—	—
		" Corrected for Mother's Residence ...	146	—	8	—	7	1	—	—	24	—	—	2	1	2
		Marriages Registered	2,495	13	187	51	126	8	25	67	446	7	7	43	19	8
		Deaths Registered	3,427	14	222	67	112	20	3	64	521	26	6	32	43	30
		" Corrected for Residence	3,772	20	290	63	138	30	3	68	492	17	13	48	51	36
		" " Male	1,893	8	166	30	75	12	1	33	248	12	8	19	20	11
		" " Female	1,879	12	124	33	63	18	2	35	244	5	5	29	31	25
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	86	—	8	—	4	1	—	1	11	—	—	1	—	—
010-019	2	Tuberculosis, other forms	7	—	1	—	—	—	—	1	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	11	—	4	—	1	—	—	—	2	—	—	—	—	—
040	4	Typhoid fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	6	—	—	—	—	—	—	1	—	—	—	—	—	—
057	10	Meningococcal infections	3	—	1	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	3	—	—	—	—	—	—	—	—	—	—	—	1	—
085	14	Measles	3	—	—	1	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	8	—	—	—	—	—	—	1	3	—	1	—	—	—
140-205	18	Malignant neoplasms	552	4	35	11	26	5	—	10	57	—	1	8	4	7
210-239	19	Benign and unspecified neoplasms	12	—	—	—	—	—	—	—	3	—	—	—	—	—
260	20	Diabetes mellitus	36	—	1	3	—	—	—	—	6	—	—	—	—	—
290-293	21	Anæmias	18	1	2	—	—	—	—	—	2	—	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	42	—	—	1	1	—	—	2	6	—	—	2	1	—
330-334	22	Vascular lesions affecting central nervous system ...	560	4	37	8	21	4	—	13	81	—	1	7	8	3
340	23	Non-meningococcal meningitis	4	—	1	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	57	1	1	—	2	—	—	2	8	—	1	—	1	—
400-402	24	Rheumatic fever	3	—	—	—	—	—	—	—	1	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	54	—	5	1	3	—	—	—	1	1	—	1	2	1
420-422	26	Arteriosclerotic and degenerative heart disease ...	1,076	8	84	23	36	14	2	24	128	13	7	9	20	11
430-434	27	Other diseases of heart	89	—	8	—	—	2	—	1	17	2	1	2	—	3
440-443	28	Hypertension with heart disease	48	—	2	1	3	—	—	3	7	—	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	**50**	—	6	—	7	—	—	—	7	1	—	2	1	—
450-468	46.3	Other circulatory disease	**55**	—	3	—	2	1	—	—	4	—	—	4	3	—
480-483	30	Influenza	**51**	—	6	—	—	—	—	1	4	—	—	—	—	1
490-493	31	Pneumonia	**86**	—	7	—	7	2	—	2	14	—	—	1	—	1
500-502	32	Bronchitis	**151**	1	15	5	4	—	—	—	22	—	—	—	3	2
470-475, 510-527	46.4	Other respiratory diseases	**43**	—	7	—	2	—	—	—	6	—	—	1	—	—
540, 541	33	Ulcer of stomach and duodenum	**28**	—	3	1	1	—	—	—	2	—	—	1	1	1
550-553	34	Appendicitis	**7**	—	—	—	—	—	—	—	1	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	**17**	—	3	1	—	—	—	—	2	—	—	—	—	—
543	36.1	Gastritis and duodenitis	**1**	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	**30**	—	3	—	—	—	—	—	7	—	—	1	—	—
581	37	Cirrhosis of liver	**7**	—	1	—	1	—	—	—	—	—	—	—	1	—
580, 582-586	46.5	Other diseases of liver	**17**	—	3	—	—	—	—	—	2	—	—	—	1	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	**7**	—	1	—	—	—	—	—	1	—	—	—	—	—
590-594	38	Nephritis and nephrosis	**48**	—	4	—	2	—	—	2	5	—	—	—	1	—
610	39	Hyperplasia of prostate	**32**	—	3	—	1	—	—	—	8	—	—	—	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	**19**	—	—	1	—	—	—	—	1	—	—	—	1	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	**1**	—	—	—	—	—	—	—	—	—	—	—	1	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	**2**	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	**17**	1	—	—	—	—	—	—	1	—	—	—	—	1
750-759	41	Congenital malformations	**33**	—	2	—	4	—	—	1	3	—	—	—	—	—
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	**33**	—	6	—	1	—	—	—	4	—	—	—	—	—
763	43.1	Pneumonia of newborn	**5**	—	—	—	—	—	—	—	1	—	1	—	—	—
764	43.2	Diarrhœa of newborn	**5**	—	—	—	—	—	—	—	1	—	—	—	—	—
765-768	43.3	Other infections of the newborn	**2**	—	1	—	—	—	—	—	1	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**73**	—	6	—	3	—	—	—	12	—	—	—	—	2
794	45.0	Senility	**74**	—	6	2	—	—	1	—	14	—	—	8	—	—
780-793, 795	45.1	Cause ill-defined and unknown	**44**	—	3	2	1	1	—	—	15	—	—	—	—	—
E963, E970-979	E49	Suicide	**15**	—	—	—	1	—	—	—	—	—	—	—	—	1
E810-835	E47	Motor vehicle accidents	**32**	—	2	—	1	—	—	—	7	—	—	—	—	—
E840-845	E48.0	Other road transport accidents	**1**	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, E965, E980-999	E48.1	Other violence (BE50)	**107**	—	9	2	3	—	—	3	14	—	—	—	1	2
		ALL CAUSES	**3,772**	20	290	63	138	30	3	68	492	17	13	48	51	36
		AGES AT DEATH														
		Under 1	**213**	—	26	—	9	—	—	1	25	—	1	—	—	4
		1– 4	**40**	1	5	1	1	—	—	1	6	—	—	—	—	—
		5– 9	**15**	—	—	—	2	—	—	—	2	—	—	1	—	—
		10–14	**10**	—	—	—	—	—	—	—	1	—	—	1	—	—
		15–24	**43**	—	1	—	2	—	—	—	4	—	—	—	1	—
		25–34	**77**	1	4	—	5	—	—	2	11	—	1	1	2	—
		35–44	**136**	1	13	—	5	—	—	2	17	—	1	3	1	4
		45–54	**320**	2	33	3	10	3	—	7	37	1	—	6	3	4
		55–64	**546**	1	47	16	20	4	—	10	81	2	1	8	4	5
		65–74	**1,009**	5	72	17	46	10	—	15	130	6	3	11	18	7
		75–84	**1,073**	7	72	18	32	9	2	20	149	5	5	12	15	10
		85 and over	**290**	2	17	8	6	4	1	10	29	3	1	5	7	2
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	**3,772**	20	290	63	138	30	3	68	492	17	13	48	51	36

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Fife County—*continued*: Kirkcaldy Burgh	Ladybank Burgh	Leslie Burgh	Leven Burgh	Lochgelly Burgh	Markinch Burgh	Newburgh Burgh	Newport Burgh	Pittenweem Burgh	St. Andrews Burgh	St. Monance Burgh	Tayport Burgh	Landward
		Population (Estimated), 30th June, 1951	49,230	1,147	2,623	8,900	9,134	2,306	2,384	3,278	1,645	9,490	1,513	3,219	109,337
		Total Live Births Registered (including Illegitimate)	1,418	3	14	50	77	4	12	270	4	126	6	2	1,892
		,, Corr. for Mother's Resid. (,,) ...	923	18	47	139	164	27	43	54	24	125	25	36	2,245
		,, ,, ,, Male ...	469	12	24	82	85	17	22	29	18	47	10	20	1,128
		,, ,, ,, Female ...	454	6	23	57	79	10	21	25	6	78	15	16	1,117
		,, ,, ,, Illegitimate ...	27	—	—	10	4	1	1	2	—	4	1	3	80
		Still-Births Registered (including Illegitimate) ...	40	—	1	1	2	—	—	2	—	1	—	—	47
		,, Corrected for Mother's Residence ...	22	—	1	6	6	—	—	1	—	5	—	—	60
		Marriages Registered	474	17	18	74	97	29	16	17	10	101	5	15	615
		Deaths Registered	678	18	28	74	72	32	17	47	24	119	26	38	1,094
		,, Corrected for Residence	645	21	34	105	99	43	24	61	31	137	31	52	1,220
		,, ,, Male	305	8	16	49	57	22	12	20	16	66	15	20	644
		,, ,, Female	340	13	18	56	42	21	12	41	15	71	16	32	576
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	17	—	1	2	4	1	—	1	2	1	1	3	27
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	5
020-029	3	Syphilis and its sequelæ	2	—	—	—	—	1	—	—	—	—	—	—	1
040	4	Typhoid fever	—	1	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	5
057	10	Meningococcal infections	1	—	—	—	—	—	—	—	—	—	—	—	1
080	12	Acute poliomyelitis	1	—	—	—	—	—	—	—	—	—	—	—	1
085	14	Measles	1	—	—	—	—	—	—	—	—	—	—	—	1
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	1	—	—	—	—	—	—	—	2
140-205	18	Malignant neoplasms	112	2	5	12	13	7	2	14	8	37	4	5	163
210-239	19	Benign and unspecified neoplasms	3	—	—	—	—	—	—	—	—	1	—	—	5
260	20	Diabetes mellitus	6	—	—	4	1	—	—	1	—	1	—	1	12
290-293	21	Anæmias	3	—	—	1	—	—	1	—	1	—	1	—	6
240-254, 270-289, 294-299	46.1	Other general diseases	9	—	—	2	1	1	1	—	—	3	—	—	12
330-334	22	Vascular lesions affecting central nervous system ...	84	—	6	28	13	5	6	11	5	19	4	7	185
340	23	Non-meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	2
300-326, 341-398	46.2	Other diseases of nervous system	11	—	—	—	5	1	—	—	—	3	1	2	18
400-402	24	Rheumatic fever	1	—	—	—	—	1	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	14	—	2	1	2	1	1	—	—	2	1	1	14
420-422	26	Arteriosclerotic and degenerative heart disease ...	186	10	12	21	28	9	7	25	7	29	7	18	338
430-434	27	Other diseases of heart	13	—	—	1	2	2	1	—	—	4	2	2	26
440-443	28	Hypertension with heart disease	9	1	—	4	—	—	—	1	—	1	—	—	16
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	8	1	1	2	—	—	—	—	—	—	—	—	14
450-468	46.3	Other circulatory disease	7	1	—	2	—	2	—	—	1	5	1	—	19
480-483	30	Influenza	8	—	1	1	3	1	—	1	1	4	1	1	17
490-493	31	Pneumonia	14	—	—	3	1	2	1	1	—	2	1	1	26
500-502	32	Bronchitis	24	—	1	7	2	—	—	2	1	5	2	—	55
470-475, 510-527	46.4	Other respiratory diseases	2	1	—	—	3	—	—	—	—	—	—	1	20
540, 541	33	Ulcer of stomach and duodenum	5	—	—	2	—	—	—	—	—	—	1	—	10
550-553	34	Appendicitis	4	—	—	—	—	—	—	—	—	1	—	1	—
560, 561, 570	35	Intestinal obstruction and hernia	3	—	—	—	—	—	—	—	—	—	—	—	8
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	1
571, 572	36.2	Diarrhœa (except of newborn)	4	—	1	1	1	1	—	—	—	—	—	1	10
581	37	Cirrhosis of liver	—	—	—	1	—	—	—	—	—	—	1	—	2
580, 582-586	46.5	Other diseases of liver	2	1	—	—	1	—	—	—	—	1	—	1	5
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	2	—	—	—	—	1	—	—	—	—	—	—	2
590-594	38	Nephritis and nephrosis	8	—	1	1	2	—	—	—	1	3	1	1	16
610	39	Hyperplasia of prostate	5	—	—	1	—	—	—	1	2	1	—	—	10
600-609, 611-637	46.7	Other diseases of genito-urinary system	3	—	—	—	1	—	—	—	—	2	—	—	10
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	1	—	—	—	—	—	—	—	—	1
690-749	46.8	Diseases of skin and organs of locomotion	3	—	—	1	1	—	—	—	—	2	—	—	7
750-759	41	Congenital malformations	5	—	—	2	2	1	—	—	—	2	—	—	11
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	7	—	—	1	—	—	1	—	—	—	1	—	12
763	43.1	Pneumonia of newborn	—	—	—	1	—	—	—	—	—	—	—	—	2
764	43.2	Diarrhœa of newborn	1	—	—	—	—	—	—	—	—	—	—	—	3
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	12	—	2	—	3	—	—	1	1	—	—	—	31
794	45.0	Senility	15	1	—	—	2	4	1	—	—	2	—	—	18
780-793, 795	45.1	Cause ill-defined and unknown	4	1	—	—	1	1	—	—	—	—	—	—	15
E963, E970-979	E49	Suicide	3	—	—	—	4	1	—	—	—	2	—	—	3
E810-835	E47	Motor vehicle accidents	1	1	—	1	—	—	—	—	—	—	1	2	16
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	1	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	21	—	1	1	2	—	1	2	1	4	—	4	36
		All Causes	645	21	34	105	99	43	24	61	31	137	31	52	1,220
		Ages at Death													
		Under 1	33	—	3	5	8	1	1	1	1	—	1	1	92
		1– 4	8	—	—	—	1	—	—	—	—	1	1	1	13
		5– 9	3	—	—	—	—	—	—	—	—	1	—	—	6
		10–14	1	—	—	—	—	1	—	—	—	2	—	—	4
		15–24	10	—	1	1	—	—	—	—	1	1	—	1	20
		25–34	11	—	—	1	3	1	1	—	—	3	2	—	28
		35–44	22	—	1	6	6	1	—	1	—	1	2	3	46
		45–54	64	1	1	6	13	7	3	3	1	11	1	5	95
		55–64	96	1	3	18	13	4	3	10	4	21	4	2	168
		65–74	175	4	12	29	28	9	4	14	5	34	9	10	336
		75–84	177	12	12	36	20	15	10	24	15	47	7	19	323
		85 and over	45	3	1	3	7	4	2	8	4	15	4	10	89
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	645	21	34	105	99	43	24	61	31	137	31	52	1,220

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Inverness County: Inverness County	Inverness County: Fort William Burgh	Inverness County: Inverness Burgh	Inverness County: Kingussie Burgh	Inverness County: Landward	Kincardine County: Kincardine County	Kincardine County: Banchory Burgh	Kincardine County: Inverbervie Burgh	Kincardine County: Laurencekirk Burgh	Kincardine County: Stonehaven Burgh	Kincardine County: Landward	Kinross County: Kinross County	Kinross County: Kinross Burgh	Kinross County: Landward
		Population (Estimated), 30th June, 1951	**86,191**	2,680	28,487	1,072	53,952	**27,970**	1,957	885	1,486	4,452	19,190	**7,484**	2,515	4,969
		Total Live Births Registered (including Illegitimate)	**1,521**	21	1,028	2	470	**183**	1	1	2	108	71	**60**	24	36
		,, Corr. for Mother's Resid. (,,) ...	**1,498**	59	489	14	936	**475**	28	15	25	70	337	**113**	43	70
		,, ,, ,, Male ...	**731**	30	246	7	448	**247**	15	10	13	33	176	**54**	20	34
		,, ,, ,, Female ...	**767**	29	243	7	488	**228**	13	5	12	37	161	**59**	23	36
		,, ,, ,, Illegitimate ...	**127**	3	42	2	80	**29**	1	—	—	2	26	**5**	4	1
		Still-Births Registered (including Illegitimate) ...	**44**	1	37	—	6	**4**	—	—	—	1	3	**1**	1	—
		,, Corrected for Mother's Residence ...	**39**	1	16	—	22	**7**	1	—	—	1	5	**4**	3	1
		Marriages Registered	**619**	46	428	5	140	**175**	26	16	13	49	71	**48**	26	22
		Deaths Registered	**1,356**	45	606	22	683	**246**	14	7	16	69	140	**104**	30	74
		,, Corrected for Residence	**1,212**	37	370	23	782	**330**	24	10	29	56	211	**117**	44	73
		,, ,, Male	**610**	22	179	13	396	**162**	13	2	12	23	112	**55**	19	36
		,, ,, Female	**602**	15	191	10	386	**168**	11	8	17	33	99	**62**	25	37
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	**23**	1	8	—	14	**5**	—	—	—	1	4	**1**	—	1
010-019	2	Tuberculosis, other forms	**5**	1	1	—	3	—	—	—	—	—	—	**1**	1	—
020-029	3	Syphilis and its sequelæ	**3**	1	—	—	2	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	**1**	—	—	—	1	**1**	—	—	—	—	1	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	**2**	—	—	—	2	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**2**	—	—	—	2	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	**172**	4	58	4	106	**60**	5	2	5	6	42	**19**	7	12
210-239	19	Benign and unspecified neoplasms	**3**	—	1	1	1	**1**	—	—	—	—	1	—	—	—
260	20	Diabetes mellitus	**11**	—	2	1	8	—	—	—	—	—	—	**1**	—	1
290-293	21	Anæmias	**8**	—	3	—	5	**1**	—	—	—	—	1	**1**	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	**17**	—	5	—	12	**7**	—	—	1	—	6	—	—	—
330-334	22	Vascular lesions affecting central nervous system ...	**171**	8	48	3	112	**41**	6	—	3	8	24	**14**	8	6
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**28**	2	10	—	16	**8**	—	—	2	—	6	**1**	—	1
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**9**	—	2	—	7	**1**	—	—	1	—	—	**1**	1	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	**309**	7	131	5	166	**100**	8	6	7	22	57	**35**	11	24
430-434	27	Other diseases of heart	**30**	2	6	1	21	**6**	—	1	3	1	1	**1**	—	1
440-443	28	Hypertension with heart disease	**19**	—	9	1	9	**8**	1	—	—	3	4	—	—	—
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	**14**	—	3	1	10	**6**	—	—	—	1	5	—	—	—
450-468	46.3	Other circulatory disease	**30**	1	6	—	23	**8**	—	1	1	1	5	**4**	1	3
480-483	30	Influenza	**32**	1	7	2	22	**1**	—	—	—	—	1	**2**	—	2
490-493	31	Pneumonia	**29**	—	7	—	22	**13**	—	—	1	**5**	7	**3**	3	—
500-502	32	Bronchitis	**20**	1	4	1	14	**5**	2	—	—	—	3	**2**	—	2
470-475, 510-527	46.4	Other respiratory diseases	**9**	2	3	—	4	**4**	—	—	—	1	3	**1**	1	—
540, 541	33	Ulcer of stomach and duodenum	**12**	—	5	—	7	**7**	2	—	1	1	3	**1**	1	—
550-553	34	Appendicitis	**1**	—	—	—	1	—	—	—	—	—	—	**1**	—	1
560, 561, 570	35	Intestinal obstruction and hernia	**10**	—	4	—	6	**1**	—	—	—	—	1	**1**	—	1
543	36.1	Gastritis and duodenitis	**1**	—	—	—	1	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	**8**	—	3	—	5	—	—	—	—	—	—	**2**	1	1
581	37	Cirrhosis of liver	**2**	—	1	—	1	**3**	—	—	—	1	2	—	—	—
580, 582-586	46.5	Other diseases of liver	**5**	1	—	—	4	**2**	—	—	—	1	1	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	**3**	—	1	—	2	—	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	**25**	2	3	—	20	**2**	—	—	—	—	2	**7**	1	6
610	39	Hyperplasia of prostate	**6**	—	3	—	3	**2**	—	—	—	1	1	**2**	1	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	**5**	—	1	—	4	**3**	—	—	1	—	2	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	**4**	—	1	—	3	**3**	—	—	2	—	1	**1**	—	1
750-759	41	Congenital malformations	**7**	—	4	—	3	**2**	—	—	—	—	2	**2**	1	1
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	**6**	—	3	—	3	**5**	—	—	1	—	4	**2**	1	1
763	43.1	Pneumonia of newborn	**3**	—	1	—	2	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	**1**	—	—	—	1	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**20**	2	6	—	12	**1**	—	—	—	—	1	—	—	—
794	45.0	Senility	**75**	—	3	1	71	**4**	—	—	—	1	3	**3**	—	3
780-793, 795	45.1	Cause ill-defined and unknown	**23**	—	3	—	20	**7**	—	—	—	1	6	**2**	1	1
E963, E970-979	E49	Suicide	**3**	—	1	—	2	**1**	—	—	—	—	1	**1**	—	1
E810-835	E47	Motor vehicle accidents	**5**	—	2	—	3	**5**	—	—	—	1	4	—	—	—
E840-845	E48.0	Other road transport accidents	**2**	—	1	—	1	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**38**	1	10	2	25	**6**	—	—	—	—	6	**5**	4	1
		All Causes	**1,212**	37	370	23	782	**330**	24	10	29	56	211	**117**	44	73
		Ages at Death														
		Under 1	**47**	2	19	—	26	**10**	—	—	1	—	9	**5**	2	3
		1– 4	**11**	—	2	—	9	**2**	—	—	—	—	2	**1**	1	—
		5– 9	**2**	1	1	—	—	**5**	—	—	—	1	4	—	—	—
		10–14	**3**	—	2	—	1	**2**	1	—	—	—	1	—	—	—
		15–24	**15**	1	6	—	8	**3**	—	—	1	1	1	**1**	—	1
		25–34	**22**	2	5	—	15	**10**	1	—	—	—	9	**1**	—	1
		35–44	**45**	2	11	—	32	**11**	—	—	—	3	8	**4**	2	2
		45–54	**86**	5	38	1	42	**13**	2	1	—	2	8	**10**	5	5
		55–64	**119**	7	36	4	72	**42**	1	1	3	7	30	**15**	8	7
		65–74	**320**	8	119	8	185	**84**	8	3	7	19	47	**30**	15	15
		75–84	**361**	5	96	7	253	**110**	9	4	9	18	70	**41**	10	31
		85 and over	**181**	4	35	3	139	**38**	2	1	8	5	22	**9**	1	8
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	**1,212**	37	370	23	782	**330**	24	10	29	56	211	**117**	44	73

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Kirkcudbright County: Kirkcudbright County	Castle Douglas Burgh	Dalbeattie Burgh	Gatehouse Burgh	Kirkcudbright Burgh	New Galloway Burgh	Landward	Lanark County: Lanark County	Glasgow County of City	Airdrie Burgh	Biggar Burgh	Coatbridge Burgh	Hamilton Burgh
		Population (Estimated), 30th June, 1951	**31,124**	3,338	3,316	882	2,521	309	20,758	**1,616,922**	1,090,364	30,832	1,434	47,781	40,448
		Total Live Births Registered (including Illegitimate)	**255**	20	24	5	17	2	187	**30,040**	20,736	728	13	570	957
		" Corr. for Mother's Resid. (") ...	**516**	42	52	13	40	5	364	**30,182**	20,091	648	19	1,095	821
		" " " Male ...	**281**	23	29	8	20	5	196	**15,540**	10,353	328	12	554	437
		" " " Female ...	**235**	19	23	5	20	—	168	**14,642**	9,738	320	7	541	384
		" " " Illegitimate ...	**37**	3	1	2	4	1	26	**1,453**	1,062	23	—	34	29
		Still-Births Registered (including Illegitimate) ...	**5**	—	2	—	—	—	3	**935**	646	16	—	11	21
		" Corrected for Mother's Residence ...	**19**	—	2	2	2	—	13	**904**	579	16	1	33	30
		Marriages Registered	**193**	28	28	4	34	—	99	**14,708**	10,491	236	16	403	421
		Deaths Registered	**322**	51	40	7	26	8	190	**21,011**	15,250	278	18	431	386
		" Corrected for Residence	**386**	43	48	11	32	9	243	**20,511**	14,311	351	31	566	515
		" " Male	**193**	19	24	6	18	5	121	**10,742**	7,531	183	16	315	275
		" " Female	**193**	24	24	5	14	4	122	**9,769**	6,780	168	15	251	240
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	**7**	2	3	—	1	—	1	**888**	652	14	1	30	21
010-019	2	Tuberculosis, other forms	**2**	—	—	—	1	—	1	**135**	96	2	—	8	1
020-029	3	Syphilis and its sequelæ	**3**	1	—	1	—	—	1	**41**	34	1	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	**5**	5	—	—	—	—
050,051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	**1**	1	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	**4**	4	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	**38**	25	—	1	3	1
057	10	Meningococcal infections	—	—	—	—	—	—	—	**20**	15	—	—	1	1
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	**3**	2	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	**11**	6	—	—	1	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**4**	1	—	—	—	—	3	**56**	35	2	—	1	1
140-205	18	Malignant neoplasms	**62**	10	3	1	8	2	38	**3,101**	2,261	48	2	64	83
210-239	19	Benign and unspecified neoplasms	**2**	1	—	—	—	—	1	**50**	43	—	—	—	1
260	20	Diabetes mellitus	**4**	1	—	—	—	—	3	**173**	114	5	1	2	4
290-293	21	Anæmias	**4**	1	1	—	1	—	1	**114**	77	—	—	6	3
240-254, 270-289, 294-299	46.1	Other general diseases	**4**	—	2	—	—	—	2	**156**	107	1	—	3	5
330-334	22	Vascular lesions affecting central nervous system ...	**42**	7	3	1	4	3	24	**2,599**	1,832	40	5	61	62
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	**27**	20	—	—	—	2
300-326, 341-398	46.2	Other diseases of nervous system	**7**	—	5	—	1	—	1	**370**	262	7	—	11	8
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	**20**	12	—	—	—	2
410-416	25	Chronic rheumatic heart disease	**2**	—	—	—	—	—	2	**342**	240	4	—	8	9
420-422	26	Arteriosclerotic and degenerative heart disease ...	**110**	9	12	4	7	4	74	**5,235**	3,503	101	8	151	142
430-434	27	Other diseases of heart	**5**	1	1	—	—	—	3	**388**	257	7	1	14	10
440-443	28	Hypertension with heart disease	**4**	—	—	—	—	—	4	**260**	180	3	1	8	4
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	**2**	—	—	1	—	—	1	**187**	132	3	1	2	1
450-468	46.3	Other circulatory disease	**7**	1	—	—	2	—	4	**293**	197	2	—	5	5
480-483	30	Influenza	**9**	1	—	—	1	—	7	**276**	191	3	1	5	12
490-493	31	Pneumonia	**8**	—	—	1	—	—	7	**771**	558	10	3	27	14
500-502	32	Bronchitis	**9**	1	3	—	—	—	5	**1,087**	814	20	1	25	16
470-475, 510-527	46.4	Other respiratory diseases	**3**	—	—	—	1	—	2	**209**	117	6	—	10	4
540, 541	33	Ulcer of stomach and duodenum	**3**	—	—	—	1	—	2	**192**	140	3	—	6	4
550-553	34	Appendicitis	—	—	—	—	—	—	—	**44**	27	1	—	1	2
560, 561, 570	35	Intestinal obstruction and hernia	**2**	—	—	—	—	—	2	**106**	74	2	—	3	4
543	36.1	Gastritis and duodenitis	+	—	—	—	—	—	—	**8**	2	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	**2**	—	1	—	—	—	1	**165**	114	4	—	7	6
581	37	Cirrhosis of liver	—	—	—	—	—	—	—	**55**	44	2	—	1	2
580, 582-586	46.5	Other diseases of liver	**1**	—	—	—	—	—	1	**78**	54	1	—	1	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	**2**	—	—	—	1	—	1	**66**	44	1	1	4	3
590-594	38	Nephritis and nephrosis	**2**	—	—	—	—	—	2	**192**	130	3	—	6	5
610	39	Hyperplasia of prostate	**3**	1	—	1	1	—	—	**94**	64	3	—	3	4
600-609, 611-637	46.7	Other diseases of genito-urinary system	**3**	—	1	—	—	—	2	**106**	72	1	1	2	3
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	**9**	5	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	**23**	15	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	**1**	—	1	—	—	—	—	**67**	47	3	—	4	—
750-759	41	Congenital malformations	**5**	—	2	—	—	—	3	**225**	154	5	—	8	5
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	**1**	—	—	—	—	—	1	**258**	182	5	—	10	5
763	43.1	Pneumonia of newborn	**1**	—	—	—	—	—	1	**66**	56	—	—	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	**14**	10	2	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	**2**	1	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**5**	—	2	—	1	—	2	**304**	193	13	—	11	9
794	45.0	Senility	**23**	1	8	1	1	—	12	**331**	187	2	—	20	16
780-793, 795	45.1	Cause ill-defined and unknown	**9**	2	—	—	—	—	7	**473**	366	4	1	15	13
E963, E970-979	E49	Suicide	—	—	—	—	—	—	—	**81**	63	6	—	—	—
E810-835	E47	Motor vehicle accidents	**2**	—	—	—	—	—	2	**164**	103	1	1	5	4
E840-845	E48.0	Other road transport accidents	—		—	—	—	—	—	**18**	13	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**21**	2	—	—	—	—	19	**510**	359	10	1	13	17
		ALL CAUSES	**386**	43	48	11	32	9	243	**20,511**	14,311	351	31	566	515
		AGES AT DEATH													
		Under 1	**15**	—	5	—	1	—	9	**1,347**	923	35	1	59	35
		1– 4	**2**	—	—	—	—	—	2	**243**	171	3	1	6	8
		5– 9	**1**	—	—	—	—	—	1	**123**	80	1	—	4	4
		10–14	**1**	—	—	—	—	—	1	**70**	46	—	—	6	4
		15–24	**5**	1	1	—	—	—	3	**351**	236	7	—	13	7
		25–34	**13**	—	—	—	1	—	12	**534**	356	7	1	17	14
		35–44	**14**	3	4	—	2	—	5	**904**	642	22	1	19	20
		45–54	**37**	9	5	—	3	1	19	**1,969**	1,397	37	—	55	67
		55–64	**41**	2	7	2	5	1	24	**3,529**	2,570	60	—	67	80
		65–74	**88**	13	8	1	6	4	56	**5,376**	3,797	90	8	147	128
		75–84	**120**	12	10	5	13	2	78	**4,909**	3,308	70	9	148	123
		85 and over	**49**	3	8	3	1	1	33	**1,156**	785	19	10	25	25
		Not stated	—	—	—	—	—	—	—	—	—		—	—	—
		ALL AGES	**386**	43	48	11	32	9	243	**20,511**	14,311	351	31	566	515

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Lanark County—*continued*: Lanark Burgh	Motherwell and Wishaw Burgh	Rutherglen Burgh	Landward	Midlothian County: **Midlothian County**	Edinburgh County of City	Bonnyrigg and Lasswade B.	Dalkeith Burgh	Loanhead Burgh	Musselburgh Burgh	Penicuik Burgh	Landward
		Population (Estimated), 30th June, 1951	8,058	68,248	24,294	305,463	**566,917**	467,435	5,464	8,846	4,912	17,101	4,275	58,884
		Total Live Births Registered (including Illegitimate)	695	1,162	113	5,066	**10,171**	9,127	33	89	41	244	35	602
		,, Corr. for Mother's Resid. (,,) ...	114	1,183	382	5,829	**9,282**	7,353	109	174	89	282	85	1,190
		,, ,, ,, Male ...	58	619	187	2,992	**4,834**	3,815	53	89	44	147	48	638
		,, ,, ,, Female ...	56	564	195	2,837	**4,448**	3,538	56	85	45	135	37	552
		,, ,, ,, Illegitimate ...	4	47	9	245	**483**	402	3	9	4	6	2	57
		Still-Births Registered (including Illegitimate) ...	20	33	2	186	**303**	285	—	—	—	2	1	15
		,, Corrected for Mother's Residence ...	3	36	15	191	**267**	204	2	6	2	8	6	39
		Marriages Registered	111	659	293	2,078	**4,935**	4,222	44	80	31	153	49	356
		Deaths Registered	107	554	240	3,747	**8,073**	7,168	46	91	52	146	33	537
		,, Corrected for Residence	101	794	330	3,512	**7,590**	6,474	71	101	54	213	54	623
		,, ,, Male	45	420	160	1,797	**3,725**	3,122	32	55	29	111	31	345
		,, ,, Female	56	374	170	1,715	**3,865**	3,352	39	46	25	102	23	278
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	2	34	5	129	**174**	156	1	—	1	1	1	14
010-019	2	Tuberculosis, other forms	—	6	—	22	**21**	16	1	—	—	1	—	3
020-029	3	Syphilis and its sequelæ	—	1	1	4	**23**	23	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	**3**	2	—	—	—	—	—	1
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	2	—	6	**11**	9	—	—	—	—	1	1
057	10	Meningococcal infections	—	1	—	2	**6**	6	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	1	**3**	2	—	—	—	1	—	—
085	14	Measles	—	—	—	4	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	4	1	11	**18**	15	—	—	—	1	—	2
140-205	18	Malignant neoplasms	16	109	46	472	**1,300**	1,117	8	20	10	32	8	105
210-239	19	Benign and unspecified neoplasms	—	1	—	5	**22**	18	—	1	1	—	—	2
260	20	Diabetes mellitus	1	6	4	36	**49**	37	1	—	1	4	—	6
290-293	21	Anæmias	1	5	3	19	**31**	28	—	1	—	—	—	2
240-254, 270-289, 294-299	46.1	Other general diseases	2	12	3	23	**60**	46	—	5	—	1	—	8
330-334	22	Vascular lesions affecting central nervous system ...	12	107	37	443	**1,046**	873	7	13	9	51	6	87
340	23	Non-meningococcal meningitis	—	—	—	5	**3**	2	—	—	—	—	—	1
300-326, 341-398	46.2	Other diseases of nervous system	2	14	11	55	**125**	110	2	1	1	3	1	7
400-402	24	Rheumatic fever	—	1	—	5	**5**	3	—	1	—	—	—	1
410-416	25	Chronic rheumatic heart disease	4	10	5	62	**95**	83	2	—	—	3	3	4
420-422	26	Arteriosclerotic and degenerative heart disease ...	35	214	107	974	**2,164**	1,853	26	24	18	55	18	170
430-434	27	Other diseases of heart	2	16	5	76	**190**	148	1	1	2	8	4	26
440-443	28	Hypertension with heart disease	2	10	4	48	**120**	105	1	2	1	3	—	8
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	1	5	9	33	**89**	75	2	2	—	3	—	7
450-468	46.3	Other circulatory disease	1	14	12	57	**160**	138	2	1	—	8	—	11
480-483	30	Influenza	1	9	11	43	**84**	74	—	1	1	1	—	7
490-493	31	Pneumonia	5	21	17	116	**299**	262	2	4	2	2	2	25
500-502	32	Bronchitis	1	54	13	143	**313**	282	2	2	1	14	—	12
470-475, 510-527	46.4	Other respiratory diseases	1	16	—	55	**90**	72	2	4	—	1	1	10
540, 541	33	Ulcer of stomach and duodenum	—	7	5	27	**73**	60	1	3	—	1	—	8
550-553	34	Appendicitis	—	—	1	12	**7**	6	—	—	—	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	1	1	1	20	**46**	40	—	—	—	2	—	4
543	36.1	Gastritis and duodenitis	—	1	1	4	**3**	2	—	—	—	—	—	1
571, 572	36.2	Diarrhœa (except of newborn)	—	6	—	28	**38**	32	1	2	—	—	—	3
581	37	Cirrhosis of liver	1	2	—	3	**19**	16	—	2	—	—	1	—
580, 582-586	46.5	Other diseases of liver	—	2	1	19	**31**	21	—	—	2	3	—	5
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	1	2	10	**25**	22	1	—	—	—	—	2
590-594	38	Nephritis and nephrosis	1	7	1	39	**63**	49	—	3	2	—	2	7
610	39	Hyperplasia of prostate	1	5	1	13	**41**	38	—	—	1	—	—	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	3	3	20	**56**	48	—	3	—	2	—	3
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	1	—	3	**3**	3	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	1	—	7	**6**	4	1	—	—	—	—	1
690-749	46.8	Diseases of skin and organs of locomotion	—	2	1	10	**29**	28	—	—	—	—	—	1
750-759	41	Congenital malformations	—	6	—	47	**61**	50	1	—	—	4	—	6
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	—	12	5	39	**64**	50	—	1	—	3	1	9
763	43.1	Pneumonia of newborn	—	2	1	6	**8**	6	—	—	—	—	—	2
764	43.2	Diarrhœa of newborn	—	—	—	2	**—**	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	1	**2**	2	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	—	15	3	60	**53**	42	1	1	—	1	—	8
794	45.0	Senility	4	19	1	82	**75**	70	—	—	—	—	—	5
780-793, 795	45.1	Cause ill-defined and unknown	—	8	3	63	**46**	40	—	—	1	1	1	3
E963, E970-979	E49	Suicide	—	1	—	11	**60**	57	1	—	—	1	—	1
E810-835	E47	Motor vehicle accidents	1	5	2	42	**61**	48	2	1	—	1	1	8
E840-845	E48.0	Other road transport accidents	—	—	—	5	**8**	6	—	1	—	—	—	1
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	1	15	4	90	**208**	179	2	1	—	1	3	22
		All Causes	101	794	330	3,512	**7,590**	6,474	71	101	54	213	54	623
		Ages at Death												
		Under 1	—	48	10	236	**243**	196	3	3	—	8	4	29
		1– 4	1	7	3	43	**58**	45	—	2	1	—	1	9
		5– 9	1	2	1	30	**26**	22	—	1	—	—	—	3
		10–14	—	3	1	10	**17**	14	—	1	—	1	1	—
		15–24	1	18	4	65	**83**	70	2	—	1	—	1	9
		25–34	1	32	3	103	**125**	104	2	—	1	2	2	14
		35–44	7	32	15	146	**254**	198	5	6	4	10	3	28
		45–54	6	90	22	295	**639**	546	10	9	5	10	6	53
		55–64	20	121	55	556	**1,181**	1,015	9	17	3	31	10	96
		65–74	27	202	93	884	**2,073**	1,787	19	27	14	57	8	161
		75–84	32	197	100	922	**2,207**	1,874	15	27	23	79	16	173
		85 and over	5	42	23	222	**684**	603	6	8	2	15	2	48
		Not stated	—	—	—	—	**—**	—	—	—	—	—	—	—
		All Ages	101	794	330	3,512	**7,590**	6,474	71	101	54	213	54	623

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Moray County: Moray County	Burghead Burgh	Elgin Burgh	Forres Burgh	Grantown-on-Spey Burgh	Lossiemouth & Branderburgh Burgh	Rothes Burgh	Landward	Nairn County: Nairn County	Nairn Burgh	Landward	Orkney County: Orkney County	Kirkwall	Stromness Burgh	Landward
		Population (Estimated), 30th June, 1951	**48,792**	1,386	10,628	4,712	1,560	4,978	1,219	24,309	**8,814**	4,748	4,066	**21,337**	4,369	1,508	15,460
		Total Live Births Registered (including Illegitimate)	**867**	11	285	313	1	64	3	190	**125**	23	102	**361**	184	18	159
		,, Corr. for Mother's Resid. (,,) ...	**901**	35	193	105	19	112	21	416	**148**	75	73	**363**	80	20	263
		,, ,, ,, Male ...	**474**	22	95	57	6	62	14	218	**79**	41	38	**180**	38	8	134
		,, ,, ,, Female ...	**427**	13	98	48	13	50	7	198	**69**	34	35	**183**	42	12	129
		,, ,, ,, Illegitimate ...	**61**	2	6	6	3	7	2	35	**13**	4	9	**15**	7	—	8
		Still-Births Registered (including Illegitimate) ...	**24**	—	8	7	—	1	—	8	**1**	—	1	**10**	4	—	6
		,, Corrected for Mother's Residence ...	**27**	1	6	3	—	4	—	13	**5**	1	4	**10**	2	1	7
		Marriages Registered	**351**	11	57	54	11	40	8	70	**50**	45	5	**119**	50	7	62
		Deaths Registered	**531**	12	182	63	15	63	15	181	**120**	51	69	**323**	115	22	186
		,, Corrected for Residence	**573**	17	141	76	28	60	19	232	**131**	75	56	**337**	69	25	243
		,, ,, Male	**306**	11	77	32	16	32	9	129	**56**	28	28	**161**	29	11	121
		,, ,, Female	**267**	6	64	44	12	28	10	103	**75**	47	28	**176**	40	14	122
		CAUSES OF DEATH															
001-008	1	Tuberculosis of respiratory system	**13**	2	2	3	—	1	—	5	**2**	1	1	**4**	1	1	2
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	**2**	1	—	1
020-029	3	Syphilis and its sequelæ	**1**	—	—	—	—	—	—	1	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	**1**	—	—	—	—	—	—	1	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**2**	—	—	1	1	—	—	—	—	—	—	**1**	—	—	1
140-205	18	Malignant neoplasms	**72**	3	13	9	7	9	2	29	**17**	12	5	**50**	14	5	31
210-239	19	Benign and unspecified neoplasms	**2**	1	—	—	—	—	—	1	—	—	—	—	—	—	—
260	20	Diabetes mellitus	**7**	1	2	1	—	—	1	2	**1**	—	1	—	—	—	—
290-293	21	Anæmias	**4**	—	1	—	—	2	—	1	—	—	—	**2**	—	1	1
240-254, 270-289, 294-299	46.1	Other general diseases	**4**	—	—	—	—	1	1	2	—	—	—	**3**	—	1	2
330-334	22	Vascular lesions affecting central nervous system ...	**99**	2	26	14	2	11	2	42	**21**	12	9	**47**	13	5	29
340	23	Non-meningococcal meningitis	**1**	—	—	1	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**11**	—	4	—	2	—	—	5	**4**	2	2	**17**	—	1	16
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	**1**	—	—	1
410-416	25	Chronic rheumatic heart disease	**8**	2	4	—	—	—	—	2	**5**	2	3	**7**	2	—	5
420-422	26	Arteriosclerotic and degenerative heart disease ...	**180**	4	49	27	6	17	7	70	**40**	25	15	**96**	25	5	66
430-434	27	Other diseases of heart	**5**	—	3	—	—	—	—	2	**9**	5	4	**11**	1	1	9
440-443	28	Hypertension with heart disease	**7**	—	4	—	—	—	—	3	**2**	1	1	**5**	3	—	2
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	7	—	—	4	2	—	—	1	4	3	1	2	—	—	2
450-468	46,3	Other circulatory disease	10	—	1	1	3	2	—	3	2	1	1	6	—	—	6
480-483	30	Influenza	4	—	—	—	—	—	—	4	5	3	2	4	—	—	4
490-493	31	Pneumonia	10	—	2	1	—	3	—	4	3	1	2	5	1	1	3
500-502	32	Bronchitis	12	1	1	1	2	2	1	4	1	—	1	6	—	—	6
470-475, 510-527	46.4	Other respiratory diseases	5	—	1	—	—	—	—	4	—	—	—	1	—	1	—
540, 541	33	Ulcer of stomach and duodenum	5	—	2	1	1	—	—	1	1	1	—	5	2	—	3
550-553	34	Appendicitis	1	—	1	—	—	—	—	—	—	—	—	1	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	5	—	1	1	1	—	—	2	—	—	—	—	—	—	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	1	—	1	—	—	—	—	—	—	—	—	1	—	—	1
581	37	Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
580, 582-586	46.5	Other diseases of liver	2	—	1	1	—	—	—	—	1	1	—	1	1	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	—	—	—	—	2	2	—	2	—	—	2
590-594	38	Nephritis and nephrosis	2	—	1	—	—	—	1	—	1	1	—	10	2	1	7
610	39	Hyperplasia of prostate	6	—	—	1	—	—	1	4	—	—	—	4	—	—	4
600-609, 611-637	46.7	Other diseases of genito-urinary system	4	1	1	—	—	—	—	2	1	1	—	1	1	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	—	—	—	—	—	—	—	4	—	—	4
750-759	41	Congenital malformations	5	—	1	—	—	1	—	3	—	—	—	2	—	—	2
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	7	—	4	—	1	1	—	1	1	—	1	—	—	—	—
763	43.1	Pneumonia of newborn	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	9	—	3	4	—	1	1	—	2	—	2	4	1	—	3
794	45.0	Senility	9	—	1	2	—	3	1	2	—	—	—	19	—	1	18
780-793, 795	45.1	Cause ill-defined and unknown	8	—	3	—	—	3	—	2	1	—	1	3	—	—	3
E963, E970-979	E49	Suicide	4	—	2	—	—	—	1	1	—	—	—	—	—	—	—
E810-835	E47	Motor vehicle accidents	4	—	1	—	—	—	—	3	2	—	2	1	—	—	1
E840-845	E48.0	Other road transport accidents	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	34	—	5	2	—	3	—	24	3	1	2	7	1	1	5
		ALL CAUSES	573	17	141	76	28	60	19	232	131	75	56	337	69	25	243
		AGES AT DEATH															
		Under 1	31	—	9	7	1	4	1	9	3	—	3	8	1	—	7
		1– 4	3	—	1	—	—	—	—	2	—	—	—	1	1	—	—
		5– 9	3	—	1	2	—	—	—	—	—	—	—	—	—	—	—
		10–14	3	—	—	1	—	—	—	2	—	—	—	1	—	—	1
		15–24	13	—	—	1	—	—	—	12	1	—	1	2	—	1	1
		25–34	17	—	2	2	1	1	—	11	1	1	—	6	—	—	6
		35–44	15	—	4	2	1	3	—	5	4	3	1	7	2	1	4
		45–54	32	3	10	2	2	1	1	13	8	3	5	18	7	1	10
		55–64	61	3	16	7	3	7	2	23	6	4	2	40	9	4	27
		65–74	153	5	38	18	13	16	7	56	31	17	14	87	15	7	65
		75–84	180	2	47	27	4	21	6	73	45	26	19	130	30	7	93
		85 and over	62	4	13	7	3	7	2	26	32	21	11	37	4	4	29
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	573	17	141	76	28	60	19	232	131	75	56	337	69	25	243

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Peebles County: Peebles County	Innerleithen Burgh	Peebles Burgh	Landward	Perth County: Perth County	Aberfeldy Burgh	Abernethy Burgh	Alyth Burgh	Auchterarder Burgh	Blairgowrie and Rattray Burgh	Callander Burgh	Coupar Angus Burgh	Crieff Burgh	Doune Burgh	Dunblane Burgh
		Population (Estimated), 30th June, 1951	15,360	2,374	6,068	6,918	129,040	1,533	684	2,088	2,452	5,422	1,751	2,193	5,514	844	3,012
		Total Live Births Registered (including Illegitimate)	199	1	173	25	1,754	110	3	156	14	24	7	5	34	2	12
		,, Corr. for Mother's Resid. (,,) ...	234	32	91	111	1,944	17	14	28	37	95	22	31	66	22	41
		,, ,, ,, Male ...	127	15	50	62	1,002	9	5	14	24	56	11	12	34	16	24
		,, ,, ,, Female ...	107	17	41	49	942	8	9	14	13	39	11	19	32	6	17
		,, ,, ,, Illegitimate ...	7	1	1	5	133	—	—	2	3	7	4	2	1	—	—
		Still-Births Registered (including Illegitimate) ...	2	—	1	1	40	2	—	3	—	—	—	—	—	—	—
		,, Corrected for Mother's Residence ...	4	—	2	2	39	1	—	2	1	2	—	1	1	—	1
		Marriages Registered	80	12	35	33	937	4	8	16	31	54	13	13	36	19	29
		Deaths Registered	176	34	89	53	1,832	46	7	34	43	90	19	28	86	19	33
		,, Corrected for Residence	257	49	119	89	1794	37	8	46	43	101	29	39	97	21	46
		,, ,, Male	114	28	48	38	848	19	4	17	13	40	15	21	40	5	13
		,, ,, Female	143	21	71	51	946	18	4	29	30	61	14	18	57	16	33
		CAUSES OF DEATH															
001-008	1	Tuberculosis of respiratory system	1	1	—	—	29	1	—	1	—	—	1	1	4	—	2
010-019	2	Tuberculosis, other forms	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	1	—	3	—	—	—	—	1	—	—	1	—	—
140-205	18	Malignant neoplasms	27	4	12	11	270	7	—	9	5	22	7	4	13	1	5
210-239	19	Benign and unspecified neoplasms	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	1	—	—	1	10	—	—	—	—	1	—	1	1	—	—
290-293	21	Anæmias	4	1	2	1	6	1	—	—	—	1	—	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	3	2	1	—	16	—	—	—	—	—	—	—	2	—	—
330-334	22	Vascular lesions affecting central nervous system ...	36	7	11	18	275	5	1	7	6	14	2	6	12	6	8
340	23	Non-meningococcal meningitis	—	—	—	—	4	—	—	—	—	—	—	1	—	—	1
300-326, 341-398	46.2	Other diseases of nervous system	5	2	1	2	20	—	—	—	—	1	2	—	3	1	—
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	—	—	—	—	17	—	1	—	1	1	2	—	—	1	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	96	16	52	28	570	14	3	12	18	40	4	16	41	8	14
430-434	27	Other diseases of heart	5	1	1	3	47	—	—	4	2	1	1	1	1	—	2
440-443	28	Hypertension with heart disease	6	1	2	3	25	—	—	2	2	1	—	—	—	—	2
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)*	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	1	—	—	1	11	1	—	1	—	—	—	—	—	—	1
450-468	46.3	Other circulatory disease	5	1	2	2	34	—	—	—	3	1	—	2	—	—	2
480-483	30	Influenza	2	—	1	1	35	—	1	1	—	2	1	1	2	2	1
490-493	31	Pneumonia	6	2	3	1	37	—	—	3	1	2	2	—	—	—	1
500-502	32	Bronchitis	5	—	4	1	44	1	—	3	2	1	1	—	—	—	3
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	—	17	—	—	—	—	—	1	1	—	—	1
540, 541	33	Ulcer of stomach and duodenum	2	1	1	—	14	—	—	—	—	1	—	—	—	1	—
550-553	34	Appendicitis	2	1	1	—	1	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	1	—	—	1	14	—	—	1	—	1	1	—	—	—	—
543	36.1	Gastritis and duodenitis	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	12	—	—	—	1	1	1	—	1	1	—
581	37	Cirrhosis of liver	1	—	1	—	7	—	1	—	—	—	—	—	—	—	—
580, 582-586	46.5	Other diseases of liver	4	—	2	2	9	—	—	—	—	1	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	2	—	2	—	3	—	—	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	1	—	—	1	11	1	—	—	—	—	—	—	—	—	—
610	39	Hyperplasia of prostate	4	1	2	1	15	—	—	—	—	1	1	—	1	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	4	1	1	2	4	—	—	—	—	—	—	—	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	2	—	2	—	1	1	—	—	—	—	—	—	—	—	—
750-759	41	Congenital malformations	1	—	—	1	10	—	—	—	—	—	—	—	—	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	3	1	2	—	7	—	—	—	—	—	—	—	1	—	—
763	43.1	Pneumonia of newborn	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	1	—	1	—	17	—	—	—	—	—	—	1	1	—	1
794	45.0	Senility	7	2	—	5	52	2	—	—	—	2	1	—	8	—	—
780-793, 795	45.1	Cause ill-defined and unknown	3	1	2	—	33	—	—	—	—	3	—	1	2	—	—
B963, E970-979	E49	Suicide	6	1	5	—	7	—	—	—	—	—	1	—	1	—	—
E810-835	E47	Motor vehicle accidents	—	—	—	—	16	1	—	1	—	—	—	1	—	—	—
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	6	—	3	3	68	2	1	1	2	2	—	2	2	—	2
		ALL CAUSES	257	49	119	89	1,794	37	8	46	43	101	29	39	97	21	46
		AGES AT DEATH															
		Under 1	7	2	4	1	57	1	—	1	1	—	—	1	2	—	1
		1– 4	—	—	—	—	15	—	—	—	—	—	1	—	—	—	—
		5– 9	—	—	—	—	8	1	—	—	—	—	—	—	1	1	1
		10–14	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—
		15–24	—	—	—	—	19	1	—	1	—	—	1	—	—	—	—
		25–34	1	—	—	1	33	1	—	1	—	2	1	3	1	—	1
		35–44	6	1	4	1	44	1	—	1	2	—	—	2	1	—	1
		45–54	17	5	9	3	108	2	—	4	2	—	1	—	8	—	3
		55–64	36	6	12	18	235	4	2	5	2	7	4	1	11	4	5
		65–74	69	12	40	17	474	6	4	12	12	34	11	11	19	7	14
		75–84	97	19	43	35	572	12	2	18	13	38	7	11	35	6	16
		85 and over	23	3	7	13	227	8	—	3	11	20	3	10	19	3	4
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	257	49	119	89	1,794	37	8	46	43	101	29	39	97	21	46

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Perth County—*cont.*: Perth Burgh	Pitlochry Burgh	Landward	Renfrew County: **Renfrew County**	Barrhead Burgh	Gourock Burgh	Greenock Burgh	Johnstone Burgh	Paisley Burgh	Port Glasgow Burgh	Renfrew Burgh	Landward
		Population (Estimated), 30th June, 1951	40,593	2,402	60,552	**325,906**	13,048	9,146	76,625	15,756	93,838	21,786	17,178	78,529
		Total Live Births Registered (including Illegitimate)	1,079	7	301	**5,611**	150	55	1,571	177	1,715	294	155	1,494
		,, Corr. for Mother's Resid. (,,) ...	673	46	852	**5,803**	256	138	1,560	368	1,600	495	314	1,072
		,, ,, ,, Male ...	338	26	433	**2,955**	117	80	819	194	801	237	163	544
		,, ,, ,, Female ...	335	20	419	**2,848**	139	58	741	174	799	258	151	528
		,, ,, ,, Illegitimate ...	52	5	57	**235**	13	2	69	20	67	21	6	37
		Still-Births Registered (including Illegitimate) ...	32	—	3	**173**	2	—	49	3	27	6	2	84
		,, Corrected for Mother's Residence ...	12	1	17	**171**	6	4	44	12	52	15	6	32
		Marriages Registered	465	12	237	**2,539**	82	42	680	133	887	137	115	463
		Deaths Registered	664	33	730	**3,993**	139	95	1,078	131	1,301	187	135	927
		,, Corrected for Residence	512	40	775	**4,139**	198	127	958	181	1,195	243	195	1,042
		,, ,, Male	248	25	388	**2,012**	88	55	497	85	559	122	110	496
		,, ,, Female	264	15	387	**2,127**	110	72	461	96	636	121	85	546
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	15	—	4	**169**	9	4	48	12	49	16	7	24
010-019	2	Tuberculosis, other forms	1	—	1	**32**	2	—	9	1	8	2	1	9
020-029	3	Syphilis and its sequelæ	—	—	3	**12**	—	—	2	2	4	—	1	3
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	1	—	—	—	—	—	—	—	—	—
050-051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	2	—	—	**4**	2	—	—	—	1	—	1	—
057	10	Meningococcal infections	—	—	—	**2**	—	—	1	—	1	—	—	—
080	12	Acute poliomyelitis	1	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	2	—	1	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	1	**10**	—	—	2	—	2	3	—	3
140-205	18	Malignant neoplasms	69	9	119	**573**	27	19	115	25	170	37	26	154
210-239	19	Benign and unspecified neoplasms	2	—	2	**8**	1	1	2	—	3	—	—	1
260	20	Diabetes mellitus	3	—	4	**43**	4	2	6	1	19	—	—	11
290-293	21	Anæmias	1	—	3	**16**	—	—	3	1	7	—	—	5
240-254, 270-289, 294-299	46.1	Other general diseases	8	1	5	**46**	4	—	13	1	12	2	1	13
330-334	22	Vascular lesions affecting central nervous system ...	85	6	117	**600**	21	31	141	25	164	31	19	168
340	23	Non-meningococcal meningitis	1	—	1	**2**	—	—	—	—	1	—	—	1
300-326, 341-398	46.2	Other diseases of nervous system	2	—	11	**79**	2	—	24	3	19	—	3	28
400-402	24	Rheumatic fever	—	—	—	**3**	—	—	1	—	1	—	—	1
410-416	25	Chronic rheumatic heart disease	5	—	6	**52**	—	—	11	1	23	5	2	10
420-422	26	Arteriosclerotic and degenerative heart disease ...	153	11	236	**1,160**	59	40	247	44	336	52	72	310
430-434	27	Other diseases of heart	16	3	16	**85**	2	3	20	3	24	6	6	21
440-443	28	Hypertension with heart disease	5	—	13	**41**	3	1	3	6	11	2	3	12
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	3	—	5	**41**	1	—	6	5	12	1	5	11
450-468	46.3	Other circulatory disease	6	—	20	**83**	6	1	11	9	21	1	1	33
480-483	30	Influenza	17	—	7	**69**	4	4	16	3	14	3	3	22
490-493	31	Pneumonia	9	—	19	**127**	4	—	30	6	33	12	7	35
500-502	32	Bronchitis	12	—	21	**168**	6	3	48	5	60	17	7	22
470-475, 510-527	46.4	Other respiratory diseases	7	—	7	**25**	1	—	11	1	7	1	—	4
540, 541	33	Ulcer of stomach and duodenum	6	1	5	**38**	3	—	9	2	12	4	2	6
550-553	34	Appendicitis	1	—	—	**6**	—	—	3	1	1	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	3	—	8	**39**	—	—	13	3	12	4	—	7
543	36.1	Gastritis and duodenitis	—	—	1	**1**	—	—	1	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	5	—	2	**23**	3	—	5	1	5	1	—	8
581	37	Cirrhosis of liver	2	1	3	**7**	—	1	—	—	2	1	1	2
580, 582-586	46.5	Other diseases of liver	2	1	5	**16**	1	1	3	1	3	—	2	5
530-539, 542, 544 } 545, 573-578, 587 }	46.6	Other digestive diseases	1	—	2	**13**	2	—	2	—	3	1	—	5
590-594	38	Nephritis and nephrosis	6	—	4	**47**	3	1	13	1	12	6	2	9
610	39	Hyperplasia of prostate	4	1	7	**19**	1	1	5	1	8	—	—	3
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	1	2	**24**	1	1	1	1	10	1	1	8
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	1	—	1	**7**	—	—	3	—	3	—	—	1
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	**18**	1	1	1	—	6	—	2	7
750-759	41	Congenital malformations	4	—	6	**35**	2	—	6	—	16	5	1	5
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	2	—	4	**42**	2	—	13	5	9	4	2	7
763	43.1	Pneumonia of newborn	—	—	4	**3**	—	—	2	—	1	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	3	1	10	**82**	6	4	14	4	29	9	5	11
794	45.0	Senility	8	2	29	**61**	5	5	26	1	12	—	2	10
780-793, 795	45.1	Cause ill-defined and unknown	14	2	11	**67**	5	2	35	1	8	4	2	10
E963, E970-979	E49	Suicide	2	—	3	**11**	1	—	1	—	5	—	—	4
E810-835	E47	Motor vehicle accidents	3	—	10	**24**	1	—	6	—	6	2	1	8
E840-845	E48.0	Other road transport accidents	—	—	—	**5**	—	—	1	—	1	1	1	1
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	19	—	35	**101**	3	1	25	5	29	9	6	23
		ALL CAUSES	512	40	775	**4,139**	198	127	958	181	1,195	243	195	1,042
		AGES AT DEATH												
		Under 1	15	1	34	**232**	17	6	56	13	72	22	12	34
		1– 4	9	1	4	**47**	1	1	10	2	18	3	2	10
		5– 9	1	—	3	**16**	1	—	3	3	5	1	—	3
		10–14	1	—	1	**20**	—	—	5	—	9	1	—	5
		15–24	5	—	11	**68**	3	1	16	4	21	7	3	13
		25–34	8	1	14	**104**	5	1	33	4	31	9	4	17
		35–44	15	2	19	**162**	6	5	48	9	37	12	12	33
		45–54	37	5	46	**361**	10	7	87	19	115	30	17	76
		55–64	88	7	95	**623**	42	19	129	24	173	38	35	163
		65–74	133	8	203	**1,103**	44	36	288	52	298	66	49	270
		75–84	157	11	246	**1,061**	51	29	217	35	331	43	50	305
		85 and over	43	4	99	**342**	18	22	66	16	85	11	11	113
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	512	40	775	**4,139**	198	127	958	181	1,195	243	195	1,042

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	Abbreviated List "B"		Ross and Cromarty County: Ross and Cromarty County	Cromarty Burgh	Dingwall Burgh	Fortrose Burgh	Invergordon Burgh	Stornoway Burgh	Tain Burgh	Landward	Roxburgh County: Roxburgh County	Hawick Burgh	Jedburgh Burgh	Kelso Burgh	Melrose Burgh	Landward
		Population (Estimated), 30th June, 1951	**60,810**	726	3,388	897	1,520	4,981	1,620	47,678	**45,892**	16,828	4,118	4,146	2,152	18,648
		Total Live Births Registered (including Illegitimate)	**951**	34	353	2	5	169	4	384	**522**	274	90	89	2	67
		,, Corr. for Mother's Resid. (,,) ...	**1,010**	5	81	5	28	85	38	768	**677**	243	69	71	20	274
		,, ,, ,, Male ...	**524**	3	49	2	8	48	19	395	**334**	115	32	35	9	143
		,, ,, ,, Female ...	**486**	2	32	3	20	37	19	373	**343**	128	37	36	11	131
		,, ,, ,, Illegitimate ...	**53**	—	5	1	2	4	2	39	**30**	10	—	4	1	15
		Still-Births Registered (including Illegitimate) ...	**19**	1	4	—	—	8	—	6	**14**	8	6	—	—	—
		,, Corrected for Mother's Residence ...	**23**	1	—	—	1	3	—	18	**19**	10	3	2	—	4
		Marriages Registered	**240**	3	31	8	7	22	30	139	**274**	137	32	18	15	72
		Deaths Registered	**848**	17	51	11	12	110	27	620	**586**	235	46	61	72	172
		,, Corrected for Residence	**930**	21	35	13	19	69	32	741	**666**	271	59	59	42	235
		,, ,, Male	**436**	13	19	5	5	26	16	352	**296**	114	23	26	20	113
		,, ,, Female	**494**	8	16	8	14	43	16	389	**370**	157	36	33	22	122
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	**21**	—	1	—	—	4	1	15	**6**	5	—	1	—	—
010-019	2	Tuberculosis, other forms	**7**	—	—	—	—	—	—	7	**1**	—	—	—	—	1
020-029	3	Syphilis and its sequelæ	**2**	—	—	1	—	—	—	1	**3**	—	2	—	1	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	**1**	—	—	—	—	—	—	1	**1**	—	—	—	—	1
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	**1**	—	—	—	—	1
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	**1**	—	—	—	—	—	—	1	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**4**	—	—	—	—	1	—	3	**5**	4	—	1	—	—
140-205	18	Malignant neoplasms	**107**	—	6	2	2	6	7	84	**97**	35	9	15	2	36
210-239	19	Benign and unspecified neoplasms	**4**	—	—	—	—	1	—	3	**1**	—	—	—	—	1
260	20	Diabetes mellitus	**9**	1	—	—	—	1	—	7	**7**	3	2	—	1	1
290-293	21	Anæmias	**7**	1	2	—	—	—	1	3	**7**	3	—	—	1	3
240-254, 270-289, 294-299	46.1	Other general diseases	**12**	—	—	—	1	1	—	10	**5**	3	—	—	—	2
330-334	22	Vascular lesions affecting central nervous system ...	**128**	1	3	1	—	11	1	111	**109**	48	11	6	5	39
340	23	Non-meningococcal meningitis	**1**	—	—	—	—	—	—	1	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**21**	1	—	—	1	3	1	15	**19**	7	2	3	3	4
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	**1**	—	—	1	—	—
410-416	25	Chronic rheumatic heart disease	**12**	—	—	—	—	1	1	10	**3**	2	—	—	—	1
420-422	26	Arteriosclerotic and degenerative heart disease ...	**275**	7	14	2	8	18	11	215	**232**	103	18	19	21	71
430-434	27	Other diseases of heart	**19**	—	—	—	—	3	—	16	**11**	2	3	1	—	5
440-443	28	Hypertension with heart disease	**23**	—	1	—	1	—	2	19	**1**	—	1	—	—	—
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	**5**	1	1	—	—	1	—	2	**2**	—	—	—	—	2
450-468	46.3	Other circulatory disease	**13**	—	1	—	—	2	—	10	**17**	6	3	—	—	8
480-483	30	Influenza	**28**	—	—	1	—	—	1	26	**17**	9	—	1	—	7
490-493	31	Pneumonia	**25**	—	—	1	2	1	1	20	**9**	1	2	1	—	5
500-502	32	Bronchitis	**20**	—	2	1	—	3	2	12	**15**	6	4	—	1	4
470-475, 510-527	46.4	Other respiratory diseases	**7**	1	—	—	—	—	—	6	**3**	1	—	—	—	2
540, 541	33	Ulcer of stomach and duodenum	**7**	1	1	—	—	1	—	4	**11**	6	1	—	1	3
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	**3**	—	—	—	—	—	—	3	**4**	3	—	—	—	1
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	**5**	—	—	—	—	1	—	4	**5**	2	—	—	—	3
581	37	Cirrhosis of liver	—	—	—	—	—	—	—	—	**2**	2	—	—	—	—
580, 582-586	46.5	Other diseases of liver	**3**	—	—	—	—	—	—	3	**4**	1	1	1	—	1
530-539, 542, 544 / 545, 573-578, 587	46.6	Other digestive diseases	**7**	—	—	—	—	1	—	6	**1**	—	—	—	—	1
590-594	38	Nephritis and nephrosis	**8**	—	—	1	—	—	—	7	**7**	4	—	2	—	1
610	39	Hyperplasia of prostate	**4**	1	—	—	—	—	1	2	**8**	2	—	—	—	6
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	—	—	—	—	—	**4**	3	—	—	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	**1**	—	—	1	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	**3**	—	—	—	—	—	—	3	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	—	—	—	—	**2**	—	—	—	—	2
750-759	41	Congenital malformations	**7**	—	—	—	—	2	—	5	**2**	—	—	—	1	1
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	**5**	1	1	—	—	—	—	3	**2**	—	—	1	—	1
763	43.1	Pneumonia of newborn	**1**	—	—	—	—	—	—	1	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	**1**	—	—	—	—	—	—	1	—	—	—	—	—	—
763-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**11**	—	—	—	2	3	—	6	**4**	1	—	1	—	2
794	45.0	Senility	**66**	3	—	3	—	2	—	58	**10**	2	—	—	2	6
780-793, 795	45.1	Cause ill-defined and unknown	**20**	—	—	—	—	1	2	17	**5**	1	—	—	—	4
E963, E970-979	E49	Suicide	**1**	—	—	—	—	—	—	1	**1**	—	—	—	1	—
E810-835	E47	Motor vehicle accidents	**4**	—	1	—	—	—	—	3	**6**	—	—	3	—	3
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	**1**	1	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**22**	2	1	—	2	1	—	16	**13**	5	—	1	2	5
		ALL CAUSES	**930**	21	35	13	19	69	32	741	**666**	271	59	59	42	235
		AGES AT DEATH														
		Under 1	**31**	1	2	—	2	5	—	21	**15**	3	—	2	1	9
		1– 4	**9**	1	—	—	—	1	—	7	**1**	1	—	—	—	—
		5– 9	**3**	—	—	—	—	—	—	3	**2**	1	—	1	—	—
		10–14	**2**	—	—	—	1	—	—	1	**2**	—	—	1	—	1
		15–24	**14**	1	—	—	—	—	—	13	**3**	1	—	—	—	2
		25–34	**16**	—	1	—	—	—	—	15	**10**	4	—	2	—	4
		35–44	**27**	2	1	1	1	5	1	16	**20**	8	2	6	—	4
		45–54	**56**	1	1	1	2	4	1	46	**47**	23	7	3	2	12
		55–64	**89**	3	6	1	2	7	2	68	**101**	42	11	13	3	32
		65–74	**188**	5	11	3	4	11	7	147	**176**	69	11	14	16	66
		75–84	**302**	6	9	3	4	26	16	238	**232**	101	24	14	16	77
		85 and over	**193**	1	4	4	3	10	5	166	**57**	18	4	3	4	28
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	**930**	21	35	13	19	69	32	741	**666**	271	59	59	42	235

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Selkirk County: Selkirk County	Selkirk County: Galashiels Burgh	Selkirk County: Selkirk Burgh	Selkirk County: Landward	Stirling County: Stirling County	Stirling County: Bridge of Allan Burgh	Stirling County: Denny and Dunipace	Stirling County: Falkirk Burgh	Stirling County: Grangemouth Burgh	Stirling County: Kilsyth Burgh	Stirling County: Stirling Burgh	Stirling County: Landward
		Population (Estimated), 30th June, 1951	**21,868**	12,576	5,893	3,399	**188,382**	3,176	6,738	37,594	15,442	9,974	27,089	88,369
		Total Live Births Registered (including Illegitimate)	**430**	309	115	6	**5,302**	132	27	1,121	70	59	998	2,895
		,, Corr. for Mother's Resid. (,,) ...	**332**	192	94	46	**3,350**	42	140	596	253	191	442	1,686
		,, ,, ,, Male ...	**165**	98	47	20	**1,756**	25	79	319	133	91	230	879
		,, ,, ,, Female ...	**167**	94	47	26	**1,594**	17	61	277	120	100	212	807
		,, ,, ,, Illegitimate ...	**16**	13	2	1	**141**	2	6	24	8	2	25	74
		Still-Births Registered (including Illegitimate) ...	**11**	6	5	—	**125**	1	—	41	1	3	32	47
		,, Corrected for Mother's Residence ...	**11**	6	4	1	**93**	1	7	9	6	7	5	58
		Marriages Registered	**120**	84	25	11	**1,442**	24	53	376	117	70	262	540
		Deaths Registered	**464**	187	60	217	**2,394**	58	51	555	116	86	570	958
		,, Corrected for Residence	**336**	202	80	54	**2,214**	65	78	433	166	113	363	996
		,, ,, Male	**152**	88	33	31	**1,140**	24	35	244	89	52	168	528
		,, ,, Female	**184**	114	47	23	**1,074**	41	43	189	77	61	195	468
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	**2**	2	—	—	**44**	2	—	11	3	1	7	20
010-019	2	Tuberculosis, other forms	**1**	1	—	—	**5**	—	—	2	—	—	1	2
020-029	3	Syphilis and its sequelæ	**1**	1	—	—	**6**	—	—	1	1	—	1	3
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	**1**	1	—	—	**2**	—	—	—	—	1	—	1
057	10	Meningococcal infections	—	—	—	—	**2**	—	—	—	—	—	—	2
080	12	Acute poliomyelitis	—	—	—	—	**1**	—	—	—	—	—	1	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**1**	—	1	—	**6**	—	—	—	1	—	—	5
140-205	18	Malignant neoplasms	**50**	31	13	6	**321**	9	13	75	26	17	56	125
210-239	19	Benign and unspecified neoplasms	**1**	1	—	—	**3**	—	2	1	—	—	—	—
260	20	Diabetes mellitus	**4**	3	—	1	**32**	—	5	6	1	2	4	14
290-293	21	Anæmias	—	—	—	—	**13**	—	—	3	—	—	2	8
240-254, 270-289, 294-299	46.1	Other general diseases	**3**	3	—	—	**19**	—	1	3	2	—	5	8
330-334	22	Vascular lesions affecting central nervous system ...	**55**	31	16	8	**343**	15	13	83	26	16	70	120
340	23	Non-meningococcal meningitis	**1**	—	1	—	**2**	—	—	—	—	1	—	1
300-326, 341-398	46.2	Other diseases of nervous system	**10**	7	2	1	**40**	1	1	9	—	3	8	18
400 402	24	Rheumatic fever	**1**	1	—	—	**1**	—	—	—	—	—	—	1
410-416	25	Chronic rheumatic heart disease	**1**	1	—	—	**32**	—	—	2	1	—	6	23
420-422	26	Arteriosclerotic and degenerative heart disease ...	**97**	45	29	23	**590**	21	17	99	61	37	77	278
430-434	27	Other diseases of heart	**8**	7	—	1	**42**	—	—	7	3	3	7	22
440-443	28	Hypertension with heart disease	**2**	—	2	—	**20**	—	—	3	—	2	4	11
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	1	1	—	—	29	—	3	6	3	—	1	16
450-468	46.3	Other circulatory disease	8	3	2	3	39	3	—	7	—	1	7	21
480-483	30	Influenza	1	1	—	—	32	—	2	7	—	6	6	11
490-493	31	Pneumonia	18	13	5	—	73	1	3	10	4	—	19	36
500-502	32	Bronchitis	5	2	1	2	86	1	2	20	6	4	12	41
470-475, 510-527	46.4	Other respiratory diseases	3	3	—	—	29	—	—	6	1	—	2	20
540, 541	33	Ulcer of stomach and duodenum	2	2	—	—	26	—	1	4	4	1	3	13
550-553	34	Appendicitis	1	—	1	—	5	—	—	—	—	—	3	2
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	9	—	—	—	2	—	2	5
543	36.1	Gastritis and duodenitis	1	1	—	—	4	—	—	2	—	—	—	2
571, 572	36.2	Diarrhœa (except of newborn)	1	—	—	1	19	—	2	3	—	1	4	9
581	37	Cirrhosis of liver	1	1	—	—	6	—	—	1	—	—	1	4
580, 582-586	46.5	Other diseases of liver	—	—	—	—	16	1	1	1	1	1	3	8
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	3	1	—	2	18	—	2	3	—	2	4	7
590-594	38	Nephritis and nephrosis	4	3	—	1	28	1	—	6	—	3	2	16
610	39	Hyperplasia of prostate	4	4	—	—	9	—	—	1	—	—	2	6
600-609, 611-637	46.7	Other diseases of genito-urinary system	4	3	1	—	10	—	1	3	—	2	1	3
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	1	1	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	4	—	1	2	—	—	—	1
690-749	46.8	Diseases of skin and organs of locomotion	1	1	—	—	8	1	—	1	2	—	—	4
750-759	41	Congenital malformations	3	1	1	1	19	—	—	3	4	—	1	11
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	2	1	1	—	15	1	1	3	1	1	1	7
763	43.1	Pneumonia of newborn	1	1	—	—	3	—	—	—	1	—	—	2
764	43.2	Diarrhœa of newborn	—	—	—	—	6	—	—	2	1	1	—	2
765-768	43.3	Other infections of the newborn	—	—	—	—	2	—	1	—	—	1	—	—
769-776	44	Other diseases peculiar to early infancy	6	4	—	2	46	1	1	13	2	1	6	22
794	45.0	Senility	13	10	1	2	42	7	1	3	3	1	14	13
780-793, 795	45.1	Cause ill-defined and unknown	3	3	—	—	32	—	—	11	—	—	5	16
E963, E970-979	E49	Suicide	—	—	—	—	9	—	—	1	2	—	2	4
E810-835	E47	Motor vehicle accidents	—	—	—	—	20	—	3	4	—	—	4	9
E840-845	E48.0	Other road transport accidents	—	—	—	—	1	—	—	—	—	—	—	1
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	10	7	3	—	45	—	1	5	4	4	9	22
		All Causes	336	202	80	54	2,214	65	78	433	166	113	363	996
		Ages at Death												
		Under 1	16	10	3	3	119	2	5	25	11	4	17	55
		1– 4	2	1	1	—	18	—	1	3	1	2	3	8
		5– 9	3	1	2	—	12	—	—	2	1	1	3	5
		10–14	1	1	—	—	8	—	1	—	—	—	—	7
		15–24	2	1	1	—	19	—	—	5	2	—	1	11
		25–34	5	5	—	—	61	1	2	11	8	4	7	28
		35–44	4	2	—	2	87	1	5	21	1	6	19	34
		45–54	20	13	5	2	182	4	6	39	12	10	27	84
		55–64	45	24	14	7	351	4	10	85	26	29	49	148
		65–74	96	65	14	17	616	13	28	107	48	28	103	289
		75–84	106	62	29	15	575	26	16	110	47	21	109	246
		85 and over	36	17	11	8	166	14	4	25	9	8	25	81
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	336	202	80	54	2,214	65	78	433	166	113	363	996

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Sutherland County: Sutherland County	Sutherland County: Dornoch Burgh	Sutherland County: Landward	West Lothian County: West Lothian County	West Lothian County: Armadale Burgh	West Lothian County: Bathgate Burgh	West Lothian County: Bo'ness Burgh	West Lothian County: Linlithgow Burgh	West Lothian County: Queensferry Burgh	West Lothian County: Whitburn Burgh	West Lothian County: Landward
		Population (Estimated), 30th June, 1951	13,686	795	12,891	88,701	5,831	11,307	9,951	3,932	2,494	5,242	49,944
		Total Live Births Registered (including Illegitimate)	178	5	173	1,387	57	71	85	14	21	71	1,068
		,, Corr. for Mother's Resid. (,,) ...	232	14	218	1,696	124	210	179	79	60	120	924
		,, ,, ,, Male ...	118	8	110	866	67	108	89	33	33	74	462
		,, ,, ,, Female ...	114	6	108	830	57	102	90	46	27	46	462
		,, ,, ,, Illegitimate ...	10	—	10	46	9	3	5	3	—	4	22
		Still-Births Registered (including Illegitimate) ...	2	—	2	40	1	—	3	1	—	1	34
		,, Corrected for Mother's Residence ...	2	—	2	45	3	5	10	2	2	2	21
		Marriages Registered	55	8	47	710	71	122	83	46	16	42	330
		Deaths Registered	205	6	199	944	45	84	99	36	22	25	633
		,, Corrected for Residence	229	11	218	926	63	126	142	48	28	41	478
		,, ,, Male	112	3	109	526	33	71	79	29	13	22	279
		,, ,, Female	117	8	109	400	30	55	63	19	15	19	199
		CAUSES OF DEATH											
001-008	1	Tuberculosis of respiratory system	6	—	6	21	3	4	4	1	—	3	6
010-019	2	Tuberculosis, other forms	—	—	—	5	—	1	1	—	—	—	3
020-029	3	Syphilis and its sequelæ	1	—	1	2	—	—	—	—	—	—	2
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	1	—	—	—	—	—	—	1
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	1	—	1	1	—	—	1	—	—	—	—
057	10	Meningococcal infections	—	—	—	1	—	—	—	—	—	—	1
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	1	—	1	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	1	2	—	—	—	—	—	—	2
140-205	18	Malignant neoplasms	26	3	23	135	4	23	18	9	6	7	68
210-239	19	Benign and unspecified neoplasms	1	—	1	4	—	—	1	—	—	—	3
260	20	Diabetes mellitus	1	—	1	7	—	2	—	1	—	1	3
290-293	21	Anæmias	1	—	1	4	1	—	2	—	—	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	2	—	2	13	—	5	1	1	1	—	5
330-334	22	Vascular lesions affecting central nervous system ...	32	2	30	116	7	19	9	6	5	8	62
340	23	Non-meningococcal meningitis	—	—	—	1	—	1	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	4	—	4	9	1	—	3	—	—	—	5
400-402	24	Rheumatic fever	—	—	—	1	—	—	—	—	—	—	1
410-416	25	Chronic rheumatic heart disease	2	—	2	18	2	2	4	—	1	—	9
420-422	26	Arteriosclerotic and degenerative heart disease ...	62	1	61	248	14	25	37	14	11	12	135
430-434	27	Other diseases of heart	6	—	6	22	2	5	2	—	—	—	13
440-443	28	Hypertension with heart disease	1	—	1	20	1	5	1	—	1	—	12
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)
444-447	29	Hypertension without heart disease	2	—	2	12	5	1	—	1	—	—	5
450-468	46.3	Other circulatory disease	10	—	10	28	2	4	3	2	—	1	16
480-483	30	Influenza	12	—	12	15	1	1	5	1	—	1	6
490-493	31	Pneumonia	5	1	4	45	3	8	8	3	2	3	18
500-502	32	Bronchitis	—	—	—	27	—	4	10	2	—	—	11
470-475, 510-527	46.4	Other respiratory diseases	1	—	1	13	3	2	1	—	—	—	7
540, 541	33	Ulcer of stomach and duodenum	1	—	1	7	—	1	3	—	—	—	3
550-553	34	Appendicitis	—	—	—	3	—	2		—	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	3	—	3	5	—	—	1	—	—	—	4
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	6	—	—	1	—	—	1	4
581	37	Cirrhosis of liver	1	—	1	3	—	—	1	—	—	—	2
580, 582-586	46.5	Other diseases of liver	2	—	2	4	—	—	1	—	—	—	3
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	1	—	1	3	—	—	—	—	1	—	2
590-594	38	Nephritis and nephrosis	3	—	3	7	—	—	3	—	—	—	4
610	39	Hyperplasia of prostate	3	—	3	6	—	—	3	—	—	—	3
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	—	1	10	1	1	3	—	—	—	5
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	3	1	1	—	—	—	—	1
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	2	—	—	—	—	—	1	1
750-759	41	Congenital malformations	5	1	4	13	2	1	2	1	—	1	6
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	1	1	—	7	—	1	1	1	—	—	4
763	43.1	Pneumonia of newborn	—	—	—	2	—	1	—	—	—	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	2	—	2	15	4	—	1	—	—	1	9
794	45.0	Senility	16	1	15	6	—	2	1	—	—	—	3
780-793, 795	45.1	Cause ill-defined and unknown	7	1	6	14	2	1	2	3	—	—	6
E963, E970-979	E49	Suicide	—	—	—	—	—	—	—	—	—	—	—
E810-835	E47	Motor vehicle accidents	—	—	—	11	—	1	1	—	—	1	8
E840-845	E48.0	Other road transport accidents	—	—	—	1	1	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	5	—	5	27	3	2	7	2	—	—	13
		All Causes	229	11	218	926	63	126	142	48	28	41	478
		Ages at Death											
		Under 1	9	1	8	56	7	7	3	2	—	4	33
		1– 4	1	—	1	23	3	2	3	1	—	—	14
		5– 9	—	—	—	9	1	1	2	—	—	—	5
		10–14	—	—	—	2	—	—	1	—	—	—	1
		15–24	3	—	3	10	—	3	2	—	—	1	4
		25–34	1	—	1	21	3	1	4	—	1	1	11
		35–44	5	—	5	33	2	5	5	1	2	3	15
		45–54	15	3	12	80	8	13	8	4	7	4	36
		55–64	17	—	17	142	11	17	25	8	6	6	69
		65–74	51	2	49	257	12	39	40	14	4	11	137
		75–84	73	5	68	232	13	32	37	15	7	6	122
		85 and over	54	—	54	61	3	6	12	3	1	5	31
		Not stated	—	—	—	—	—	—	—	—	—	—	—
		All Ages	229	11	218	926	63	126	142	48	28	41	478

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1951—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Wigtown County: Wigtown County	Wigtown County: Newton-Stewart Burgh	Wigtown County: Stranraer Burgh	Wigtown County: Whithorn Burgh	Wigtown County: Wigtown Burgh	Wigtown County: Landward	Zetland County: Zetland County	Zetland County: Lerwick Burgh	Zetland County: Landward
		Population (Estimated), 30th June, 1951	**31,820**	2,071	8,653	1,074	1,376	18,646	**19,475**	5,583	13,892
		Total Live Births Registered (including Illegitimate)	**393**	13	176	19	17	168	**299**	206	93
		,, Corr. for Mother's Resid. (,,) ...	**583**	37	160	31	24	331	**305**	97	208
		,, ,, ,, Male ...	**296**	11	87	15	13	170	**162**	46	116
		,, ,, ,, Female ...	**287**	26	73	16	11	161	**143**	51	92
		,, ,, ,, Illegitimate ...	**72**	—	14	6	3	49	**13**	4	9
		Still-Births Registered (including Illegitimate) ...	**6**	1	5	—	—	—	**8**	7	1
		,, Corrected for Mother's Residence ...	**12**	2	5	—	1	4	**8**	3	5
		Marriages Registered	**236**	18	89	11	5	113	**98**	57	41
		Deaths Registered	**352**	18	133	14	15	172	**334**	136	198
		,, Corrected for Residence	**390**	31	105	15	20	219	**343**	75	268
		,, ,, Male	**179**	11	46	7	10	105	**153**	34	119
		,, ,, Female	**211**	20	59	8	10	114	**190**	41	149
		CAUSES OF DEATH									
001-008	1	Tuberculosis of respiratory system	**5**	—	5	—	—	—	**8**	1	7
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	**2**	—	2
020-029	3	Syphilis and its sequelæ	**1**	—	—	—	—	1	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	**1**	—	1
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**1**	—	—	—	—	1	—	—	—
140-205	18	Malignant neoplasms	**50**	3	15	2	7	23	**43**	12	31
210-239	19	Benign and unspecified neoplasms	**3**	1	1	—	—	1	—	—	—
260	20	Diabetes mellitus	**3**	—	1	—	—	2	**1**	—	1
290-293	21	Anæmias	—	—	—	—	—	—	**1**	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	**6**	1	4	—	—	1	—	—	—
330-334	22	Vascular lesions affecting central nervous system ...	**73**	4	26	—	1	42	**45**	11	34
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**4**	1	1	—	—	2	**11**	4	7
400-402	24	Rheumatic fever	**1**	—	1	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**4**	—	4	—	—	—	**1**	1	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	**117**	11	23	5	7	71	**103**	20	83
430-434	27	Other diseases of heart	**7**	1	1	—	2	3	**7**	—	7
440-443	28	Hypertension with heart disease	**4**	—	—	—	—	4	**4**	2	2
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)
444-447	29	Hypertension without heart disease	—	—	—	—	—	—	2	—	2
450-468	46.3	Other circulatory disease	4	—	2	—	—	2	7	3	4
480-483	30	Influenza	8	1	1	—	—	6	17	4	13
490-493	31	Pneumonia	13	2	2	3	1	5	7	1	6
500-502	32	Bronchitis	9	—	3	—	1	5	6	—	6
470-475, 510-527	46.4	Other respiratory diseases	4	1	—	—	—	3	1	—	1
540, 541	33	Ulcer of stomach and duodenum	3	—	—	—	—	3	—	—	—
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	—	—	1	—	1
543	36.1	Gastritis and duodenitis	1	—	—	—	—	1	1	—	1
571, 572	36.2	Diarrhœa (except of newborn)	6	—	1	1	—	4	—	—	—
581	37	Cirrhosis of liver	—	—	—	—	—	—	1	—	1
580, 582-586	46.5	Other diseases of liver	—	—	—	—	—	—	—	—	—
530-539, 542, 544 } 545, 573-578, 587 }	46.6	Other digestive diseases	1	—	—	—	—	1	2	1	1
590-594	38	Nephritis and nephrosis	7	—	3	—	—	4	7	6	1
610	39	Hyperplasia of prostate	5	—	2	—	—	3	4	1	3
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	—	1	—	—	—	2	—	2
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	2	—	1	—	—	1	1	—	1
690-749	46.8	Diseases of skin and organs of locomotion	1	—	—	—	—	1	2	—	2
750-759	41	Congenital malformations	4	2	1	—	—	1	1	1	—
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	6	—	2	1	—	3	2	2	—
763	43.1	Pneumonia of newborn	2	—	—	—	—	2	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	11	2	1	—	1	7	2	—	2
794	45.0	Senility	4	—	—	2	—	2	29	1	28
780-793, 795	45.1	Cause ill-defined and unknown	3	—	—	—	—	3	11	1	10
E963, E970-979	E49	Suicide	1	—	—	—	—	1	1	—	1
E810-835	E47	Motor vehicle accidents	7	1	2	—	—	4	1	—	1
E840-845	E48.0	Other road transport accidents	1	—	—	—	—	1	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	7	—	1	1	—	5	8	3	5
		ALL CAUSES	390	31	105	15	20	219	343	75	268
		AGES AT DEATH									
		Under 1	30	4	5	4	1	16	6	3	3
		1– 4	4	1	—	—	1	2	1	1	—
		5– 9	2	—	—	—	—	2	—	—	—
		10–14	—	—	—	—	—	—	—	—	—
		15–24	6	—	3	—	—	3	1	1	—
		25–34	7	—	3	—	—	4	8	—	8
		35–44	14	—	5	1	1	7	8	1	7
		45–54	21	2	4	—	—	15	16	6	10
		55–64	43	4	14	1	3	21	38	13	25
		65–74	110	9	32	3	7	59	74	18	56
		75–84	120	9	30	5	3	73	122	23	99
		85 and over	33	2	9	1	4	17	69	9	60
		Not stated	—	—	—	—	—	—	—	—	—
		ALL AGES	390	31	105	15	20	219	343	75	268

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 48.—Death-rates per Million in Scotland standardised to the Sex and Age Distribution of the Population of Great Britain in the Year of Experience with Rates for England and Wales for Comparison

International List No.	Causes of Death		1950		1951	
			Scotland	England and Wales	Scotland	England and Wales
	ALL CAUSES	M.	**14,917**	**13,760**	**15,872**	**15,030**
		F.	**11,551**	**9,877**	**12,086**	**10,485**
		P.	**13,039**	**11,577**	**13,763**	**12,454**
001-008	Tuberculosis of respiratory system ...	M.	559	434	487	390
		F.	438	226	294	180
		P.	488	319	379	273
010-019	Tuberculosis, other forms	M.	64	46	59	44
		F.	65	41	53	38
		P.	65	43	55	41
020-029	Syphilis and its sequelæ	M.	58	62	48	66
		F.	17	21	19	20
		P.	34	39	30	40
057	Meningococcal infections	M.	6	7	8	7
		F.	6	6	8	7
		P.	6	6	8	7
140-205	Malignant neoplasms, including neoplasms of lymphatic and hæmatopoietic tissues	M.	2,353	2,275	2,357	2,353
		F.	1,850	1,679	1,841	1,658
		P.	2,066	1,932	2,065	1,951
260	Diabetes mellitus	M.	75	65	84	65
		F.	147	98	145	97
		P.	118	83	118	84
330-334	Vascular lesions affecting the central nervous system	M.	1,759	1,480	1,939	1,598
		F.	1,843	1,456	1,942	1,514
		P.	1,803	1,466	1,940	1,549
400-402	Rheumatic fever	M.	5	12	9	8
		F.	17	14	10	10
		P.	10	13	10	9
410-434	Heart diseases	M.	4,745	4,109	5,198	4,395
		F.	3,586	2,924	3,778	3,064
		P.	4,098	3,440	4,410	3,638
440-447	Hypertensive disease	M.	237	508	342	547
		F.	180	398	294	421
		P.	203	445	314	474
480-483	Influenza	M.	71	98	214	399
		F.	84	81	193	325
		P.	79	88	205	358
490-493, 763	Pneumonia (all forms)	M.	520	494	560	639
		F.	387	360	448	449
		P.	449	419	499	532
590-594	Nephritis and nephrosis	M.	148	177	140	169
		F.	139	140	130	132
		P.	141	156	138	148

TABLE 49.—Method of Celebration, etc. of Marriages in Scotland—1855-1950

Year	Total Marriages: Number	Total Marriages: Proportion per 1,000 of Population	Marriage according to Forms of the: Church of Scotland	Free Church	United Presbyterian Church	Roman Cath. Church	Scottish Episcopal Church	Other Forms	Form not stated	Civil Marriages†	Irregular Marriages
Decennial Averages											
1855-1860	20,645	6·840	9,586	4,747	2,872	1,846	383	1,058	135	—	19
1860-1870	22,422	7·004	9,929	5,278	3,214	2,071	464	1,324	101	—	41
1871-1880	25,355	7·172	11,549	5,649	3,305	2,286	646	1,633	25	—	263
1881-1890	25,939	6·700	11,971	5,277	3,011	2,558	732	1,728	12	—	650
1891-1900	29,866	7·054	13,497	5,638	3,292	2,934	899	2,179	0	—	1,428
				Un. Free Ch.*							
1901-1910	31,825	6·907	14,414	8,477		3,331	936	2,634	0	—	2,034
1911-1920	35,647	7·451	14,231	8,340		3,964	1,131	2,669	0	—	5,312
1921-1930	33,663	6·923	14,993	6,910		3,911	971	2,591	0	—	4,287
1931-1940	38,963	7·869		24,459		5,051	1,076	3,427	0	4,950	
1941-1950	43,489	8·435		26,364		5,685	1,383	3,487	0	6,558	12
Annual Numbers											
1941	47,620	9·284		30,017		6,282	1,705	4,214	0	5,394	8
1942	47,402	9·215		29,827		6,103	1,671	4,073	0	5,712	16
1943	38,177	7·402		23,377		4,891	1,489	3,230	0	5,176	14
1944	37,017	7·134		22,554		4,831	1,334	3,163	0	5,117	18
1945	48,642	9·432		30,107		6,025	1,745	3,913	0	6,840	12
1946	45,785	8·917		27,599		5,770	1,390	3,490	0	7,522	14
1947	44,360	8·633		26,189		5,714	1,176	3,337	0	7,930	14
1948	43,718	8·457		25,798		5,879	1,243	3,313	0	7,474	11
1949	41,708	8·059		24,590		5,694	1,065	3,177	0	7,176	6
1950	40,459	7·819		23,579		5,660	1,009	2,960	0	7,243	8
Rate per hundred Marriages—Decennial											
1855-1860	100·00	—	46·42	23·01	13·92	8·94	1·85	5·12	0·65	—	0·09
1861-1870	100·00	—	44·30	23·54	14·33	9·22	2·07	5·89	0·47	—	0·18
1871-1880	100·00	—	45·56	22·28	13·02	9·02	2·55	6·42	0·11	—	1·04
1881-1890	100·00	—	46·17	20·34	11·61	9·85	2·82	6·66	0·05	—	2·51
1891-1900	100·00	—	45·20	18·91	11·04	9·81	3·00	7·29	—	—	4·78
				Un. Free Ch.*							
1901-1910	100·00	—	45·29	26·63		10·46	2·94	8·28	—	—	6·39
1911-1920	100·00	—	39·92	23·40		11·12	3·17	7·49	—	—	14·90
1921-1930	100·00	—	44·54	20·53		11·62	2·88	7·70	—	—	12·74
1931-1940	100·00	—		62·77		12·96	2·76	8·80	—	—	12·70
1941-1950	100·00	—		60·56		13·09	3·18	8·01	—	15·13	0·03
Rate per hundred Marriages—Annual											
1941	100·00	—		63·03		13·19	3·58	8·85	—	11·33	0·02
1942	100·00	—		62·92		12·88	3·53	8·59	—	12·05	0·03
1943	100·00	—		61·23		12·81	3·90	8·46	—	13·56	0·04
1944	100·00	—		60·93		13·05	3·60	8·54	—	13·82	0·05
1945	100·00	—		61·90		12·39	3·59	8·04	—	14·06	0·02
1946	100·00	—		60·28		12·60	3·04	7·62	—	16·43	0·03
1947	100·00	—		59·04		12·88	2·65	7·52	—	17·88	0·03
1948	100·00	—		59·01		13·45	2·84	7·58	—	17·10	0·03
1949	100·00	—		58·96		13·65	2·55	7·62	—	17·21	0·01
1950	100·00	—		58·28		13·99	2·49	7·32	—	17·90	0·02

* The Free Church and the United Presbyterian Church were united on 31st October, 1900, under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October, 1929, under the designation of "The Church of Scotland."

† By the Marriage (Scotland) Act, 1939, which came into operation on 1st July, 1940, Irregular Marriages by declaration were abolished and Civil Marriages were substituted. The Irregular Marriages shown in the last column for years 1941 onwards were registered by Decree of Declarator in the Court of Session.

TABLE 50.—Ecclesiastical, Civil and Irregular Marriages in Scotland—1950

	Total Marriages	Numbers						*Irregular Marriages	Percentage of Total Marriages						
		Ecclesiastical Marriages				Civil Marriages			Ecclesiastical Marriages				Civil Marriages		Irregular Marriages
		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence	
SCOTLAND ...	**40,459**	**24,712**	**7,249**	**1,104**	**143**	**6,814**	**429**	**8**	**61·1**	**17·9**	**2·7**	**0·4**	**16·8**	**1·1**	**0·0**
Counties of Cities	**17,630**	**8,500**	**4,054**	**507**	**69**	**4,192**	**305**	**3**	**48·2**	**23·0**	**2·9**	**0·4**	**23·8**	**1·7**	**0·0**
Large Burghs ...	**7,701**	**4,639**	**1,385**	**200**	**26**	**1,374**	**76**	**1**	**60·2**	**18·0**	**2·6**	**0·3**	**17·8**	**1·0**	**0·0**
Counties (Ex Counties of Cities and Large Burghs)	**15,128**	**11,573**	**1,810**	**397**	**48**	**1,248**	**48**	**4**	**76·5**	**12·0**	**2·6**	**0·3**	**8·2**	**0·3**	**0·0**
Counties (Ex Counties of Cities & Large Burghs)															
Aberdeen ...	932	830	18	19	4	58	3	—	89·1	1·9	2·0	0·4	6·2	0·3	—
Angus	458	371	17	10	—	57	3	—	81·0	3·7	2·2	—	12·4	0·7	—
Argyll	341	296	18	6	2	18	1	—	86·8	5·3	1·8	0·6	5·3	0·3	—
Ayr	1,641	1,380	152	33	2	72	2	—	84·1	9·3	2·0	0·1	4·4	0·1	—
Banff	327	293	10	3	—	20	1	—	89·6	3·1	0·9	—	6·1	0·3	—
Berwick ...	148	126	9	3	1	9	—	—	85·1	6·1	2·0	0·7	6·1	—	—
Bute	95	69	1	2	—	23	—	—	72·6	1·1	2·1	—	24·2	—	—
Caithness ...	159	139	—	2	2	15	1	—	87·4	—	1·3	1·3	9·4	0·6	—
Clackmannan ...	301	227	29	8	1	36	—	—	75·4	9·6	2·7	0·3	12·0	—	—
Dumfries... ...	383	343	6	6	—	24	—	4	89·6	1·6	1·6	—	6·3	—	1·0
Dunbarton ...	585	332	184	25	4	39	1	—	56·8	31·5	4·3	0·7	6·7	0·2	—
East Lothian ...	343	246	27	14	2	50	4	—	71·7	7·9	4·1	0·6	14·6	1·2	—
Fife	1,506	1,134	139	43	7	177	6	—	75·3	9·2	2·9	0·5	11·8	0·4	—
Inverness ...	209	152	40	2	2	11	2	—	72·7	19·1	1·0	1·0	5·3	1·0	—
Kincardine ...	146	131	6	3	—	5	1	—	89·7	4·1	2·1	—	3·4	0·7	—
Kinross	44	34	—	—	—	10	—	—	77·3	—	—	—	22·7	—	—
Kirkcudbright ...	219	197	3	2	1	16	—	—	90·0	1·4	0·9	0·5	7·3	—	—
Lanark	2,113	1,388	504	66	9	143	3	—	65·7	23·9	3·1	0·4	6·8	0·1	—
Midlothian ...	719	533	92	21	2	71	—	—	74·1	12·8	2·9	0·3	9·9	—	—
Moray	339	256	9	12	1	59	2	—	75·5	2·7	3·5	0·3	17·4	0·6	—
Nairn	51	41	2	1	—	7	—	—	80·4	3·9	2·0	—	13·7	—	—
Orkney	154	141	1	—	—	12	—	—	91·6	0·6	—	—	7·8	—	—
Peebles	96	77	6	1	—	12	—	—	80·2	6·3	1·0	—	12·5	—	—
Perth	453	378	22	15	—	38	—	—	83·4	4·9	3·3	—	8·4	—	—
Renfrew	822	528	195	34	3	60	2	—	64·2	23·7	4·1	0·4	7·3	0·2	—
Ross & Cromarty	264	184	60	5		12	3	—	69·7	22·7	1·9	—	4·5	1·1	—
Roxburgh ...	305	243	24	3	—	30	5	—	79·7	7·9	1·0	—	9·8	1·6	—
Selkirk	151	103	16	3	1	28	—	—	68·2	10·6	2·0	0·7	18·5	—	—
Stirling	730	556	116	25	1	31	1	—	76·2	15·9	3·4	0·1	4·2	0·1	—
Sutherland ...	63	57	1	1	—	4	—	—	90·5	1·6	1·6	—	6·3	—	—
West Lothian ...	689	506	94	21	3	60	5	—	73·4	13·6	3·0	0·4	8·7	0·7	—
Wigtown... ...	223	180	5	6	—	31	1	—	80·7	2·2	2·7	—	13·9	0·4	—
Zetland	119	102	4	2	—	10	1	—	85·7	3·4	1·7	—	8·4	0·8	—
Counties of Cities															
Glasgow	9,930	4,541	2,866	290	49	1,979	202	3	45·7	28·9	2·9	0·5	19·9	2·0	0·0
Edinburgh ...	4,265	2,082	641	152	13	1,315	62	—	48·8	15·0	3·6	0·3	30·8	1·5	—
Aberdeen ...	1,853	1,130	187	31	2	490	13	—	61·0	10·1	1·7	0·1	26·4	0·7	—
Dundee	1,582	747	360	34	5	408	28	—	47·2	22·8	2·1	0·3	25·8	1·8	—
Large Burghs															
Paisley	816	488	210	21	2	88	7	—	59·8	25·7	2·6	0·2	10·8	0·9	—
Greenock... ...	621	409	140	12	—	52	7	1	65·9	22·5	1·9	—	8·4	1·1	0·2
Motherwell & Wishaw ...	633	376	152	12	2	90	1	—	59·4	24·0	1·9	0·3	14·2	0·2	—
Kirkcaldy ...	493	291	51	9	2	134	6	—	59·0	10·3	1·8	0·4	27·2	1·2	—
Coatbridge ...	398	196	158	14	1	28	1	—	49·2	39·7	3·5	0·3	7·0	0·3	—
Dunfermline ...	394	176	45	16	—	152	5	—	44·7	11·4	4·1	—	38·6	1·3	—
Clydebank ...	317	166	86	8	—	55	2	—	52·4	27·1	2·5	—	17·4	0·6	—
Ayr	444	310	30	11	—	90	3	—	69·8	6·8	2·5	—	20·3	0·7	—
Kilmarnock ...	344	230	41	10	1	60	2	—	66·9	11·9	2·9	0·3	17·4	0·6	—
Perth	522	306	38	9	3	161	5	—	58·6	7·3	1·7	0·6	30·8	1·0	—
Hamilton ...	366	216	83	10	3	51	3	—	59·0	22·7	2·7	0·8	13·9	0·8	—
Falkirk	352	225	35	12	1	76	3	—	63·9	9·9	3·4	0·3	21·6	0·9	—
Airdrie	280	162	85	2	—	31	—	—	57·9	30·4	0·7	—	11·1	—	—
Inverness ...	452	284	32	9	2	105	20	—	62·8	7·1	2·0	0·4	23·2	4·4	—
Stirling	241	128	33	13	—	67	—	—	53·1	13·7	5·4	—	27·8	—	—
Dumfries... ...	285	208	5	6	3	55	8	—	73·0	1·8	2·1	1·1	19·3	2·8	—
Rutherglen ...	273	172	53	13	6	27	2	—	63·0	19·4	4·8	2·2	9·9	0·7	—
Dumbarton ...	143	63	58	3	—	18	1	—	44·1	40·6	2·1	—	12·6	0·7	—
Port Glasgow ...	152	94	47	8	—	3	—	—	61·8	30·9	5·3	—	2·0	—	—
Arbroath... ...	175	139	3	2	—	31	—	—	79·4	1·7	1·1	—	17·7	—	—

* Registered by Decree of Declarator

TABLE 51.—Marriages in Scotland according to Church of Celebration—1950

	According to Forms of							Civil and Irregular	Percentage of Total Marriages						
	Total Marriages	Church of Scotland	United Free Church	Free Church	Roman Catholic Church	Scottish Episcopal Church	Other Forms		Church of Scotland	United Free Church	Free Church	Roman Catholic Ch.	Scott'h Episcopal Church	Other Forms	Civil and Irregular
SCOTLAND ...	**40,459**	**23,579**	**428**	**226**	**5,660**	**1,009**	**2,306**	**7,251**	**58·3**	**1·1**	**0·6**	**14·0**	**2·5**	**5·7**	**17·0**
Counties of Cities ...	**17,630**	**8,559**	**186**	**55**	**2,745**	**526**	**1,059**	**4,500**	**48·5**	**1·1**	**0·3**	**15·6**	**3·0**	**6·0**	**25·5**
Large Burghs	**7,701**	**4,079**	**76**	**46**	**1,273**	**186**	**590**	**1,451**	**53·0**	**1·0**	**0·6**	**16·5**	**2·4**	**7·7**	**18·8**
Counties (Ex Counties of Cities and Large Burghs) ...	**15,128**	**10,941**	**166**	**125**	**1,642**	**297**	**657**	**1,300**	**72·3**	**1·1**	**0·8**	**10·9**	**2·0**	**4·3**	**8·6**
Counties (Ex Counties of Cities and Large Burghs)															
Aberdeen ...	932	795	—	—	11	30	35	61	85·3	—	—	1·2	3·2	3·8	6·5
Angus ...	458	359	7	—	7	14	11	60	78·4	1·5	—	1·5	3·1	2·4	13·1
Argyll ...	341	261	4	10	26	7	14	19	76·5	1·2	2·9	7·6	2·1	4·1	5·6
Ayr ...	1,641	1,268	43	1	155	17	83	74	77·3	2·6	0·1	9·4	1·0	5·1	4·5
Banff ...	327	261	2	—	15	9	19	21	79·8	0·6	—	4·6	2·8	5·8	6·4
Berwick ...	148	129	—	—	2	1	7	9	87·2	—	—	1·4	0·7	4·7	6·1
Bute ...	95	50	—	5	11	3	3	23	52·6	—	5·3	11·6	3·2	3·2	24·2
Caithness ...	159	133	—	1	—	—	9	16	83·6	—	0·6	—	—	5·7	10·1
Clackmannan	301	199	24	—	23	6	13	36	66·1	8·0	—	7·6	2·0	4·3	12·0
Dumfries ...	383	315	5	—	12	8	15	28	82·2	1·3	—	3·1	2·1	3·9	7·3
Dunbarton ...	585	354	3	1	156	12	19	40	60·5	0·5	0·2	26·7	2·1	3·2	6·8
East Lothian	343	244	—	—	31	9	5	54	71·1	—	—	9·0	2·6	1·5	15·7
Fife ...	1,506	1,141	14	3	113	26	26	183	75·8	0·9	0·2	7·5	1·7	1·7	12·2
Inverness ...	209	137	2	11	36	3	7	13	65·6	1·0	5·3	17·2	1·4	3·3	6·2
Kincardine ...	146	126	—	—	4	10	—	6	86·3	—	—	2·7	6·8	—	4·1
Kinross ...	44	33	—	—	—	1	—	10	75·0	—	—	—	2·3	—	22·7
Kirkcudbright	219	179	—	—	14	2	8	16	81·7	—	—	6·4	0·9	3·7	7·3
Lanark ...	2,113	1,318	14	—	481	11	143	146	62·4	0·7	—	22·8	0·5	6·8	6·9
Midlothian ...	719	501	8	—	94	19	26	71	69·7	1·1	—	13·1	2·6	3·6	9·9
Moray ...	339	248	2	1	11	10	6	61	73·2	0·6	0·3	3·2	2·9	1·8	18·0
Nairn ...	51	33	1	1	3	—	6	7	64·7	2·0	2·0	5·9	—	11·8	13·7
Orkney ...	154	114	3	—	—	—	25	12	74·0	1·9	—	—	—	16·2	7·8
Peebles ...	96	75	—	—	2	3	4	12	78·1	—	—	2·1	3·1	4·2	12·5
Perth ...	453	363	3	1	27	16	5	38	80·1	0·7	0·2	6·0	3·5	1·1	8·4
Renfrew ...	822	519	1	—	150	28	62	62	63·1	0·1	—	18·2	3·4	7·5	7·5
Ross & Cromarty	264	154	2	75	3	6	9	15	58·3	0·8	28·4	1·1	2·3	3·4	5·7
Roxburgh ...	305	228	—	—	16	17	9	35	74·8	—	—	5·2	5·6	3·0	11·5
Selkirk ...	151	94	—	—	17	5	7	28	62·3	—	—	11·3	3·3	4·6	18·5
Stirling ...	730	527	13	—	113	8	37	32	72·2	1·8	—	15·5	1·1	5·1	4·4
Sutherland ...	63	42	—	15	—	—	2	4	66·7	—	23·8	—	—	3·2	6·3
West Lothian...	689	502	4	—	97	7	14	65	72·9	0·6	—	14·1	1·0	2·0	9·4
Wigtown ...	223	162	4	—	12	6	7	32	72·6	1·8	—	5·4	2·7	3·1	14·3
Zetland ...	119	77	7	—	—	3	21	11	64·7	5·9	—	—	2·5	17·6	9·2
Counties of Cities—															
Glasgow ...	9,930	4,689	113	49	2,025	174	696	2,184	47·2	1·1	0·5	20·4	1·8	7·0	22·0
Edinburgh ...	4,265	2,132	57	3	346	176	174	1,377	50·0	1·3	0·1	8·1	4·1	4·1	32·3
Aberdeen ...	1,853	1,084	9	3	79	98	77	503	58·5	0·5	0·2	4·3	5·3	4·2	27·1
Dundee ...	1,582	654	7	—	295	78	112	436	41·3	0·4	—	18·6	4·9	7·1	27·6
Large Burghs—															
Paisley ...	816	472	2	—	159	8	80	95	57·8	0·2	—	19·5	1·0	9·8	11·6
Greenock ...	621	288	10	2	178	5	78	60	46·4	1·6	0·3	28·7	0·8	12·6	9·7
Motherwell & Wishaw ...	633	328	7	—	132	11	64	91	51·8	1·1	—	20·9	1·7	10·1	14·4
Kirkcaldy ...	493	277	9	2	26	8	31	140	56·2	1·8	0·4	5·3	1·6	6·3	28·4
Coatbridge ...	398	175	6	6	157	2	23	29	44·0	1·5	1·5	39·4	0·5	5·8	7·3
Dunfermline ...	394	173	4	—	22	12	26	157	43·9	1·0	—	5·6	3·0	6·6	39·8
Clydebank ...	317	142	4	—	68	7	39	57	44·8	1·3	—	21·5	2·2	12·3	18·0
Ayr ...	444	263	4	—	33	16	35	93	59·2	0·9	—	7·4	3·6	7·9	20·9
Kilmarnock ...	344	223	14	—	31	6	8	62	64·8	4·1	—	9·0	1·7	2·3	18·0
Perth ...	522	276	4	2	33	22	19	166	52·9	0·8	0·4	6·3	4·2	3·6	31·8
Hamilton ...	366	196	—	—	90	3	23	54	53·6	—	—	24·6	0·8	6·3	14·8
Falkirk ...	352	218	3	—	27	5	20	79	61·9	0·9	—	7·7	1·4	5·7	22·4
Airdrie ...	280	136	—	—	74	4	35	31	48·6	—	—	26·4	1·4	12·5	11·1
Inverness ...	452	214	—	33	18	12	50	125	47·3	—	7·3	4·0	2·7	11·1	27·7
Stirling ...	241	128	3	—	26	9	8	67	53·1	1·2	—	10·8	3·7	3·3	27·8
Dumfries ...	285	165	3	—	30	22	2	63	57·9	1·1	—	10·5	7·7	0·7	22·1
Rutherglen ...	273	180	—	—	48	3	13	29	65·9	—	—	17·6	1·1	4·8	10·6
Dumbarton ...	143	52	—	1	54	8	9	19	36·4	—	0·7	37·8	5·6	6·3	13·3
Port Glasgow	152	54	—	—	60	11	24	3	35·5	—	—	39·5	7·2	15·8	2·0
Arbroath ...	175	119	3	—	7	12	3	31	68·0	1·7	—	4·0	6·9	1·7	17·7

TABLE 52.—Conjugal Condition of Persons Marrying in Scotland—1950

	Conjugal Condition						Percentage of Total Marriages				
	Total Marriages	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	* Divorced (Either Party)	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Divorced
SCOTLAND	**40,459**	**34,967**	**800**	**1,322**	**633**	**2,737**	**86·4**	**2·0**	**3·3**	**1·6**	**6·8**
Counties of Cities ...	**17,630**	**14,715**	**391**	**622**	**338**	**1,564**	**83·5**	**2·2**	**3·5**	**1·9**	**8·9**
Large Burghs	**7,701**	**6,671**	**155**	**243**	**128**	**504**	**86·6**	**2·0**	**3·2**	**1·7**	**6·5**
Counties (Ex Counties of Cities and Large Burghs)	**15,128**	**13,581**	**254**	**457**	**167**	**669**	**89·8**	**1·7**	**3·0**	**1·1**	**4·4**
Counties ((Ex Counties of Cities and Large Burghs)—											
Aberdeen	932	862	12	17	11	30	92·5	1·3	1·8	1·2	3·2
Angus	458	408	6	13	6	25	89·1	1·3	2·8	1·3	5·5
Argyll	341	298	10	12	3	18	87·4	2·9	3·5	0·9	5·3
Ayr	1,641	1,486	18	49	22	66	90·6	1·1	3·0	1·3	4·0
Banff	327	302	6	6	4	9	92·4	1·8	1·8	1·2	2·8
Berwick	148	134	3	8	1	2	90·5	2·0	5·4	0·7	1·4
Bute	95	75	2	3	4	11	78·9	2·1	3·2	4·2	11·6
Caithness	159	149	4	2	1	3	93·7	2·5	1·3	0·6	1·9
Clackmannan	301	269	5	6	3	18	89·4	1·7	2·0	1·0	6·0
Dumfries	383	350	5	16	1	11	91·4	1·3	4·2	0·3	2·9
Dunbarton	585	529	8	14	5	29	90·4	1·4	2·4	0·9	5·0
East Lothian	343	305	7	7	4	20	88·9	2·0	2·0	1·2	5·8
Fife	1,506	1,328	39	52	13	74	88·2	2·6	3·5	0·9	4·9
Inverness	209	186	6	8	1	8	89·0	2·9	3·8	0·5	3·8
Kincardine	146	138	2	2	—	4	94·5	1·4	1·4	—	2·7
Kinross	44	37	1	—	1	5	84·1	2·3	—	2·3	11·4
Kirkcudbright	219	196	3	8	1	11	89·5	1·4	3·7	0·5	5·0
Lanark	2,113	1,912	27	67	29	78	90·5	1·3	3·2	1·4	3·7
Midlothian	719	638	13	22	9	37	88·7	1·8	3·1	1·3	5·1
Moray	339	307	6	11	2	13	90·6	1·8	3·2	0·6	3·8
Nairn...	51	46	2	1	1	1	90·2	3·9	2·0	2·0	2·0
Orkney	154	137	5	6	—	6	89·0	3·2	3·9	—	3·9
Peebles	96	86	—	5	—	5	89·6	—	5·2	—	5·2
Perth	453	397	11	17	3	25	87·6	2·4	3·8	0·7	5·5
Renfrew	822	730	12	35	10	35	88·8	1·5	4·3	1·2	4·3
Ross & Cromarty	264	237	2	6	6	13	89·8	0·8	2·3	2·3	4·9
Roxburgh	305	260	6	11	6	22	85·2	2·0	3·6	2·0	7·2
Selkirk	151	126	3	8	1	13	83·4	2·0	5·3	0·7	8·6
Stirling	730	656	13	20	9	32	89·9	1·8	2·7	1·2	4·4
Sutherland	63	57	1	4	—	1	90·5	1·6	6·3	—	1·6
West Lothian	689	630	8	12	8	31	91·4	1·2	1·7	1·2	4·5
Wigtown	223	208	3	2	—	10	93·3	1·3	0·9	—	4·5
Zetland	119	102	5	7	2	3	85·7	4·2	5·9	1·7	2·5
Counties of Cities—											
Glasgow	9,930	8,418	236	349	185	742	84·8	2·4	3·5	1·9	7·5
Edinburgh	4,265	3,385	90	177	90	523	79·4	2·1	4·2	2·1	12·3
Aberdeen	1,853	1,567	39	49	33	165	84·6	2·1	2·6	1·8	8·9
Dundee	1,582	1,345	26	47	30	134	85·0	1·6	3·0	1·9	8·5
Large Burghs—											
Paisley	816	711	13	23	19	50	87·1	1·6	2·8	2·3	6·1
Greenock	621	550	16	23	6	26	88·6	2·6	3·7	1·0	4·2
Motherwell & Wishaw ...	633	559	15	12	20	27	88·3	2·4	1·9	3·2	4·3
Kirkcaldy	493	403	14	13	12	51	81·7	2·8	2·6	2·4	10·3
Coatbridge	398	362	7	9	5	15	91·0	1·8	2·3	1·3	3·8
Dunfermline	394	327	6	17	9	35	83·0	1·5	4·3	2·3	8·9
Clydebank	317	259	8	19	10	21	81·7	2·5	6·0	3·2	6·6
Ayr	444	367	9	21	5	42	82·7	2·0	4·7	1·1	9·5
Kilmarnock	344	305	6	11	5	17	88·7	1·7	3·2	1·5	4·9
Perth	522	435	8	20	11	48	83·3	1·5	3·8	2·1	9·2
Hamilton	366	324	8	10	6	18	88·5	2·2	2·7	1·6	4·9
Falkirk	352	301	4	12	4	31	85·5	1·1	3·4	1·1	8·8
Airdrie	280	251	5	8	3	13	89·6	1·8	2·9	1·1	4·6
Inverness	452	393	9	13	6	31	86·9	2·0	2·9	1·3	6·9
Stirling	241	202	8	7	1	23	83·8	3·3	2·9	0·4	9·5
Dumfries	285	244	2	15	1	23	85·6	0·7	5·3	0·4	8·1
Rutherglen	273	243	5	3	1	21	89·0	1·8	1·1	0·4	7·7
Dumbarton	143	132	5	2	2	2	92·3	3·5	1·4	1·4	1·4
Port Glasgow	152	143	2	4	—	3	94·1	1·3	2·6	—	2·0
Arbroath	175	160	5	1	2	7	91·4	2·9	0·6	1·1	4·0

* 1,084 divorced men married spinsters and 207 married widows; 989 divorced women married bachelors and 190 married widowers. In 267 cases both parties had been divorced.

TABLE 53

Ages of Men at Marriage in Scotland—1950

TABLE 53.—Ages of Men at Marriage in Scotland—1950

	All Ages	Average Age	16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
SCOTLAND ...	**40459**	**28·9**	**8**	**84**	**292**	**621**	**1372**	**13274**	**13055**	**5288**	**2666**	**1463**	**846**	**519**	**374**	**295**	**185**	**74**	**33**	**9**	**1**
Counties of Cities...	**17630**	**29·3**	**8**	**41**	**143**	**277**	**610**	**5578**	**5603**	**2306**	**1190**	**701**	**396**	**268**	**184**	**159**	**99**	**39**	**23**	**4**	**1**
Large Burghs ...	**7701**	**28·5**	–	**17**	**67**	**109**	**265**	**2660**	**2454**	**980**	**485**	**253**	**167**	**80**	**65**	**52**	**30**	**11**	**5**	**1**	–
Counties (Ex Counties of Cities and Large Burghs)	**15128**	**28·6**	–	**26**	**82**	**235**	**497**	**5036**	**4998**	**2002**	**991**	**509**	**283**	**171**	**125**	**84**	**56**	**24**	**5**	**4**	–
Counties (Ex Counties of Cities and Large Burghs)—																					
Aberdeen	932	28·6	–	4	7	16	33	300	302	126	69	31	15	9	8	8	1	2	–	1	–
Angus	458	28·9	–	–	1	8	18	131	162	64	31	22	11	5	3	1	1	–	–	–	–
Argyll	341	30·9	–	–	2	4	8	92	96	63	27	21	9	4	5	5	4	–	–	1	–
Ayr	1641	28·0	–	3	9	25	66	617	503	207	99	37	26	18	14	9	4	4	–	–	–
Banff	327	28·0	–	2	3	4	11	112	112	45	20	3	3	5	2	4	1	–	–	–	–
Berwick	148	29·5	–	–	–	3	8	36	48	25	10	10	2	3	2	–	1	–	–	–	–
Bute	95	31·5	–	–	2	4	5	19	29	12	8	4	2	4	2	1	2	1	–	–	–
Caithness	159	28·3	–	–	1	3	5	59	44	22	12	5	5	2	1	–	–	–	–	–	–
Clackmannan ...	301	27·8	–	5	3	5	13	112	89	27	22	12	7	1	3	2	–	–	–	–	–
Dumfries	383	28·7	–	–	–	3	11	139	129	42	26	11	10	2	3	4	2	–	1	–	–
Dunbarton	585	28·3	–	–	3	8	14	202	198	84	38	16	10	3	3	3	1	2	–	–	–
East Lothian ...	343	27·8	–	1	3	4	9	132	112	39	17	12	9	1	1	1	2	–	–	–	–
Fife	1506	28·0	–	3	11	32	58	539	512	160	61	51	30	19	13	8	6	1	1	1	–
Inverness	209	31·5	–	–	1	–	4	49	47	55	28	6	9	4	2	3	–	1	–	–	–
Kincardine	146	29·1	–	–	–	3	4	44	53	21	8	5	5	–	1	1	1	–	–	–	–
Kinross	44	28·1	–	1	–	1	2	16	14	3	5	1	–	–	–	–	–	1	–	–	–
Kirkcudbright ...	219	28·9	–	–	1	3	6	70	71	36	9	14	2	2	3	–	2	–	–	–	–
Lanark	2113	28·1	–	2	17	37	61	727	699	296	141	53	26	19	17	6	9	2	–	1	–
Midlothian	719	28·2	–	–	2	14	21	265	240	82	42	20	9	11	6	3	1	2	1	–	–
Moray	339	28·7	–	1	–	5	11	95	134	43	23	10	8	3	1	3	1	1	–	–	–
Nairn...	51	28·5	–	–	–	–	3	19	13	9	3	2	–	1	–	–	1	–	–	–	–
Orkney	154	28·2	–	–	4	6	8	52	42	16	10	10	1	3	1	1	–	–	–	–	–
Peebles	96	29·4	–	–	–	2	–	28	38	12	6	5	–	1	2	2	–	–	–	–	–
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth	453	30·4	–	–	1	2	17	119	141	66	52	21	17	10	3	2	1	1	–	–	–
Renfrew	822	29·0	–	2	3	9	31	256	285	109	50	34	15	10	4	5	4	3	2	–	–
Ross & Cromarty ...	264	31·2	–	–	1	1	3	57	93	48	25	15	10	2	4	1	4	–	–	–	–
Roxburgh	305	29·7	–	–	1	2	6	80	116	46	21	20	3	4	1	3	2	–	–	–	–
Selkirk	151	30·6	–	–	1	2	3	33	62	19	11	6	5	3	4	–	1	1	–	–	–
Stirling	730	28·4	–	–	2	7	23	268	231	90	45	26	18	10	5	3	1	1	–	–	–
Sutherland	63	33·2	–	–	–	1	–	13	16	15	3	6	2	3	2	2	–	–	–	–	–
West Lothian ...	689	27·4	–	–	3	12	25	254	256	70	36	11	8	4	6	3	1	–	–	–	–
Wigtown	223	27·4	–	2	–	9	10	79	67	23	23	4	4	1	–	–	–	1	–	–	–
Zetland	119	31·7	–	–	–	–	–	22	44	27	10	5	2	4	3	–	2	–	–	–	–
Counties of Cities—																					
Glasgow	9930	29·2	3	28	79	146	354	3147	3171	1333	659	384	207	143	103	82	52	20	16	2	1
Edinburgh	4265	29·9	3	9	24	75	126	1258	1350	573	329	193	116	72	42	50	28	14	2	1	–
Aberdeen	1853	28·9	–	1	23	27	61	635	586	213	123	73	38	27	17	15	8	2	3	1	–
Dundee	1582	28·8	2	3	17	29	69	538	496	187	79	51	35	26	22	12	11	3	2	–	–
Large Burghs—																					
Paisley	816	28·4	–	3	4	9	30	289	263	100	55	25	14	11	6	2	4	–	1	–	–
Greenock	621	28·2	–	–	10	10	15	221	208	78	33	18	9	5	6	3	3	2	–	–	–
Motherwell & Wishaw	633	28·4	–	2	5	3	26	223	211	76	37	17	13	5	6	6	3	–	–	–	–
Kirkcaldy	493	28·6	–	–	7	4	15	184	150	56	23	25	14	5	1	7	1	1	–	–	–
Coatbridge	398	27·4	–	–	3	9	16	151	138	33	18	13	12	1	2	2	–	–	–	–	–
Dunfermline ...	394	28·8	–	–	7	9	20	128	107	54	26	15	16	5	–	2	4	1	–	–	–
Clydebank	317	29·9	–	1	3	2	13	94	99	47	18	13	8	7	4	6	–	–	2	–	–
Ayr	444	29·2	–	–	5	8	12	141	144	56	31	17	13	4	5	6	–	2	–	–	–
Kilmarnock	344	27·3	–	2	6	7	16	138	93	41	18	10	8	–	3	1	1	–	–	–	–
Perth	522	30·0	–	–	3	7	12	148	158	83	47	30	12	5	10	3	4	–	–	–	–
Hamilton	366	28·3	–	–	2	6	16	140	112	41	18	7	8	6	4	2	1	1	1	1	–
Falkirk	352	27·8	–	2	–	4	11	135	118	39	23	8	3	1	3	2	2	1	–	–	–
Airdrie	280	27·9	–	2	1	6	6	102	94	36	16	6	3	4	–	3	1	–	–	–	–
Inverness	452	30·5	–	2	3	3	10	103	153	72	52	27	9	8	6	1	1	1	1	–	–
Stirling	241	28·8	–	2	1	4	11	81	67	39	15	4	7	3	5	1	1	–	–	–	–
Dumfries	285	28·8	–	–	1	3	9	98	91	41	20	8	5	3	2	1	2	1	–	–	–
Rutherglen	273	27·7	–	–	4	2	8	106	91	31	16	6	4	1	1	1	1	1	–	–	–
Dumbarton	143	27·2	–	1	–	4	5	50	52	21	5	–	3	1	–	1	–	–	–	–	–
Port Glasgow ...	152	27·3	–	–	–	1	7	61	49	21	6	1	4	2	–	–	–	–	–	–	–
Arbroath	175	27·5	–	–	2	8	7	67	56	15	8	3	2	3	1	2	1	–	–	–	–

TABLE 54.—Ages of Women at Marriage in Scotland—1950

	All Ages	Average Age	16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
SCOTLAND ...	**40459**	**25·9**	**156**	**723**	**1793**	**3161**	**3834**	**14770**	**8660**	**3100**	**1807**	**1011**	**646**	**380**	**202**	**126**	**54**	**31**	**5**	–	–
Counties of Cities...	**17630**	**26·3**	**48**	**311**	**759**	**1350**	**1588**	**6167**	**3902**	**1383**	**849**	**502**	**327**	**214**	**110**	**70**	**31**	**16**	**3**	–	–
Large Burghs ...	**7701**	**25·6**	**41**	**141**	**351**	**607**	**751**	**2902**	**1575**	**595**	**335**	**171**	**95**	**65**	**35**	**23**	**6**	**7**	**1**	–	–
Counties (Ex Counties of Cities and Large Burghs)	**15128**	**25·5**	**67**	**271**	**683**	**1204**	**1495**	**5701**	**3183**	**1122**	**623**	**338**	**224**	**101**	**57**	**33**	**17**	**8**	**1**	–	–
Counties (Ex Counties of Cities and Large Burghs)—																					
Aberdeen	932	25·1	6	28	58	62	102	340	190	66	43	16	13	3	1	3	–	1	–	–	–
Angus	458	25·6	4	4	22	29	44	182	96	37	15	9	10	5	–	–	1	–	–	–	–
Argyll	341	26·9	2	7	11	21	26	119	77	34	16	10	9	5	–	3	1	–	–	–	–
Ayr	1641	25·0	6	27	81	136	180	667	303	106	61	31	24	7	9	–	1	1	1	–	–
Banff	327	24·9	3	5	16	27	27	137	69	22	13	1	1	1	3	2	–	–	–	–	–
Berwick	148	26·1	1	1	8	15	13	51	31	10	7	5	3	–	3	–	–	–	–	–	–
Bute	95	28·7	3	3	3	7	6	23	19	11	6	5	5	1	2	–	1	–	–	–	–
Caithness	159	24·9	–	3	10	16	19	57	24	18	5	3	2	1	1	–	–	–	–	–	–
Clackmannan ...	301	25·1	2	5	19	29	26	111	64	17	15	6	3	2	1	1	–	–	–	–	–
Dumfries	383	25·2	–	9	20	34	38	147	83	14	15	11	7	2	2	1	–	–	–	–	–
Dunbarton ...	585	25·2	4	9	29	46	56	239	108	42	24	11	10	3	2	1	1	–	–	–	–
East Lothian ...	343	25·2	1	7	14	32	36	127	70	27	11	11	4	1	1	–	1	–	–	–	–
Fife	1506	25·4	6	31	72	122	142	595	298	106	54	31	24	11	5	7	2	–	–	–	–
Inverness	209	27·2	–	3	7	16	19	57	49	28	16	4	5	4	1	–	–	–	–	–	–
Kincardine	146	25·4	1	3	4	7	14	69	26	13	2	1	2	2	2	–	–	–	–	–	–
Kinross	44	25·7	–	1	–	2	6	19	10	2	2	1	–	–	1	–	–	–	–	–	–
Kirkcudbright ...	219	25·4	–	5	10	17	17	83	51	14	13	6	1	–	1	1	–	–	–	–	–
Lanark	2113	25·2	5	29	92	182	236	781	470	156	76	39	22	10	7	5	3	–	–	–	–
Midlothian	719	25·6	2	12	28	49	65	289	158	51	29	17	10	5	1	1	–	2	–	–	–
Moray	339	25·7	1	8	20	29	31	117	69	30	15	9	2	6	1	–	1	–	–	–	–
Nairn...	51	26·2	1	1	2	3	6	18	9	4	3	2	1	–	–	1	–	–	–	–	–
Orkney	154	24·1	3	10	10	19	18	46	27	11	5	4	–	1	–	–	–	–	–	–	–
Peebles	96	26·1	–	1	2	7	12	32	26	6	3	5	1	–	1	–	–	–	–	–	–
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth...	453	27·0	2	1	11	31	33	148	125	41	30	9	11	7	2	–	1	1	–	–	–
Renfrew	822	25·8	2	14	33	58	76	314	186	59	32	24	14	3	2	2	1	2	–	–	–
Ross & Cromarty ...	264	27·8	1	6	6	14	18	82	63	27	26	10	3	3	3	1	1	–	–	–	–
Roxburgh	305	26·5	1	5	11	16	32	105	69	30	16	7	9	–	1	1	2	–	–	–	–
Selkirk	151	27·2	–	1	2	12	10	55	35	13	6	9	4	4	–	–	–	–	–	–	–
Stirling	730	25·5	1	6	32	58	81	288	152	40	3	17	14	3	2	2	–	1	–	–	–
Sutherland	63	26·9	–	–	3	2	8	21	14	5	6	2	–	2	–	–	–	–	–	–	–
West Lothian ...	689	24·7	3	15	31	69	58	266	148	53	13	9	7	5	2	–	–	–	–	–	–
Wigtown	223	24·2	6	7	13	28	24	76	37	17	4	9	1	1	–	–	–	–	–	–	–
Zetland	119	27·1	–	4	3	9	6	40	27	12	8	4	2	3	–	1	–	–	–	–	–
Counties of Cities—																					
Glasgow	9930	26·2	27	190	408	723	924	3528	2186	803	443	296	175	102	63	33	17	10	2	–	–
Edinburgh	4265	26·9	13	65	158	339	350	1415	948	378	261	123	83	72	28	22	8	2	–	–	–
Aberdeen	1853	26·0	4	27	104	148	171	658	423	107	84	49	30	23	11	7	5	2	–	–	–
Dundee	1582	25·9	4	29	89	140	143	566	345	95	61	34	39	17	8	8	1	2	1	–	–
Large Burghs—																					
Paisley	816	25·6	2	16	46	54	70	318	169	60	37	23	12	5	2	1	–	1	–	–	–
Greenock	621	25·1	7	11	26	60	72	240	108	44	24	13	6	5	1	3	–	1	–	–	–
Motherwell & Wishaw	633	25·7	3	8	18	46	59	246	151	51	21	9	5	7	6	2	1	–	–	–	–
Kirkcaldy	493	25·8	2	13	20	38	62	174	91	36	25	12	11	1	3	4	1	–	–	–	–
Coatbridge	398	24·7	–	7	22	32	42	169	73	25	16	5	4	1	–	2	–	–	–	–	–
Dunfermline ...	394	26·0	5	9	19	38	34	135	76	31	19	12	7	3	4	1	1	–	–	–	–
Clydebank	317	27·1	1	1	21	14	27	113	63	35	17	9	3	6	1	3	1	2	–	–	–
Ayr	444	26·1	2	12	18	44	34	152	93	34	27	16	3	3	4	2	–	–	–	–	–
Kilmarnock	344	24·8	4	8	18	32	26	144	65	24	9	7	3	3	–	1	–	–	–	–	–
Perth	522	26·4	–	4	16	35	51	188	127	40	31	10	6	7	3	2	2	–	–	–	–
Hamilton	366	25·6	–	6	17	30	37	146	68	29	13	3	9	6	–	–	–	2	–	–	–
Falkirk	352	25·0	–	4	16	32	45	138	70	21	11	6	3	3	2	1	–	–	–	–	–
Airdrie	280	25·0	1	4	16	18	29	122	49	24	5	6	2	2	–	–	–	1	1	–	–
Inverness	452	27·0	4	9	14	40	22	135	112	56	27	21	7	3	1	1	–	–	–	–	–
Stirling	241	26·0	2	6	14	12	22	88	46	22	15	4	5	4	1	–	–	–	–	–	–
Dumfries	285	25·0	2	9	15	24	32	101	59	16	17	5	1	3	1	–	–	–	–	–	–
Rutherglen	273	25·3	3	3	10	14	27	112	66	20	5	6	3	2	2	–	–	–	–	–	–
Dumbarton	143	24·9	–	3	7	13	12	61	27	12	5	–	1	–	2	–	–	–	–	–	–
Port Glasgow ...	152	24·1	1	1	9	16	17	60	32	7	6	2	1	–	–	–	–	–	–	–	–
Arbroath	175	24·4	2	7	9	15	31	60	30	8	5	2	3	1	2	–	–	–	–	–	–

TABLE 55.—Ages in Combination of MEN and WOMEN at Marriage in Scotland—1950

Ages of HUSBANDS	Ages of WIVES: 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of HUSBANDS
16–	3	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	8	16–
17–	9	23	23	14	9	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	84	17–
18–	19	65	87	59	29	31	2	–	–	–	–	–	–	–	–	–	–	–	–	–	292	18–
19–	23	80	142	133	99	129	13	2	–	–	–	–	–	–	–	–	–	–	–	–	621	19–
20–	26	83	209	312	308	399	29	5	1	–	–	–	–	–	–	–	–	–	–	–	1,372	20–
21–	59	355	998	1,780	2,187	6,482	1,282	111	17	3	–	–	–	–	–	–	–	–	–	–	13,274	21–
25–	17	94	276	709	999	5,898	4,156	719	157	24	6	–	–	–	–	–	–	–	–	–	13,055	25–
30–	–	19	43	118	158	1,400	2,106	1,010	335	81	15	3	–	–	–	–	–	–	–	–	5,288	30–
35–	–	2	10	26	30	306	748	751	570	154	55	11	2	1	–	–	–	–	–	–	2,666	35–
40–	–	–	3	7	8	84	232	322	395	279	100	29	4	–	–	–	–	–	–	–	1,463	40–
45–	–	–	1	3	4	24	63	119	193	204	160	57	10	5	3	–	–	–	–	–	846	45–
50–	–	–	–	–	1	4	14	35	84	129	147	67	37	1	–	–	–	–	–	–	519	50–
55–	–	–	–	–	1	3	4	15	35	75	83	91	42	23	2	–	–	–	–	–	374	55–
60–	–	–	–	–	–	3	8	8	14	42	46	73	49	36	12	3	1	–	–	–	295	60–
65–	–	–	–	–	–	1	1	3	2	17	26	32	39	38	21	5	–	–	–	–	185	65–
70–	–	–	–	–	–	–	–	–	4	2	2	13	16	14	12	10	1	–	–	–	74	70–
75–	–	–	–	–	–	–	1	–	–	1	4	–	3	6	4	12	2	–	–	–	33	75–
80–	–	–	–	–	–	–	–	–	–	–	2	4	–	2	–	1	–	–	–	–	9	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	156	723	1,793	3,161	3,834	14,770	8,660	3,100	1,807	1,011	646	380	202	126	54	31	5	–	–	–	40,459	Ttl. Husbands and Wives

Average age—Husbands, 28·9; Wives 25·9

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands at Marriage. Thus, of 3,161 Wives aged 19, 14 Married Husbands aged 17, 59 married Husbands aged 18, etc.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their Wives at Marriage. Thus, of 621 Husbands aged 19, 23 married Wives aged 16, 80 married Wives

TABLE 56.—Ages in Combination of BACHELORS and SPINSTERS at Marriage in Scotland—1950

Ages of Bachelors	Ages of Spinsters: 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Bachelors	Ages of Bachelors
16–	3	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	8	16–
17–	9	23	23	14	9	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	84	17–
18–	19	65	87	59	28	31	2	–	–	–	–	–	–	–	–	–	–	–	–	–	291	18–
19–	23	80	142	133	99	128	11	2	–	–	–	–	–	–	–	–	–	–	–	–	618	19–
20–	26	83	208	312	306	399	27	5	–	–	–	–	–	–	–	–	–	–	–	–	1,366	20–
21–	58	353	992	1,776	2,179	6,415	1,185	81	9	1	–	–	–	–	–	–	–	–	–	–	13,049	21–
25–	17	91	267	695	970	5,706	3,735	535	101	12	2	–	–	–	–	–	–	–	–	–	12,131	25–
30–	–	18	41	101	145	1,258	1,759	735	197	36	6	2	–	–	–	–	–	–	–	–	4,298	30–
35–	–	2	7	18	24	239	569	507	318	69	22	3	1	–	–	–	–	–	–	–	1,779	35–
40–	–	–	2	5	8	51	138	179	208	131	43	14	2	–	–	–	–	–	–	–	781	40–
45–	–	–	1	3	2	14	23	43	86	73	58	12	3	1	–	–	–	–	–	–	319	45–
50–	–	–	–	–	–	–	5	13	19	37	36	15	2	–	–	–	–	–	–	–	127	50–
55–	–	–	–	–	1	–	1	4	11	15	14	15	4	2	–	–	–	–	–	–	67	55–
60–	–	–	–	–	–	1	–	2	1	2	6	7	4	5	1	–	–	–	–	–	29	60–
65–	–	–	–	–	–	–	–	–	–	1	2	3	2	4	1	–	–	–	–	–	13	65–
70–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	4	70–
75–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	3	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Spinsters	155	717	1,771	3,116	3,772	14,248	7,456	2,106	950	377	190	74	20	12	2	1	–	–	–	–	34,967	Ttl. Bachelors and Spinsters

Average age—Husbands, 27·0; Wives, 24·2

TABLE 57.—Ages in Combination of BACHELORS and WIDOWS at Marriage in Scotland—1950

Ages of Bachelors	Ages of Widows: 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Bachelors	Ages of Bachelors
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	19–
20–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	20–
21–	–	–	–	–	1	12	29	14	4	2	–	–	–	–	–	–	–	–	–	–	62	21–
25–	–	–	–	1	–	16	82	58	23	6	1	–	–	–	–	–	–	–	–	–	187	25–
30–	–	–	–	–	–	5	36	59	39	17	5	–	–	–	–	–	–	–	–	–	161	30–
35–	–	–	–	–	–	1	15	41	56	12	16	5	–	1	–	–	–	–	–	–	147	35–
40–	–	–	–	–	–	–	4	17	27	25	12	6	2	–	–	–	–	–	–	–	93	40–
45–	–	–	–	–	–	–	3	6	11	15	18	12	3	2	3	–	–	–	–	–	73	45–
50–	–	–	–	–	–	–	1	1	6	9	7	4	9	–	–	–	–	–	–	–	37	50–
55–	–	–	–	–	–	–	–	–	1	4	3	6	2	5	–	–	–	–	–	–	21	55–
60–	–	–	–	–	–	–	–	–	1	–	–	2	1	4	–	1	–	–	–	–	9	60–
65–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	1	–	–	–	–	6	65–
70–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Widows	–	–	–	1	1	34	171	196	169	90	63	36	19	12	5	3	–	–	–	–	800	Ttl. Bachelors and Widows

Average age—Husbands, 36·2; Wives, 36·7

TABLE 58.—Ages in Combination of WIDOWERS and SPINSTERS at Marriage in Scotland—1950

Ages of Widowers	Ages of Spinsters: 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Widowers	Ages of Widowers
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19–
20–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20–
21–	–	1	3	2	5	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	18	21–
25–	–	2	2	5	11	36	37	3	1	2	–	–	–	–	–	–	–	–	–	–	99	25–
30–	–	–	1	9	5	36	44	27	13	6	–	–	–	–	–	–	–	–	–	–	141	30–
35–	–	–	3	6	3	20	45	43	33	14	5	–	1	–	–	–	–	–	–	–	173	35–
40–	–	–	1	–	–	18	40	34	51	35	6	–	–	–	–	–	–	–	–	–	185	40–
45–	–	–	–	–	2	6	13	27	32	45	41	6	2	–	–	–	–	–	–	–	174	45–
50–	–	–	–	–	1	4	4	10	25	47	39	20	8	–	–	–	–	–	–	–	158	50–
55–	–	–	–	–	–	3	3	6	15	33	33	25	11	3	1	–	–	–	–	–	133	55–
60–	–	–	–	–	–	1	7	4	9	25	21	31	11	11	1	–	–	–	–	–	121	60–
65–	–	–	–	–	–	1	1	3	1	12	17	12	11	11	4	–	–	–	–	–	73	65–
70–	–	–	–	–	–	–	–	–	4	1	1	6	7	4	4	4	–	–	–	–	31	70–
75–	–	–	–	–	–	–	1	–	–	1	3	–	1	1	–	2	1	–	–	–	10	75–
80–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	1	–	–	–	–	6	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Spinsters	–	3	10	22	27	130	197	157	184	221	167	103	52	31	10	7	1	–	–	–	1,322	Ttl. Widowers and Spinsters

Average age—Husbands, 47·1; Wives, 38·2

TABLE 59.—Ages in Combination of WIDOWERS and WIDOWS at Marriage in Scotland—1950

Ages of Widowers	Ages of Widows: 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Widowers	Ages of Widowers
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19–
20–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20–
21–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21–
25–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	5	25–
30–	–	–	–	–	–	1	5	5	6	–	–	–	–	–	–	–	–	–	–	–	17	30–
35–	–	–	–	–	–	–	2	12	16	5	3	–	–	–	–	–	–	–	–	–	38	35–
40–	–	–	–	–	–	–	1	6	10	21	10	2	–	–	–	–	–	–	–	–	50	40–
45–	–	–	–	–	–	–	1	6	16	20	19	12	–	1	–	–	–	–	–	–	75	45–
50–	–	–	–	–	–	–	–	4	11	15	41	15	14	1	–	–	–	–	–	–	101	50–
55–	–	–	–	–	–	–	–	3	4	13	23	29	19	12	1	–	–	–	–	–	104	55–
60–	–	–	–	–	–	–	–	1	2	7	14	28	23	15	10	2	1	–	–	–	103	60–
65–	–	–	–	–	–	–	–	–	1	3	6	14	21	19	15	4	–	–	–	–	83	65–
70–	–	–	–	–	–	–	–	–	–	1	1	3	7	9	8	5	1	–	–	–	35	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	3	8	1	–	–	–	18	75–
80–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	3	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Widows	–	–	–	–	–	1	10	38	68	85	119	104	85	63	37	19	4	–	–	–	633	Ttl. Widowers and Widows

Average age—Husbands, 55·8; Wives, 50·2

TABLE 59A.—Ages in Combination of DIVORCED MEN and of WOMEN (all conjugal conditions) at Marriage in Scotland, 1950

Ages of Divorced Men	Ages of Women: 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of Divorced Men
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19–
20–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	20–
21–	1	1	2	2	1	16	5	–	–	–	–	–	–	–	–	–	–	–	–	–	28	21–
25–	–	1	7	8	16	90	121	35	7	1	–	–	–	–	–	–	–	–	–	–	286	25–
30–	–	1	1	8	8	87	142	90	43	11	1	1	–	–	–	–	–	–	–	–	393	30–
35–	–	–	–	2	3	43	80	88	88	35	2	–	–	–	–	–	–	–	–	–	341	35–
40–	–	–	–	2	–	14	38	60	68	49	19	4	–	–	–	–	–	–	–	–	254	40–
45–	–	–	–	–	–	4	18	24	33	36	15	12	1	1	–	–	–	–	–	–	144	45–
50–	–	–	–	–	–	–	2	5	17	15	9	9	4	–	–	–	–	–	–	–	61	50–
55–	–	–	–	–	–	–	–	1	3	8	5	8	3	–	–	–	–	–	–	–	28	55–
60–	–	–	–	–	–	1	–	–	–	3	2	4	4	1	–	–	–	–	–	–	15	60–
65–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	–	–	–	–	–	–	6	65–
70–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	1	3	11	22	28	255	406	303	259	159	53	38	14	5	–	1	–	–	–	–	1,558	Ttl. Husbands and Wives

Average age—Husbands, 37·1; Wives, 32·1

TABLE 59B.—Ages in Combination of MEN (all conjugal conditions) and of DIVORCED WOMEN at Marriage in Scotland, 1950

	Ages of DIVORCED WOMEN																				Total Husbands	
	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated		
Ages of MEN: 16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	18–
19–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	19–
20–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	4	20–
21–	–	–	1	–	1	36	62	16	4	–	–	–	–	–	–	–	–	–	–	–	120	21–
25–	–	–	–	–	2	53	203	97	26	4	2	–	–	–	–	–	–	–	–	–	387	25–
30–	–	–	–	–	–	14	141	122	48	12	3	–	–	–	–	–	–	–	–	–	340	30–
35–	–	–	–	–	–	5	50	79	89	31	7	3	–	–	–	–	–	–	–	–	264	35–
40–	–	–	–	–	–	1	14	39	49	27	12	3	–	–	–	–	–	–	–	–	145	40–
45–	–	–	–	–	–	–	8	19	21	20	14	4	1	–	–	–	–	–	–	–	87	45–
50–	–	–	–	–	–	–	3	3	11	8	16	5	–	–	–	–	–	–	–	–	46	50–
55–	–	–	–	–	–	–	–	1	1	2	5	9	3	1	–	–	–	–	–	–	22	55–
60–	–	–	–	–	–	–	1	1	1	5	4	1	7	–	–	–	–	–	–	–	20	60–
65–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	5	65–
70–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	3	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	–	–	1	–	6	110	485	377	250	110	63	28	13	3	–	–	–	–	–	–	1,446	Ttl. Husbands and Wives

Average age—Husbands, 34·7; Wives 32·9

NOTE.—The summation of the totals in Tables 56 to 59B exceeds by 267 the total shown in Table 55. This difference represents the number of marriages between Divorced Men and Divorced Women. The former, with their wives, are included in Table 59A, and the latter, with their husbands, in Table 59B, each marriage thus appearing twice

TABLE 60.—Parliamentary Electors—Scotland

Parliamentary Electors on the March 1951 Register

Parliamentary Constituencies	Parliamentary Electors					Votes Cast at Bye-election
	Total	Ordinary Residence Qualification		Service Voters' Qualification		
		Total	Names marked "Y" (included in col. 3)*	Total	Names marked "Y" (included in col. 5) *	
1	2	3	4	5	6	7
SCOTLAND	*3,421,433*	*3,399,045*	*25,535*	*22,388*	*1,368*	—
County Constituencies ...	*1,786,686*	*1,775,179*	*13,362*	*11,507*	*682*	—
Burgh Constituencies ...	*1,634,747*	*1,623,866*	*12,173*	*10,881*	*686*	—
ABERDEENSHIRE:						
County Constituencies ...	*93,553*	*92,860*	*597*	*693*	*48*	—
East Aberdeenshire ...	52,475	52,151	342	324	15	—
West Aberdeenshire ...	41,078	40,709	255	369	33	—
Burgh Constituencies ...	*122,406*	*121,458*	*1,468*	*948*	*54*	—
Aberdeen North	62,817	62,283	766	534	35	—
Aberdeen South	59,589	59,175	702	414	19	—
ANGUS AND KINCARDINE:						
County Constituencies ...	*82,909*	*82,149*	*618*	*760*	*34*	—
North Angus and Mearns	37,836	37,425	266	411	18	—
South Angus	45,073	44,724	352	349	16	—
Burgh Constituencies ...	*121,582*	*120,486*	*1,762*	*1,096*	*43*	—
Dundee East	56,784	56,261	825	523	22	—
Dundee West	64,798	64,225	937	573	21	—
ARGYLL:						
County Constituency						
Argyll	46,357	46,131	222	226	15	—
AYRSHIRE AND BUTE:						
County Constituencies ...	*227,313*	*226,150*	*1,705*	*1,163*	*68*	—
Ayr	43,582	43,308	272	274	15	—
Bute and North Ayrshire	45,129	44,885	334	244	13	—
Central Ayrshire ...	46,734	46,480	375	254	14	—
Kilmarnock	46,869	46,690	338	179	14	—
South Ayrshire	44,999	44,787	386	212	12	—
BANFFSHIRE:						
County Constituency						
Banff	35,920	35,654	189	266	17	—
BERWICKSHIRE AND EAST LOTHIAN:						
County Constituency						
Berwick and East Lothian	50,934	50,554	258	380	31	—
CAITHNESS AND SUTHERLAND:						
County Constituency						
Caithness and Sutherland	27,180	27,017	151	163	3	—
DUMFRIESSHIRE:						
County Constituency						
Dumfries	53,706	53,304	524	402	28	—

"Y" indicates an elector who is not 21 on the qualifying date but who becomes 21 on or before 15th June, and who is entitled to vote only at elections held after 1st October.

TABLE 60.—Parliamentary Electors—Scotland—*continued*

1	2	3	4 *	5	6 *	7
DUNBARTONSHIRE:						
County Constituencies ...	*109,094*	*108,538*	*761*	*556*	*24*	—
East Dunbartonshire ...	59,987	59,704	458	283	7	—
West Dunbartonshire ...	49,107	48,834	303	273	17	—
FIFE:						
County Constituencies ...	*103,720*	*102,873*	*602*	*847*	*38*	—
East Fife	51,162	50,711	222	451	20	—
West Fife	52,558	52,162	380	396	18	—
Burgh Constituencies ...	*99,426*	*98,502*	*845*	*924*	*45*	—
Dunfermline Burghs ...	46,999	46,450	363	549	24	—
Kirkcaldy Burghs ...	52,427	52,052	482	375	21	—
INVERNESS-SHIRE AND ROSS AND CROMARTY:						
County Constituencies ...	*107,211*	*106,615*	*572*	*596*	*27*	—
Inverness	50,302	49,958	305	344	11	—
Ross and Cromarty ...	29,687	29,487	128	200	9	—
Western Isles	27,222	27,170	139	52	7	—
KIRKCUDBRIGHTSHIRE AND WIGTOWNSHIRE:						
County Constituency						
Galloway	34,896	34,526	303	370	24	—
LANARKSHIRE:						
County Constituencies ...	*291,461*	*289,957*	*2,984*	*1,504*	*120*	—
Bothwell	54,814	54,548	600	266	23	—
Hamilton	51,605	51,323	593	282	30	—
Lanark	47,278	46,974	427	304	23	—
Motherwell	48,734	48,530	447	204	15	—
North Lanarkshire ...	44,857	44,631	526	226	17	—
Rutherglen	44,173	43,951	391	222	12	—
Burgh Constituencies ...	*774,613*	*770,904*	*4,695*	*3,709*	*248*	—
Coatbridge and Airdrie ...	49,075	48,869	576	206	8	—
Glasgow, Bridgeton ...	43,570	43,394	120	176	12	—
Camlachie ...	49,732	49,497	225	235	17	—
Cathcart ...	44,881	44,692	226	189	15	—
Central	36,381	36,226	166	155	8	—
Gorbals ...	53,795	53,585	301	210	20	—
Govan	49,022	48,798	305	224	18	—
Hillhead ...	46,238	46,021	311	217	7	—
Kelvingrove ...	38,475	38,296	166	179	7	—
Maryhill ...	45,032	44,687	374	345	15	—
Pollok	62,963	62,669	443	294	24	—
Scotstown ...	49,814	49,530	420	284	20	—
Shettleston ...	52,262	52,024	332	238	18	—
Springburn ...	57,020	56,728	329	292	23	—
Tradeston ...	53,404	53,156	258	248	19	—
Woodside ...	42,949	42,732	143	217	17	—
MIDLOTHIAN AND PEEBLESSHIRE:						
County Constituency						
Midlothian and Peebles ...	*63,213*	*62,663*	*431*	*550*	*36*	—
Burgh Constituencies ...	*349,645*	*346,449*	*2,216*	*3,196*	*149*	—
Edinburgh Central ...	45,993	45,613	238	380	15	—
East	55,595	55,001	392	594	39	—
Leith	45,859	45,506	230	353	19	—
North... ...	44,294	43,928	242	366	13	—
Pentlands ...	57,843	57,266	386	577	26	—
South... ...	44,914	44,537	325	377	14	—
West	55,147	54,598	403	549	23	—

"Y" indicates an elector who is not 21 on the qualifying date but who becomes 21 on or before 15th June, and who is entitled to vote only at elections held after 1st October.

TABLE 60.—Parliamentary Electors—Scotland—*continued*

1	2	3	4 *	5	6 *	7
MORAY AND NAIRNSHIRE:						
County Constituency						
Moray and Nairn ...	35,370	34,972	176	398	15	—
ORKNEY AND ZETLAND:						
County Constituency						
Orkney and Zetland ...	29,603	29,516	162	87	4	—
PERTHSHIRE AND KINROSS-SHIRE:						
County Constituencies ...	*90,687*	*89,848*	*654*	*839*	*42*	—
Kinross and West Perthshire	35,185	34,870	243	315	17	—
Perth and East Perthshire	55,502	54,978	411	524	25	—
RENFREWSHIRE:						
County Constituencies ...	*106,518*	*106,047*	*914*	*471*	*27*	—
East Renfrewshire ...	59,330	59,091	514	239	17	—
West Renfrewshire ...	47,188	46,956	400	232	10	—
Burgh Constituencies ...	*112,775*	*112,147*	*681*	*628*	*130*	—
Greenock	49,494	49,249	296	245	16	—
Paisley	63,281	62,898	385	383	114	—
ROXBURGHSHIRE AND SELKIRKSHIRE:						
County Constituency						
Roxburgh and Selkirk ...	47,614	47,320	223	294	18	—
STIRLINGSHIRE AND CLACKMANNAN-SHIRE:						
County Constituencies ...	*93,168*	*92,591*	*908*	*577*	*39*	—
Clackmannan and East Stirlingshire	50,142	49,878	492	264	14	—
West Stirlinghsire ...	43,026	42,713	416	313	25	—
Burgh Constituency						
Stirling and Falkirk Burghs	54,300	53,920	506	380	17	—
WEST LOTHIAN:						
County Constituency						
West Lothian	56,259	55,894	408	365	24	—

"Y" indicates an elector who is not 21 on the qualifying date but who becomes 21 on or before 15th June, and who is entitled to vote only at elections held after 1st October.

TABLE 61.—Local Government Electors and Analysis of Local Elections on the March, 1951 Register

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
SCOTLAND	**3,439,287**	**317**	**568**	**1,906,712**	**803,948**	**42·2**
Counties of Cities	**1,312,627**	**19**	**68**	**1,059,487**	**398,263**	**37·6**
Other Large Burghs ...	**549,784**	**30**	**127**	**484,780**	**227,861**	**47·0**
Small Burghs	**571,099**	**268**	**373**	**362,445**	**177,824**	**49·1**
Landward Areas	**1,005,777**	—	—	—	—	—
Districts	**1,000,031**	—	—	—	—	—
ABERDEEN COUNTY:						
County of City:						
Aberdeen	122,048	6	8	73,367	28,212	38·5
Small Burghs	**28,127**	**6**	**30**	**26,315**	**11,536**	**43·8**
Ballater	961	—	4	961	506	52·7
Ellon	1,044	3	—	—	—	—
Fraserburgh	6,799	—	5	6,799	2,893	42·6
Huntly	2,960	—	3	2,960	1,269	42·9
Inverurie	3,566	—	4	3,566	1,834	51·4
Kintore	627	—	4	627	428	68·3
Oldmeldrum	768	3	—	—	—	—
Peterhead	8,496	—	4	8,496	3,323	39·1
Rosehearty	815	—	3	815	570	69·9
Turriff	2,091	—	3	2,091	713	34·1
Landward	**66,453**	—	—	—	—	—
Districts	**66,453**	—	—	—	—	—
Aberdeen	17,123	—	—	—	—	—
Alford	6,338	—	—	—	—	—
Deer	14,873	—	—	—	—	—
Deeside	6,005	—	—	—	—	—
Ellon	7,194	—	—	—	—	—
Garioch	5,638	—	—	—	—	—
Huntly	3,782	—	—	—	—	—
Turriff	5,500	—	—	—	—	—
ANGUS COUNTY:						
County of City:						
Dundee	121,294	1	11	117,847	62,644	53·2
Other Large Burgh						
Arbroath	13,070	—	6	13,070	5,189	39·7
Small Burghs	**29,853**	**7**	**21**	**23,054**	**8,853**	**38·4**
Brechin	5,309	—	6	5,309	1,430	26·9
Carnoustie	4,073	4	—	—	—	—
Forfar	7,176	—	7	7,176	3,044	42·4
Kirriemuir	2,726	3	—	—	—	—
Monifieth	2,678	—	4	2,678	1,490	55·6
Montrose	7,891	—	4	7,891	2,889	36·6
Landward	**22,336**	—	—	—	—	—
Districts	**22,336**	—	—	—	—	—
Brechin	3,349	—	—	—	—	—
Carnoustie	3,243	—	—	—	—	—
Forfar	5,015	—	—	—	—	—
Kirriemuir	3,172	—	—	—	—	—
Monifieth	4,355	—	—	—	—	—
Montrose	3,202	—	—	—	—	—
ARGYLL COUNTY:						
Small Burghs	**18,513**	**5**	**17**	**9,470**	**4,413**	**46·6**
Campbeltown	4,772	—	7	4,772	1,727	36·2

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Argyll County—*continued*						
Dunoon	7,479	3	1	1,448	865	59·7
Inveraray	372	—	4	372	194	52·2
Lochgilphead	892	—	1	892	632	70·9
Oban	4,435	2	1	1,423	663	46·6
Tobermory	563	—	3	563	332	59·0
Landward	**28,198**	—	—	—	—	—
Districts	**28,198**	—	—	—	—	—
Ardnamurchan	1,264	—	—	—	—	—
Cowal	6,279	—	—	—	—	—
Islay	3,041	—	—	—	—	—
Jura and Colonsay ...	381	—	—	—	—	—
Kintyre	4,263	—	—	—	—	—
Lorn, North	3,163	—	—	—	—	—
South	3,145	—	—	—	—	—
Mid-Argyll	3,817	—	—	—	—	—
Mull	1,615	—	—	—	—	—
Tiree and Coll	1,230	—	—	—	—	—
AYR COUNTY:						
Large Burghs	**58,111**	**4**	**10**	**41,791**	**20,810**	**49·8**
Ayr	29,276	3	3	15,731	6,633	42·2
Kilmarnock	28,835	1	7	26,060	14,177	54·4
Small Burghs	**71,371**	**19**	**34**	**45,566**	**24,181**	**53.1**
Ardrossan	5,769	—	3	5,769	3,468	60·1
Cumnock and Holmhead ...	3,098	4	—	—	—	—
Darvel	2,445	—	4	2,445	998	40·8
Galston	3,249	4	—	—	—	—
Girvan	4,103	—	4	4,103	2,027	49·4
Irvine	9,850	2	4	7,918	4,993	63·1
Kilwinning	4,174	—	3	4,174	2,173	52·1
Largs	6,620	3	—	—	—	—
Maybole	3,131	—	4	3,131	1,524	48·7
Newmilns and Greenholm ...	2,985	—	3	2,985	1,314	44·0
Prestwick	8,282	2	2	4,560	2,005	44·0
Saltcoats	8,506	—	3	8,506	4,605	54·1
Stewarton	1,975	—	4	1,975	1,074	54·4
Troon	7,184	4	—	—	—	—
Landward	**85,863**	—	—	—	—	—
Districts	**85,863**	—	—	—	—	—
Ayr	8,117	—	—	—	—	—
Cumnock	19,760	—	—	—	—	—
Dalmellington	7,709	—	—	—	—	—
Girvan	3,503	—	—	—	—	—
Irvine	5,901	—	—	—	—	—
Kilbirnie	14,502	—	—	—	—	—
Kilmarnock	10,016	—	—	—	—	—
Maybole	3,847	—	—	—	—	—
Newmilns	1,136	—	—	—	—	—
Saltcoats	11,372	—	—	—	—	—
BANFF COUNTY:						
Small Burghs	**20,466**	**26**	**13**	**9,161**	**4,507**	**49·2**
Aberchirder	632	3	—	—	—	—
Banff	2,342	3	—	—	—	—
Buckie	5,456	—	4	5,456	2,551	46·8

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Banff County—*continued*						
Aberlour	622	3	—	—	—	—
Cullen	1,277	—	5	1,277	636	49·8
Dufftown	1,063	4	—	—	—	—
Findochty	1,236	3	—	—	—	—
Keith...	3,009	4	—	—	—	—
Macduff	2,428	—	4	2,428	1,320	54·4
Portknockie	1,140	3	—	—	—	—
Portsoy	1,261	3	—	—	—	—
Landward	**15,521**	—	—	—	—	—
Districts	**15,521**	—	—	—	—	—
Aberchirder	1,777	—	—	—	—	—
Banff	3,825	—	—	—	—	—
Buckie	2,112	—	—	—	—	—
Cullen	1,600	—	—	—	—	—
Dufftown	3,127	—	—	—	—	—
Keith...	3,080	—	—	—	—	—
BERWICK COUNTY:						
Small Burghs	**4,640**	**10**	—	—	—	—
Coldstream	948	3	—	—	—	—
Duns	1,507	3	—	—	—	—
Eyemouth	1,668	2	—	—	—	—
Lauder	517	2	—	—	—	—
Landward	**13,297**	—	—	—	—	—
Districts	**13,297**	—	—	—	—	—
East	5,202	—	—	—	—	—
Middle	4,515	—	—	—	—	—
West	3,580	—	—	—	—	—
BUTE COUNTY:						
Small Burghs	**8,053**	**5**	**4**	**2,616**	**1,628**	**62.2**
Millport	1,540	—	3	1,540	941	61·1
Rothesay	6,513	5	1	1,076	687	63·8
Landward	**5,011**	—	—	—	—	—
Districts	**5,011**	—	—	—	—	—
Arran	3,219	—	—	—	—	—
Bute	1,757	—	—	—	—	—
Cumbrae	35	—	—	—	—	—
CAITHNESS COUNTY:						
Small Burghs	**7,185**	**3**	**5**	**4,049**	**2,360**	**58.3**
Thurso	2,261	—	3	2,261	1,420	62·8
Wick	4,924	3	2	1,788	940	52·6
Landward	**9,393**	—	—	—	—	—
Districts	**9,393**	—	—	—	—	—
Central	1,409	—	—	—	—	—
Eastern	2,222	—	—	—	—	—
Northern	1,370	—	—	—	—	—
Southern	2,000	—	—	—	—	—
Western	2,392	—	—	—	—	—
CLACKMANNAN COUNTY:						
Small Burghs	**15,730**	**2**	**13**	**10,972**	**5,738**	**52·3**
Alloa	9,104	2	2	4,346	1,718	39·5
Alva	2,926	—	4	2,926	1,588	54·3

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Clackmannan County—*cont.*						
Dollar	1,070	—	4	1,070	615	57·5
Tillicoultry	2,630	—	3	2,630	1,817	69·1
Landward	**9,128**	—	—	—	—	—
Districts	**9,128**	—	—	—	—	—
Alloa	6,922	—	—	—	—	—
Hillfoots	2,206	—	—	—	—	—
DUMFRIES COUNTY:						
Large Burgh						
Dumfries	15,588	8	1	1,944	771	39·7
Small Burghs	**10,851**	**4**	**17**	**10,061**	**4,918**	**48·9**
Annan	3,229	—	4	3,229	1,090	33·8
Langholm	1,801	—	4	1,801	830	46·1
Lochmaben	790	4	—	—	—	—
Lockerbie	1,979	—	3	1,979	1,156	58·4
Moffat	1,563	—	3	1,563	749	47·9
Sanquhar	1,489	—	3	1,489	1,093	73·4
Landward	**27,856**	—	—	—	—	—
Districts	**27,856**	—	—	—	—	—
Annan	3,104	—	—	—	—	—
Dumfries	6,943	—	—	—	—	—
Gretna	3,754	—	—	—	—	—
Langholm	1,759	—	—	—	—	—
Lockerbie	2,858	—	—	—	—	—
Moffat	1,087	—	—	—	—	—
Sanquhar	3,404	—	—	—	—	—
Thornhill	4,947	—	—	—	—	—
DUNBARTON COUNTY:						
Large Burghs	**45,126**	—	**11**	**45,126**	**23,064**	**51·1**
Clydebank	29,748	—	6	29,748	13,067	43·9
Dumbarton	15,378	—	5	15,378	9,997	65·0
Small Burghs	**22,380**	**4**	**9**	**13,374**	**8,034**	**60·1**
Cove and Kilcreggan ...	759	—	3	759	492	64·8
Helensburgh...	6,594	2	1	1,897	1,120	59·0
Kirkintilloch	9,458	2	2	5,149	3,456	67·1
Milngavie	5,569	—	3	5,569	2,966	53·3
Landward	**41,160**	—	—	—	—	—
Districts	**41,160**	—	—	—	—	—
Cumbernauld	3,297	—	—	—	—	—
Helensburgh...	4,744	—	—	—	—	—
Kirkintilloch	2,591	—	—	—	—	—
New Kilpatrick	9,235	—	—	—	—	—
Old Kilpatrick	5,918	—	—	—	—	—
Vale of Leven	15,375	—	—	—	—	—
EAST LOTHIAN COUNTY:						
Small Burghs	**16,799**	**3**	**21**	**16,019**	**7,966**	**49.7**
Cockenzie and Port Seton ...	2,170	—	3	2,170	988	45·5
Dunbar	2,798	—	4	2,798	1,331	47·6
East Linton	780	3	—	—	—	—
Haddington	2,890	—	4	2,890	1,048	36·3
North Berwick	2,821	—	3	2,821	1,372	48·6
Prestonpans	1,787	—	3	1,787	790	44·2
Tranent	3,553	—	4	3,553	2,437	68·6

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
East Lothian County—*contd.*						
Landward	**17,061**	—	—	—	—	—
Districts	**17,061**	—	—	—	—	—
Dunbar	2,564	—	—	—	—	—
Haddington	3,142	—	—	—	—	—
North Berwick	3,573	—	—	—	—	—
Prestonpans	3,564	—	—	—	—	—
Tranent	4,218	—	—	—	—	—
FIFE COUNTY:						
Large Burghs	**62,729**	**2**	**15**	**57,233**	**23,466**	**41·0**
Dunfermline	29,417	1	6	27,084	12,495	46·1
Kirkcaldy	33,312	1	9	30,149	10,971	36·4
Small Burghs	**73,345**	**36**	**43**	**34,891**	**16,030**	**45.9**
Auchtermuchty	999	—	5	1,007	540	53·6
Buckhaven and Methil ...	13,249	3	1	2,192	706	32·2
Burntisland	4,190	—	4	4,190	2,113	50·4
Cowdenbeath	8,850	2	2	4,549	1,857	40·8
Crail	886	—	6	886	416	47·0
Culross	395	—	4	395	278	70·4
Cupar	4,064	4	—	—	—	—
Elie and Earlsferry ...	892	—	3	892	551	61·8
Falkland	781	3	—	—	—	—
Inverkeithing	2,583	4	—	—	—	—
Kilrenny, Anstruther Easter and Anstruther Wester ...	2,376	2	—	—	—	—
Kinghorn	1,657	—	3	1,657	839	50·6
Ladybank	926	2	—	—	—	—
Leslie...	1,868	—	3	1,868	830	44·4
Leven	6,268	2	1	2,235	1,023	45·8
Lochgelly	6,220	—	4	6,220	2,828	45·5
Markinch	1,639	3	—	—	—	—
Newburgh	1,730	3	—	—	—	—
Newport	2,580	3	—	—	—	—
Pittenweem	1,233	3	—	—	—	—
St. Andrews	6,454	—	4	6,454	2,722	42·2
St. Monance...	1,159	2	—	—	—	—
Tayport	2,346	—	3	2,346	1,327	56·6
Landward	**68,609**	—	—	—	—	—
Districts	**68,609**	—	—	—	—	—
Anstruther	4,056	—	—	—	—	—
Cupar	9,157	—	—	—	—	—
Dunfermline	15,278	—	—	—	—	—
Kirkcaldy	7,266	—	—	—	—	—
Lochgelly	20,833	—	—	—	—	—
St. Andrews	4,092	—	—	—	—	—
Wemyss	7,927	—	—	—	—	—
INVERNESS COUNTY:						
Large Burgh						
Inverness	18,918	4	3	7,804	2,784	35·7
Small Burghs	**2,723**	**5**	**3**	**1,946**	**825**	**42·4**
Fort William	1,946	—	3	1,946	825	42·4
Kingussie	777	5	—	—	—	—
Landward	**37,721**	—	—	—	—	—
Districts	**37,721**	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Inverness County—*continued*						
Aird	6,326	—	—	—	—	—
Badenoch	4,151	—	—	—	—	—
Barra...	1,487	—	—	—	—	—
Harris	3,199	—	—	—	—	—
Inverness	5,224	—	—	—	—	—
Lochaber	6,207	—	—	—	—	—
North Uist	1,578	—	—	—	—	—
Skye	7,003	—	—	—	—	—
South Uist	2,546	—	—	—	—	—
KINCARDINE COUNTY:						
Small Burghs	**6,548**	**5**	**7**	**4,391**	**2,053**	**46·8**
Banchory	1,476	2	—	—	—	—
Inverbervie	681	3	—	—	—	—
Laurencekirk	1,118	—	3	1,118	498	44·5
Stonehaven	3,273	—	4	3,273	1,555	47·5
Landward	**12,122**	—	—	—	—	—
Districts	**12,122**	—	—	—	—	—
Laurencekirk	2,801	—	—	—	—	—
Lower Deeside	2,193	—	—	—	—	—
St. Cyrus	2,552	—	—	—	—	—
Stonehaven	2,694	—	—	—	—	—
Upper Deeside	1,882	—	—	—	—	—
KINROSS COUNTY:						
Small Burgh:						
Kinross	1,752	—	3	1,752	1,140	65·1
Landward	**3,091**	—	—	—	—	—
Districts—None	—	—	—	—	—	—
KIRKCUDBRIGHT COUNTY:						
Small Burghs	**6,172**	**17**	—	—	—	—
Castle Douglas	2,065	3	—	—	—	—
Dalbeattie	1,819	2	—	—	—	—
Gatehouse	564	3	—	—	—	—
Kirkcudbright	1,489	6	—	—	—	—
New Galloway	235	3	—	—	—	—
Landward	**11,532**	—	—	—	—	—
Districts	**11,532**	—	—	—	—	—
Castle Douglas	1,735	—	—	—	—	—
Creetown	1,863	—	—	—	—	—
Dalbeattie	2,263	—	—	—	—	—
Eastern	1,802	—	—	—	—	—
Glenkens	1,586	—	—	—	—	—
Kirkcudbright	2,283	—	—	—	—	—
LANARK COUNTY:						
County of City						
Glasgow	729,311	4	33	646,443	239,614	37·1
Other Large Burghs ...	**137,708**	**1**	**32**	**134,897**	**61,596**	**45·7**
Airdrie	19,341	—	5	19,341	8,733	45·2
Coatbridge	29,559	—	6	29,559	13,889	47·0
Hamilton	26,015	—	5	26,015	11,665	44·8
Motherwell and Wishaw ...	45,278	—	10	45,278	19,010	42·0
Rutherglen	17,515	1	6	14,704	8,299	56·4

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Lanark County—*continued*						
Small Burghs	**5,640**	**9**	—	—	—	—
Biggar	1,171	4	—	—	—	—
Lanark	4,469	5	—	—	—	—
Landward	**198,212**	—	—	—	—	—
Districts	**198,212**	—	—	—	—	—
No. 1	5,112	—	—	—	—	—
No. 2	9,974	—	—	—	—	—
No. 3	15,242	—	—	—	—	—
No. 4	22,646	—	—	—	—	—
No. 5	15,035	—	—	—	—	—
No. 6	38,078	—	—	—	—	—
No. 7	23,546	—	—	—	—	—
No. 8	26,739	—	—	—	—	—
No. 9	41,840	—	—	—	—	—
MIDLOTHIAN COUNTY:						
County of City						
Edinburgh	339,974	8	16	221,830	67,793	30·6
Small Burghs	**28,559**	—	**16**	**28,559**	**17,182**	**60·2**
Bonnyrigg and Lasswade ...	3,905	—	3	3,905	2,699	69·1
Dalkeith	6,120	—	3	6,120	3,869	63·2
Loanhead	3,273	—	3	3,273	1,613	49·3
Musselburgh	12,238	—	4	12,238	8,001	65·4
Penicuik	3,023	—	3	3,023	1,000	33·1
Landward	**37,053**	—	—	—	—	—
Districts	**37,053**	—	—	—	—	—
Currie	4,106	—	—	—	—	—
East Calder	4,065	—	—	—	—	—
Gala Water	4,551	—	—	—	—	—
Lasswade	2,576	—	—	—	—	—
Musselburgh	4,123	—	—	—	—	—
Newbattle	8,770	—	—	—	—	—
Penicuik	3,885	—	—	—	—	—
West Calder	4,977	—	—	—	—	—
MORAY COUNTY:						
Small Burghs	**16,346**	**13**	**12**	**10,236**	**3,578**	**35·0**
Burghead	946	3	—	—	—	—
Elgin	7,163	—	6	7,163	2,585	36·1
Forres	3,073	—	6	3,073	993	32·3
Grantown-on-Spey	1,047	3	—	—	—	—
Lossiemouth & Branderburgh	3,272	4	—	—	—	—
Rothes	845	3	—	—	—	—
Landward	**13,398**	—	—	—	—	—
Districts	**13,398**	—	—	—	—	—
Cromdale	786	—	—	—	—	—
Duffus and Drainie ...	2,031	—	—	—	—	—
Elgin	3,517	—	—	—	—	—
Fochabers	2,685	—	—	—	—	—
Forres	3,203	—	—	—	—	—
Rothes and Knockando ...	1,176	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
NAIRN COUNTY:						
Small Burgh						
Nairn...	3,350	5	—	—	—	—
Landward	**2,655**	—	—	—	—	—
Districts—None	—					
ORKNEY COUNTY:						
Small Burghs	**4,249**	**10**	—	—	—	—
Kirkwall	3,110	5	—	—	—	—
Stromness	1,139	5	—	—	—	—
Landward	**11,170**	—	—	—	—	—
Districts	**11,170**	—	—	—	—	—
Eday	221	—	—	—	—	—
Hoy and Walls	975	—	—	—	—	—
Mainland	6,005	—	—	—	—	—
North Ronaldsay	168	—	—	—	—	—
Rousay	319	—	—	—	—	—
Sanday	653	—	—	—	—	—
Shapinsay	358	—	—	—	—	—
South Ronaldsay	1,089	—	—	—	—	—
Stronsay	461	—	—	—	—	—
Westray	921	—	—	—	—	—
PEEBLES COUNTY:						
Small Burghs	**6,046**	—	**7**	**6,046**	**2,937**	**48·6**
Innerleithen	1,693	—	3	1,693	751	44·4
Peebles	4,353	—	4	4,353	2,186	50·2
Landward	**4,640**	—	—	—	—	—
Districts	**4,640**	—	—	—	—	—
Broughton	863	—	—	—	—	—
Innerleithen	1,240	—	—	—	—	—
Linton	1,432	—	—	—	—	—
Peebles	1,105	—	—	—	—	—
PERTH COUNTY:						
Large Burgh						
Perth...	28,025	9	15	17,916	8,458	47·2
Small Burghs	**19,485**	**19**	**19**	**8,910**	**3,960**	**44·4**
Aberfeldy	1,090	3	—	—	—	—
Abernethy	492	3	—	—	—	—
Alyth...	1,430	3	—	—	—	—
Auchterarder	1,756	—	4	1,756	858	48·9
Blairgowrie and Rattray ...	3,684	6	—	—	—	—
Callander	1,210	—	3	1,210	516	42·6
Coupar Angus	1,577	—	3	1,577	665	42·2
Crieff	3,879	4	—	—	—	—
Doune	634	—	3	634	409	64·5
Dunblane	2,113	—	3	2,113	886	41·9
Pitlochry	1,620	—	3	1,620	626	38·6
Landward	**39,019**	—	—	—	—	—
Districts	**39,019**	—	—	—	—	—
Central	6,401	—	—	—	—	—
Eastern	6,195	—	—	—	—	—
Highland	6,278	—	—	—	—	—
Perth	14,426	—	—	—	—	—
Western	5,719	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
RENFREW COUNTY:						
Large Burghs	**126,203**	—	**22**	**126,203**	**63,676**	**50·5**
Greenock	49,854	—	9	49,854	23,382	46·9
Paisley	63,654	—	9	63,654	31,885	50·1
Port Glasgow	12,695	—	4	12,695	8,409	66·2
Small Burghs	**38,480**	**1**	**15**	**35,451**	**19,563**	**55·2**
Barrhead	8,825	1	4	5,796	2,872	49·6
Gourock	7,245	—	3	7,245	4,188	57·8
Johnstone	10,102	—	4	10,102	5,426	53·7
Renfrew	12,308	—	4	12,308	7,077	57·5
Landward	**55,845**	—	—	—	—	—
Districts	**55,845**	—	—	—	—	—
No. 1	28,775	—	—	—	—	—
No. 2	9,347	—	—	—	—	—
No. 3	3,434	—	—	—	—	—
No. 4	10,187	—	—	—	—	—
No. 5	4,102	—	—	—	—	—
ROSS AND CROMARTY COUNTY:						
Small Burghs	**9,894**	**15**	**12**	**5,242**	**2,458**	**46·9**
Cromarty	683	4	—	—	—	—
Dingwall	2,716	5	—	—	—	—
Fortrose	738	—	5	738	452	61·2
Invergordon	1,215	—	4	1,215	676	55·6
Stornoway	3,289	—	3	3,289	1,330	40·4
Tain	1,253	6	—	—	—	—
Landward	**38,246**	—	—	—	—	—
Districts	38,246	—	—	—	—	—
Avoch	2,396	—	—	—	—	—
Dingwall	2,808	—	—	—	—	—
Fearn	2,282	—	—	—	—	—
Fortrose	1,007	—	—	—	—	—
Gairloch	1,657	—	—	—	—	—
Invergordon	2,592	—	—	—	—	—
Lewis...	15,018	—	—	—	—	—
Lochbroom	1,516	—	—	—	—	—
Lochcarron	1,420	—	—	—	—	—
Muir-of-Ord	4,309	—	—	—	—	—
South-West	1,641	—	—	—	—	—
Tain	1,600	—	—	—	—	—
ROXBURGH COUNTY:						
Small Burghs	**19,421**	**16**	**3**	**5,120**	**1,307**	**25·5**
Hawick	12,211	4	3	5,120	1,307	25·5
Jedburgh	2,875	3	—	—	—	—
Kelso	2,978	5	—	—	—	—
Melrose	1,357	4	—	—	—	—
Landward	**13,104**	—	—	—	—	—
Districts	**13,104**	—	—	—	—	—
Hawick	3,209	—	—	—	—	—
Jedburgh	2,747	—	—	—	—	—
Kelso	3,348	—	—	—	—	—
Melrose	3,800	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
SELKIRK COUNTY:						
Small Burghs	**13,797**	**4**	**7**	**6,622**	**2,198**	**33·2**
Galashiels	9,344	4	1	2,169	753	34·7
Selkirk	4,453	—	6	4,453	1,445	32·5
Landward	**2,248**	—	—	—	—	—
Districts	**2,248**	—	—	—	—	—
North	1,345	—	—	—	—	—
South	903	—	—	—	—	—
STIRLING COUNTY:						
Large Burghs	**44,306**	**2**	**12**	**38,796**	**18,047**	**46.5**
Falkirk	25,964	—	5	25,964	12,225	47·1
Stirling	18,342	2	7	12,832	5,822	45·4
Small Burghs	**23,352**	**6**	**7**	**12,553**	**8,116**	**64·7**
Bridge of Allan	2,331	3	—	—	—	—
Denny and Dunipace ...	4,340	—	3	4,340	2,928	67·5
Grangemouth	10,256	3	1	1,788	1,033	57·8
Kilsyth	6,425	—	3	6,425	4,155	64·7
Landward	**55,547**	—	—	—	—	—
Districts	**55,547**	—	—	—	—	—
Central No. 1	10,399	—	—	—	—	—
No. 2	8,915	—	—	—	—	—
Eastern No. 1	11,730	—	—	—	—	—
No. 2	8,530	—	—	—	—	—
No. 3	5,096	—	—	—	—	—
Western No. 1	1,196	—	—	—	—	—
No. 2	4,677	—	—	—	—	—
No. 3	5,004	—	—	—	—	—
SUTHERLAND COUNTY:						
Small Burgh						
Dornoch	571	—	4	571	436	76·4
Landward	**9,894**	—	—	—	—	—
Districts	**9,894**	—	—	—	—	—
Assynt	701	—	—	—	—	—
Dornoch and Creich ...	2,166	—	—	—	—	—
Edrachillis and Durness ...	852	—	—	—	—	—
Golspie, Rogart and Lairg ...	2,094	—	—	—	—	—
Kildonan, Loth and Clyne	2,340	—	—	—	—	—
Tongue and Farr	1,741	—	—	—	—	—
WEST LOTHIAN COUNTY:						
Small Burghs	**25,575**	**6**	**17**	**19,782**	**9,244**	**46.7**
Armadale	3,778	—	3	3,778	2,794	74·0
Bathgate	7,505	—	4	7,505	3,118	41·5
Bo'ness	6,830	3	1	2,729	1,399	51·3
Linlithgow	2,792	—	6	2,792	1,173	42·0
Queensferry	1,692	3	—	—	—	—
Whitburn	2,978	—	3	2,978	760	25·5
Landward	**30,780**	—	—	—	—	—
Districts	**30,780**	—	—	—	—	—
Bo'ness	2,619	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
West Lothian Co.—*continued*						
Linlithgow	1,960	—	—	—	—	—
Queensferry	3,915	—	—	—	—	—
Torphichen and Bathgate ...	3,987	—	—	—	—	—
Uphall	7,923	—	—	—	—	—
Whitburn and Livingstone...	10,376	—	—	—	—	—
WIGTOWN COUNTY:						
Small Burghs	**7,833**	**7**	**10**	**5,723**	**1,915**	**33·5**
Newton-Stewart	1,428	4	—	—	—	—
Stranraer	4,723	—	6	4,723	1,537	32·5
Whithorn	682	3	—	—	—	—
Wigtown	1,000	—	4	1,000	378	37·8
Landward	**9,379**	—	—	—	—	—
Districts	**9,379**	—	—	—	—	—
Machars	4,066	—	—	—	—	—
Rhins	5,313	—	—	—	—	—
ZETLAND COUNTY:						
Small Burgh:						
Lerwick	3,993	—	4	3,993	748	18·7
Landward	**10,235**	—	—	—	—	—
Districts	**10,235**	—	—	—	—	—
Bressay	261	—	—	—	—	—
Delting	647	—	—	—	—	—
Dunrossness	1,814	—	—	—	—	—
Fetlar	128	—	—	—	—	—
Lerwick (Landward) ...	804	—	—	—	—	—
Nesting	441	—	—	—	—	—
Northmaven...	766	—	—	—	—	—
Sandsting	934	—	—	—	—	—
Tingwall	1,179	—	—	—	—	—
Unst	741	—	—	—	—	—
Walls	693	—	—	—	—	—
Whalsay	703	—	—	—	—	—
Yell	1,124	—	—	—	—	—

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1947 to 1951

	1939	1947	1948	1949	1950	1951
SCOTLAND	**1,294,872**	**1,347,718**	**1,374,387**	**1,398,576**	**1,420,411**	**1,438,390**
Counties of Cities ...	**507,110**	**521,723**	**529,864**	**536,926**	**544,710**	**549,350**
Large Burghs	**199,651**	**211,205**	**216,832**	**222,198**	**225,567**	**229,486**
Small Burghs	**213,511**	**226,961**	**232,055**	**235,792**	**240,115**	**244,940**
Landward Areas ...	**374,600**	**387,829**	**395,636**	**403,660**	**410,019**	**414,614**
ABERDEEN COUNTY	**83,224**	**86,370**	**88,117**	**89,123**	**89,866**	**90,893**
County of City of Aberdeen	**46,516**	**48,807**	**49,966**	**50,537**	**51,027**	**51,685**
Small Burghs	**10,386**	**10,891**	**11,102**	**11,298**	**11,405**	**11,533**
Ballater...	394	399	401	409	407	409
Ellon	389	423	427	437	442	451
Fraserburgh	2,410	2,534	2,580	2,609	2,638	2,679
Huntly	1,106	1,127	1,156	1,161	1,153	1,172
Inverurie	1,306	1,378	1,435	1,468	1,474	1,485
Kintore	231	232	242	247	262	264
Oldmeldrum	293	323	333	338	342	345
Peterhead	3,177	3,362	3,399	3,460	3,451	3,466
Rosehearty	308	301	320	334	355	359
Turriff	772	812	809	835	881	903
Landward	**26,322**	**26,672**	**27,049**	**27,288**	**27,434**	**27,675**
ANGUS COUNTY ...	**78,121**	**80,358**	**82,524**	**83,445**	**84,388**	**85,439**
County of City of Dundee	**49,416**	**50,939**	**52,569**	**53,178**	**53,780**	**54,459**
Large Burgh	**5,806**	**6,065**	**6,182**	**6,293**	**6,415**	**6,499**
Arbroath	5,806	6,065	6,182	6,293	6,415	6,499
Small Burghs	**12,612**	**13,284**	**13,533**	**13,664**	**13,859**	**14,053**
Brechin	2,161	2,382	2,413	2,457	2,486	2,547
Carnoustie	1,603	1,770	1,776	1,788	1,822	1,845
Forfar	3,156	3,248	3,309	3,347	3,372	3,424
Kirriemuir	1,187	1,256	1,281	1,284	1,288	1,295
Monifieth	1,038	1,064	1,124	1,138	1,187	1,191
Montrose	3,467	3,564	3,630	3,650	3,704	3,751
Landward	**10,287**	**10,070**	**10,240**	**10,310**	**10,334**	**10,428**
ARGYLL COUNTY ...	**18,889**	**19,883**	**19,972**	**20,006**	**19,864**	**20,017**
Small Burghs	**7,487**	**7,857**	**7,870**	**7,954**	**8,067**	**8,154**
Campbeltown	1,745	1,882	1,902	1,942	2,006	2,052
Dunoon	3,501	3,588	3,616	3,637	3,610	3,630
Inveraray	153	154	154	152	152	150
Lochgilphead	370	384	385	395	417	407
Oban	1,472	1,565	1,573	1,591	1,627	1,652
Tobermory	246	284	240	237	255	263
Landward	**11,402**	**12,026**	**12,102**	**12,052**	**11,797**	**11,863**
AYR COUNTY	**75,984**	**80,606**	**82,389**	**84,419**	**85,672**	**87,725**
Large Burghs	**20,424**	**21,658**	**22,192**	**22,738**	**22,989**	**23,251**
Ayr	9,981	10,557	10,765	10,980	11,095	11,221
Kilmarnock	10,443	11,101	11,427	11,758	11,894	12,030
Small Burghs	**25,787**	**27,726**	**28,539**	**29,001**	**29,541**	**30,207**
Ardrossan	1,951	2,133	2,208	2,243	2,266	2,297
Cumnock and Holmhead	1,089	1,156	1,176	1,197	1,220	1,256
Darvel	1,003	1,021	1,024	1,034	1,066	1,093
Galston	1,247	1,352	1,368	1,387	1,401	1,415
Girvan	1,634	1,705	1,711	1,732	1,767	1,769
Irvine	3,074	3,471	3,682	3,744	3,846	3,960
Kilwinning	1,320	1,459	1,560	1,618	1,618	1,744
Largs	2,882	3,003	3,025	3,045	3,078	3,090

Note—The figures in the above table are not strictly comparable between one year and another, because the boundaries of cities and burghs have, in a number of instances, been altered since 1939.

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1947 to 1951—*cont.*

	1939	1947	1948	1949	1950	1951
Ayr County—*continued*						
Maybole	1,202	1,251	1,358	1,335	1,334	1,363
Newmilns & Greenholm	1,237	1,291	1,313	1,329	1,359	1,399
Prestwick	2,934	3,123	3,188	3,248	3,322	3,358
Saltcoats	2,980	3,234	3,334	3,441	3,513	3,587
Stewarton	795	832	875	878	880	982
Troon	2,439	2,695	2,717	2,770	2,871	2,894
Landward	**29,773**	**31,222**	**31,658**	**32,680**	**33,142**	**34,267**
BANFF COUNTY ...	**13,217**	**13,594**	**13,821**	**13,562**	**13,709**	**13,773**
Small Burghs	**7,545**	**7,861**	**7,992**	**7,672**	**7,768**	**7,820**
Aberchirder	259	259	259	258	264	268
Aberlour	229	233	233	228	236	244
Banff	932	971	982	985	996	1,003
Buckie	1,912	2,004	2,046	1,794	1,802	1,819
Cullen	479	502	503	493	501	501
Dufftown	425	424	426	417	428	438
Findochty	371	393	412	407	407	407
Keith	1,144	1,185	1,217	1,211	1,215	1,215
Macduff...	896	967	973	958	958	964
Portknockie	407	418	434	423	423	423
Portsoy	491	505	507	498	538	538
Landward	**5,672**	**5,733**	**5,829**	**5,890**	**5,941**	**5,953**
BERWICK COUNTY ...	**7,856**	**7,965**	**8,048**	**7,761**	**7,647**	**7,663**
Small Burghs	**1,862**	**1,994**	**2,017**	**2,037**	**2,029**	**2,050**
Coldstream	417	446	448	452	451	450
Duns	606	627	649	650	644	672
Eyemouth	624	704	706	710	711	708
Lauder	215	217	214	225	223	220
Landward	**5,994**	**5,971**	**6,031**	**5,724**	**5,618**	**5,613**
BUTE COUNTY ...	**7,338**	**7,469**	**7,512**	**7,481**	**7,499**	**7,680**
Small Burghs	**4,470**	**4,621**	**4,656**	**4,571**	**4,589**	**4,770**
Millport	1,207	1,203	1,213	1,159	1,159	1,224
Rothesay	3,263	3,418	3,443	3,412	3,430	3,546
Landward	**2,868**	**2,848**	**2,856**	**2,910**	**2,910**	**2,910**
CAITHNESS COUNTY	**7,211**	**7,436**	**7,581**	**7,698**	**7,825**	**7,851**
Small Burghs	**2,846**	**3,054**	**3,190**	**3,260**	**3,340**	**3,330**
Thurso	852	898	967	985	1,018	1,004
Wick	1,994	2,156	2,223	2,275	2,322	2,326
Landward	**4,365**	**4,382**	**4,391**	**4,438**	**4,485**	**4,521**
CLACKMANNAN CO.	**9,025**	**9,787**	**9,893**	**10,321**	**10,794**	**10,968**
Small Burghs	**6,094**	**6,554**	**6,635**	**6,756**	**6,908**	**6,917**
Alloa	3,423	3,648	3,691	3,772	3,837	3,832
Alva	1,198	1,327	1,331	1,338	1,318	1,358
Dollar	456	461	489	511	504	490
Tillicoultry	1,017	1,118	1,124	1,135	1,249	1,237
Landward	**2,931**	**3,233**	**3,258**	**3,565**	**3,886**	**4,051**
DUMFRIES COUNTY	**21,490**	**22,594**	**23,049**	**23,527**	**23,842**	**24,126**
Large Burgh	**6,381**	**6,976**	**7,227**	**7,265**	**7,384**	**7,512**
Dumfries	6,381	6,976	7,227	7,265	7,384	7,512
Small Burghs	**4,002**	**4,411**	**4,477**	**4,610**	**4,732**	**4,814**
Annan	1,057	1,244	1,272	1,302	1,349	1,363
Langholm	784	853	852	872	879	887
Lochmaben	292	313	318	322	333	336
Lockerbie	760	801	815	842	838	842
Moffat	611	652	664	678	678	681
Sanquhar	498	548	556	594	655	705
Landward	**11,107**	**11,207**	**11,345**	**11,652**	**11,726**	**11,800**

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1947 to 1951—*cont.*

	1939	1947	1948	1949	1950	1951
DUNBARTON COUNTY	**39,258**	**39,215**	**41,175**	**43,001**	**43,911**	**45,366**
Large Burghs	**16,977**	**15,078**	**16,285**	**17,552**	**17,753**	**18,804**
Clydebank	11,572	9,169	10,139	11,210	11,397	12,336
Dumbarton	5,405	5,909	6,146	6,342	6,356	6,468
Small Burghs	**7,732**	**8,620**	**8,858**	**9,072**	**9,252**	**9,408**
Cove and Kilcreggan ...	351	363	350	350	391	348
Helensburgh	2,405	2,559	2,601	2,654	2,693	2,725
Kirkintilloch	3,242	3,598	3,686	3,750	3,788	3,877
Milngavie	1,734	2,100	2,221	2,318	2,380	2,458
Landward	**14,549**	**15,517**	**16,032**	**16,377**	**16,906**	**17,154**
EAST LOTHIAN CO....	**12,767**	**13,435**	**13,670**	**13,917**	**14,061**	**14,293**
Small Burghs	**6,301**	**6,542**	**6,703**	**6,899**	**7,000**	**7,162**
Cockenzie & Port Seton	738	783	861	895	899	938
Dunbar	1,163	1,148	1,167	1,193	1,229	1,248
East Linton	284	309	310	322	333	343
Haddington	1,168	1,200	1,230	1,227	1,208	1,242
North Berwick... ...	1,005	1,075	1,095	1,131	1,166	1,175
Prestonpans	672	705	706	722	726	765
Tranent...	1,271	1,322	1,334	1,409	1,439	1,451
Landward	**6,466**	**6,893**	**6,967**	**7,018**	**7,061**	**7,131**
FIFE COUNTY... ...	**75,928**	**80,888**	**83,456**	**84,895**	**87,055**	**88,434**
Large Burghs	**22,997**	**25,508**	**25,925**	**26,484**	**26,985**	**27,391**
Dunfermline	10,309	11,885	12,120	12,433	12,531	12,674
Kirkcaldy	12,688	13,623	13,805	14,051	14,454	14,717
Small Burghs	**27,768**	**29,284**	**29,936**	**30,792**	**31,426**	**32,052**
Auchtermuchty ...	414	422	433	440	440	454
Buckhaven and Methil	4,516	4,899	5,102	5,299	5,412	5,539
Burntisland	1,621	1,695	1,718	1,730	1,732	1,763
Cowdenbeath	3,108	3,359	3,460	3,672	3,754	3,857
Crail	397	403	404	411	423	449
Culross	134	140	151	147	162	179
Cupar	1,558	1,614	1,655	1,703	1,731	1,747
Elie and Earlsferry ...	485	485	491	496	502	500
Falkland	294	304	304	326	354	356
Inverkeithing	881	1,004	1,002	1,044	1,055	1,087
Kilrenny, Anstruther Easter & Anstruther Wester	1,119	1,109	1,114	1,119	1,125	1,134
Kinghorn	698	699	709	728	758	761
Ladybank	391	388	398	400	406	414
Leslie	782	799	806	818	831	864
Leven	2,345	2,559	2,580	2,639	2,697	2,741
Lochgelly	2,118	2,242	2,329	2,399	2,496	2,564
Markinch	652	694	687	706	724	736
Newburgh	770	713	759	769	772	798
Newport	1,009	1,049	1,068	1,086	1,098	1,118
Pittenweem	534	533	532	537	576	570
St. Andrews	2,379	2,589	2,590	2,668	2,724	2,750
St. Monance	561	558	576	587	585	583
Tayport	1,002	1,027	1,068	1,068	1,069	1,088
Landward	**25,163**	**26,096**	**27,595**	**27,619**	**28,644**	**28,991**
INVERNESS COUNTY	**20,773**	**21,470**	**21,571**	**22,098**	**22,884**	**23,221**
Large Burgh	**6,089**	**6,436**	**6,657**	**6,987**	**7,251**	**7,453**
Inverness	6,089	6,436	6,657	6,987	7,251	7,453
Small Burghs	**944**	**935**	**981**	**999**	**1,036**	**1,037**
Fort William	636	628	668	670	688	689
Kingussie	308	307	313	329	348	348
Landward	**13,740**	**14,099**	**13,933**	**14,112**	**14,597**	**14,731**

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1947 to 1951—*cont.*

	1939	1947	1948	1949	1950	1951
KINCARDINE COUNTY	**7,119**	**7,339**	**7,406**	**7,571**	**7,608**	**7,661**
Small Burghs	**2,553**	**2,683**	**2,705**	**2,745**	**2,753**	**2,761**
Banchory	514	585	584	584	582	587
Inverbervie	268	262	262	264	264	267
Laurencekirk	468	486	501	499	503	506
Stonehaven	1,303	1,350	1,358	1,398	1,404	1,401
Landward	**4,566**	**4,656**	**4,701**	**4,826**	**4,855**	**4,900**
KINROSS COUNTY ...	**2,057**	**2,122**	**2,140**	**2,144**	**2,196**	**2,211**
Small Burgh	**716**	**722**	**731**	**737**	**754**	**764**
Kinross	716	722	731	737	754	764
Landward	**1,341**	**1,400**	**1,409**	**1,407**	**1,442**	**1,447**
KIRKCUDBRIGHT CO.	**8,315**	**8,625**	**8,641**	**8,598**	**8,626**	**8,717**
Small Burghs	**2,801**	**2,859**	**2,861**	**2,904**	**2,962**	**3,005**
Castle Douglas ...	876	899	902	928	953	974
Dalbeattie	868	873	858	875	889	889
Gatehouse	252	271	279	276	283	296
Kirkcudbright	663	694	703	707	718	726
New Galloway	142	122	119	118	119	120
Landward	**5,514**	**5,766**	**5,780**	**5,694**	**5,664**	**5,712**
LANARK COUNTY ...	**400,057**	**414,778**	**421,047**	**427,627**	**434,957**	**439,471**
County of City of Glasgow	**283,011**	**288,325**	**290,869**	**293,627**	**299,038**	**301,991**
Large Burghs	**47,604**	**52,374**	**53,868**	**54,654**	**55,559**	**56,508**
Airdrie	6,276	6,995	7,399	7,597	7,728	7,973
Coatbridge	10,082	11,106	11,541	11,692	11,943	12,135
Hamilton	8,639	9,527	9,748	9,872	10,035	10,280
Motherwell & Wishaw	15,925	17,740	18,172	18,428	18,602	18,785
Rutherglen	6,682	7,006	7,008	7,065	7,251	7,335
Small Burghs	**1,988**	**2,188**	**2,223**	**2,261**	**2,304**	**2,576**
Biggar	415	449	471	482	487	489
Lanark	1,573	1,739	1,752	1,779	1,817	2,087
Landward	**67,454**	**71,891**	**74,087**	**77,085**	**78,056**	**78,396**
MIDLOTHIAN COUNTY	**150,274**	**157,423**	**161,180**	**165,663**	**167,713**	**168,084**
County of City of Edinburgh	**128,167**	**133,652**	**136,460**	**139,584**	**140,865**	**141,215**
Small Burghs	**9,949**	**10,610**	**11,048**	**11,379**	**11,579**	**11,860**
Bonnyrigg and Lasswade	1,453	1,472	1,553	1,557	1,594	1,613
Dalkeith	1,901	2,092	2,193	2,376	2,416	2,459
Loanhead	959	1,048	1,126	1,264	1,293	1,325
Musselburgh	4,399	4,654	4,758	4,796	4,885	4,928
Penicuik	1,237	1,344	1,418	1,386	1,391	1,535
Landward	**12,158**	**13,161**	**13,672**	**14,700**	**15,269**	**15,009**
MORAY COUNTY ...	**11,031**	**11,322**	**11,491**	**11,742**	**12,105**	**12,412**
Small Burghs	**5,787**	**6,181**	**6,260**	**6,391**	**6,503**	**6,754**
Burghead	378	377	382	395	387	391
Elgin	2,474	2,751	2,798	2,851	2,899	3,031
Forres	1,148	1,195	1,205	1,213	1,222	1,279
Grantown-on-Spey ...	418	431	428	436	448	456
Lossiemouth and Branderburgh ...	1,033	1,088	1,108	1,151	1,201	1,253
Rothes	336	339	339	345	346	344
Landward	**5,244**	**5,141**	**5,231**	**5,351**	**5,602**	**5,658**
NAIRN COUNTY ...	**2,281**	**2,339**	**2,409**	**2,402**	**2,417**	**2,468**
Small Burgh	**1,239**	**1,310**	**1,338**	**1,335**	**1,350**	**1,392**
Nairn	1,239	1,310	1,338	1,335	1,350	1,392
Landward	**1,042**	**1,029**	**1,071**	**1,067**	**1,067**	**1,076**

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1947 to 1951—*cont.*

	1939	1947	1948	1949	1950	1951
ORKNEY COUNTY ...	**6,087**	**6,221**	**6,295**	**6,292**	**6,366**	**6,362**
Small Burghs	**1,487**	**1,598**	**1,612**	**1,637**	**1,689**	**1,690**
Kirkwall	1,044	1,121	1,136	1,161	1,208	1,210
Stromness	443	477	476	476	481	480
Landward	**4,600**	**4,623**	**4,683**	**4,655**	**4,677**	**4,672**
PEEBLES COUNTY ...	**4,318**	**4,481**	**4,567**	**4,664**	**4,696**	**4,763**
Small Burghs	**2,475**	**2,575**	**2,620**	**2,651**	**2,716**	**2,758**
Innerleithen	697	742	755	763	780	804
Peebles	1,778	1,833	1,865	1,888	1,936	1,954
Landward	**1,843**	**1,906**	**1,947**	**2,013**	**1,980**	**2,005**
PERTH COUNTY ...	**34,217**	**35,594**	**36,203**	**36,888**	**37,419**	**38,046**
Large Burgh	**10,286**	**11,094**	**11,453**	**11,789**	**12,035**	**12,127**
Perth	10,286	11,094	11,453	11,789	12,035	12,127
Small Burghs	**7,128**	**7,960**	**8,101**	**8,286**	**8,398**	**8,503**
Aberfeldy	437	465	463	484	485	491
Abernethy	199	211	213	210	217	228
Alyth	601	613	618	630	631	654
Auchterarder	680	704	732	735	757	770
Blairgowrie and Rattray	1,519	1,589	1,595	1,648	1,663	1,679
Callander	447	484	505	523	543	545
Coupar Angus	601	625	648	667	687	688
Crieff	1,559	1,598	1,610	1,636	1,654	1,671
Doune	253	252	252	261	256	257
Dunblane	832	861	884	887	891	891
Pitlochry	Burgh constituted 1947	558	581	605	614	629
Landward	**16,803**	**16,540**	**16,649**	**16,813**	**16,986**	**17,416**
RENFREW COUNTY ...	**81,383**	**85,509**	**86,707**	**88,390**	**89,445**	**90,668**
Large Burghs	**46,882**	**49,316**	**50,161**	**51,389**	**51,943**	**52,440**
Greenock	18,239	18,682	19,034	19,470	19,861	19,740
Paisley	24,284	25,844	26,223	26,738	26,773	27,161
Port Glasgow	4,359	4,790	4,904	5,181	5,309	5,539
Small Burghs	**13,408**	**14,403**	**14,595**	**14,818**	**14,948**	**15,404**
Barrhead	3,014	3,345	3,374	3,392	3,497	3,576
Gourock	2,693	2,703	2,743	2,803	2,826	2,964
Johnstone	3,373	3,795	3,881	3,934	3,922	3,965
Renfrew	4,328	4,560	4,597	4,689	4,703	4,899
Landward	**21,093**	**21,790**	**21,951**	**22,183**	**22,554**	**22,824**
ROSS AND CROMARTY COUNTY	**15,993**	**15,992**	**16,126**	**16,200**	**16,483**	**16,745**
Small Burghs	**3,197**	**3,422**	**3,461**	**3,498**	**3,640**	**3,746**
Cromarty	268	261	264	266	270	277
Dingwall	714	797	819	824	842	891
Fortrose	285	287	297	296	305	313
Invergordon	424	453	454	454	475	471
Stornoway	1,084	1,155	1,156	1,182	1,251	1,270
Tain	422	469	471	476	497	524
Landward	**12,796**	**12,570**	**12,665**	**12,702**	**12,843**	**12,999**
ROXBURGH COUNTY	**12,972**	**13,234**	**13,685**	**13,844**	**13,984**	**14,125**
Small Burghs	**7,612**	**7,910**	**8,195**	**8,341**	**8,430**	**8,551**
Hawick	4,978	5,108	5,248	5,287	5,371	5,468
Jedburgh	1,041	1,131	1,222	1,260	1,245	1,273
Kelso	1,120	1,182	1,232	1,287	1,292	1,278
Melrose	473	489	493	507	522	532
Landward	**5,360**	**5,324**	**5,490**	**5,503**	**5,554**	**5,574**

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1947 to 1951—*cont.*

	1939	1947	1948	1949	1950	1951
SELKIRK COUNTY ...	**6,666**	**6,808**	**6,869**	**6,958**	**6,992**	**7,144**
Small Burghs	**5,697**	**5,875**	**6,030**	**6,083**	**6,136**	**6,217**
Galashiels	3,985	4,067	4,082	4,128	4,170	4,232
Selkirk	1,712	1,808	1,948	1,955	1,966	1,985
Landward	**969**	**933**	**839**	**875**	**856**	**927**
STIRLING COUNTY ...	**43,522**	**45,350**	**46,408**	**47,515**	**48,457**	**49,467**
Large Burghs	**16,205**	**16,700**	**16,882**	**17,047**	**17,253**	**17,501**
Falkirk	9,490	9,698	9,812	9,920	10,028	10,201
Stirling	6,715	7,002	7,070	7,127	7,225	7,300
Small Burghs	**8,112**	**8,675**	**8,857**	**9,013**	**9,167**	**9,501**
Bridge of Allan ...	787	809	840	867	887	900
Denny and Dunipace ...	1,443	1,507	1,581	1,640	1,675	1,766
Grangemouth	3,690	3,890	3,914	3,945	3,998	4,142
Kilsyth	2,192	2,469	2,522	2,561	2,607	2,693
Landward	**19,205**	**19,975**	**20,669**	**21,455**	**22,037**	**22,465**
SUTHERLAND COUNTY	**4,725**	**4,702**	**4,706**	**4,712**	**4,775**	**4,934**
Small Burgh	**225**	**222**	**221**	**223**	**239**	**248**
Dornoch	225	222	221	223	239	248
Landward	**4,500**	**4,480**	**4,485**	**4,489**	**4,536**	**4,686**
WEST LOTHIAN CO.	**19,476**	**21,191**	**22,035**	**22,477**	**23,174**	**23,274**
Small Burghs	**8,867**	**9,401**	**9,919**	**10,143**	**10,594**	**10,758**
Armadale	1,281	1,364	1,492	1,553	1,562	1,614
Bathgate	2,569	2,834	2,941	2,923	3,158	3,228
Bo'ness	2,538	2,516	2,618	2,660	2,674	2,685
Linlithgow	959	1,047	1,130	1,129	1,173	1,192
Queensferry	542	565	628	649	679	678
Whitburn	978	1,075	1,110	1,229	1,348	1,361
Landward	**10,609**	**11,790**	**12,116**	**12,334**	**12,580**	**12,516**
WIGTOWN COUNTY	**7,599**	**7,917**	**7,971**	**7,850**	**8,095**	**8,469**
Small Burghs	**2,973**	**3,296**	**3,338**	**3,276**	**3,457**	**3,591**
Newton-Stewart ...	561	577	578	585	596	630
Stranraer	1,769	2,086	2,077	2,026	2,185	2,250
Whithorn	291	293	315	297	307	342
Wigtown	352	340	368	368	369	369
Landward	**4,626**	**4,621**	**4,633**	**4,574**	**4,638**	**4,878**
ZETLAND COUNTY ...	**5,699**	**5,701**	**5,723**	**5,785**	**5,886**	**5,920**
Small Burgh	**1,461**	**1,437**	**1,451**	**1,486**	**1,544**	**1,554**
Lerwick...	1,461	1,437	1,451	1,486	1,544	1,554
Landward	**4,238**	**4,264**	**4,272**	**4,299**	**4,342**	**4,366**

TABLE 63.—Meteorology of Scotland for 1951; also the Number of Births, Still-Births, Deaths, Deaths under 1, and Marriages registered during each Month of the Year 1951

	Year	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean of Maximum Temperature ...	52·8°	41·4°	41·6°	43·5°	48·7°	55·0°	62·2°	65·4°	62·8°	61·3°	55·7°	50·3°	45·9°
Mean of Minimum Temperature ...	41·0°	32·8°	32·5°	32·8°	35·4°	40·1°	46·5°	52·0°	50°4·	48·3°	44·5°	40·8°	36·2°
Mean Temperature	46·9°	37·1°	37·0°	38·2°	42·1°	47·5°	54·4°	58·7°	56·6°	54·8°	50·1°	45·5°	41·0°
Absolute Maximum	79°	53°	51°	56°	62°	70°	78°	79°	75°	73°	66°	60°	58°
Absolute Minimum	18°	18°	23°	18°	26°	23°	35°	39°	38°	36°	26°	26°	19°
Rainfall (Normal 100)	108	130	103	95	150	63	85	116	125	87	42	167	123
Births (Living Children only) ...	90,639	8,064	7,221	8,340	8,116	8,462	7,732	7,785	7,455	6,692	7,133	6,547	7,092
Still-Births	2,479	228	208	222	243	200	219	191	206	175	192	180	215
Deaths	65,778	9,916	6,337	6,176	5,567	5,188	4,687	4,480	4,449	4,174	4,792	4,765	5,247
Deaths under 1	3,391	420	309	359	334	272	244	250	246	202	243	237	275
Marriages	41,383	2,957	2,328	6,281	4,197	1,151	3,615	4,518	3,621	3,915	2,849	2,062	3,889
Rates per 1,000 of Estimated Population: Births	17·7	18·6	18·5	19·3	19·3	19·5	18·4	17·9	17·2	15·9	16·4	15·6	16·3
Still-Births†	27	27	28	26	29	23	28	24	27	25	26	27	29
Deaths	12·9	22·9	16·2	14·3	13·2	12·0	11·2	10·3	10·2	9·9	11·0	11·3	12·1
Infant Mortality* ...	37	52	43	43	41	32	32	32	33	30	34	36	39
Marriages	8·1	6·8	6·0	14·5	10·0	2·7	8·6	10·4	8·3	9·3	6·6	4·9	9·0

* Rate per 1,000 live births. † Rate per 1,000 births (including still-births).

TABLE 64.—Deaths, Temperature and Rainfall in Sixteen Large Burghs of Scotland during each Week of 1951

No. of Week	Week ended	Deaths (corrected for Transfers)	Death-rate (corrected per 1,000 of Population)	Temperature Max. °	Temperature Min. °	Temperature Mean °	Rain in inches	No. of Week	Week ended	Deaths (corrected for Transfers)	Death-rate (corrected per 1,000 of Population)	Temperature Max. °	Temperature Min. °	Temperature Mean °	Rain in inches
1	January 6 ...	1,053	21·2	45	17	34·7	0·53	27	July 7 ...	491	10·1	72	39	58·9	0·76
2	13 ...	1,202	24·1	43	20	35·3	1·67	28	14 ...	452	9·3	71	40	57·0	1·96
3	20 ...	1,240	24·9	53	21	39·4	1·56	29	21 ...	538	11·0	79	44	59·6	0·07
4	27 ...	1,100	22·1	49	22	37·7	0·31	30	28 ...	465	9·5	73	42	59·4	1·04
5	February 3 ...	926	18·6	51	18	36·3	0·92	31	August 4 ...	475	9·7	72	43	60·1	0·44
6	10 ...	817	16·4	47	23	36·2	0·91	32	11 ...	494	10·1	75	40	57·5	1·52
7	17 ...	765	15·4	43	23	35·8	0·83	33	18 ...	487	10·0	66	39	54·0	0·55
8	24 ...	799	16·1	48	26	37·4	0·40	34	25 ...	496	10·2	67	42	56·2	0·78
9	March 3 ...	756	15·3	53	25	40·0	0·13	35	September 1 ...	557	11·4	66	38	55·3	1·00
10	10 ...	714	14·4	51	21	38·1	0·47	36	8 ...	492	10·1	71	39	57·4	0·36
11	17 ...	737	14·9	55	21	37·5	0·59	37	15 ...	484	9·9	67	40	55·4	1·18
12	24 ...	719	14·5	56	23	38·7	1·02	38	22 ...	483	9·9	63	36	52·3	0·09
13	31 ...	691	14·0	50	23	36·1	0·67	39	29 ...	531	10·9	66	37	53·9	0·88
14	April 7 ...	673	13·6	55	28	42·1	0·75	40	October 6 ...	550	11·3	66	43	54·1	0·06
15	14 ...	632	12·8	52	26	40·1	0·56	41	13 ...	486	10·0	65	34	52·9	0·06
16	21 ...	612	12·4	55	27	40·7	0·53	42	20 ...	510	10·5	63	36	51·4	0·46
17	28 ...	633	12·8	62	26	45·5	0·22	43	27 ...	566	11·6	57	26	43·2	0·17
18	May 5 ...	609	12·3	59	28	43·2	1·29	44	November 3 ...	549	11·3	60	29	46·2	0·42
19	12 ...	587	11·9	68	27	44·7	0·06	45	10 ...	572	11·7	55	37	47·0	2·68
20	19 ...	596	12·0	67	32	49·3	0·11	46	17 ...	581	11·9	56	33	47·9	1·38
21	26 ...	533	10·8	67	38	49·8	0·89	47	24 ...	548	11·2	55	26	44·0	1·33
22	June 2 ...	532	10·7	74	35	51·1	0·09	48	December 1 ...	592	12·1	54	29	42·4	0·72
23	9 ...	578	11·7	81	35	53·6	0·01	49	8 ...	577	11·8	56	29	41·6	1·61
24	16 ...	529	10·7	66	36	53·8	1·10	50	15 ...	600	12·3	58	19	38·2	0·31
25	23 ...	527	10·6	71	39	54·8	0·77	51	22 ...	660	13·5	56	26	44·6	1·29
26	30 ...	533	10·8	71	40	55·6	0·30	52	29 ...	612	12·5	49	30	39·4	1·45

METEOROLOGICAL TABLES, 1951

TABLE 1.—District Values of Air Temperature, Rainfall and Sunshine

District	1951	Air Temperature: Highest	Air Temperature: Lowest	Air Temperature: Deviation from Average Daily Mean	Rainfall: Percentage of Normal	Rainfall: Number of Days Deviation from Normal	Sunshine: Percentage of Average Duration	Normal Values: Daily Mean Temperature	Normal Values: Total Rainfall	Normal Values: Number of Days	Normal Values: Daily Sunshine
		°F.	°F.	°F.	%		%	°F.	Ins.		Hours
North Scotland	Jan.	50	11	−2·0	105	0	104	38·4	5·79	23	0·84
	Feb.	54	15	−2·2	111	+ 2	91	38·3	4·57	21	1·89
	Mar.	57	3	−2·6	84	0	84	39·2	4·41	23	3·05
	April	58	19	−2·6	172	+ 5	105	42·9	3·23	19	4·55
	May	71	22	−0·9	25	−11	141	48·1	2·80	19	5·36
	June	75	29	−0·9	84	− 2	111	52·4	2·72	16	5·17
	July	74	31	−0·3	136	+ 2	72	54·7	3·35	19	4·18
	Aug.	70	30	−0·6	134	+ 1	81	54·6	4·18	21	3·69
	Sept.	71	31	+1·3	75	− 3	94	51·8	3·78	19	3·49
	Oct.	67	22	+2·6	58	− 8	99	46·4	5·00	22	2·50
	Nov.	57	21	+2·4	138	+ 5	65	41·8	5·63	23	1·22
	Dec.	57	7	+0·4	123	+ 4	105	39·1	6·18	24	0·61
	Year	**75**	**3**	**−0·4**	**109**	**− 7**	**99**	**45·6**	**51·64**	**249**	**3·05**
East Scotland	Jan.	53	14	−2·3	158	− 1	108	37·2	2·57	17	1·37
	Feb.	53	16	−2·0	134	+ 3	89	37·4	2·24	16	2·50
	Mar.	57	5	−2·4	113	+ 1	76	39·2	2·48	19	3·51
	April	64	18	−2·2	165	+ 2	116	43·2	1·85	16	4·94
	May	70	21	−2·5	93	− 4	108	48·2	2·24	16	5·76
	June	76	24	−1·1	90	− 2	103	53·7	2·13	14	6·03
	July	79	35	+1·2	135	+ 1	108	56·4	2·87	17	5·09
	Aug.	75	32	−0·8	134	+ 3	93	55·8	3·15	18	4·70
	Sept.	73	28	+1·4	54	− 5	117	52·3	2·24	15	4·06
	Oct.	69	19	+2·2	27	− 9	105	46·5	3·27	19	2·80
	Nov.	60	25	+3·0	220	+ 4	80	41·1	3·11	19	1·73
	Dec.	57	7	+1·2	94	0	135	37·9	3·11	19	1·04
	Year	**79**	**5**	**−0·4**	**116**	**− 5**	**103**	**45·7**	**31·26**	**205**	**3·63**
West Scotland	Jan.	54	18	−1·4	161	+ 4	100	39·4	4·57	20	1·17
	Feb.	52	22	−2·2	94	+ 4	108	39·3	3·94	18	2·10
	Mar.	55	13	−3·0	99	+ 1	86	40·7	3·58	19	3·51
	April	62	20	−2·3	115	+ 1	122	44·7	2·76	16	5·15
	May	71	24	−1·2	69	− 6	122	49·7	2·91	16	6·16
	June	81	30	+0·2	77	− 4	112	55·0	2·87	15	6·32
	July	76	35	0·0	98	0	93	57·1	3·46	17	5·73
	Aug.	73	37	−0·7	120	+ 2	94	56·6	4·41	18	4·99
	Sept.	72	33	+1·6	133	+ 1	98	53·5	3·66	16	4·24
	Oct.	66	20	+1·6	35	− 9	107	47·9	4·69	19	2·68
	Nov.	59	26	+3·5	176	+ 6	78	43·2	5·16	19	1·59
	Dec.	58	15	+0·8	151	+ 4	121	40·6	5·63	22	0·96
	Year	**81**	**13**	**−0·3**	**114**	**+ 6**	**105**	**47·3**	**47·64**	**215**	**3·67**

TABLE II.—Summary Table of Mean Values of Air Temperature at the Principal Stations (Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Prestwick and Dunfermline), together with extremes of Temperature for Scotland as a whole, and generalised figures for the United Kingdom

1951	AIR TEMPERATURES								RAINFALL		
	Means of		Mean of A and B	Difference of Mean from Normal	Daily Range		Absolute Extremes		Percentage of Normal		
	Maximum A	Minimum B			Mean A−B	Difference from Normal	Highest	Lowest	Scotland	England and Wales	Northern Ireland
January ...	41·4	32·8	37·1	−1·8	8·6	−0·3	53	18	130	127	112
February ...	41·6	32·5	37·0	−2·1	9·1	−0·4	51	23	103	186	113
March ...	43·5	32·8	38·2	−2·6	10·7	−0·6	56	18	95	175	97
April ...	48·7	35·4	42·1	−2·2	13·3	−0·3	62	26	150	135	71
May ...	55·0	40·1	47·5	−2·2	14·9	+0·5	70	23	63	140	72
June ...	62·2	46·5	54·4	−0·4	15·7	+0·4	78	35	85	55	101
July ...	65·4	52·0	58·7	+0·5	13·4	−0·9	79	39	116	67	109
August ...	62·8	50·4	56·6	−0·7	12·4	−0·9	75	38	125	156	111
September	61·3	48·3	54·8	+1·4	13·0	−0·2	73	36	87	141	97
October ...	55·7	44·5	50·1	+2·1	11·2	−0·1	66	26	42	31	37
November...	50·3	40·8	45·5	+3·7	9·5	−0·4	60	26	167	207	160
December ...	45·9	36·2	41·0	+1·5	9·7	+1·0	58	19	123	100	117
Means and Extremes	52·8	41·0	46·9	−0·2	11·8	−0·2	79	18	108	124	101

TABLE III.—Number of Hours Bright Sunshine

1951	No. of Hours												Year Total Hours
	January	February	March	April	May	June	July	August	September	October	November	December	
North Scotland													
Lerwick ...	22	43	79	135	232	160	85	100	97	53	22	13	1041
Grimsetter ...	44	54	97	160	214	174	116	133	144	81	36	38	1291
Wick	61	56	102	161	200	180	122	146	138	84	50	52	1352
Stornoway ...	44	60	102	166	253	210	92	127	88	85	34	31	1292
Skye, Duntulm	31	68	93	153	265	242	81	127	94	80	33	21	1288
Strathy ...	45	47	85	133	209	203	108	117	105	82	33	34	1201
Fortrose ...	54	60	100	133	195	191	155	112	125	92	45	37	1299
Dalwhinnie ...	28	44	65	129	216	146	136	70	102	57	17	23	1033
Fort William ...	4	39	70	128	254	190	85	63	84	73	13	7	1010
Inverness ...	56	52	90	138	197	186	127	110	134	84	38	28	1240
Onich	13	50	79	134	245	184	93	81	92	76	18	17	1082
East Scotland													
Nairn	56	56	98	137	187	194	169	113	146	112	43	41	1352
Gordon Castle	58	39	85	151	195	201	149	117	149	110	45	50	1349
Forres	70	47	90	148	192	203	163	117	148	106	51	52	1387
Banff	60	40	91	157	178	173	157	124	140	92	40	57	1309
Glenlivet ...	62	53	75	147	224	199	140	97	159	100	38	44	1338
Dyce	65	65	87	175	181	181	184	143	143	86	52	67	1429
Braemar ...	28	40	63	141	178	160	157	85	114	67	27	28	1088
Craibstone ...	64	65	85	173	172	181	182	146	145	88	52	72	1425
Stonehaven ...	55	70	94	176	176	189	175	143	140	77	45	62	1402
Arbroath ...	51	76	103	192	218	202	205	146	157	83	55	58	1546
Dundee ...	49	68	86	172	187	176	181	139	133	87	51	58	1387
Montrose ...	49	69	92	173	168	175	164	119	136	68	40	54	1307
Perth	44	64	76	174	200	181	178	107	133	72	49	45	1323
Dunfermline ...	33	59	84	160	217	189	149	109	121	91	49	47	1308
Kirkcaldy ...	43	63	79	181	190	186	175	143	160	104	59	46	1429
Leuchars ...	54	72	94	182	211	183	217	155	156	105	58	59	1546
St. Andrews ...	56	73	87	185	203	204	215	139	157	104	57	56	1536
Balerno ...	53	71	77	157	198	206	165	137	164	129	57	49	1463
Boghall ...	58	71	78	151	167	193	158	122	152	110	55	52	1367
Edinburgh (R.O.)	62	74	84	151	184	217	165	131	159	117	56	56	1456
Edinburgh (B.G.)	47	69	78	169	180	200	172	148	166	101	58	44	1432
North Berwick	47	68	76	165	166	200	182	133	147	97	57	49	1387
Peebles ...	31	51	66	129	179	185	137	91	122	96	24	19	1130
Marchmont ...	37	52	70	165	157	191	174	132	145	86	41	45	1295
West of Scotland													
Dunoon (Benmore)	25	44	82	136	147	135	90	74	74	46	22	17	892
Oban	31	66	108	185	268	248	118	126	101	77	26	25	1379
Tiree	37	73	129	212	287	256	120	168	133	70	36	34	1555
Rothesay ...	39	67	102	177	230	226	144	127	111	76	39	39	1377
Helensburgh ...	21	56	85	168	209	181	142	100	101	72	27	25	1187
Greenock ...	26	52	78	169	202	204	151	130	113	81	30	17	1253
Paisley ...	33	55	78	166	191	180	147	107	121	93	41	34	1246
Renfrew ...	34	60	80	177	210	201	159	127	119	97	45	39	1348
Carluke ...	43	62	74	143	208	201	130	90	126	103	43	37	1260
Glasgow ...	23	50	64	149	214	182	144	95	108	89	35	29	1182
Auchincruive ...	41	55	96	171	208	209	137	120	112	96	34	31	1310
Kilmarnock ...	35	57	92	164	227	199	150	121	121	94	37	36	1333
Prestwick ...	40	65	116	187	238	238	163	142	125	110	37	31	1492
Dumfries ...	40	50	75	154	203	202	151	115	110	95	41	39	1275
Eskdalemuir ...	36	48	69	161	183	179	148	106	111	98	32	35	1206
Ruthwell ...	43	58	76	168	193	208	149	126	122	106	48	42	1339

TABLE IV.—Monthly and Annual Amounts of Rainfall and Number of Days of Rain at Selected Stations

1951	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	·04″ or more
North Scotland—															
Lerwick	5·19	5·66	2·46	4·40	·30	1·40	3·96	5·33	2·58	2·48	5·99	6·95	46·70	241	185
Grimsetter	3·48	3·73	3·80	3·38	·20	1·10	3·22	3·88	1·46	2·16	7·62	5·34	39·37	239	188
Benbecula	7·76	4·44	3·32	3·74	·43	2·84	3·07	3·74	3·70	4·65	6·34	8·27	52·30	263	203
Stornoway	4·94	3·09	2·44	4·28	·96	2·34	3·40	3·07	2·27	3·39	5·83	6·19	42·20	254	214
Duntulm	7·65	3·64	3·05	4·56	·42	2·18	6·13	3·56	3·96	6·68	5·32	9·18	56·33	270	219
Cape Wrath	4·59	2·58	2·73	3·96	·56	1·79	5·30	3·23	1·67	4·96	5·57	6·65	43·59	239	189
Wick	2·62	3·47	3·65	2·45	·46	·83	3·71	2·97	1·44	1·91	5·11	2·44	31·06	223	156
Strathy	3·27	4·39	4·11	3·62	·70	2·03	3·06	4·13	1·06	2·10	6·19	4·16	38·82	253	194
Achnashellach	9·25	5·55	4·88	7·96	·83	3·12	7·31	7·02	6·43	4·70	7·44	14·64	79·13	275	224
Fortrose	2·21	1·54	1·54	3·68	·68	1·96	2·62	3·65	·48	·97	3·79	3·18	26·30	172	127
Dalwhinnie	3·70	2·94	1·71	4·92	1·25	1·25	2·78	4·64	3·04	1·13	8·28	6·26	41·90	235	172
Fort William	9·73	5·02	3·74	6·88	·50	2·96	5·52	7·52	8·56	3·63	10·12	15·26	79·44	245	204
Inverness	2·47	1·84	1·41	4·01	·65	2·01	3·49	4·62	·83	1·08	3·99	3·66	30·06	211	132
Onich	9·18	5·39	5·27	6·22	·85	3·34	7·85	6·52	7·63	4·12	9·61	14·45	80·43	248	228
East Scotland—															
Nairn	2·27	1·85	1·46	3·57	·57	1·53	2·88	3·74	·54	1·24	3·62	3·21	26·48	189	122
Forres	2·07	1·94	2·04	3·29	·44	2·26	3·24	3·42	·63	1·70	3·34	2·44	26·81	197	127
Gordon Castle	2·77	3·49	3·02	2·87	·98	2·85	3·45	3·50	·66	1·34	5·67	2·31	32·91	199	156
Banff	2·70	3·28	3·24	2·30	·68	1·71	3·15	4·23	·75	1·06	5·81	2·23	31·14	212	158
Glenlivet	2·50	4·95	2·55	4·44	1·56	3·75	3·67	4·90	1·03	1·38	10·15	1·73	42·61	197	155
Balmoral...	2·80	3·98	2·63	3·46	1·50	1·19	3·05	3·68	1·17	1·23	7·22	2·98	34·89	228	148
Braemar	3·31	4·82	2·37	3·90	1·72	1·22	2·24	4·33	1·82	1·10	8·02	3·84	38·69	214	151
Craibstone	4·01	3·91	2·89	2·66	1·43	2·11	5·75	3·96	1·25	·91	8·72	2·27	39·87	206	142
Dyce	3·90	3·58	3·06	2·78	1·32	2·05	5·47	3·65	1·19	·97	8·46	2·05	38·48	203	144
Logie Coldstone	3·41	3·69	2·79	2·56	1·26	1·47	3·54	4·17	1·25	1·03	8·25	1·73	35·15	201	137
Stonehaven	4·30	2·46	2·80	2·81	1·65	1·06	3·19	3·99	1·25	1·66	6·14	2·13	33·44	185	135
Arbroath...	3·67	1·69	1·98	2·46	1·11	1·65	3·06	3·50	1·13	·57	5·60	1·37	27·79	180	132
Buddonness	3·75	2·54	2·18	2·25	1·75	1·45	3·52	2·65	1·34	·46	6·14	1·82	29·85	185	130
Dundee	3·34	2·95	2·32	1·82	1·98	2·20	4·02	3·23	1·75	·58	6·80	2·19	33·18	185	133
Montrose...	4·11	2·11	1·74	2·36	1·24	1·58	2·75	3·61	1·51	·77	6·24	1·41	29·43	182	134
Perth	3·48	3·28	1·65	2·03	1·74	2·21	2·99	4·08	2·29	·70	6·88	2·89	34·22	200	140
Cupar	3·56	3·27	3·12	2·18	2·17	1·67	5·28	3·87	2·01	·27	6·10	2·32	35·82	187	146
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
Dunfermline	3·54	2·17	2·68	2·06	2·09	2·38	5·34	3·17	1·78	·52	4·22	2·71	32·66	188	139
Leuchars	3·12	2·61	2·27	1·93	1·91	1·51	4·32	2·94	1·40	·19	6·01	2·07	30·28	177	126
St. Andrews	3·59	2·97	2·21	2·22	2·03	1·63	2·84	3·60	1·56	·13	6·32	2·38	31·48	174	139
Balerno	3·51	3·04	4·12	3·39	3·39	1·33	3·78	6·53	1·38	·83	6·29	4·27	41·86	205	157
Boghall	3·90	2·43	3·36	4·27	3·32	1·84	3·91	5·63	1·30	·81	5·16	3·20	39·13	208	149
Edinburgh	2·59	1·93	2·58	2·58	3·04	1·41	3·50	5·27	·88	·52	4·23	2·45	30·98	193	132
Midcalder	2·91	2·43	3·48	3·37	2·60	1·95	3·87	5·34	1·93	·78	5·37	3·44	37·47	186	151
North Berwick	3·17	1·99	2·56	2·45	2·52	1·61	3·45	3·98	·87	·24	4·20	1·30	28·34	188	118
Marchmont	3·73	2·08	3·13	2·77	2·99	1·01	2·57	3·70	1·49	·46	5·47	1·22	30·62	195	138
West Linton	3·38	2·95	3·49	3·58	3·01	1·95	3·20	4·59	1·76	·65	6·37	3·65	38·58	214	166
Peebles	3·62	3·16	2·30	3·37	3·41	1·37	2·73	3·77	1·87	·41	7·64	3·61	37·26	192	147
Kelso	3·09	2·02	2·87	2·50	2·87	1·55	2·45	2·61	1·39	·32	5·46	1·64	28·77	183	136
West Scotland—															
Colonsay	6·11	3·84	3·82	3·08	·94	2·30	4·44	3·75	5·60	2·77	7·23	8·07	51·95	254	209
Dunoon	6·87	2·59	3·87	4·92	2·34	2·43	4·49	6·54	5·28	2·05	9·49	12·84	63·71	228	186
Dunoon (Benmore)	9·11	5·47	5·79	5·30	2·57	2·50	5·90	6·21	6·60	3·00	12·14	15·68	80·27	227	205
Glenbranter	9·20	5·95	6·26	6·38	2·73	2·52	7·28	6·99	6·48	3·85	14·32	16·39	88·35	246	213
Oban	6·61	4·43	3·42	4·59	·85	2·76	5·01	3·93	4·69	4·12	6·52	11·30	58·23	235	196
Rothesay	5·93	2·76	3·72	3·07	2·43	2·65	3·69	4·69	4·51	2·28	7·96	9·08	52·77	221	179
Largs	5·43	3·36	3·82	2·34	1·61	1·87	3·55	3·94	4·04	1·75	7·17	8·30	47·18	219	174
Tiree	8·65	4·02	3·01	2·78	·70	1·71	3·28	4·11	3·78	3·87	6·96	7·28	50·15	238	192
Helensburgh	6·40	3·43	3·57	2·89	2·33	2·01	3·67	3·95	4·32	1·92	7·59	9·59	51·67	228	190
Stirling	4·39	2·92	2·02	1·94	1·46	1·62	4·14	5·91	3·73	·59	5·43	5·40	39·55	189	151
Falkirk	5·17	2·79	2·78	2·46	2·11	2·04	5·02	4·88	2·36	·83	5·16	5·41	41·01	216	164
Greenock	6·21	3·99	4·08	3·85	2·23	2·15	3·44	4·88	5·31	1·81	8·07	11·29	57·31	229	177
Paisley	5·61	3·09	3·15	2·87	1·90	2·61	2·87	5·20	3·22	·95	6·80	7·22	45·49	215	161
Renfrew	4·95	2·85	2·76	2·26	1·90	2·22	3·17	4·55	2·89	·78	6·26	6·23	40·82	211	154
Auchincruive	3·55	2·69	2·70	2·27	1·75	1·52	1·96	3·74	2·64	1·06	4·81	6·68	35·37	212	163
Colmonell	4·49	3·40	3·28	2·11	2·01	1·51	1·98	5·55	3·06	1·04	7·81	7·46	43·70	211	163
Kilmarnock	4·34	2·80	2·61	2·47	1·68	1·93	2·82	3·81	2·93	1·01	5·32	7·76	39·48	213	175
Prestwick	3·53	2·56	2·87	1·90	1·66	1·54	1·61	3·35	2·42	·85	4·78	5·27	32·34	207	156
Dumfries...	5·62	3·29	2·90	2·34	2·43	1·35	2·54	5·66	4·13	·25	8·87	7·37	46·75	208	156
Eskdalemuir	7·87	4·62	5·18	5·42	2·29	2·44	4·68	7·15	6·90	·46	10·22	9·47	66·70	240	193
Ruthwell...	5·94	2·47	3·18	2·10	2·48	1·69	2·61	4·53	5·08	·34	6·82	5·69	42·93	214	156
Tongland	5·92	2·78	4·48	2·25	2·32	1·03	3·16	6·58	5·48	·54	9·40	7·62	51·56	201	168
Glenlee	7·34	4·66	4·26	3·27	2·80	2·61	2·20	10·03	5·90	·81	11·49	11·90	67·27	224	187
West Freugh	4·13	2·67	3·27	1·37	2·17	1·59	2·02	4·45	3·04	·68	7·71	6·13	39·23	205	151

Printed in Great Britain under the authority of Her Majesty's Stationery Office
by the Herald Printing Works, York. Wt.73650. K4

MAP
showing the Stations
from which returns are made by
THE METEOROLOGICAL OFFICE
to the
Registrar General for Scotland.

Note— *The line ... indicates the boundaries of the Districts named in Meteorological Tables I, III, & IV.*

Ordnance Survey, 1951.